ALOFT® HEIGHT ADJUSTABLE BENCHING

May 2019 Price List

AIS

This page intentionally left blank.

PRODUCT INFORMATION

Aloft Statement of Line 5
Aloft Finish Options 7
Aloft Product Details 11
Aloft Typicals 14
Electrical Components 15

BENCH KITS

Motorized Rectangular Benches 16
Fixed Rectangular Benches. 17

120 BENCH KITS

120 Motorized Benches. 18
120 Fixed Benches 19
Electronic Control Boxes 20

RETURNS

Rectangular Returns 21
Slant Returns 22

END PANELS

Standard End Panels 23
Mid-Run End Panels 24
Full Modesty Panels, Wedge End Caps and Double Arm Metal Covers 25
120 Single Bench Full and Double Bench Half Modesty Panels 26
120 Single Bench Full and Half Modesty Covers 27

ELECTRICAL AND DATA

Outlets 28
Data Housing Units and Data Plate Kits 29
Electrical Jumpers 30
In-Feeds, Power Poles and Extenders 31

SCREENS AND DIVIDERS

Fixed and Height Adjustable Spine Screens for Straight Benches 33
120 Height Adjustable Spine Screens 34
Adjustable and Side Mount Screens 35
Side-Mount Screens 36

ACCESSORIES

Tool Rails 37
Bench End Worksurfaces and Double Arm Metal Covers 38
Tool Bar Accessories and Spin-Out Pencil Drawers 39
Credenza and Pedestal Cushions 40
Lock Cores and Replacement Pulls 41
CPU Holders 42
LED Task Lights and Monitor Arms 43

WARRANTY & TERMS AND CONDITIONS

For Warranty & Terms and Conditions please visit:
https://aiscmsprod.blob.core.windows.net/infocenter/AISTermsWarranty.pdf

© 2018, AIS, Inc.

This page intentionally left blank.

Bench Kits, End Panels, Electrical and Data

BENCH KITS AND RETURNS



Single-Sided Bench Kit
Powered or Non-Powered
Motorized or Fixed



Double-Sided Bench Kit
Powered or Non-Powered
Motorized or Fixed



120 Single-Sided Bench Kit
Powered or Non-Powered
Motorized or Fixed



120 Double-Sided Bench Kit
Powered or Non-Powered
Motorized or Fixed



120 Triple-Sided Bench Kit
Powered or Non-Powered
Motorized or Fixed



Rectangular Return
Motorized or Fixed



Slant Return
Motorized or Fixed



Electronic Control Box Kits

END PANELS



Standard Single-Sided
End Panel
Left or Right



Standard Shared
End Panel



Mid-Run End Panel
Left or Right
Right Shown



Full Modesty End Panel



120 Modesty Panels
Single or Double, Full or Half



Adjustable Wedge End Cap



120 Single Bench Modesties Covers



Double Arm Metal Cover

ELECTRICAL AND DATA



Duplex Outlet



USB Outlet



Duplex Outlet Cover



Data Housing Unit



Data Plate Kit



Electrical Jumper



Ceiling In-Feed



Side-Mounted Base In-Feed



Side-Mounted Base In-Feed

Power/Data Pole

Power/Data Pole Extender

Cable Management Strip

Note: Woodgrain on bench tops runs parallel to spine beam. Woodgrain on end panels, modesty panels and gallery panels 18" wide to 60" wide runs vertically while panels 66" wide to 96" wide run horizontally.

© 2018, AIS, Inc.

Screens, Dividers and Accessories

SCREENS AND DIVIDERS



Fixed Spine Screen
Glass or Fabric/Whiteboard



Height Adjustable Spine Screen
Glass or Fabric/Whiteboard



120 Height Adjustable Spine Screen
Glass or Fabric



Adjustable Spine Screen
Glass or Fabric/Whiteboard, Left or Right



Side Mount Screen
Glass or Fabric/Whiteboard

ACCESSORIES



Rear Mounted Toolrail



Front to Back Toolrail
Left or Right



Rectangular Bench End Worksurface



Trapezoid Bench End Worksurface



Standard Tool Bar Accessories



Metal Tool Bar Accessories



Spin-Out Pencil Drawers



Lock Cores and Keys



Replacement Pulls
Loop or Bar



Credenza and Pedestal Cushions



CPU Holders
Easy Access, Lockable or Elevator



Monitor Arms
Single or Double

LED Task Lights
Clamp, Desk Base or Short Clamp

Note: The fabric for fabric screens that are 24" wide to 60" wide runs vertically while the 66" wide to 72" wide runs horizontally (railroaded). Tackable fabric / whiteboard screens may be specified with any combination of the two types front and back on the screen.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Revision May 2019
© 2018, AIS, Inc.

Upholstery Fabric Options

UPHOLSTERY FABRIC BY GUILFORD OF MAINE

Name	Style Number	Grade
Aquatint	9474	A
Diva	9860	A
Lisbon	9477	A
Open House	2334	A
Outline	9468	A
Oxford	9914	A
Ticker	9862	A
Timeless	9846	A
Beacon	9256	B
Beehave	3948	B
Blink	1577	B
Frolic	5000	B
Highbeams	9834	B
Lifesaver	2877	B
Prism	9005	B
Soundbite	2879	B
Xceed	5901	B
Blinker	9098	C
Limelight	9480	C
Mainstream	9478	C
Moguls	2386	C
Playful	3400	C
Portofino	9467	C
Revival	9217	C
Underground	2967	C

UPHOLSTERY FABRIC BY NASSIMI

Name	Style Number	Grade
Foundation Autumn	PFO-001	A
Foundation Baltic	PFO-002	A
Foundation Bone	PFO-003	A
Foundation Caramel	PFO-004	A
Foundation Coffee	PFO-005	A
Foundation Cranberry	PFO-006	A
Foundation Doe	PFO-007	A
Foundation Ebony	PFO-008	A
Foundation Flintstone	PFO-009	A
Foundation Ivory	PFO-010	A
Foundation Merlot	PFO-011	A
Foundation Oregano	PFO-012	A
Foundation Pacific	PFO-013	A
Foundation Peat	PFO-014	A
Foundation Pebble	PFO-015	A
Foundation Seal	PFO-016	A
Foundation Spring	PFO-017	A
Foundation Sunflower	PFO-018	A

UPHOLSTERY FABRIC BY MAYER

Name	Style Number	Grade
Fedora Aegean	621-053	C
Fedora Aquamarine	621-043	C
Fedora Bitumen	621-006	C
Fedora Cactus	621-003	C
Fedora Charcoal	621-016	C
Fedora Citron	621-013	C
Fedora Dapper	621-036	C
Fedora Dew	621-056	C
Fedora Espresso	621-010	C
Fedora Eucalyptus	621-023	C
Fedora Fawn	621-017	C
Fedora Indigo	621-014	C
Fedora Light Grey	621-046	C
Fedora Midnight	621-004	C
Fedora Mink	621-000	C
Fedora Opal	621-033	C
Fedora Persimmon	621-009	C
Fedora Pewter	621-026	C
Fedora Plum	621-008	C
Fedora Purple	621-005	C
Fedora Ruby	621-001	C
Fedora Tangelo	621-019	C
Fedora Tomato	621-011	C
Fedora Topaz	621-002	C
Fedora Winter	621-007	C

UPHOLSTERY FABRIC BY CAMIRA

Name	Style Number	Grade
Blazer Abertay	CUZ3B	D
Blazer Bromsgrove	CUZ35	D
Blazer Camphill	CUZ1K	D
Blazer Dartmouth	CUZ2Q	D
Blazer Dunhurst	CUZ58	D
Blazer Edinburgh	CUZ1Y	D
Blazer Goldsmith	CUZ39	D
Blazer Handcross	CUZ63	D
Blazer Holyoke	CUZ2T	D
Blazer Newcastle	CUZ1W	D
Blazer Plymouth	CUZ1R	D
Blazer Silcoates	CUZ30	D
Blazer Silverdale	CUZ28	D
Blazer St. Andrews	CUZ86	D
Blazer Surrey	CUZ1E	D
Blazer Trevelyan	CUZ31	D
Blazer Wesley	CUZ82	D

UPHOLSTERY FABRICS BY MAHARAM

Name	Grade
Bar	D
Coin	D
Disc	D
Divide	D
Manner	D
Medium	D
Messenger	D
Metric	D
Oblique	D
Pick	D
Technic	D

UPHOLSTERY FABRIC BY MOMENTUM

Name	Style Number	Grade
Expo	-	D
Insight	-	D
Origin	-	D
Perk	-	D
Ace	-	D
Fuse	-	D

C.O.M. Fabric Policy

- It is mandatory that you work directly with your AIS Customer Service Representative for all COM related testing and orders. They will provide all necessary forms to you, as well as work with you with regard to sending in correct yardage and where to send it, along with necessary RA# or #s. Please note an RA must be submitted along with the fabric for testing, as well as an RA created for an actual order.
- **Please Note:** A three to five yard sample is required for testing and approval for use on all monolithic panel systems. A one yard sample is required for testing and approval on Divi Insert Tiles, Matrix Tiles, flipper doors and tackboards. We may be able to test upholstery fabrics with a swatch, your Customer Service Representative will advise based on the fabric being tested; otherwise a 1 yard sample must be submitted for testing. Results take 48 - 72 hours.
- Customer Service must be advised as to the width of the fabric rolls being supplied (54”W or 60”W). Customer Service must also be advised if the fabric has a backer.
- Yardage required for the job must be calculated by an AIS Customer Service Rep.
- Once AIS has approved the COM fabric, a fabric sample needs to be marked by the dealer with “Front”, “Top”, and “Bottom”, to be sure fabric is applied correctly. The fabric sample then needs to be attached to a COM Fabric Dealer Form and forwarded to AIS Customer Service. The COM Fabric Dealer Form may be downloaded or printed here.
- Fabrics may be discontinued or obsolete without notice.
- Contact AIS Customer Service with any questions regarding fabric availability.
- All directional fabric will be railroaded.

© 2018, AIS, Inc.

Tackboard Fabric Options

TACKBOARD FABRICS BY AIS

Name	Style Number	Grade
Avenue Dusk	2062	A
Avenue Park Place	2064	A
Cape Cod Chatham	2711	A
Cape Cod Falmouth	2712	A
Cape Cod Harwich	2713	A
Cape Cod Hyannis	2714	A
Cape Cod Martha's Vineyard	2715	A
Cape Cod Nantucket	2716	A
Cape Cod Provincetown	2717	A
Engage Denim	2066	A
Engage Neutral	2065	A
Engage Rain Cloud	2067	A
Engage Toffee	2068	A
New England Boston	2700	A
New England Cambridge	2701	A
New England Concord	2702	A
New England Dixville Notch	2703	A
New England Hartford	2704	A
New England Lexington	2705	A
New England Newton	2706	A
New England Providence	2707	A
New England Rockport	2708	A
New England Salem	2709	A
New England York	2710	A
Rainfall Bliss	2059	A
Rainfall Shore	2060	A
Rainfall Sundown	2057	A
Rainfall Twilight	2058	A
Simplicity Blue Smooth	2001	A
Simplicity Chamoise	2002	A
Simplicity Grey Blue	2004	A
Simplicity Sandy Pebble	2005	A
Simplicity Stone	2530	A
Simplicity Twizzle Tan	2008	A
Stream Light Sand	2501	A

TACKBOARD FABRICS BY GUILFORD OF MAINE

Name	Style Number	Grade
Anchorage	2335	B
Bailey	2299	B
Drift	2539	B
Lido	2858	B
Mingle	2527	B
Spinel	3582	B
Sprite	2671	B
Streetwise	2721	B
Reeds	3078	B
Tweed	2737	B
Birdseye	2748	C
Bix	3008	C
Broadcast	2758	C
Coastline	3495	C
Crosstown	2526	C
Fr701	2100	C
Auster	2537	D
Block Party	2538	D
Groove	3497	D
Lily Pad	2318	D
Network	4158	D
Nitro	2317	D
Phone Tag	2314	D
Regatta	2400	D
Tempest	2120	D
Cosmos	2655	E

C.O.M. Fabric Policy

- It is mandatory that you work directly with your AIS Customer Service Representative for all COM related testing and orders. They will provide all necessary forms to you, as well as work with you with regard to sending in correct yardage and where to send it, along with necessary RA# or #s. Please note an RA must be submitted along with the fabric for testing, as well as an RA created for an actual order.
- **Please Note:** A three to five yard sample is required for testing and approval for use on all monolithic panel systems. A one yard sample is required for testing and approval on Divi Insert Tiles, Matrix Tiles, flipper doors and tackboards. We may be able to test upholstery fabrics with a swatch, your Customer Service Representative will advise based on the fabric being tested; otherwise a 1 yard sample must be submitted for testing. Results take 48 - 72 hours.
- Customer Service must be advised as to the width of the fabric rolls being supplied (54"W or 60"W). Customer Service must also be advised if the fabric has a backer.
- Yardage required for the job must be calculated by an AIS Customer Service Rep.
- Once AIS has approved the COM fabric, a fabric sample needs to be marked by the dealer with "Front", "Top", and "Bottom", to be sure fabric is applied correctly. The fabric sample then needs to be attached to a COM Fabric Dealer Form and forwarded to AIS Customer Service. The COM Fabric Dealer Form may be downloaded or printed here.
- Fabrics may be discontinued or obsolete without notice.
- Contact AIS Customer Service with any questions regarding fabric availability.
- All directional fabric will be railroaded.

© 2018, AIS, Inc.

Aloft Paint, Edgeband and Tempered Glass Options

ALOFT PAINT OPTIONS

Name	Color Code	Legs / Feet Grade	Spine / Storage / Accessories Grade
Black	BK	A	A
Chalk	CK	-	A
Dark Tone	DT	-	A
Grey Value 1	GV1	-	A
Innertone	HT	-	A
Light Tone	LT	-	A
Medium Tone	MT	-	A
Satin White	SW	A	A
Warm Brown	WB	-	A
Champagne Metallic	CHM	-	B
Dark Grey Metallic	DGM	-	B
Flint Grey Metallic	FGM	-	B
Light Grey	LG	-	B
Metallic Silver	MS	A	B
Tan Value 1	TV1	-	B
Warm White	WW	-	B
Woodrose	WR	-	B
Antique Gold	AG	-	C
Blue	BL	-	C
Graphite Sky	GS	-	C
Lite Silver Smooth	LSS	-	C
Orange	OG	-	C
Red	RD	-	C
Violet	VT	-	C
Yellow	YW	-	C

Custom Paints

- Minimum order size for any custom color is $75,000 list. Extended lead-time will apply.
- Any color not shown on Quick Ship, Standard Grade A, B or C will be considered custom.
- A $450 net paint match fee will be assessed following receipt of (2) 5”x5” samples of paint being matched.
- Minimum order size for any custom color is $75,000.00 list. Extended lead-time will apply.
- Additionally, Grade C paint up-charges will be applied to all applicable products on the order.
- **Important Custom Paint Note:** Most paint match pricing can be covered by the Grade C up-charge in the catalog, however the final pricing can only be determined after the paint is matched and a product list is provided to AIS customer service. An additional fee may apply based on job size and paint color.

TEMPERED GLASS OPTIONS

Name	3/8” Thick Frameless Glass
Aqui	Y
Bronze Tint	Y
Clear	Y
Frosted	Y
Grey Tint	Y

All glass is tempered. The etched side of Frosted, Pebble and Spraylight is only on one side of a screen, the opposite side is smooth. Please see specific price list pages on each type of glass for list pricing and up-charges.

EDGEBAND OPTIONS

Name	Color Code	Grade
Absolute Acajou	AA	A
Aimtoo Savatre	AS	A
Black	BK	A
Brazilwood	BZ	A
Cabinet Almond	CA	A
Chalk	CK	A
Corporate Walnut	CT	A
Dark Rum Cherry	DR	A
Dark Tone	DT	A
Grand Cherry	GC	A
Grey Value 1	GV1	A
Innertone	HT	A
Leave Likatre	LV	A
Light Tone	LT	A
Looks Likatre	LK	A
Medium Tone	MT	A
Midwest Maple	MM	A
Nightfall	NF	A
Recon Oak	RO	A
Satin White / True White	SW / TW	A
Storm	ST	A
Summer Drops	SD	A
Trytoo Savatre	TS	A
Warm Brown #1	WB1	A
Woodrose	WR	A

Custom Edgeband Options

- A $450 net edge match fee will be assessed to custom match non-standard edgeband.
- Minimum order size for any custom color is $75,000.00 list. Extended lead-time will apply.

© 2018, AIS, Inc.

Aloft Worksurface Laminate Options

WORKSURFACE LAMINATE OPTIONS	
Name	**Grade**
Absolute Acajou*	A
Aimtoo Savatre*	A
Black*	A
Brazilwood*	A
Cabinet Almond*	A
Chalk*	A
Corporate Walnut*	A
Dark Rum Cherry*	A
Grand Cherry*	A
Leave Likatre*	A
Looks Likatre*	A
Midwest Maple*	A
Nightfall*	A
Paris White Potterware	A
Recon Oak*	A
Storm*	A
Summer Drops*	A
Titanium EV	A
True White*	A
Trytoo Savatre*	A
Asian Night	B
Asian Sand	B
Beige Granite	B
Carbon EV	B
Colombian Walnut	B
Desert Zephyr	B
Figured Mahogany	B
Fonthill Pear	B
Green Soapstone	B
Grey Mesh	B
Gridlock in L.A.	B
Hampton Walnut	B
Khaki Brown	B
Loden Zephyr	B
Madagascar	B
Mahogany Clove	B
Monticello Maple	B

WORKSURFACE LAMINATE OPTIONS	
Name	**Grade**
Natural Tigris	B
Pearl Soapstone	B
Pewter Mesh	B
Satin Oxide	B
Shadow	B
Shadow Zephyr	B
Soft Gold Mesh	B
Streets of San Francisco	B
Sunset	B
Tungsten EV	B
White Spektrum	B
White Tigris	B
Windswept Pewter	B
Yorkshire Cherry	B
Antique White	C
Blue	C
Ebony	C
Frosty White (Writable Surface)	C
Oiled Olivewood	C
Orange	C
Pecan Woodline	C
Red	C
Ribbonwood Ashen	C
Ribbonwood Ebony	C
Ribbonwood Myriad	C
Satin Stainless	C
Strand Burnt	C
Strand Wedge	C
Strand Wheat	C
Twill Earthen	C
Twill Graphite	C
Twill Sarum	C
Violet	C
Warm White	C
Yellow	C
Zebrano	C

*Indicates a Grade A finish that can be used on Casegood body/case/door/drawer.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Revision May 2019
© 2018, AIS, Inc.

Aloft Product Details

Product Detail 1
Wire Basket Location and Dimensions

Spine beam allows for clamping accessories with a 1” space between the worksurface and spine beam. Each of the 4 “basket” locations allow for .85” x .95” of cable space before overflowing.



Product Detail 2
Height Adjustable Range

The lowest a height adjustable bench can go is 27.4” (to top of surface).

The highest a height adjustable bench can go is 46.4” (to top of surface).



Height adjustable benches have a crank speed of 6 turns to 1” and a motorized speed of 1.4” per second. Feature a maximum weight capacity of 250lbs.

Flexible wire manager allows for cable management from the spine to the height adjustable surface. The internal dimension (available space) is .5”H x 2”W.

© 2018, AIS, Inc.

Aloft Product Details

Product Detail 3
Bench Top Kit Dimensions

Actual width on all height adjustable Aloft is the same as nominal. Actual depth on double-sided bench top kits is the same as nominal. Actual depth on single-sided kits is nominal plus 1.25", to allow for the spine beam. Modesty would add 1.25" to the depth.



24"D Bench = 25.25" Actual | 30"D Bench = 31.25" Actual | 48"D Bench = 48" Actual | 60"D Bench = 60" Actual

Accessory Space: From the edge of the surface to the first cross beam there is space that allows for under-surface mounted accessories.

24"D Surface = 8.73" | 30"D Surface = 14.73"

Product Detail 4
Return Specifications

Return hardware is specific to the depth of the bench that it is being attached to.



Important: Return support hardware is specific to bench depth. 30" deep attachment requires longer hardware to connect to bench crossbeams.



20"D x 36"W Return for 24/48" (Left) and 30/60" (Right) deep benches

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Revision May 2019
© 2018, AIS, Inc.

Product Detail 5
Control Box Specifications for Straight Benches

Control boxes must be specified for rectangular benches. 2-Leg control boxes should be used on applications without returns. When using application with returns specify with 3-leg leg control box. See examples below:

Spec 1:
(1) Single Bench



Specify:
(1) 2-Leg Control Box

Spec 2:
(1) Double Bench



Specify:
(2) 2-Leg Control Box

Spec 3:
(1) Single Bench with (1) Return



Specify:
(1) 3-Leg Control Box

Spec 4:
(1) Double Bench with (1) Return



Specify:
(1) 2-Leg Control Box
(1) 3-Leg Control Box

Spec 5:
(1) Double Bench with (2) Returns



Specify:
(2) 3-Leg Control Box

Product Detail 6
Control Box Specifications for 120 Benches

Do not specify control boxes for 120 benches, 3-leg control boxes are included with 120 benches. See examples below for more details:

Spec 1:
(1) Single Sided 120 Bench



Do not specify control box
(1) 3-Leg Control Box included

Spec 2:
(1) Double-Sided 120 Bench



Do not specify control box
(2) 3-Leg Control Box included

Spec 3:
(1) Triple-Sided 120 Bench



Do not specify control box
(3) 3-Leg Control Box included

© 2018, AIS, Inc.

Aloft Typicals

Typical 1



(1) Rectangular Bench - Powered - Fixed

(2) Worksurface Rear Mounted Tool Rail

(3) Quad Powerway

(4) Wedge End Cap

(5) Glass Spine Screen - Fixed

(6) Fabric / Whiteboard Screen - Fixed

Typical 2



(1) Single Sided Rectangular Bench - Powered - Crank

(2) Height Adjustable Territory Screens - Glass

(3) Full Laminate End Panel

(4) Full Modesty Panel

Typical 3



(1) Double Sided Rectangular Bench - Powered - Motorized

(2) Double Laminate End Panel

(3) Height Adjustable Spine Screen - Fabric / Whiteboard

(4) 20”H Shared Pencil Lateral File

(5) 20”H x 14”D Floor Bookcase

(6) Credenza Cushions

Typical 4



(1) Double Rectangular Bench - Powered - Motorized

(2) Endcap Worksurface

(3) Slant Return - Motorized

(4) Glass Spine Screen - Fixed

(5) Side Mounted Screen, Fabric or Whiteboard

(6) Mobile Box/File Pedestal with Cushion

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Revision May 2019
© 2018, AIS, Inc.

8 WIRE 4 CIRCUIT

AIS Aloft 8 Wire 4 Circuit electrical system contains four circuits. Each circuit is rated at 20 amps/120 volts maximum. Circuit 1, Circuit 2 and Circuit 3 are served by a system neutral and an equipment ground. Circuit 4 is dedicated and is served by its own neutral and ground. Circuit and ground conductors are #12 A.G.W. (gauge). All neutrals are #10 A.G.W. (gauge).



Shown below is a cross section of metal cable used for 8 Wire 4 Circuit jumpers and infeeds. Circuit and ground conductors are #12 A.G.W. (gauge). **All neutrals are #10 A.G.W. (gauge).**



DUPLEX OUTLETS

Duplex Outlets are designated as circuits 1 through 4. Each duplex outlet contains two single receptacles (places to plug into) of the same circuit and are specified separately from powerways. All duplex outlets have black faces. The lettering on outlets for Circuit 1, 2 and 3 is white. The lettering on outlets for Circuit 4 is orange. Outlets are screw mounted to powerway. Duplex outlets are standard 15 amp outlets. For 20 amp outlets, call AIS Customer Service.



Common Equipment Amperages

Personal Computer	2.00 - 4.00
Laser Printer	5.00 - 8.00
Desktop Plotter	1.50
Fan	1.00
Heater	8.50 - 12.50
Tasklight	1.00
Slide Projector	2.00 - 6.00
Coffee Pot	15.00
Paper Shredder	4.40 - 13.00
Radio	0.05
Pencil Sharpener	1.00
Calculator	0.25
Answering Machine	0.08

© 2018, AIS, Inc.

Motorized Rectangular Benches

⚠ Leg Control Boxes for Motorized Benches must be specified separately, see notes below: ⚠

SINGLE-SIDED MOTORIZED RECTANGULAR BENCHES

		Non-Powered		Powered			
W	D	Model Number	List	Model Number	List	Paint Grade C	Laminate Grade C
36	24	BA-SBRNM2436	4,397	BA-SBRPM2436	4,837	+10	+28
42	24	BA-SBRNM2442	4,512	BA-SBRPM2442	4,952	+10	+30
48	24	BA-SBRNM2448	4,609	BA-SBRPM2448	5,049	+10	+33
54	24	BA-SBRNM2454	4,724	BA-SBRPM2454	5,164	+10	+41
60	24	BA-SBRNM2460	4,821	BA-SBRPM2460	5,261	+10	+41
66	24	BA-SBRNM2466	4,918	BA-SBRPM2466	5,358	+10	+46
72	24	BA-SBRNM2472	5,031	BA-SBRPM2472	5,472	+10	+51
78	24	BA-SBRNM2478	5,129	BA-SBRPM2478	5,570	+10	+58
84	24	BA-SBRNM2484	5,314	BA-SBRPM2484	5,754	+10	+58
90	24	BA-SBRNM2490	5,393	BA-SBRPM2490	5,834	+10	+68
96	24	BA-SBRNM2496	5,472	BA-SBRPM2496	5,914	+10	+68
36	30	BA-SBRNM3036	4,463	BA-SBRPM3036	4,904	+10	+33
42	30	BA-SBRNM3042	4,588	BA-SBRPM3042	5,028	+10	+39
48	30	BA-SBRNM3048	4,697	BA-SBRPM3048	5,138	+10	+42
54	30	BA-SBRNM3054	4,823	BA-SBRPM3054	5,263	+10	+50
60	30	BA-SBRNM3060	4,930	BA-SBRPM3060	5,371	+10	+50
66	30	BA-SBRNM3066	5,039	BA-SBRPM3066	5,480	+10	+56
72	30	BA-SBRNM3072	5,164	BA-SBRPM3072	5,604	+10	+61
78	30	BA-SBRNM3078	5,271	BA-SBRPM3078	5,712	+10	+87
84	30	BA-SBRNM3084	5,468	BA-SBRPM3084	5,908	+10	+87
90	30	BA-SBRNM3090	5,558	BA-SBRPM3090	5,999	+10	+96
96	30	BA-SBRNM3096	5,649	BA-SBRPM3096	6,090	+10	+96

DOUBLE-SIDED MOTORIZED RECTANGULAR BENCHES

		Non-Powered		Powered			
W	D	Model Number	List	Model Number	List	Paint Grade C	Laminate Grade C
36	48	BA-DBRNM4836	7,382	BA-DBRPM4836	7,823	+10	+28
42	48	BA-DBRNM4842	7,558	BA-DBRPM4842	7,999	+10	+30
48	48	BA-DBRNM4848	7,718	BA-DBRPM4848	8,158	+10	+33
54	48	BA-DBRNM4854	7,894	BA-DBRPM4854	8,334	+10	+41
60	48	BA-DBRNM4860	8,052	BA-DBRPM4860	8,493	+10	+41
66	48	BA-DBRNM4866	8,210	BA-DBRPM4866	8,651	+10	+46
72	48	BA-DBRNM4872	8,387	BA-DBRPM4872	8,827	+10	+51
78	48	BA-DBRNM4878	8,546	BA-DBRPM4878	8,987	+10	+58
84	48	BA-DBRNM4884	8,793	BA-DBRPM4884	9,234	+10	+58
90	48	BA-DBRNM4890	8,934	BA-DBRPM4890	9,375	+10	+68
96	48	BA-DBRNM4896	9,075	BA-DBRPM4896	9,516	+10	+68
36	60	BA-DBRNM6036	7,656	BA-DBRPM6036	8,096	+10	+33
42	60	BA-DBRNM6042	7,696	BA-DBRPM6042	8,136	+10	+39
48	60	BA-DBRNM6048	7,858	BA-DBRPM6048	8,299	+10	+42
54	60	BA-DBRNM6054	8,039	BA-DBRPM6054	8,480	+10	+50
60	60	BA-DBRNM6060	8,202	BA-DBRPM6060	8,643	+10	+50
66	60	BA-DBRNM6066	8,364	BA-DBRPM6066	8,806	+10	+56
72	60	BA-DBRNM6072	8,546	BA-DBRPM6072	8,986	+10	+61
78	60	BA-DBRNM6078	8,709	BA-DBRPM6078	9,150	+10	+87
84	60	BA-DBRNM6084	8,960	BA-DBRPM6084	9,401	+10	+87
90	60	BA-DBRNM6090	9,106	BA-DBRPM6090	9,547	+10	+96
96	60	BA-DBRNM6096	9,251	BA-DBRPM6096	9,692	+10	+96



(1) 2-Leg Control Box Required



(1) 2-Leg Control Box Required



(2) 2-Leg Control Box Required



(22w) 2-Leg Control Box Required

Specify

- Paint Selection for Leg/Foot
- Paint Selection for Spine Beam
- Laminate Selection for Worksurface
- Edge Selection

Notes

Rectangular bench includes surface with access cutout. Non-powered fixed height spine beam accommodates screens and data and power cables. Multi-circuit powered fixed height spine beam accommodates up to four duplex outlets, screens and data and power cables. Motorized base with 1” glide adjustment and 20” height adjustment from 27.5” to 48.5” high, LED programmable hand switch with four memory presets, vertical travel speed is approximately 1.5” per second. Features soft collision technology that halts and retracts when table surface meets resistance. Supply voltage: 90-127V / 50-60Hz. Nominal voltage: 120V / 60Hz. **Important:** Leg control boxes must be specified separately, see quantity notes above. If using returns convert to 3-leg control boxes.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Revision May 2019
© 2018, AIS, Inc.

Fixed Rectangular Benches

SINGLE-SIDED FIXED RECTANGULAR BENCHES

		Non-Powered		Powered			
W	D	Model Number	List	Model Number	List	Paint Grade C	Laminate Grade C
36	24	BA-SBRNS2436	3,102	BA-SBRPS2436	3,542	+10	+28
42	24	BA-SBRNS2442	3,217	BA-SBRPS2442	3,657	+10	+30
48	24	BA-SBRNS2448	3,314	BA-SBRPS2448	3,754	+10	+33
54	24	BA-SBRNS2454	3,428	BA-SBRPS2454	3,868	+10	+41
60	24	BA-SBRNS2460	3,525	BA-SBRPS2460	3,965	+10	+41
66	24	BA-SBRNS2466	3,622	BA-SBRPS2466	4,063	+10	+46
72	24	BA-SBRNS2472	3,737	BA-SBRPS2472	4,177	+10	+51
78	24	BA-SBRNS2478	3,834	BA-SBRPS2478	4,275	+10	+58
84	24	BA-SBRNS2484	4,019	BA-SBRPS2484	4,459	+10	+58
90	24	BA-SBRNS2490	4,098	BA-SBRPS2490	4,539	+10	+68
96	24	BA-SBRNS2496	4,177	BA-SBRPS2496	4,618	+10	+68
36	30	BA-SBRNS3036	3,168	BA-SBRPS3036	3,609	+10	+33
42	30	BA-SBRNS3042	3,294	BA-SBRPS3042	3,734	+10	+39
48	30	BA-SBRNS3048	3,401	BA-SBRPS3048	3,842	+10	+42
54	30	BA-SBRNS3054	3,527	BA-SBRPS3054	3,968	+10	+50
60	30	BA-SBRNS3060	3,635	BA-SBRPS3060	4,076	+10	+50
66	30	BA-SBRNS3066	3,743	BA-SBRPS3066	4,184	+10	+56
72	30	BA-SBRNS3072	3,868	BA-SBRPS3072	4,309	+10	+61
78	30	BA-SBRNS3078	3,976	BA-SBRPS3078	4,417	+10	+87
84	30	BA-SBRNS3084	4,173	BA-SBRPS3084	4,614	+10	+87
90	30	BA-SBRNS3090	4,263	BA-SBRPS3090	4,705	+10	+96
96	30	BA-SBRNS3096	4,353	BA-SBRPS3096	4,794	+10	+96

DOUBLE-SIDED FIXED RECTANGULAR BENCHES

		Non-Powered		Powered			
W	D	Model Number	List	Model Number	List	Paint Grade C	Laminate Grade C
36	48	BA-DBRNS4836	4,790	BA-DBRPS4836	5,231	+10	+28
42	48	BA-DBRNS4842	4,966	BA-DBRPS4842	5,408	+10	+30
48	48	BA-DBRNS4848	5,126	BA-DBRPS4848	5,566	+10	+33
54	48	BA-DBRNS4854	5,302	BA-DBRPS4854	5,742	+10	+41
60	48	BA-DBRNS4860	5,461	BA-DBRPS4860	5,902	+10	+41
66	48	BA-DBRNS4866	5,619	BA-DBRPS4866	6,060	+10	+46
72	48	BA-DBRNS4872	5,796	BA-DBRPS4872	6,236	+10	+51
78	48	BA-DBRNS4878	5,954	BA-DBRPS4878	6,395	+10	+58
84	48	BA-DBRNS4884	6,201	BA-DBRPS4884	6,642	+10	+58
90	48	BA-DBRNS4890	6,343	BA-DBRPS4890	6,784	+10	+68
96	48	BA-DBRNS4896	6,483	BA-DBRPS4896	6,924	+10	+68
36	60	BA-DBRNS6036	5,064	BA-DBRPS6036	5,505	+10	+33
42	60	BA-DBRNS6042	5,104	BA-DBRPS6042	5,544	+10	+39
48	60	BA-DBRNS6048	5,266	BA-DBRPS6048	5,708	+10	+42
54	60	BA-DBRNS6054	5,447	BA-DBRPS6054	5,888	+10	+50
60	60	BA-DBRNS6060	5,610	BA-DBRPS6060	6,052	+10	+50
66	60	BA-DBRNS6066	5,774	BA-DBRPS6066	6,215	+10	+56
72	60	BA-DBRNS6072	5,954	BA-DBRPS6072	6,395	+10	+61
78	60	BA-DBRNS6078	6,118	BA-DBRPS6078	6,559	+10	+87
84	60	BA-DBRNS6084	6,369	BA-DBRPS6084	6,810	+10	+87
90	60	BA-DBRNS6090	6,514	BA-DBRPS6090	6,955	+10	+96
96	60	BA-DBRNS6096	6,659	BA-DBRPS6096	7,100	+10	+96









Specify

- Paint Selection for Leg/Foot
- Paint Selection for Spine Beam
- Laminate Selection for Worksurface
- Edge Selection

Notes

Rectangular bench includes surface with access cutout. Non-powered fixed height spine beam accommodates screens and data and power cables. Multi-circuit powered fixed height spine beam accommodates up to four duplex outlets, screens and data and power cables. Fixed height base with 1” glide adjustment.

© 2018, AIS, Inc.

120 Motorized Benches

⚠ Leg Control Boxes for 120 Motorized Benches must be specified separately, see notes below: ⚠

120 SINGLE-SIDED MOTORIZED BENCHES

		Powered		Non-Powered		
W	D	Model Number	List	Model Number	List	Laminate Grade C
36	24	BA-SB120PM2436	8,987	BA-SB120NM2436	7,675	+47
42	24	BA-SB120PM2442	9,055	BA-SB120NM2442	7,744	+58
48	24	BA-SB120PM2448	9,397	BA-SB120NM2448	8,087	+64
54	24	BA-SB120PM2454	10,379	BA-SB120NM2454	9,068	+76
60	24	BA-SB120PM2460	10,521	BA-SB120NM2460	9,210	+82
36	30	BA-SB120PM3036	9,078	BA-SB120NM3036	7,766	+64
42	30	BA-SB120PM3042	9,146	BA-SB120NM3042	7,835	+76
48	30	BA-SB120PM3048	9,489	BA-SB120NM3048	8,177	+82
54	30	BA-SB120PM3054	10,471	BA-SB120NM3054	9,160	+95
60	30	BA-SB120PM3060	10,612	BA-SB120NM3060	9,300	+103



Control Box Included



Control Box Included

120 DOUBLE-SIDED MOTORIZED BENCHES

		Powered		Non-Powered		
W	D	Model Number	List	Model Number	List	Laminate Grade C
36	24	BA-DB120PM2436	16,448	BA-DB120NM2436	14,481	+94
42	24	BA-DB120PM2442	16,585	BA-DB120NM2442	14,618	+116
48	24	BA-DB120PM2448	17,270	BA-DB120NM2448	15,303	+128
54	24	BA-DB120PM2454	18,789	BA-DB120NM2454	16,823	+152
60	24	BA-DB120PM2460	19,052	BA-DB120NM2460	17,085	+164
36	30	BA-DB120PM3036	16,631	BA-DB120NM3036	14,664	+128
42	30	BA-DB120PM3042	16,767	BA-DB120NM3042	14,800	+152
48	30	BA-DB120PM3048	17,452	BA-DB120NM3048	15,486	+164
54	30	BA-DB120PM3054	18,972	BA-DB120NM3054	17,006	+190
60	30	BA-DB120PM3060	22,519	BA-DB120NM3060	20,553	+206



Control Box Included



Control Box Included

120 TRIPLE-SIDED MOTORIZED BENCHES

		Powered		Non-Powered		
W	D	Model Number	List	Model Number	List	Laminate Grade C
36	24	BA-TB120PM2436	22,519	BA-TB120NM2436	20,553	+141
42	24	BA-TB120PM2442	22,725	BA-TB120NM2442	20,758	+174
48	24	BA-TB120PM2448	23,752	BA-TB120NM2448	21,785	+192
54	24	BA-TB120PM2454	25,369	BA-TB120NM2454	23,403	+228
60	24	BA-TB120PM2460	25,729	BA-TB120NM2460	23,762	+246
36	30	BA-TB120PM3036	22,793	BA-TB120NM3036	20,827	+192
42	30	BA-TB120PM3042	22,998	BA-TB120NM3042	21,032	+228
48	30	BA-TB120PM3048	24,025	BA-TB120NM3048	22,059	+246
54	30	BA-TB120PM3054	25,644	BA-TB120NM3054	23,677	+285
60	30	BA-TB120PM3060	26,004	BA-TB120NM3060	24,037	+309



Control Box Included



Control Box Included

Specify

- Paint Selection for Leg/Foot
- Paint Selection for Spine Beam
- Laminate Selection for Worksurface
- Edge Selection

Notes

Features soft collision technology that halts and retracts when table surface meets resistance. Built-in fuse and PTC overload protection. Cable length of 3m. Output voltage (VDC): 33. Input voltage (VAC): 110. Transformer power (watts): 231. Duty cycle: S2-20. **Important:** No control boxes required, 120 Benches include 3-leg control boxes.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Revision May 2019
© 2018, AIS, Inc.

120 Fixed Benches

120 SINGLE-SIDED FIXED BENCHES

		Powered		Non-Powered		
W	D	Model Number	List	Model Number	List	Laminate Grade C
36	24	BA-SB120PS2436	5,289	BA-SB120NS2436	3,978	+47
42	24	BA-SB120PS2442	5,358	BA-SB120NS2442	4,047	+58
48	24	BA-SB120PS2448	5,700	BA-SB120NS2448	4,389	+64
54	24	BA-SB120PS2454	6,681	BA-SB120NS2454	5,370	+76
60	24	BA-SB120PS2460	10,589	BA-SB120NS2460	5,512	+82
36	30	BA-SB120PS3036	5,380	BA-SB120NS3036	4,070	+64
42	30	BA-SB120PS3042	5,449	BA-SB120NS3042	4,137	+76
48	30	BA-SB120PS3048	5,791	BA-SB120NS3048	4,480	+82
54	30	BA-SB120PS3054	6,773	BA-SB120NS3054	5,462	+95
60	30	BA-SB120PS3060	6,914	BA-SB120NS3060	5,603	+103





120 DOUBLE-SIDED FIXED BENCHES

		Powered		Non-Powered		
W	D	Model Number	List	Model Number	List	Laminate Grade C
36	24	BA-DB120PS2436	10,285	BA-DB120NS2436	8,318	+94
42	24	BA-DB120PS2442	10,422	BA-DB120NS2442	8,456	+116
48	24	BA-DB120PS2448	11,107	BA-DB120NS2448	9,140	+128
54	24	BA-DB120PS2454	12,627	BA-DB120NS2454	10,660	+152
60	24	BA-DB120PS2460	12,889	BA-DB120NS2460	10,922	+164
36	30	BA-DB120PS3036	10,467	BA-DB120NS3036	8,501	+128
42	30	BA-DB120PS3042	10,604	BA-DB120NS3042	8,638	+152
48	30	BA-DB120PS3048	11,289	BA-DB120NS3048	9,322	+164
54	30	BA-DB120PS3054	12,810	BA-DB120NS3054	10,843	+190
60	30	BA-DB120PS3060	13,071	BA-DB120NS3060	11,105	+206





120 TRIPLE-SIDED FIXED BENCHES

		Powered		Non-Powered		
W	D	Model Number	List	Model Number	List	Laminate Grade C
36	24	BA-TB120PS2436	13,275	BA-TB120NS2436	11,308	+141
42	24	BA-TB120PS2442	13,480	BA-TB120NS2442	11,514	+174
48	24	BA-TB120PS2448	14,507	BA-TB120NS2448	12,541	+192
54	24	BA-TB120PS2454	16,126	BA-TB120NS2454	14,159	+228
60	24	BA-TB120PS2460	16,486	BA-TB120NS2460	14,519	+246
36	30	BA-TB120PS3036	13,549	BA-TB120NS3036	11,582	+192
42	30	BA-TB120PS3042	13,754	BA-TB120NS3042	11,788	+228
48	30	BA-TB120PS3048	14,782	BA-TB120NS3048	12,815	+246
54	30	BA-TB120PS3054	16,399	BA-TB120NS3054	14,432	+285
60	30	BA-TB120PS3060	16,759	BA-TB120NS3060	14,792	+309





Specify **Notes**

- Paint Selection for Leg/Foot
- Paint Selection for Spine Beam
- Laminate Selection for Worksurface
- Edge Selection

© 2018, AIS, Inc.

Electronic Control Boxes

ELECTRONIC CONTROL BOX AND SWITCH KITS

For Use With	Model Number	List
2-Leg	BA-2LEK	736
3-Leg	BA-3LEK	736



2-Leg Control Box



3-Leg Control Box



Programmable Hand Switch
(Included with Kits)

Specify	Notes
	Includes control box and programmable hand switch. Order control boxes separately for straight benches. Use 2-leg control boxes for each seat without return. Use 3-leg control boxes for each seat with return.

Revision May 2019
© 2018, AIS, Inc.

Rectangular Returns

MOTORIZED RECTANGULAR RETURNS

W	D (Left)	D (Right)	Use with 24"D/48"D Benches Model Number	List	Use with 30"D/60"D Benches Model Number	List	Laminate Grade C
30	18	18	BA-RRM183024D	1,828	BA-RRM183030D	1,845	+25
36	18	18	BA-RRM183624D	1,878	BA-RRM183630D	1,895	+28
42	18	18	BA-RRM184224D	1,929	BA-RRM184230D	1,946	+30
48	18	18	BA-RRM184824D	1,980	BA-RRM184830D	1,996	+37
30	20	20	BA-RRM203024D	1,845	BA-RRM203030D	1,863	+25
36	20	20	BA-RRM203624D	1,900	BA-RRM203630D	1,918	+28
42	20	20	BA-RRM204224D	1,955	BA-RRM204230D	1,972	+30
48	20	20	BA-RRM204824D	2,010	BA-RRM204830D	2,026	+37
30	22	22	BA-RRM223024D	1,864	BA-RRM223030D	1,883	+25
36	22	22	BA-RRM223624D	1,922	BA-RRM223630D	1,939	+28
42	22	22	BA-RRM224224D	1,980	BA-RRM224230D	1,998	+30
48	22	22	BA-RRM224824D	2,038	BA-RRM224830D	2,056	+33
30	24	24	BA-RRM243024D	1,883	BA-RRM243030D	1,900	+25
36	24	24	BA-RRM243624D	1,944	BA-RRM243630D	1,962	+28
42	24	24	BA-RRM244224D	2,006	BA-RRM244230D	2,024	+30
48	24	24	BA-RRM244824D	2,067	BA-RRM244830D	2,085	+33
30	30	30	BA-RRM303024D	1,937	BA-RRM303030D	1,956	+25
36	30	30	BA-RRM303624D	2,010	BA-RRM303630D	2,028	+30
42	30	30	BA-RRM304224D	2,083	BA-RRM304230D	2,100	+34
48	30	30	BA-RRM304824D	2,156	BA-RRM304830D	2,174	+39

FIXED RECTANGULAR RETURNS

W	D (Left)	D (Right)	Use with 24"D/48"D Benches Model Number	List	Use with 30"D/60"D Benches Model Number	List	Laminate Grade C
30	18	18	BA-RRS183024D	880	BA-RRS183030D	897	+25
36	18	18	BA-RRS183624D	931	BA-RRS183630D	947	+28
42	18	18	BA-RRS184224D	982	BA-RRS184230D	998	+30
48	18	18	BA-RRS184824D	1,031	BA-RRS184830D	1,049	+37
30	20	20	BA-RRS203024D	897	BA-RRS203030D	916	+25
36	20	20	BA-RRS203624D	953	BA-RRS203630D	969	+28
42	20	20	BA-RRS204224D	1,007	BA-RRS204230D	1,025	+30
48	20	20	BA-RRS204824D	1,061	BA-RRS204830D	1,078	+37
30	22	22	BA-RRS223024D	917	BA-RRS223030D	934	+25
36	22	22	BA-RRS223624D	976	BA-RRS223630D	991	+28
42	22	22	BA-RRS224224D	1,032	BA-RRS224230D	1,050	+30
48	22	22	BA-RRS224824D	1,090	BA-RRS224830D	1,108	+33
30	24	24	BA-RRS243024D	934	BA-RRS243030D	953	+25
36	24	24	BA-RRS243624D	996	BA-RRS243630D	1,014	+28
42	24	24	BA-RRS244224D	1,058	BA-RRS244230D	1,076	+30
48	24	24	BA-RRS244824D	1,119	BA-RRS244830D	1,137	+33
30	30	30	BA-RRS303024D	990	BA-RRS303030D	1,008	+25
36	30	30	BA-RRS303624D	1,062	BA-RRS303630D	1,080	+30
42	30	30	BA-RRS304224D	1,136	BA-RRS304230D	1,152	+34
48	30	30	BA-RRS304824D	1,208	BA-RRS304830D	1,226	+39



3-Leg Control Box Required
(See Product Details for Requirements)



Specify

- Paint Selection for Leg/Foot
- Laminate Selection for Worksurface
- Edge Selection

Notes

Motorized and fixed rectangular return includes surface for mounting for 24" deep or 30" deep benches. Motorized base with 1" glide adjustment and 20" height adjustment from 27.5" to 48.5" high, LED programmable hand switch with four memory presets, vertical travel speed is approximately 1.5" per second. **Important:** Fixed rectangular returns cannot be used with motorized benches. Order 3-leg control box instead of 2-leg control boxes when using returns.

© 2018, AIS, Inc.

Slant Returns

MOTORIZED SLANT RETURNS

W	D (Left)	D (Right)	Use with 24"D/48"D Benches Model Number	List	Use with 30"D/60"D Benches Model Number	List	Laminate Grade C
30	18	24	BA-SRM18243024D	1,883	BA-SRM18243030D	1,900	+25
36	18	24	BA-SRM18243624D	1,944	BA-SRM18243630D	1,962	+28
42	18	24	BA-SRM18244224D	2,006	BA-SRM18244230D	2,024	+30
48	18	24	BA-SRM18244824D	2,067	BA-SRM18244830D	2,085	+33
30	24	18	BA-SRM24183024D	1,883	BA-SRM24183030D	1,900	+25
36	24	18	BA-SRM24183624D	1,944	BA-SRM24183630D	1,962	+28
42	24	18	BA-SRM24184224D	2,006	BA-SRM24184230D	2,024	+30
48	24	18	BA-SRM24184824D	2,067	BA-SRM24184830D	2,085	+33
30	24	30	BA-SRM24303024D	1,937	BA-SRM24303030D	1,956	+30
36	24	30	BA-SRM24303624D	2,010	BA-SRM24303630D	2,028	+34
42	24	30	BA-SRM24304224D	2,083	BA-SRM24304230D	2,100	+39
48	24	30	BA-SRM24304824D	2,156	BA-SRM24304830D	2,174	+42
30	30	24	BA-SRM30243024D	1,937	BA-SRM30243030D	1,956	+30
36	30	24	BA-SRM30243624D	2,010	BA-SRM30243630D	2,028	+34
42	30	24	BA-SRM30244224D	2,083	BA-SRM30244230D	2,100	+39
48	30	24	BA-SRM30244824D	2,156	BA-SRM30244830D	2,174	+42

FIXED SLANT RETURNS

W	D (Left)	D (Right)	Use with 24"D/48"D Benches Model Number	List	Use with 30"D/60"D Benches Model Number	List	Laminate Grade C
30	18	24	BA-SRS18243024D	934	BA-SRS18243030D	953	+25
36	18	24	BA-SRS18243624D	996	BA-SRS18243630D	1,014	+28
42	18	24	BA-SRS18244224D	1,058	BA-SRS18244230D	1,076	+30
48	18	24	BA-SRS18244824D	1,119	BA-SRS18244830D	1,137	+33
30	24	18	BA-SRS24183024D	934	BA-SRS24183030D	953	+25
36	24	18	BA-SRS24183624D	996	BA-SRS24183630D	1,014	+28
42	24	18	BA-SRS24184224D	1,058	BA-SRS24184230D	1,076	+30
48	24	18	BA-SRS24184824D	1,119	BA-SRS24184830D	1,137	+33
30	24	30	BA-SRS24303024D	990	BA-SRS24303030D	1,008	+30
36	24	30	BA-SRS24303624D	1,062	BA-SRS24303630D	1,080	+34
42	24	30	BA-SRS24304224D	1,136	BA-SRS24304230D	1,152	+39
48	24	30	BA-SRS24304824D	1,208	BA-SRS24304830D	1,226	+42
30	30	24	BA-SRS30243024D	990	BA-SRS30243030D	1,008	+30
36	30	24	BA-SRS30243624D	1,062	BA-SRS30243630D	1,080	+34
42	30	24	BA-SRS30244224D	1,136	BA-SRS30244230D	1,152	+39
48	30	24	BA-SRS30244824D	1,208	BA-SRS30244830D	1,226	+42



3-Leg Control Box Required
(See Product Details for Requirements)



Specify

- Paint Selection for Leg/Foot
- Laminate Selection for Worksurface
- Edge Selection

Notes

Motorized and fixed slant return includes surface for mounting for 24" deep or 30" deep benches. Motorized base with 1" glide adjustment and 20" height adjustment from 27.5" to 48.5" high, LED programmable hand switch with four memory presets, vertical travel speed is approximately 1.5" per second.

Important: Fixed slant returns cannot be used with motorized benches. Order 3-leg control box instead of 2-leg control boxes when using returns.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Revision May 2019
© 2018, AIS, Inc.

Standard End Panels

SINGLE-SIDED END PANELS (LEFT)

H	W	Model Number	List	Laminate Grade C
29	24	B-SBEPL2924	462	+60
29	30	B-SBEPL2930	602	+64
42	24	B-SBEPL4224	509	+56
42	30	B-SBEPL4230	649	+68
46	24	B-SBEPL4624	523	+74
46	30	B-SBEPL4630	663	+86
50	24	B-SBEPL5024	539	+76
50	30	B-SBEPL5030	679	+84



SINGLE-SIDED END PANELS (RIGHT)

H	W	Model Number	List	Laminate Grade C
29	24	B-SBEPR2924	462	+60
29	30	B-SBEPR2930	602	+64
42	24	B-SBEPR4224	509	+56
42	30	B-SBEPR4230	649	+68
46	24	B-SBEPR4624	523	+74
46	30	B-SBEPR4630	663	+86
50	24	B-SBEPR5024	539	+76
50	30	B-SBEPR5030	679	+84



SHARED END PANELS

H	W	Model Number	List	Laminate Grade C
29	48	B-DBEP2948	928	+84
29	60	B-DBEP2960	1,126	+100
42	48	B-DBEP4248	1,048	+106
42	60	B-DBEP4260	2,132	+136
46	48	B-DBEP4648	1,088	+114
46	60	B-DBEP4660	1,327	+134
50	48	B-DBEP5048	1,128	+120
50	60	B-DBEP5060	1,335	+134



Specify

- Laminate Selection
- Edge Selection

Notes

End panels cover bench ends and are available in four heights. End panels are non-structural cosmetic applications.

© 2018, AIS, Inc.

Mid-Run End Panels

MID-RUN END PANELS (LEFT)

H	W	Model Number	List	Laminate Grade C
29	24	B-SBMREPL2924	462	+60
29	30	B-SBMREPL2930	602	+64
42	24	B-SBMREPL4224	509	+56
42	30	B-SBMREPL4230	649	+68
46	24	B-SBMREPL4624	523	+74
46	30	B-SBMREPL4630	663	+86
50	24	B-SBMREPL5024	539	+76
50	30	B-SBMREPL5030	679	+84





MID-RUN END PANELS (RIGHT)

H	W	Model Number	List	Laminate Grade C
29	24	B-SBMREPR2924	462	+60
29	30	B-SBMREPR2930	602	+64
42	24	B-SBMREPR4224	509	+56
42	30	B-SBMREPR4230	649	+68
46	24	B-SBMREPR4624	523	+74
46	30	B-SBMREPR4630	663	+86
50	24	B-SBMREPR5024	539	+76
50	30	B-SBMREPR5030	679	+84





Specify

- Laminate Selection
- Edge Selection

Notes

Mid-run end panels cover bench ends exposed in middle of a bench run and are available in four heights. End panels are non-structural cosmetic applications.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Revision May 2019
© 2018, AIS, Inc.

Full Modesty Panels, Wedge End Caps and Double Arm Metal Covers

FULL MODESTY PANELS

H	W	Model Number Condition A	Model Number Condition B	Model Number Condition C	Model Number Condition D	Model Number Condition E	List	Laminate Grade C
29	36	B-SBMA2936	B-SBMB2936	B-SBMC2936	B-SBMD2936	B-SBME2936	696	+66
29	42	B-SBMA2942	B-SBMB2942	B-SBMC2942	B-SBMD2942	B-SBME2942	790	+78
29	48	B-SBMA2948	B-SBMB2948	B-SBMC2948	B-SBMD2948	B-SBME2948	928	+84
29	54	B-SBMA2954	B-SBMB2954	B-SBMC2954	B-SBMD2954	B-SBME2954	1,022	+100
29	60	B-SBMA2960	B-SBMB2960	B-SBMC2960	B-SBMD2960	B-SBME2960	1,126	+100
29	66	B-SBMA2966	B-SBMB2966	B-SBMC2966	B-SBMD2966	B-SBME2966	1,164	+112
29	72	B-SBMA2972	B-SBMB2972	B-SBMC2972	B-SBMD2972	B-SBME2972	1,244	+123
29	78	B-SBMA2978	B-SBMB2978	B-SBMC2978	B-SBMD2978	B-SBME2978	1,325	+146
29	84	B-SBMA2984	B-SBMB2984	B-SBMC2984	B-SBMD2984	B-SBME2984	1,405	+152
29	90	B-SBMA2990	B-SBMB2990	B-SBMC2990	B-SBMD2990	B-SBME2990	1,524	+161
29	96	B-SBMA2996	B-SBMB2996	B-SBMC2996	B-SBMD2996	B-SBME2996	1,619	+169



Condition A
Used when there are two inside corners in the configuration.



Condition B
Used when there is one inside corner in the configuration and one inline connection.



Condition C
Used when there is one inside corner in the configuration and one outside corner.



Condition D
Used when there is one inline connection and one outside corners in the configuration.



Condition E
Used when there are two outside corners in the configuration.



Specify	Notes
• Laminate Selection • Edge Selection	Full modesty panels cover bench backs. Modesties are non-structural cosmetic applications. Specific bench configurations (Condition A - E) require specific modesties. Refer to examples above.

WEDGE END CAPS

H	W	Model Number	List	Laminate Grade C
10	48	B-WE48	338	+84
10	60	B-WE60	398	+100



Specify	Notes
• Laminate Selection • Edge Selection	Wedge end caps cover double bench ends.

DOUBLE ARM METAL COVER

Model Number	List
O-DAMC	156



Specify	Notes
• Paint Selection	For use with Aloft double benches.

© 2018, AIS, Inc.

120 Single Bench Full and Double Bench Half Modesty Panels

120 SINGLE BENCH FULL MODESTY PANELS

H	W	Model Number Condition G	Model Number Condition H	List	Laminate Grade C
29	36	B-120SBFMG36	B-120SBFMH36	675	+66
29	42	B-120SBFMG42	B-120SBFMH42	766	+78
29	48	B-120SBFMG48	B-120SBFMH48	900	+84
29	54	B-120SBFMG54	B-120SBFMH54	992	+100
29	60	B-120SBFMG60	B-120SBFMH60	1,093	+100
		Used for end panels.	*Used for modesty connections.*		





120 DOUBLE BENCH FULL MODESTY PANELS

H	W	Model Number Condition J	Model Number Condition K	List	Laminate Grade C
29	36	B-120DBFMJ36	B-120DBFMK36	675	+66
29	42	B-120DBFMJ42	B-120DBFMK42	766	+78
29	48	B-120DBFMJ48	B-120DBFMK48	900	+84
29	54	B-120DBFMJ54	B-120DBFMK54	992	+100
29	60	B-120DBFMJ60	B-120DBFMK60	1,093	+100
		Used for end panels.	*Used for modesty connections.*		





Specify

- Laminate Selection
- Edge Selection

Notes

Modesties are non-structural cosmetic applications. Specific bench configurations (Condition G - K) require specific modesties. Refer to examples above.

120 SINGLE BENCH HALF MODESTY PANELS

H	W	Model Number Condition G	Model Number Condition H	List	Laminate Grade C
10	36	B-120SBHMG36	B-120SBHMH36	326	+66
10	42	B-120SBHMG42	B-120SBHMH42	336	+78
10	48	B-120SBHMG48	B-120SBHMH48	345	+84
10	54	B-120SBHMG54	B-120SBHMH54	401	+100
10	60	B-120SBHMG60	B-120SBHMH60	407	+100
		Used for end panels	*Used for modesty connections*		





120 DOUBLE BENCH HALF MODESTY PANELS

H	W	Model Number Condition J	Model Number Condition K	List	Laminate Grade C
10	36	B-120DBHMJ36	B-120DBHMK36	326	+66
10	42	B-120DBHMJ42	B-120DBHMK42	336	+78
10	48	B-120DBHMJ48	B-120DBHMK48	345	+84
10	54	B-120DBHMJ54	B-120DBHMK54	401	+100
10	60	B-120DBHMJ60	B-120DBHMK60	407	+100
		Used for end panels	*Used for modesty connections*		





Specify

- Laminate Selection
- Edge Selection

Notes

Modesties are non-structural cosmetic applications. Specific bench configurations (Condition G - K) require specific modesties. Refer to examples above.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Revision May 2019
© 2018, AIS, Inc.

120 Single Bench Full and Half Modesty Covers

120 SINGLE BENCH FULL MODESTY COVER

Model Number	List
B-120DBFMC	156



Specify	Notes
• Paint Selection	Use to cover connecting gap between single bench modesty panels.

120 SINGLE BENCH HALF MODESTY COVER

Model Number	List
B-120DBHMC	156



Specify	Notes
• Paint Selection	Use to cover connecting gap between single bench modesty panels.

© 2018, AIS, Inc.

Outlets

DUPLEX OUTLETS

Line	Model Number	List
1	E-MW8W4DO1	54
2	E-MW8W4DO2	54
3	E-MW8W4DO3	54
4	E-MW8W4DO4	54



Notes

Black duplex outlets, designated circuits 1 through 4, contain two single receptacles (places to plug into) of the same circuit and are specified separately. Outlets are screw- mounted to powerway. Duplex outlets are standard 15amp outlets. 2+2 Power with Line 5 outlets available upon request. 20amp outlets available upon request.

CALIFORNIA TITLE 24 CONTROLLED DUPLEX OUTLETS

Line	Model Number	List
1	E-MW8W4T24DO1	63
2	E-MW8W4T24DO2	63
3	E-MW8W4T24DO3	63
4	E-MW8W4T24DO4	63



"Controlled" Symbol

Notes

In California, 50 percent of all outlets in a systems panel cluster or benching cluster, for new construction, MUST be controlled outlets, even if there is no task lighting. Customers should plan on using circuits 2 and 3 for controlled circuits, and plan general load for all other items on circuits 1 and 4. If using 2 + 2 configuration, controlled circuits should be 1 and 2, and general load circuits on 4 and 5. Outlets must have the "controlled" symbol for identification purposes.

USB OUTLETS

Line	Model Number	List
1	E-UN8W4USB01	234
2	E-UN8W4USB02	234
3	E-UN8W4USB03	234
4	E-UN8W4USB04	234



Notes

USB Outlets bring USB charging options to panel power distribution systems. The USB Outlets provide convenient charging power access through dual ports on the face of the receptacle. The USB Outlets offer a total of 2 Amps between two USB charging ports. The USB Outlets are UL and FCC Part 15A approved. USB Outlets protrude 1" past faceplate.

DUPLEX OUTLET COVER

Model Number	List
E-UNWC	21



Specify	Notes
• Color Selection for Cover	Duplex outlet covers are ordered only when extra covers are required. One cover is included with every surface kit.

© 2018, AIS, Inc.

Data Housing Units and Data Plate Kits

SURFACE MOUNT DATA HOUSING UNITS

Line	Model Number	List
1	E-ISB1BK-SM	92
4	E-ISB4BK-SM	92
6	E-ISB6BK-SM	92



Notes

Surface mount data housing units have a low-profile design, are ADA compliant and easily mount to multiple surfaces. Units include double-sided tape and mounting screws for easy installation. Base includes tie wrap anchors at rear cable entry point for 4” cable ties (included). Compatible with standard jacks.

Port dimensions: 0.68”H x 0.58”W
Single port housing dimensions: 1.08”H X 1.3”W X 2.38”D
Four port housing dimensions: 1.25”H X 5”W X 3.25”D
Six port housing dimensions: 1.25”H X 6.5”W X 4”D

DATA PLATE KITS

Item	Model Number	List
Cat 5e Jack	E-HRJ45-SM	89
Cat 6 Data Jack	E-HXJ6BK-SM	98
Hole Blank (10 Pack)	E-SFBB10-SM	59



Notes

Data Plate Kit has six ports for modular jacks. Bezel screws directly to the access box in pre-drilled and tapped hole pattern. RJ-45 jacks can be used in place of RJ-11 jacks.

© 2018, AIS, Inc.

Electrical Jumpers

ELECTRICAL JUMPERS

Actual L	Model Number	List
18	E-MX8W4PTPC18	156
21	E-MX8W4PTPC21	164
24	E-UN8W4VT16	202
30	E-UN8W4J30	203
33	E-HM8W4PJ24	204
37	E-MW8W4PJ18	208
39	E-HM8W4PJ30	204
43	E-MW8W4PJ24	223
45	E-MW8W4PJ24E	232
48	E-UN8W4J48	203
49	E-MW8W4PJ30	240
51	E-MW8W4PJ30E	244
55	E-MW8W4PJ36	247
57	E-MW8W4PJ36E	252
61	E-MW8W4PJ42	255
63	E-MW8W4PJ42E	259
67	E-MW8W4PJ48	275
69	E-MW8W4PJ48E	282
79	E-MW8W4PJ60	295
81	E-MW8W4PJ60E	311
86	E-MW8W4PJ86	339



Notes

Electrical jumpers are used for connecting powered bench top kits to each other in a plan. Electrical jumpers are listed in actual lengths to assist with specification. Jumper use is explained in the chart below.

Important: Certain areas of Chicago prohibit the use of modular electrical systems and require all electrical components to be hard wired. All electrical components need to be supplied by the electrician.

Aloft Jumper Specification Grid:
Jumper length when joining powered bench top kits together

Bench Width	To 36”	To 42”	To 48”	To 54”	To 60”	To 66”	To 72”	To 78”	To 84”	To 90”	To 96”
From 36”	18	18	21	24	30	30	33	37	39	43	45
From 42”	18	21	24	30	30	33	37	39	43	45	48
From 48”	21	24	30	30	33	37	39	43	45	48	51
From 54”	24	30	30	33	37	39	43	45	48	51	55
From 60”	30	30	33	37	39	43	45	48	51	55	57
From 66”	30	33	37	39	43	45	48	51	55	57	61
From 72”	33	37	39	43	45	48	51	55	57	61	63
From 78”	37	39	43	45	48	51	55	57	61	63	67
From 84”	39	43	45	48	51	55	57	61	63	67	69
from 90”	43	45	48	51	55	57	61	63	67	69	79
From 96”	45	48	51	55	57	61	63	67	69	79	79

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Revision May 2019
© 2018, AIS, Inc.

CEILING IN-FEED

Actual L	Model Number	List
144”	E-UN8W4CIF	428



Notes

Ceiling in-feeds provide interface with building power from a suspended ceiling through a power pole shell. Each ceiling feed is 12’ long. Power pole shells are ordered separately.

SIDE-MOUNTED BASE IN-FEEDS

Actual L	Use	Model Number	List
72”	Standard	E-UN8W4BIFS	351
72”	New York City	E-HM8W4BIFSNY	702



Notes

Side-mounted base in-feeds provide interface with building power at the end of the power units and mounts to the powerway at jumper location. Each base in-feed is 6’ in length, encased in “liquid tight”. New York City code requires the use of a special base feed with an in-line junction box.

POLES FOR SINGLE-SIDED BENCH

Actual H	Hand	Model Number	List	Grade C Paint
136”	Left	B-PPMSL	589	+20
136”	Right	B-PPMSR	589	+20

Specify

- Paint Selection

Notes

Power/data pole kit includes two 68” pole sections, two 68” covers, one pole coupler, two 68” dividers, mounting brackets, one ceiling shroud, one 72” perforated strip for attaching pole to ceiling grid, and mounting hardware. Order ceiling feeds separately. Designed for an 11’ ceiling. Must be attached to a laminate end panel in order to install, grommet must be field installed.

POLE FOR DOUBLE-SIDED BENCH

Actual H	Hand	Model Number	List	Grade C Paint
136”	None	B-PPMD	589	+20

Specify

- Paint Selection

Notes

Power/data pole kit includes two 68” pole sections, two 68” covers, one pole coupler, two 68” dividers, mounting brackets, one ceiling shroud, one 72” perforated strip for attaching pole to ceiling grid, and mounting hardware. Order ceiling feeds separately. Designed for an 11’ ceiling. Must be attached to a laminate end panel in order to install, grommet must be field installed.

© 2018, AIS, Inc.

In-Feeds, Power Poles and Extenders

SIDE-MOUNTED BASE IN-FEEDS WITH POLE

Actual L	Use	Model Number	List
72”	Standard	O-8W4BIFS	727
72”	New York City	O-8W4BIFSNY	1,077



Specify	Notes
• Paint Selection	Side-mounted base in-feed with pole includes a wire management pole with the above mentioned in-feed.

POWER / DATA POLE EXTENDERS

Actual H	Model Number	List	Grade C Paint
28”	A-PPEX28	229	+10
48”	A-PPEX48	333	+10



Specify	Notes
• Paint Selection	Power/data pole extender includes one pole section, one cover, one pole coupler and one divider. Order ceiling feeds separately.

EXPANDABLE CABLE MANAGEMENT STRIP

Actual L	Model Number	List
72”	O-CMS72	61



Notes
Expandable cable management strip may be used to dress cable and base in-feed bundle running from wall to trough. Capable of accommodating 1” to 4” diameter bundles.

BASE IN-FEED (POLE ONLY)

Actual L	Model Number	List
72”	O-VWM	382

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Revision May 2019
© 2018, AIS, Inc.

Fixed and Height Adjustable Spine Screens for Straight Benches

⚠ **The following screens are designed for use with rectangular benches only:**

GLASS SPINE SCREENS

		Fixed		Height Adjustable			
H	W	Model Number	Clear Glass	Model Number	Clear Glass	Frosted Glass	Aqui Glass
12	36	O-SGH1236	541	B-SSG1236	650	+137	+237
12	42	O-SGH1242	619	B-SSG1242	733	+166	+283
12	48	O-SGH1248	698	B-SSG1248	817	+194	+329
12	54	O-SGH1254	774	B-SSG1254	901	+224	+375
12	60	O-SGH1260	853	B-SSG1260	985	+252	+420
12	66	O-SGH1266	931	B-SSG1266	1,069	+282	+466
12	72	O-SGH1272	1,010	B-SSG1272	1,153	+310	+512
12	78	O-SGH1278	1,087	-	-	+339	+558
12	84	O-SGH1284	1,166	-	-	+368	+603
16	36	O-SGH1636	677	B-SSG1636	780	+178	+309
16	42	O-SGH1642	777	B-SSG1642	883	+214	+367
16	48	O-SGH1648	876	B-SSG1648	987	+249	+424
16	54	O-SGH1654	975	B-SSG1654	1,091	+286	+483
16	60	O-SGH1660	1,074	B-SSG1660	1,195	+322	+541
16	66	O-SGH1666	1,173	B-SSG1666	1,299	+358	+598
16	72	O-SGH1672	1,272	B-SSG1672	1,403	+393	+656
16	78	O-SGH1678	1,372	-	-	+429	+713
16	84	O-SGH1684	1,472	-	-	+465	+771
20	36	O-SGH2036	814	B-SSG2036	909	+219	+381
20	42	O-SGH2042	934	B-SSG2042	1,033	+262	+451
20	48	O-SGH2048	1,055	B-SSG2048	1,156	+305	+521
20	54	O-SGH2054	1,174	B-SSG2054	1,281	+348	+591
20	60	O-SGH2060	1,296	B-SSG2060	1,405	+390	+660
20	66	O-SGH2066	1,416	B-SSG2066	1,530	+433	+730
20	72	O-SGH2072	1,536	B-SSG2072	1,653	+476	+800
20	78	O-SGH2078	1,656	-	-	+519	+870
20	84	O-SGH2084	1,777	-	-	+562	+939



Specify

Fixed:
- Glass Selection

Height Adjustable:
- Paint Selection
- Glass Selection

Notes

Glass spine screens are listed with nominal dimensions for the overall bench height. Glass is tempered with polished edges and is 3/8" thick. Frosted glass is etched on one side. Fixed spine screens are designed to up-mount in the spine beam of an Aloft layout. Height-adjustable spine screens mount to the back of a height adjustable surface. For use with rectangular benches only.

Horizon Planning: 12" high for 42" horizon, 16" high for 46" horizon, 20" high for 50" horizon

⚠ **The following screens are designed for use with rectangular benches only:**

TACKABLE FABRIC / WHITEBOARD SPINE SCREENS

		Fixed		Height Adjustable				
H	W	Model Number	List	Model Number	List	Paint Grade C	Fabric Grade C	Fabric Grade D
12	36	O-SSH1236	454	B-SSTW1236	430	+15	+7	+14
12	42	O-SSH1242	479	B-SSTW1242	454	+15	+7	+14
12	48	O-SSH1248	505	B-SSTW1248	478	+15	+7	+14
12	54	O-SSH1254	529	B-SSTW1254	502	+15	+7	+14
12	60	O-SSH1260	555	B-SSTW1260	525	+15	+7	+14
12	66	O-SSH1266	719	B-SSTW1266	682	+15	+7	+14
12	72	O-SSH1272	765	B-SSTW1272	726	+15	+7	+14
16	36	O-SSH1636	509	B-SSTW1636	482	+15	+11	+22
16	42	O-SSH1642	536	B-SSTW1642	508	+15	+11	+22
16	48	O-SSH1648	563	B-SSTW1648	534	+15	+11	+22
16	54	O-SSH1654	591	B-SSTW1654	561	+15	+11	+22
16	60	O-SSH1660	619	B-SSTW1660	587	+15	+11	+22
16	66	O-SSH1666	760	B-SSTW1666	721	+15	+11	+22
16	72	O-SSH1672	808	B-SSTW1672	766	+15	+11	+22
20	36	O-SSH2036	562	B-SSTW2036	533	+15	+15	+30
20	42	O-SSH2042	592	B-SSTW2042	562	+15	+15	+30
20	48	O-SSH2048	623	B-SSTW2048	591	+15	+15	+30
20	54	O-SSH2054	653	B-SSTW2054	619	+15	+15	+30
20	60	O-SSH2060	683	B-SSTW2060	648	+15	+15	+30
20	66	O-SSH2066	799	B-SSTW2066	758	+15	+15	+30
20	72	O-SSH2072	849	B-SSTW2072	806	+15	+15	+30



Specify

Fixed:
- Paint Selection
- Fabric or Whiteboard

Height Adjustable
- Paint Selection
- Fabric or Whiteboard

Notes

Framed spine screens may be fabric or whiteboard (either side), with different fabric grades available. **Upcharges for Grade B and C fabric are listed per side**. Whiteboards are standard list and have no upcharge. 66" and 72" wide screens are only available with non-directional fabrics. Directional fabrics may be used on these widths if railroading the fabric during application is allowed. Fix spine screens are designed to up-mount in the spine beam. Adjustable height spine screens mount to the back of a height adjustable surface. For use with rectangular benches only.

Horizon Planning: 12" high for 42" horizon, 16" high for 46" horizon, 20" high for 50" horizon

© 2018, AIS, Inc.

120 Height Adjustable Spine Screens

⚠ **The following screens are designed for use with 120 benches only:**

120 GLASS HEIGHT ADJUSTABLE SPINE SCREENS

H	W	Model Number	Clear Glass	Frosted Glass	Aqui Glass
12	36	B-SSG120-1236	650	+137	+237
12	42	B-SSG120-1242	733	+166	+283
12	48	B-SSG120-1248	817	+194	+329
12	54	B-SSG120-1254	901	+224	+375
12	60	B-SSG120-1260	985	+252	+420
16	36	B-SSG120-1636	780	+178	+309
16	42	B-SSG120-1642	883	+214	+367
16	48	B-SSG120-1648	987	+249	+424
16	54	B-SSG120-1654	1,091	+286	+483
16	60	B-SSG120-1660	1,195	+322	+541
20	36	B-SSG120-2036	909	+219	+381
20	42	B-SSG120-2042	1,033	+262	+451
20	48	B-SSG120-2048	1,156	+305	+521
20	54	B-SSG120-2054	1,281	+348	+591
20	60	B-SSG120-2060	1,405	+390	+660





Specify	Notes
• Paint Selection • Glass Type	For use with Aloft 120 benches only.

⚠ **The following screens are designed for use with 120 benches only:**

120 TACKABLE FABRIC HEIGHT ADJUSTABLE SPINE SCREENS

H	W	Model Number	List	Paint Grade C	Fabric Grade C	Fabric Grade D
12	36	B-SSH120-1236	430	+15	+7	+14
12	42	B-SSH120-1242	454	+15	+7	+14
12	48	B-SSH120-1248	478	+15	+7	+14
12	54	B-SSH120-1254	502	+15	+7	+14
12	60	B-SSH120-1260	525	+15	+7	+14
16	36	B-SSH120-1636	482	+15	+11	+22
16	42	B-SSH120-1642	508	+15	+11	+22
16	48	B-SSH120-1648	534	+15	+11	+22
16	54	B-SSH120-1654	561	+15	+11	+22
16	60	B-SSH120-1660	587	+15	+11	+22
20	36	B-SSH120-2036	533	+15	+15	+30
20	42	B-SSH120-2042	562	+15	+15	+30
20	48	B-SSH120-2048	591	+15	+15	+30
20	54	B-SSH120-2054	619	+15	+15	+30
20	60	B-SSH120-2060	648	+15	+15	+30





Specify	Notes
• Paint Selection • Fabric Selection	For use with Aloft 120 benches only.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Revision May 2019
© 2018, AIS, Inc.

Adjustable and Side Mount Screens

ADJUSTABLE GLASS SCREENS (LEFT)

H	W	Model Number	Clear Glass	Paint Grade C	Frosted Glass	Aqui Glass
12	24	B-TSGL1224	698	+10	+120	+150
12	30	B-TSGL1230	814	+10	+150	+191
16	24	B-TSGL1624	790	+10	+158	+195
16	30	B-TSGL1630	926	+10	+197	+248
20	24	B-TSGL2024	881	+10	+197	+240
20	30	B-TSGL2030	1,040	+10	+247	+305

ADJUSTABLE GLASS SCREENS (RIGHT)

H	W	Model Number	Clear Glass	Paint Grade C	Frosted Glass	Aqui Glass
12	24	B-TSGR1224	698	+10	+120	+150
12	30	B-TSGR1230	814	+10	+150	+191
16	24	B-TSGR1624	790	+10	+158	+195
16	30	B-TSGR1630	926	+10	+197	+248
20	24	B-TSGR2024	881	+10	+197	+240
20	30	B-TSGR2030	1,040	+10	+247	+305





Specify

- Glass Type
- Paint

Notes

Adjustable glass territory screens are designed to up-mount to the worksurfaces. Specify screens perpendicular to the spine of the bench. Order screens that correspond to worksurface depth. Glass is tempered with polished edges and is 3/8” thick. Frosted glass is etched on one side.

ADJUSTABLE TACKABLE FABRIC / WHITEBOARD SCREENS (LEFT)

H	W	Model Number	List	Paint Grade C	Fabric Grade C	Fabric Grade D
12	24	B-TSTWL1224	411	+15	+7	+14
12	30	B-TSTWL1230	480	+15	+7	+14
16	24	B-TSTWL1624	447	+15	+11	+22
16	30	B-TSTWL1630	530	+15	+11	+22
20	24	B-TSTWL2024	481	+15	+15	+30
20	30	B-TSTWL2030	582	+15	+15	+30

ADJUSTABLE TACKABLE FABRIC / WHITEBOARD SCREENS (RIGHT)

H	W	Model Number	List	Paint Grade C	Fabric Grade C	Fabric Grade D
12	24	B-TSTWR1224	411	+15	+7	+14
12	30	B-TSTWR1230	480	+15	+7	+14
16	24	B-TSTWR1624	447	+15	+11	+22
16	30	B-TSTWR1630	530	+15	+11	+22
20	24	B-TSTWR2024	481	+15	+15	+30
20	30	B-TSTWR2030	582	+15	+15	+30





Specify

- Fabric or Whiteboard
- Paint

Notes

Adjustable tackable fabric/whiteboard territory screens are designed to up-mount to worksurfaces. Territory screens may be fabric or whiteboard (either side). Upcharges for Grade B, C and D fabric are listed per side. Whiteboards are standard and have no upcharge. Specify screens perpendicular to the spine of the bench. Order screens that correspond to worksurface depth.

© 2018, AIS, Inc.

Side-Mount Screens

26" HIGH TACKABLE FABRIC / WHITEBOARD SIDE-MOUNT SCREENS

H	W	Model Number	List	Paint Grade C	Fabric Grade C	Fabric Grade D
26	24	O-SMH2624	780	+15	+25	+50
26	30	O-SMH2630	814	+15	+25	+50
26	36	O-SMH2636	848	+15	+25	+50
26	42	O-SMH2642	881	+15	+25	+50
26	48	O-SMH2648	917	+15	+25	+50
26	54	O-SMH2654	951	+15	+25	+50
26	60	O-SMH2660	984	+15	+25	+50



34" HIGH TACKABLE FABRIC / WHITEBOARD SIDE-MOUNT SCREENS

H	W	Model Number	List	Paint Grade C	Fabric Grade C	Fabric Grade D
34	24	O-SMH3424	878	+15	+25	+50
34	30	O-SMH3430	918	+15	+25	+50
34	36	O-SMH3436	956	+15	+25	+50
34	42	O-SMH3442	995	+15	+25	+50
34	48	O-SMH3448	1,035	+15	+25	+50
34	54	O-SMH3454	1,074	+15	+25	+50
34	60	O-SMH3460	1,114	+15	+25	+50



Specify

- Fabric or Whiteboard
- Paint

Notes

26" high side-mount tackable fabric/whiteboard screens are designed to side mount to the return worksurfaces. Side mount screens do not attach to the spine beam as a modesty. May be fabric or whiteboard (either side). Upcharges for Grade C and D fabric are listed per side. Whiteboards are standard and have no upcharge. 66" and 72" wide screens are only available with non-directional fabrics. Directional fabrics may be used on these widths if railroading fabric is allowed. May be installed at variable heights.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Revision May 2019
© 2018, AIS, Inc.

Tool Rails

FRONT-TO-BACK TOOL RAILS (LEFT)

W	Model Number	List	Grade C Paint
22.5	B-TBFTBL24	361	+25
28.5	B-TBFTBL30	395	+25



FRONT-TO-BACK TOOL RAILS (RIGHT)

W	Model Number	List	Grade C Paint
22.5	B-TBFTBR24	361	+25
28.5	B-TBFTBR30	395	+25



Specify	Notes
• Paint Selection	Front-to-back tool rails are mounted directly to a worksurface to allow for the use of tool bar accessories. Tool bars are double-sided to allow for accessories to be mounted to either side.

WORKSURFACE REAR-MOUNTED TOOL RAILS

W	Model Number	List	Grade C Paint
24	A-WSMTR24	296	+25
30	A-WSMTR30	318	+25
36	A-WSMTR36	340	+25
42	A-WSMTR42	362	+25
48	A-WSMTR48	382	+25
54	A-WSMTR54	404	+25
60	A-WSMTR60	426	+25
66	A-WSMTR66	536	+25
72	A-WSMTR72	559	+25



Specify	Notes
• Paint Selection	Worksurface rear mounted tool rail mounts directly to a worksurface, and does not require panels for support. Rail is clamped onto the surface using supplied hardware. Worksurface mounted tool rails are double-sided, allowing for accessories to be mounted to either side. 66” and 72” wide rails come with three sets of mounting hardware.



Handing for Tool Rails

L - Left Hand
R - Right Hand

© 2018, AIS, Inc.

Bench End Worksurfaces and Double Arm Metal Covers

RECTANGULAR BENCH END WORKSURFACES

W	D	Model Number	List	Grade C Laminate
48	16	B-EBWS1648	322	+51
60	16	B-EBWS1660	363	+51



TRAPEZOID BENCH END WORKSURFACES

W	D	Model Number	List	Grade C Laminate
48	16	B-EBWSTR1648	321	+51
60	16	B-EBWSTR1660	362	+51



Specify

- Paint Selection
- Laminate Selection
- Edge Selection

Notes

Bench end worksrufaces mount to the end-of-run legs with cantilevers. Bench end worksurfaces must be used on a bench that is at least 48” wide, or any combination of two benches or more. Weight capacity is 150lbs.

Revision May 2019
© 2018, AIS, Inc.

Tool Bar Accessories and Spin-Out Pencil Drawers

STANDARD TOOL BAR ACCESSORIES

Type	Model Number	List
Portrait Paper Tray	P-MXTBPT	100
Landscape Paper Tray	P-MXTBLPT	100
Diagonal Folder Sorter	P-MXTBDFS	115
Binder Holder	P-MXTBBH	62
Pencil Holder	P-MXTBPENH	41
Accessories Tray	P-MXTBAT	76
CD Holder	P-MXTBCDH	58
Phone Holder	P-MXTBPH	82
Cup Holder	P-MXTBCH	48



Portrait Paper Tray



Landscape Paper Tray



Diagonal Folder Sorter



Binder Holder



Pencil Holder



Accessories Tray



CD Holder



Phone Holder



Cup Holder

Specify	Notes
• Black or Clear Plastic Selection	Standard tool bar accessories can be universally used on all AIS tool rails. Available in black or clear.

METAL TOOL BAR ACCESSORIES

Type	Model Number	List	Paint Grade C
Portrait Paper Tray	A-TBPPT	110	+10
Landscape Paper Tray	A-TBLPT	110	+10
Diagonal Folder Holder	A-TBDFS	114	+10
Binder Holder	A-TBBH	110	+10
Pencil Holder	A-TBPT	77	+10
Folder Box	A-TBFH	100	+10
18” Mini Shelf	P-MXTBMSHF18	181	+10
24” Mini Shelf	P-MXTBMSHF24	246	+10
30” Mini Shelf	P-MXTBMSHF30	256	+10
36” Mini Shelf	P-MXTBMSHF36	292	+10



Portrait Paper Tray



Landscape Paper Tray



Diagonal Folder Holder



Binder Holder



Pencil Tray



Folder Box


Mini Shelf

Specify	Notes
• Paint Selection	Metal tool bar accessories can be universally used on all AIS tool rails. Available painted in any AIS paint color.

SPIN-OUT PENCIL DRAWERS

W	D	Type	Model Number	List
7 1/2	7 1/2	Radius Jr.	A-ROKJ	137
13 5/8	8 1/4	Radius	A-ROK	154


Radius Jr.


Radius

Notes

Spin out pencil drawers provide convenient, low profile storage of loose items. Plan organizer kit placement around worksurface support elements. Available in black only.

© 2018, AIS, Inc.

Credenza and Pedestal Cushions

CREDENZA CUSHIONS

D	W	Model Number	List	Upholstery Grade B	Upholstery Grade C	Upholstery Grade D	Upholstery Grade E
18	18	S-BCUSH1818	708	+51	+102	+152	+203
18	21	S-BCUSH1821	745	+51	+102	+152	+203
18	24	S-BCUSH1824	760	+51	+102	+152	+203
18	27	S-BCUSH1827	773	+51	+102	+152	+203
18	30	S-BCUSH1830	787	+62	+124	+186	+248
18	33	S-BCUSH1833	798	+62	+124	+186	+248
18	36	S-BCUSH1836	847	+62	+124	+186	+248
18	42	S-BCUSH1842	878	+73	+146	+208	+270
18	48	S-BCUSH1848	925	+73	+146	+208	+270
18	54	S-BCUSH1854	961	+73	+146	+208	+270
18	60	S-BCUSH1860	985	+95	+160	+228	+298
18	66	S-BCUSH1866	1,048	+95	+160	+228	+298
18	72	S-BCUSH1872	1,080	+95	+160	+228	+298



SHARED CREDENZA CUSHIONS

D	W	Model Number	List	Upholstery Grade C	Upholstery Grade D	Upholstery Grade E
36	30	S-BCUSH3630	1,176	+95	+160	+228
36	36	S-BCUSH3636	1,206	+95	+160	+228
36	42	S-BCUSH3642	1,217	+95	+160	+228



PEDESTAL CUSHIONS

D	W	Model Number	List	Upholstery Grade B	Upholstery Grade C	Upholstery Grade D	Upholstery Grade E
22	15	S-PEDCUSHIONJ1	756	+51	+102	+152	+203
18	16	C-PEDCUSHION	756	+51	+102	+152	+203



Specify

- Upholstery Selection

Notes

Credenza and pedestal cushions are a fabric covered 1” thick foam cushion. Cushions include Velcro for mounting.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Revision May 2019
© 2018, AIS, Inc.

Lock Cores and Replacement Pulls

LOCK CORES AND KEYS

Key Type	Model Number	List
Core with 2 keys	S-W1CORE1	13
Core with 2 keys (set of 2 keyed alike)	S-W1CORE2	23
Core with 2 keys (set of 3 keyed alike)	S-W1CORE3	34
Core with 2 keys (set of 4 keyed alike)	S-W1CORE4	46
Core with 2 keys (set of 5 keyed alike)	S-W1CORE5	57
Core with 2 keys (set of 6 keyed alike)	S-W1CORE6	67
Core with 2 keys (set of 7 keyed alike)	S-W1CORE7	78
Core with 2 keys (set of 8 keyed alike)	S-W1CORE8	90
Core with 2 keys (set of 9 keyed alike)	S-W1CORE9	100
Core with 2 keys (set of 10 keyed alike)	S-W1CORE10	112
Master Key	RS-W1MKEY	9
Core Removal Key	RS-W1CRKEY	9
Replacement Key	RS-WK _ _ _ (Key Number)	15



Notes

Lock cores & keys are included with all AIS storage files and overhead flipper units, but may be ordered separately for keying stations alike or for replacement purposes. When ordering keyed alike sets, be sure to also order a core removal key. The core removal key is needed to remove the existing core from the lock housing in order to replace with a new core. Order key sets based on quantity of storage items to be keyed alike.

REPLACEMENT PULLS

Style	Model Number	List
Loop	RS-PEDHANDLEA	20
Bar	RS-PEDHANDLES-A	20



Loop Pull



Bar Pull

Notes

Pulls may be ordered as needed for aesthetic purposes. Laminate case construction products (items beginning with “C-”) automatically ship with straight bar pulls and metal case construction products (items beginning with “S-”) automatically ship with loop pulls. Pulls can be easily replaced as needed in the field.

© 2018, AIS, Inc.

CPU Holders

EASY ACCESS CPU HOLDER

Mounting Type	Model	List
17.75” Track	A-CPUEA	738



Notes

Easy access CPU holder protects your CPU from damaging environmental factors by keeping it off the floor and out of the way. Glide tracks and 360º swivel mechanisms provide easy access to the back of the CPU. Vertically mounts to underside of worksurface. Swivels 360 degrees. No tools needed to adjust. The glide track is 17.75”. Adjustable width 2.5” - 8.25”. Adjustable height 13” - 21”. Load capacity is 100 lbs. Aloft spacer required when used under a bench surface.

ELEVATOR CPU HOLDER

Mounting Type	Model	List
17” Track	A-CPUEL	813



Notes

Elevator CPU holder secures and stores CPUs beneath your worksurface. Cable connections and power buttons are easily accessed once your CPU is in the Elevator CPU holder. Holds up to 50lbs. Aloft spacer required when used under a bench surface.

LOCKABLE CPU HOLDER

Mounting Type	Model	List
17” Track	A-CPULK	1,307



Notes

Lockable CPU holder offers secure CPU storage. Protects CPU from damaging environmental factors and theft. Glide tracks and 360º swivel mechanisms provide easy access to the back of the CPU. Vertically mounts to underside of worksurface. No tools needed to adjust. The glide track is 17”. Heavy duty locking knob. Steel holder with fiberglass reinforced resin-composite arm. Adjustable width 3.5” - 9.3”. Adjustable height 12.5” - 22.5”. Load capacity is 85 lbs. Aloft spacer required when used under a bench surface.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Revision May 2019
© 2018, AIS, Inc.

LED Task Lights and Monitor Arms

SINGLE MONITOR ARMS

Model	List
A-ERSMASB	597



DUAL MONITOR ARMS

Model	List
A-ERDMASB	1,097



Notes

Monitor arm's load capacity is 19lbs per arm and suitable for LCD size range 10" - 28". 180 degree rotation at the mounting base and extension. VESA monitor mount for 75mm and 100mm standard. Available mounting options are c-clamp, grommet or bolt through. Available in Silver Finish only. Monitors not included.

LED TASK LIGHTS (CLAMP BASE)

Model	List
A-DLWL01CC	1,761



LED TASK LIGHTS (DESK BASE)

Model	List
A-DLWL01DB	1,809



LED TASK LIGHTS (SHORT ARM CLAMP BASE)

Model	List
A-DLWL02CC	1,761



Notes

LED desk lamp provides the user control over ambient lighting levels while at task. This double extension counter- balanced lamp offers various options while providing exceptional illumination. It has ergonomic styling and is energy star compliant. With patented refractive LED lens technology, the LED desk lamp eliminates light pooling and provides an excess of 50,000 hours of life at full power. Available in various mounting options, the LED desk lamp is an excellent task lighting option for any application. Clamp mount easily attaches to the worksurface edge, 41" total length. Desk Base sits on the worksurface, 41" total length. Short Arm clamp mount easily attaches to worksurface edge, 36" total length.

© 2018, AIS, Inc.

This page intentionally left blank.

National Showrooms:

Leominster
AIS Headquarters
25 Tucker Drive
Leominster, MA 01453

Chicago
The Merchandise Mart
Suite 1086
Chicago, Illinois 60654

New York
AIS New York
257 Park Avenue South
New York, New York 10010

Washington, D.C.
AIS Washington, D.C.
1400 I St, NW, Suite 750
Washington, D.C. 20005

GSA Sales
GSA Contract GS-29F-0006K
FSC Group 71,
Part 1 Office Furniture

For additional information on AIS:
Dealer Showrooms, Representative Directory, Project Case Studies, Online Catalog & Product Showcase
Visit: **www.ais-inc.com**

AIS

800.434.7400 | 978.562.7500 | Fax: 978.562.0811 | www.ais-inc.com | May 2019