

# MATRIX™

May 2024 Price List

**AIS**

**PRODUCT INFORMATION**

Matrix Statement of Line . . . . . 5  
 Matrix Finish Options . . . . . 11  
 Matrix Product Details . . . . . 13  
 Matrix Component Details . . . . . 15

**FRAMES**

Matrix Frames Product Details . . . . . 16  
 Linear Profile Panel Frames . . . . . 24  
 Linear Profile Panel Door Frames . . . . . 25  
 Linear Sliding Privacy Screens . . . . . 26  
 Linear Sliding Privacy Screen Handles and Brackets . . . . . 27  
 Stack-On Frames . . . . . 28  
 Topcaps . . . . . 29  
 Linear Single End Gallery Panels . . . . . 30  
 Linear Single End for Wing Gallery Panels . . . . . 32  
 Linear Single End for Wing Facing Forward Gallery Panels . . . . . 33  
 Linear Single End for Double Wing Gallery Panels . . . . . 34  
 Linear Single Spine Gallery Panels . . . . . 35  
 Linear Single Spine for Wing Gallery Panels . . . . . 37  
 Linear Single Spine for Double Wing Gallery Panels . . . . . 38  
 Linear Double End Gallery Panels . . . . . 39  
 Linear Double Spine Gallery Panels . . . . . 40  
 Linear Mid Mount End Gallery Panels . . . . . 41  
 Linear Mid Mount End for Wing Gallery Panels . . . . . 43  
 Linear Mid Mount End for Wing Facing Forward Gallery Panels . . . . . 44  
 Linear Mid Mount End for Double Wing Gallery Panels . . . . . 45  
 Linear Mid Mount Spine Gallery Panels . . . . . 46  
 Linear Mid Mount Spine for Wing Gallery Panels . . . . . 48  
 Linear Mid Mount Spine for Double Wing Gallery Panels . . . . . 49  
 Linear Wing Gallery Panels . . . . . 50  
 Brackets for Gallery Panels . . . . . 51  
 Wall Mounted Gallery Panels . . . . . 52  
 Wall Mounted Gallery Panels for Wing . . . . . 55

**CONNECTORS**

Matrix Connector Product Details . . . . . 56  
 90° 2-Way, 3-Way and 4-Way Stack-On Connectors . . . . . 60  
 120° 2-Way and 3-Way Stack-On Connectors . . . . . 61  
 Linear Profile 2-Ways . . . . . 62  
 Linear Profile 3-Ways . . . . . 63  
 Linear Profile 4-Ways and End Caps . . . . . 64  
 Linear Profile Wall Mount Kits . . . . . 65  
 Linear Profile HiLo Trim Covers . . . . . 66  
 Linear Profile 2-Way Vertical Covers . . . . . 67  
 Linear Profile 2-Way Vertical Stack-On Covers . . . . . 68  
 Linear Profile 3-Way Vertical and Vertical Stack-On Covers . . . . . 69  
 2-Way Linear Connector Trim Conversion Kits . . . . . 70  
 3-Way and 4-Way Linear Connector Trim Conversion Kits . . . . . 71  
 Linear Wall Mount Trim Conversion Kits . . . . . 72  
 Wall Tracks and Off-Modular Frame Connection Kits . . . . . 72

**ELECTRICAL**

Matrix Electrical Product Details . . . . . 73

Electrical Jumpers . . . . . 75

Access Hole Covers, Outlet Trim Bezels and I-Connectors . . . . . 76

Electrical Outlets . . . . . 77

In-Feeds and Hardwire Junction Boxes . . . . . 79

Linear Power / Data Pole Kits . . . . . 80

Powerway Assemblies and Data Plate Kits . . . . . 81

Electrical Tiles and Data Cable Support Troughs . . . . . 82

**TILES**

Tile Availability . . . . . 83

Tackable Acoustical Tiles . . . . . 85

Steel Tiles . . . . . 86

Embossed and Perforated Steel Tiles . . . . . 87

White Board and Laminate Tiles . . . . . 88

Laminate Tiles and Double Sided MX Monolithic Kit . . . . . 89

Linear Profile Standard Front Glass Tiles . . . . . 90

Linear Profile Standard Bottom Glass Tiles . . . . . 91

Linear Profile Open Frame Tiles . . . . . 92

Open Frame In-Feed Tiles and Utility Tiles . . . . . 93

Tackable Acoustical Off-Modular Mid-Tiles . . . . . 94

Linear Profile Tile Retainer Kits . . . . . 95

Tile Rails . . . . . 96

Wall Tile Corner Filler Strips . . . . . 97

**SUPPORT**

Cantilevers and Support Brackets . . . . . 98

End Panels and Pedestal-to-Panel Attachment Brackets . . . . . 99

Matrix Panel Mounted A-Legs . . . . . 100

Matrix Panel Mounted O-Legs . . . . . 101

Worksurface Kits, Support Brackets and Attachment Brackets . . . . . 102

**STORAGE**

Mid-Height Shelf Units . . . . . 103

Mid-Height Corner Shelf Units . . . . . 104

Off-Modular Flipper Door Conversion Kits . . . . . 104

Type C Flipper Door Units . . . . . 105

Type C Raised Flipper Door Units . . . . . 106

Type D Flipper Door Units . . . . . 107

Sliding Door Units . . . . . 108

Raised Sliding Door Units . . . . . 109

Cabinet Door Units . . . . . 110

Raised Cabinet Door Units . . . . . 111

**MATRIX ACCESSORIES**

Coat Hooks . . . . . 112

Frameless Glass Mounting Kits . . . . . 113

Frameless Recessed Glass Mounting Kits . . . . . 114

Recessed Glass for Linear Power Pole Situations . . . . . 115

Frameless Up-Mounted Glass . . . . . 116

Recessed Frameless Glass . . . . . 117

Single HiLo Situation Up-Mounted Glass . . . . . 118

Single HiLo Situation Recessed Frameless Glass . . . . . 119

Double HiLo Situation Up-Mounted Glass . . . . . 120

Double HiLo Situation Recessed Frameless Glass . . . . . 121

Recessed Frameless Lexan. . . . . 122

Single HiLo Situation Recessed Frameless Lexan . . . . . 123

Double HiLo Situation Recessed Frameless Lexan. . . . . 124


**WARRANTY & TERMS AND CONDITIONS**

For Warranty & Terms and Conditions please visit:

<https://aiscmsprod.blob.core.windows.net/infocenter/AISTermsWarranty.pdf>

**MATRIX**


**FRAMES**




Linear Profile Panel Frames



Linear Profile Panel Door Frames  
Left or Right,  
With or Without Glass Window  
Without Glass Window Shown




Linear Profile Arch Panel Door Frame with Inner Trim  
(No Door)




66" High Matrix Linear Sliding Privacy Screen




82" High Matrix Linear Sliding Privacy Screen




Sliding Door Handle




Stack-On Frames




Linear Profile Extended Topcaps




Linear Door Frame Topcap Conversion Kits




Linear Profile Extended Topcaps




Single End Gallery Panels  
Left or Right Hand  
Left Hand Shown




Single End for Wing Gallery Panels  
Left or Right Hand  
Left Hand Shown




Single End for Wing Facing Forward Gallery Panels  
Left or Right Hand  
Left Hand Shown




Single Spine Gallery Panels




Single Spine for Wing Gallery Panels  
Left or Right Hand  
Left Hand Shown




Single Spine for Double Wing Gallery Panels




Double End Gallery Panels




Double Spine Gallery Panels




Mid Mount End Gallery Panels  
Left or Right Hand  
Left Hand Shown




Mid Mount End for Wing Gallery Panels  
Left or Right Hand  
Left Hand Shown




Mid Mount End for Wing Facing Forward Gallery Panels  
Left or Right Hand  
Left Hand Shown




Mid Mount End for Double Wing Gallery Panels  
Left or Right Hand  
Left Hand Shown



Mid Mount Spine Gallery Panels



Mid Mount Spine for Wing Gallery Panels  
Left or Right Hand  
Left Hand Shown



Mid Mount Spine for Double Wing Gallery Panels



Wing Gallery Panel

**Matrix Statement of Line**

**CONNECTORS**




2-Way Stack-On Connectors  
90°, 120° or 135°



3-Way Stack-On Connectors  
90° or 120°




4-Way Stack-On Connectors  
90°




Linear Profile 2-Ways  
90°, 120° or 135°




Linear Profile 3-Ways  
90° or 120°



Linear Profile 4-Ways  
90°



Linear Profile Wall Mount Kits




Linear Profile HiLo Trim Covers  
Corner or Straight Line Application



Linear Profile Panel End Caps



Linear Profile 2-Way  
Vertical Covers  
90°, 120° or 135°




Linear Profile 2-Way  
Vertical Stack-On Covers  
90°, 120° or 135°




Linear Profile 3-Way  
Vertical Covers  
90°



Linear Profile 3-Way  
Vertical Stack-On Covers  
90°




2-Way Linear Connector  
Trim Conversion Kits  
90°, 120° or 135°



3-Way Linear Connector  
Trim Conversion Kits  
90° or 120°




4-Way Linear Connector  
Trim Conversion Kits  
90°



Linear Wall Mount Trim  
Conversion Kits




Wall Tracks




Off-Modular Frame  
Connection Kits

**ELECTRICAL**



Panel-to-Panel Jumpers




Double Powerway Vertical Jumper




Vertical Transition Jumpers




Lateral Pass Through Jumper




I-Connector




Duplex Outlets




USB Outlets




Access Hole Covers




Outlet Trim Bezel



Receptacle Mounted Base In-Feed




Ceiling In-Feed Kit




Ceiling In-Feed Kit




Linear Profile Power / Data Pole Kits




Powerway Assemblies  
Single or Double  
*Single Powerway Assembly Shown*



Data Plate Kits




Electrical Tiles  
Dual or Quad  
*Dual Electrical Tile Shown*




Data Cable Support Troughs


**TILES**




Tackable Acoustical Tiles




Standard Steel Tiles




Embossed Steel Tiles




Perforated Steel Tiles




White Board Tiles




Laminate Tiles




Linear Profile Standard Front Glass Tiles




Linear Profile Bottom Front Glass Tiles




Linear Profile Standard Back Glass Tiles




Linear Profile Bottom Back Glass Tiles




Linear Profile Standard Open Frame Tiles




Linear Profile Bottom Open Frame Tiles



Utility Tiles




16" High Open Frame Tile In-Feed Kits  
With or Without Hole




Stand Alone In-Feed Tiles  
With or Without Hole

Matrix Statement of Line


TILES




Tackable Acoustical Off-Modular Mid-Tiles




Tackable Acoustical Off-Modular Top-Tiles




Linear Profile Top Tile Retainer Kit



Linear Profile Bottom Tile Retainer Kit




Linear Profile Mid-Tile Retainer Kit




Double Sided MX Monolithic Kit


SUPPORT




Standard Cantilevers




Shared Cantilevers




Panel Mounted Shelf Cantilevers



Side Support / Rear Brackets




Standard End Panels




Clear Access End Panels




Pedestal-to-Panel Attachment Bracket




Panel Mounted A-Legs




Panel Mounted O-Legs



Linear Profile Transaction Top Worksurface Kit




Open Frame Worksurface Kits




Wing Panel Support Bracket




**STORAGE**




Mid-Height Shelf Units




Linear Mid-Height Shelf Units




Mid-Height Corner Shelf Units




Linear Mid-Height Corner Shelf Units




Type C Flipper Door Unit  
Metal/Fabric, Laminate Front  
Metal/Fabric Door Front Shown




Type C Raised Flipper Door Unit  
Metal/Fabric or Laminate Front  
Metal/Fabric Door Front Shown




Type D Flipper Door Unit




Type D Raised Flipper Door Unit




Sliding Door Unit  
Metal/Fabric or Laminate Front  
Metal/Fabric Door Front Shown



Raised Sliding Door Unit  
Metal/Fabric or Laminate Front  
Metal/Fabric Door Front Shown



Cabinet Door Unit  
Metal/Fabric or Laminate Front  
Metal/Fabric Door Front Shown



Raised Cabinet Door Unit  
Metal/Fabric or Laminate Front  
Metal/Fabric Door Front Shown

**TILE RAILS**



Single Wall Tile Rails



Shared Wall Tile Rails



Single Stack Wall Tile Rails




Shared Stack Wall Tile Rails




Wall Tile Corner Filler Strips

Matrix Statement of Line


ACCESSORIES




Linear Panel Top Coat Hooks




Matrix Coat Hook




Frameless Glass & Lexan Mounting Kits  
Single Frame or Multiple Frame  
Glass or Lexan  
Glass Single Frame Mounting Kit Shown




Frameless Up-Mounted Glass & Lexan  
Glass or Lexan  
Glass Shown




HiLo Situation  
Up-Mounted Glass & Lexan  
Single or Double  
Glass or Lexan  
Glass Single Up-Mounted Glass Shown




Recessed Frameless Glass & Lexan  
Mounting Kits  
Single Frame or Multiple Frame  
Glass or Lexan  
Glass Single Frame Mounting Kit Shown



Recessed Frameless  
Up-Mounted Glass & Lexan  
Glass or Lexan  
Glass Shown



Recessed HiLo Situation  
Up-Mounted Glass & Lexan  
Single or Double  
Glass or Lexan  
Glass Single Up-Mounted Glass Shown



Recessed Glass for Linear  
Power Pole Situations

**VERTICAL SURFACE FABRICS**

<b>Name</b>	<b>Grade</b>
Amaze	A
Avenue	A
Cape Cod	A
Engage	A
Mirador	A
Rainfall	A
Simplicity	A
Theory	A
Twizzle	A
Lido	B
Marin	B
Nature	B
Off the Grid	B
Purpose	B
Spinel	B
Sprite	B

**Note:** 66" & 72" wide screens – if applying directional fabrics they will need to be railroaded for application. If using a COM fabric that is 54" wide, any screen over 48" wide would need to have the fabric railroaded as well.

**C.O.M. Fabric Policy**

- It is mandatory that you work directly with your AIS Customer Service Representative for all COM related testing and orders. They will provide all necessary forms to you, as well as work with you with regard to sending in correct yardage and where to send it, along with necessary RA# or #s. Please note an RA must be submitted along with the fabric for testing, as well as an RA created for an actual order.
- **Please Note:** A three to five yard sample is required for testing and approval for use on all monolithic panel systems. A one yard sample is required for testing and approval on Divi Insert Tiles, Matrix Tiles, flipper doors and tackboards. We may be able to test upholstery fabrics with a swatch, your Customer Service Representative will advise based on the fabric being tested; otherwise a 1 yard sample must be submitted for testing. Results take 48 - 72 hours.
- Customer Service must be advised as to the width of the fabric rolls being supplied (54"W or 60"W). Customer Service must also be advised if the fabric has a backer.
- Yardage required for the job must be calculated by an AIS Customer Service Rep.
- Once AIS has approved the COM fabric, a fabric sample needs to be marked by the dealer with "Front", "Top", and "Bottom", to be sure fabric is applied correctly. The fabric sample then needs to be attached to a COM Fabric Dealer Form and forwarded to AIS Customer Service. [The COM Fabric Dealer Form may be downloaded or printed here.](#)
- Fabrics may be discontinued or obsolete without notice.
- Contact AIS Customer Service with any questions regarding fabric availability.
- All directional fabric will be railroaded.

**Paint, Edgeband, Laminate and Tempered Glass Options**

**MATRIX PAINT OPTIONS**

Name	Color Code	Grade
Black	BK	A
Chalk	CK	A
Dark Tone	DT	A
Grey Value 1	GV1	A
Innertone	HT	A
Light Tone	LT	A
Medium Tone	MT	A
Metallic Silver	MS	A
Satin White	SW	A
Warm Brown	WB	A
Champagne Metallic	CHM	B
Dark Grey Metallic	DGM	B
Flint Grey Metallic	FGM	B
Light Grey	LG	B
Tan Value 1	TV1	B
Antique Gold	AG	C
Graphite Sky	GS	C
Burnt Orange	BO	C
Brown	BR	C
Steel Blue	SB	C
Baltic Blue	BB	C
Ruby Red	RR	C
Kelly Green	KG	C

**Custom Paints**

- Minimum order size for any custom color is \$75,000 list. Extended lead-time will apply.
- Any color not shown on Quick Ship, Standard Grade A, B or C will be considered custom.
- A \$450 net paint match fee will be assessed following receipt of (2) 5"x5" samples of paint being matched.
- Minimum order size for any custom color is \$75,000.00 list. Extended lead-time will apply.
- Additionally, Grade C paint up-charges will be applied to all applicable products on the order.
- **Important Custom Paint Note:** Most paint match pricing can be covered by the Grade C up-charge in the catalog, however the final pricing can only be determined after the paint is matched and a product list is provided to AIS customer service. An additional fee may apply based on job size and paint color.

**TEMPERED GLASS OPTIONS**

Name	Panels/Frame/Tiles/ Screens	1/4" Thick Frameless Glass	3/8" Thick Frameless Glass
Clear	Y	Y	Y
Frosted	Y	Y	Y
Bronze Tint	Y	Y	N
Grey Tint	Y	Y	N

All glass is tempered. The etched side of Frosted is always on Side A of the Frame or Panel. Side B of this glass options are smooth. Please see specific price list pages on each type of glass for list pricing and up-charges.

**EDGE BAND OPTIONS**

Name	Color Code	Grade
Absolute Acajou	AA	A
Aimtoo Savatre	AS	A
Black	BK	A
Brazilwood	BZ	A
Chalk	CK	A
Corporate Walnut	CT	A
Dark Rum Cherry	DR	A
Dark Tone	DT	A
Field Elm	FE	A
Grand Cherry	GC	A
Grey Elm	GE	A
Grey Value 1	GV1	A
Landmark	LM	A
Leave Likatre	LV	A
Light Tone	LT	A
Linen	LN	A
Looks Likatre	LK	A
Maritime Dune	MD	A
Medium Tone	MT	A
Midwest Maple	MM	A
Neo Walnut	NW	A
Phantom Ecrú	PE	A
Phantom Pearl	PP	A
Satin White / True White	SW / TW	A
Storm	ST	A
Summer Drops	SD	A
Trytoo Savatre	TS	A
White Chocolate	WC	A

**Custom Edgebands**

- A \$450 net edge match fee will be assessed to custom match non-standard edgeband.
- Minimum order size for any custom color is \$75,000.00 list. Extended lead-time will apply.

**MATRIX TILE LAMINATE OPTIONS**

Name	Grade
Absolute Acajou	B
Aimtoo Savatre	B
Black	B
Brazilwood	B
Chalk	B
Corporate Walnut	B
Dark Rum Cherry	B
Field Elm	B
Grand Cherry	B
Grey Elm	B
Landmark	B
Leave Likatre	B
Linen	B
Looks Likatre	B
Maritime Dune	B
Midwest Maple	B
Nightfall	B
Neo Walnut	B
Phantom Ecrú	B
Phantom Pearl	B
Storm	B
Summer Drops	B
Titanium EV	B
True White	B
Trytoo Savatre	B
White Chocolate	B

## Frames

- Full steel frame system. Frame thickness is 3.25".
- Available frame heights are 34", 42", 50", 58", 66" and 82" high.
- Available frame widths are 24", 30", 36", 42", and 48" wide.
- All frames, including door frames, can accommodate stack-on frames. Double stacking is allowed up to 48". ie: (2) 24"H stack-on frames stacked on top of a 82"H frame give the maximum height of 130"H.
- Available stack-on frame heights are 8", 16" and 24" high. Available stack-on frame widths are 24", 30", 36", 42", and 48" wide.
- Frame has a slotted standard in 1" increments at each edge to accommodate hanging components.
- Frames include one topcap, 1/4 - 20 x 4" Hex head bolts to connect to other frames in a straight line, and two top and bottom tile retainers.
- Topcap is metal and available in linear only and is specified as painted.
- 1/4 - 20 x 4" Hex head bolts along with Tinnerman nuts (factory mounted to the frames) produce a rigid straight line connection.
- Top tile retainers are metal. Retainer is field installed and mounting screws are supplied.
- Bottom tile retainers are metal and linear in profile. Retainers are field installed with supplied mounting screws.
- Electrical chase holes are located every 8" on the frame to accommodate data and electrical cables. Electrical can be mounted at any height within the frame in increments of 8". Each electrical location can accommodate up to two powerway assemblies.
- Up to 16 Cat 6 cables can fit into the topcap lay-in channel on the frame which is laterally continuous and unobstructed.
- One Carpet gripper is shipped with every four frames.
- Every frame subtracts two mid-tile retainers from the combined total of mid-tile retainers on each order that includes both frames and tiles. For example, an order with one frame and eight tiles will receive six mid-tile retainers, which is the appropriate amount required to "completely dress" both sides of a frame. However, if both sides of a frame are not being dressed, or if the frames and tiles are specified for supplemental add-on orders where each tile is required to have a mid-tile retainer, such retainers must be ordered separately.

## Connectors

- Connectors create 90°, 120°, and 135° space planning and connect frames with 1/4 - 20 x 2 1/4" Hex head bolts via Tinnerman nuts (factory installed) on the connector post.
- Available in 2-Way, 3-Way, and 4-Ways in 34", 42", 50", 58", 66" and 82" high.
- 2-Way connectors are available in either 90°, 120°, or 135° and ship assembled with metal vertical cover and connector topcap.
- 3-Way connectors are available in either 90° or 120° and ship assembled with a metal vertical cover (90° only) and connector topcap.
- 4-Way connectors connect frames at 90° and ship assembled with connector topcap. 4-Way connectors do not require a vertical cover.
- Stack-on connectors are required when connecting stack-on frames in a 2-Way (90°, 120°, 135°), 3-Way (90°, 120°), or 4-Way scenario. Stack-on connectors connect the same way as standard connectors with 1/4 - 20 x 2 1/4" Hex head bolts via Tinnerman nuts (factory installed) on the connector post. Stack-on connectors do not include vertical covers or connector topcaps. A separate vertical cover needs to be specified corresponding to the overall height of the connection. [ie: When adding (2) 24"H stack-on frames to (2) 66"H frames at a 2-Way connection, a 24"H 2-Way stack-on connector needs to be specified. Because the overall height of the connection is now 90", a new 90"H vertical cover needs to be specified. The existing 66" vertical cover is no longer used and the connector topcap from the original 66"H connector is moved to the top of the stack-on connector.]
- Panel end caps are required to finish the side of a frame in an end of run situation where no other panels are to be connected. Available heights are 34", 42", 50", 58", 66", 74", 82", 90", 98" and 106". In stack-on situations at an end of run, the correct height panel end cap needs to be specified. [ie: When adding a 24"H stack-on frame to a 66"H frame at an end of run, a 90"H panel end cap needs to be specified.] Panel end caps are specified as painted.
- Straight line HiLo caps are required when frame heights change height in a straight line. [ie: When a 50"H frame is connected to a 66"H frame, a 16" straight line HiLo cap needs to be specified to cover the exposed frame on the 66"H frame.] Straight line HiLo caps are specified as painted.
- Corner HiLo caps are required when frame heights change at a 2-Way, 3-Way, or 4-Way connection [ie: When a 50"H frame and a 66" frame are connected at a 2-Way connector, a 16" corner HiLo needs to be specified to cover the exposed connector post above the 50"H frame.] Corner HiLo caps are specified as painted.
- Stack-on vertical covers are only required when connectors extend beyond 108"H. Stack-on vertical covers are specified as painted.
- Wall mount connectors are required when mounting frames perpendicular to a fixed wall. Available heights are 34", 42", 50", 58", 66", 74", 82", 90", 98", and 106". Wall mount connectors also require width specification because it includes a topcap to replace the existing topcap on the frame being wall mounted. This is due to the 1" of panel creep created by the wall mount. Topcaps may be specified painted.

## Electrical

- 8 Wire 4 circuit electrical system contains four circuits. Each circuit is rated at 20 amps/120 volts maximum.
- Circuit 1, Circuit 2 and Circuit 3 are served by a system neutral and an equipment ground. Circuit 4 is dedicated and is served by its own neutral and ground.
- Electrical/data raceway channels are located at each 8" increment along the system frame and can accommodate either a single or double powerway.
- Each duplex outlet contains two single receptacles (places to plug into) of the same circuit and are specified separately from powerways. Duplex outlets are standard 15 amp outlets. For 20 amp outlets, call AIS Customer Service.
- 24" wide panels can accept only one duplex outlet per side, two total back to back. All other panels can accept two per side, four total.
- Lateral jumpers connect electrical from one powerway assembly in a frame to another powerway assembly in a different frame at the same height.
- Vertical jumpers connect electrical from one powerway assembly to another powerway assembly in the same frame at different heights.
- All electrical access tiles have access holes for duplex outlets or data devices. Access holes have a standard single gang mounting pattern which will accommodate any manufacturer's single gang data device plates and bezels.
- Electrical tiles are available in painted steel or with fabric covering.

**Matrix Product Details**

**Tiles**

- Tiles are available in many styles and options: fabric tackable acoustical, laminate, flat steel, perforated steel, embossed steel, white board, tool rail, glass, and open frame.
- Glass inserts are 1/4" tempered glass, available in many styles.
- Steel backers are available as a special for fabric tackable acoustical tiles for increased STC rating.
- Tiles are easily removable for field replacement.

**Worksurfaces**

- Worksurfaces are approximately 1 1/8" thick and are available with a 2 millimeter edge.
- Available in a multitude of shapes and sizes. Special sizes and dimensions are also available and easy to request.
- Different grommet locations are available for most worksurfaces and special grommet locations may be requested.

**Support**

- Available panel hung support includes standard and shared cantilever supports (24" and 30" deep surfaces), side support/rear brackets, panel top worksurface kits, and open frame worksurface kits.
- Available floor support includes: standard end panels and clear access end panels (12", 18", 24", 30" and 36" deep), universal combination legs, cross table bases, bi-point table bases, and full laminate support panels.
- Full laminate support panels are ideal for creating freestanding worksurface applications such as desk shells, returns, corner bases, carrols, and private office support.
- Painted Metal "A" Legs may be specified both as worksurface supports, as well as to add stability to panels.
- Other support items include flat plates, which are specified to help splice worksurfaces together at the front edge, and "V" channels, which mount to the underside of longer worksurfaces to provide bracing where a center support cantilever is not possible. "V" channels are highly recommended for surfaces longer than 48" without cantilever support.

**Storage**


- Structural pedestals are available 24" or 30" deep. Freestanding conversion kits are available for structural pedestals.
- Mobile pedestals are available 24" deep only.
- Lateral files are available in 2, 3, 4, and 5 drawer (30", 36", or 42" wide). The 2-drawer lateral file is structural with an open top. Freestanding conversion kits are available for converting structural lateral files to freestanding lateral files.
- Wardrobe towers are 48" and 64" high, are available left or right handed and with multiple options above the pedestal unit. Close cupboards and side panel bookshelves are available.
- A 2-Door cabinet and bookcase are also available.
- Panel hung storage includes mid-height shelves, corner mid-height shelves, Type C flipper door units (standard or raised), and Type D flipper door units (standard or raised).

**Accessories**


- Power/data pole shells mount to any Matrix frame or stack-on frame. Power/data pole shells can be divided into one, two, or three vertical channels with metal septums for separation of low voltage and high voltage.
- Other miscellaneous accessories include pelican drawers, wall track, tackboards, tasklighting, plastic pencil drawers, keyboard arms and trays, shelf dividers, desktop power/data modules, coat hooks, wall tile rails, and paper flow elements.

**Matrix Component Details**


**Component Detail 1**



**Component Detail 2**



**Component Detail 3**



**Matrix Frames Product Details**

**Product Detail 1  
Panel Frame Availability**

Matrix panel frames include (1) topcap (field mounted), (2) top tile retainers (field mounted), (2) bottom tile retainers (field mounted), and (2) 1 1/2" leveling glides. Each frame is shipped with the needed amount of 1/4-20 x 4" hex head bolts which are required for connecting frames in a straight line.


Matrix panel frames can connect at 90°, 120°, or 135° at a 2-way connection, 90° or 120° at a 3-way connection, and 90° at a 4-way connection.

**Note:** Door frames may also be connected at these angles, but the proper swing must be specified in order to avoid door swing interference. End of runs require a panel end cap. Change of heights in a straight line require a straight line HiLo trim. Change of heights at 90°, 120°, or 135° require connector HiLo trim.

**Panel Frame Dimensions (Nominal):**

Height: 34", 42", 50", 58", 66", 82"

Width: 24", 30", 36", 42", 48"



**Product Detail 2  
Stack-On Frame Availability**


All Matrix panel frames, including door frames, can accommodate stack-on frames. Double stacking on door frames is allowed up to 48". Stack-on frames connect to each other in a straight line with 1/4-20 x 4" hex head bolts. When stack-on connectors are to be used in a 2-way, 3-way, or 4-way connection, stack-on connectors need to be specified separately.

Maximum stackability is 130". 82" Frame + (2 x 24" Stack-On) = 130"

**Stack-On Frame Dimensions (Nominal)**

Height: 8", 16", 24"

Width: 24", 30", 36", 42", 48"






**Product Detail 3  
Panel Frame Profile**



Matrix panel frames have a topcap lay-in channel which is laterally continuous and unobstructed. Lay-in channel can accommodate up to 16 Cat 6 cables.

Electrical chase holes are located every 8" on the frame to accommodate data and electrical cables. Electrical can be mounted at any height in a frame. Every 8" of height can accommodate up to two powerway assemblies. Chase holes can accommodate up to 40 Cat 6 cables.

Topcap Lay-In Channel



Electrical Chase Hole




Topcap lay-in channel can accommodate up to 16 Cat 6 cables.


Electrical chase hole can accommodate up to 40 Cat 6 cables.

**Product Detail 4  
Panel Frame Trim - Profile Options**


Profile topcaps are available painted.w




Linear Profile  
Painted Metal




Linear Profile  
Top Tile Retainer



Linear Profile Top Tile  
Retainer (Side View)



Linear Profile  
Bottom Tile Retainer



Linear Profile Bottom Tile  
Retainer (Side View)


Matrix Frames Product Details

Product Detail 5  
Panel Frame Creep Dimensions

Small increments are added to or taken away from the length of a run of panels as a result of the many ways panels are connected to each other. The accumulation of these increments is called panel creep. The connection scenarios below outline panel creep dimensions.


Straight Connections

Add 0" to panel run for each straight connection. 24" W (nominal) panels are shown.




2-Way Connections

Add 3 5/16" each time a perpendicular panel is added to the end of a panel run.  
**Note:** 2-way connections add 3 5/16" in both directions.




3-Way Connections

Add 3 5/16" each time a perpendicular panel is added to the end of a panel run.  
**Note:** 3-way connections add 3 5/16" in both directions.




4-Way Connections

Add 3 5/16" each time a perpendicular panel is added to the end of a panel run.  
**Note:** 4-way connections add 3 5/16" in both directions.




Finished End Connections

Add 7/16" to the end of the panel run for each finished end cap.



Wall Mount Connections


Add 1" to the end of panel run for Wall Mount connection.



**Matrix Frames Product Details**


**Product Detail 6  
Rules for Panel Stability without Components**

The guidelines below should be followed when designing AIS Matrix panel frames without components to ensure panel stability and safety. Change in height will not affect panel frame stability. Any panel not directly attached to a perpendicular panel frame or fixed wall will yield when pressure is applied.



**Product Detail 7  
Rules for Panel Stability with Components**

The guidelines below should be followed when designing AIS Matrix panel frames with components to ensure panel stability and safety. Change of heights do not effect panel frame stability. Any panel not directly attached to a perpendicular panel frame or fixed wall will yield when pressure is applied.



\* 30" worksurfaces must be supported at the front with side support brackets or floor support elements/pedestals.

**Matrix Frames Product Details**

**Product Detail 8**


**Left - Right Handing Logic for Matrix Door Frames**

Left Hand Door Frames:


Left Hand door frames swing away from you to the left as you enter an office. The door is reversible.

Right Hand Door Frame:


Right Hand door frames swing away from you to the right as you enter an office. The door is reversible.




Left Hand Linear Profile Panel Door Frame



Left Hand Linear Profile Panel Glass Window Door Frame



Right Hand Linear Profile Panel Door Frame




Right Hand Linear Profile Panel Glass Window Door Frame

**Product Detail 9**

**Corner Application Sliding Door**


When specifying sliding doors at a corner application, a 2-way connector and corner connector HiLo trim piece needs to be ordered in addition to the sliding door. This fills the 3 1/2" gap created by this scenario.




**Matrix Frames Product Details**

**Gallery Panel Examples**


**Single End**  
24" - 66" Wide\*  
Left or Right  
*\*Over 66" Wide needs support*




**Single End for Wing**  
48" - 90" Wide  
Left or Right




**Single End for Wing Facing Forward**  
48" - 90" Wide  
Left or Right




**Single End for Wing Front and Back**  
48" - 90" Wide  
Left or Right




**Single Spine**  
24" - 90" Wide\*  
Non-Handed  
*\*Over 66" Wide needs support*




**Single Spine for Wing**  
48" - 90" Wide  
Left or Right




**Single Spine for Wings Front and Back**  
48" - 90" Wide  
Non-Handed




**Double End**  
48" - 90" Wide



**Double Spine**  
48" - 90" Wide  
Non-Handed




**Mid Mount End**  
24" - 90" Wide\*  
Left or Right  
*\*Over 66" Wide needs support*




**Matrix Frames Product Details**

**Gallery Panel Examples**


**Mid Mount End for Wing**  
48" - 90" Wide  
Left or Right




**Mid Mount End for Wing Facing Front**  
48" - 90" Wide  
Left or Right




**Mid Mount End for Wings Front and Back**  
48" - 90" Wide  
Left or Right




**Mid Mount Spine**  
24" - 90" Wide\*  
Non-Handed  
*\*Over 66" Wide needs support*



**Mid Mount Spine for Wing**  
60" - 90" Wide  
Left or Right



**Mid Mount Spine for Wings Front and Back**  
48" - 90" Wide  
Non-Handed



**Matrix Frames Product Details**

<b>SINGLE END AND SINGLE SPINE LEFT AND RIGHT GRAIN DIRECTIONS</b>											
<b>HEIGHT</b>	<b>WIDTH</b>										
	<b>24</b>	<b>30</b>	<b>36</b>	<b>42</b>	<b>54</b>	<b>60</b>	<b>66</b>	<b>72</b>	<b>78</b>	<b>84</b>	<b>90</b>
<b>34</b>	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal
<b>42</b>	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal
<b>50</b>	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal
<b>58</b>	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal
<b>66</b>	Vertical	Vertical	Vertical	Vertical	Vertical	N/A	N/A	N/A	N/A	N/A	N/A

<b>DOUBLE END AND DOUBLE SPINE GRAIN DIRECTIONS</b>									
<b>HEIGHT</b>	<b>WIDTH</b>								
	<b>48</b>	<b>54</b>	<b>60</b>	<b>66</b>	<b>72</b>	<b>78</b>	<b>84</b>	<b>90</b>	
<b>42</b>	Vert./Horz.	Vert./Horz.	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal	
<b>50</b>	Vert./Horz.	Vert./Horz.	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal	
<b>58</b>	Vert./Horz.	Vert./Horz.	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal	



<b>MID MOUNT END AND MID MOUNT SPINE LEFT AND RIGHT GRAIN DIRECTIONS</b>											
<b>HEIGHT</b>	<b>WIDTH</b>										
	<b>24</b>	<b>30</b>	<b>36</b>	<b>42</b>	<b>54</b>	<b>60</b>	<b>66</b>	<b>72</b>	<b>78</b>	<b>84</b>	<b>90</b>
<b>34</b>	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal
<b>42</b>	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal
<b>50</b>	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal
<b>58</b>	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal
<b>66</b>	Vertical	Vertical	Vertical	Vertical	Vertical	N/A	N/A	N/A	N/A	N/A	N/A

<b>WING PANEL LEFT AND RIGHT GRAIN DIRECTIONS</b>			
<b>HEIGHT</b>	<b>WIDTH</b>		
	<b>18</b>	<b>24</b>	<b>30</b>
<b>34</b>	Vert./Horz.	Vert./Horz.	Vert./Horz.
<b>42</b>	Vert./Horz.	Vert./Horz.	Vert./Horz.
<b>50</b>	Vert./Horz.	Vert./Horz.	Vert./Horz.
<b>58</b>	Vert./Horz.	Vert./Horz.	Vert./Horz.
<b>66</b>	Vertical	Vertical	Vertical

**Linear Profile Panel Frames**

**LINEAR PROFILE PANEL FRAMES**

H	W	Model Number	List	Grade C Topcap Paint	Grade C Retainer Paint	H	W	Model Number	List	Grade C Topcap Paint	Grade C Retainer Paint
34	24	P-MLFR3424	434	+10	+5	58	24	P-MLFR5824	508	+10	+5
34	30	P-MLFR3430	448	+10	+5	58	30	P-MLFR5830	531	+10	+5
34	36	P-MLFR3436	465	+10	+5	58	36	P-MLFR5836	552	+10	+5
34	42	P-MLFR3442	476	+10	+5	58	42	P-MLFR5842	567	+10	+5
34	48	P-MLFR3448	493	+10	+5	58	48	P-MLFR5848	578	+10	+5
42	24	P-MLFR4224	460	+10	+5	66	24	P-MLFR6624	536	+10	+5
42	30	P-MLFR4230	479	+10	+5	66	30	P-MLFR6630	554	+10	+5
42	36	P-MLFR4236	493	+10	+5	66	36	P-MLFR6636	575	+10	+5
42	42	P-MLFR4242	504	+10	+5	66	42	P-MLFR6642	590	+10	+5
42	48	P-MLFR4248	521	+10	+5	66	48	P-MLFR6648	602	+10	+5
50	24	P-MLFR5024	483	+10	+5	82	24	P-MLFR8224	684	+10	+5
50	30	P-MLFR5030	499	+10	+5	82	30	P-MLFR8230	700	+10	+5
50	36	P-MLFR5036	526	+10	+5	82	36	P-MLFR8236	716	+10	+5
50	42	P-MLFR5042	540	+10	+5	82	42	P-MLFR8242	733	+10	+5
50	48	P-MLFR5048	552	+10	+5	82	48	P-MLFR8248	746	+10	+5



Painted Metal

**Specify**

**Notes**

- Finish Style for Topcap - Painted Metal
- Paint Selection for Tile Retainer
- Paint Selection for Topcap (when applicable)

- Panel Frames are made of steel tube, welded frame construction.
- Includes one topcap (field mounted), two top tile retainers (field mounted), two bottom tile retainers (field mounted), and two 1 1/2" leveling glides.
- Frame can accommodate up to two stack-on frames.
- 1/4 - 20 x 4" long hex head bolts are supplied for connecting to adjacent frames in a straight line.
- Every frame subtracts two mid-tile retainers from the combined total of mid-tile retainers on each order that includes both frames and tiles. For example, an order with one frame and eight tiles will receive six mid-tile retainers, which is the appropriate amount required to "completely dress" both sides of a frame. However, if both sides of a frame are not being dressed, or if the frames and tiles are specified for supplemental add-on orders where each tile is required to have a mid-tile retainer, such retainers must be ordered separately.
- When ordering frames without tiles, please contact AIS Customer Service.
- One Carpet Gripper Glide is shipped for every four panels.




**Linear Profile Panel Door Frames**

**LINEAR PROFILE PANEL DOOR FRAMES**

H	W	Type	Model Number	List	Grade C Topcap Paint	Grade C Retainer Paint	Grade C Door Paint
82	42	Left	P-MLDRL8242	4,099	+10	+5	+100
82	42	Right	P-MLDRR8242	4,099	+10	+5	+100



Left Hand



Right Hand


**Specify**

**Notes**


- Finish Style for Topcap - Painted Metal
- Paint Selection for Tile Retainer, Door and Topcap (when applicable)
- Panel Door Frames are made of steel tube, welded frame construction.
- Includes one topcap (field mounted), two topcap retainers (field mounted), one adjustable threshold, and one ADA right angle lock set with two keys.
- Door frame can accommodate up to two stack-on frames.
- Door frame and top cap can be painted in AIS standard colors.
- Door blank cannot be specified in Metallic Colors (ex. Metallic Silver, Champagne Metallic, Dark Grey Metallic, Flint Grey Metallic, Antique Gold & Graphite Sky).
- 1/4 - 20 x 4" long hex head bolts are supplied for connecting to adjacent frames in a straight line.
- Door swing is reversible in the field.
- Minimum door opening is 34 1/8" from door stop to door face while open at 90°.

**LINEAR PROFILE PANEL GLASS WINDOW DOOR FRAMES**

H	W	Type	Model Number	List	Grade C Topcap Paint	Grade C Retainer Paint	Grade C Door Paint
82	42	Left	P-MLDRGL8242	7,108	+10	+5	+100
82	42	Right	P-MLDRGR8242	7,108	+10	+5	+100



Left Hand



Right Hand

**Specify**

**Notes**

- Finish Style for Topcap - Painted Metal
- Paint Selection for Tile Retainer, Door and Topcap
- Insert Style for Tempered Glass
- Panel Glass Window Door Frames are made of steel tube, welded frame construction.
- Includes one topcap (field mounted), two topcap retainers (field mounted), one adjustable threshold, and one ADA right angle lock set with two keys.
- Door frame can accommodate up to two stack-on frames.
- Door frame and door are painted same color, as specified.
- 1/4 - 20 x 4" long hex head bolts are supplied for connecting to adjacent frames in a straight line.
- Door swing is reversible in the field.
- Minimum door opening is 34 1/8" from door stop to door face while open at 90°.
- Note: Door has a 5" painted wood border around the glass.

**LINEAR ARCH PANEL DOOR FRAME WITH INNER TRIM (NO DOOR)**

H	W	Model Number	List	Grade C Paint	Grade C Retainer Paint
82	42	P-MLDFRK8242	4,178	+10	+5



**Specify**



**Notes**

- Finish Style for Topcap - Painted Metal
- Paint Selection for Tile Retainer and Topcap
- For use with AIS sliding doors where an archway is needed.
- Opening width of 35 1/2".

**Linear Sliding Privacy Screens**

MATRIX LINEAR SLIDING PRIVACY SCREEN						
Panel H	Doorway W	Adjacent Panel W	Left Hand	Right Hand	List	Grade C Paint
			Model Number	Model Number		
66	36	36	P-MXLR6636L	P-MXLR6636R	3,050	+25
66	36	42	P-MXLR663642L	P-MXLR663642R	3,183	+25
66	36	48	P-MXLR663648L	P-MXLR663648R	3,192	+25
66	42	42	P-MXLR6642L	P-MXLR6642R	3,054	+25
66	42	48	P-MXLR664248L	P-MXLR664248R	3,126	+25
66	48	48	P-MXLR6648L	P-MXLR6648R	3,153	+25
82	36	36	P-MXLR8236L	P-MXLR8236R	3,182	+25
82	36	42	P-MXLR823642L	P-MXLR823642R	3,252	+25
82	36	48	P-MXLR823648L	P-MXLR823648R	3,323	+25
82	42	42	P-MXLR8242L	P-MXLR8242R	3,193	+25
82	42	48	P-MXLR824248L	P-MXLR824248R	3,265	+25
82	48	48	P-MXLR8248L	P-MXLR8248R	3,296	+25

MATRIX LINEAR LOCKING SLIDING PRIVACY SCREEN						
Panel H	Doorway W	Adjacent Panel W	Left Hand	Right Hand	List	Grade C Paint
			Model Number	Model Number		
66	36	36	P-MXLR6636LL	P-MXLR6636RL	3,235	+25
66	36	42	P-MXLR663642LL	P-MXLR663642RL	3,304	+25
66	36	48	P-MXLR663648LL	P-MXLR663648RL	3,376	+25
66	42	42	P-MXLR6642LL	P-MXLR6642RL	3,240	+25
66	42	48	P-MXLR664248LL	P-MXLR664248RL	3,309	+25
66	48	48	P-MXLR6648LL	P-MXLR6648RL	3,336	+25
82	36	36	P-MXLR8236LL	P-MXLR8236RL	3,365	+25
82	36	42	P-MXLR823642LL	P-MXLR823642RL	3,436	+25
82	36	48	P-MXLR823648LL	P-MXLR823648RL	3,507	+25
82	42	42	P-MXLR8242LL	P-MXLR8242RL	3,377	+25
82	42	48	P-MXLR824248LL	P-MXLR824248RL	3,448	+25
82	48	48	P-MXLR8248LL	P-MXLR8248RL	3,480	+25



**Specify**


**Notes**

- Paint Selection for Sliding Door Frame
- The Linear Sliding Privacy Screen attaches to frame face at either left or right, outside or inside of an opening.
- Select a Sliding Privacy Screen based upon the dimensions of the opening it will cover and the adjacent panel that it will be installed to.
- Linear Sliding Privacy Screens are available to accommodate 36", 42" or 48" wide by 66" or 82" high openings and adjacent panels.
- All doors come with a top track bar kit for added stability; only 82" high units extend over the doorway.
- Lightweight, aluminum frame, painted as specified, with a ribbed Lexan insert.
- The sliding door extends 6" into opening when fully open, and stands a total of 2-1/2" off panel face.
- These dimensions should be taken into consideration when planning for ADA door openings and aisle dimensional requirements if door is mounted on outside of office.
- Actual door thickness is 5/8".
- Actual door width is opening size +6".
- Only mount externally.
- Doors can only be locked from the outside, when user is out of office.
- Optional handles and wall termination brackets are available separately

**Linear Sliding Privacy Screen Handles and Brackets**

**LINEAR SLIDING PRIVACY SCREEN HANDLE KIT**

Model Number	List
P-UNSLDHK	84




**Specify** **Notes**

- Select Paint

**LINEAR SLIDING PRIVACY SCREEN WALL BRACKET KIT**

Model Number	List	Grade C Paint
A-RPSLWATB	78	+25




**Specify** **Notes**

- Select Paint
- Use this bracket where the top guide rail of the Linear Sliding Privacy Screen extends over the doorway and terminates against a wall instead of a panel.
- Fasteners for top rail included, fasteners for wall are not included.


**MATRIX SLIDING DOOR MOUNTING BRACKET FOR ARCH DOOR**

Model Number	List
A-MTXSLDAMB	78




**Specify** **Notes**

- Specify this bracket when using a sliding privacy screen on a Matrix Arch Door Frame with a 2- or 3-way connection.




This bracket required when a sliding door installed on Arch Door Frame with 2- or 3-way connection.



**Stack-On Frames**


STACK-ON FRAMES			
H	W	Model Number	List
8	24	P-M2BT0824	287
8	30	P-M2BT0830	305
8	36	P-M2BT0836	316
8	42	P-M2BT0842	333
8	48	P-M2BT0848	350
16	24	P-M2BT1624	334
16	30	P-M2BT1630	350
16	36	P-M2BT1636	365
16	42	P-M2BT1642	379
16	48	P-M2BT1648	396
24	24	P-M2BT2424	381
24	30	P-M2BT2430	396
24	36	P-M2BT2436	411
24	42	P-M2BT2442	424
24	48	P-M2BT2448	444



**Notes**

- Stack-On Frame is made of steel tube, welded frame construction.
- Frame color is black and includes 1/4 - 20 x 4" long bolts for connecting to adjacent frames in straight line.
- Supports overhead storage.
- Note: Stack-on frame may be retrofitted over data cables run in topcap channel.
- Existing topcap from lower panel frame is re-used on the stack-on frame.
- Stack-on connectors and vertical trim ordered separately.
- Maximum stackability on any frame is 48".
- When stacking on an 82" frame, 130" would be the maximum stacking height.

LINEAR PROFILE EXTENDED TOPCAPS			
H	Model Number	List	Grade C Paint
54	P-MLTC54	74	+20
60	P-MLTC60	78	+20
66	P-MLTC66	82	+20
72	P-MLTC72	89	+20
78	P-MLTC78	94	+20
84	P-MLTC84	98	+20
90	P-MLTC90	102	+20
96	P-MLTC96	107	+20
102	P-MLTC102	111	+30
108	P-MLTC108	116	+30



**Specify**


- Paint Selection for Topcap

**Notes**

- Extended Topcaps Linear Profile - may be ordered to reduce "seams" between panel frames.
- Order extended topcaps separately.
- **Important:** Matrix frames ship with standard "panel width" topcaps.
- Specify frames without topcaps to eliminate redundant topcaps.

**LINEAR DOOR FRAME TOPCAP CONVERSION KIT**


H	Model Number	List	Grade C Paint
42	P-MLKFD42	129	+10



Specify	Notes
<ul style="list-style-type: none"> <li>• Finish Style for Topcap - Painted Metal</li> <li>• Paint Selection for Topcap (when applicable)</li> </ul>	<ul style="list-style-type: none"> <li>• Linear Door Frame Topcap Conversion Kit - may be ordered to convert existing radius profile Matrix door frames to linear profile Matrix door frames.</li> <li>• Linear topcap conversion kits include one linear profile topcap (painted metal) and all necessary mounting hardware.</li> </ul>

**RADIUS TO LINEAR FRAME TOPCAP CONVERSION KIT**

H	Model Number	List	Grade C Paint
24	P-MLKF24	177	+10
30	P-MLKF30	186	+10
36	P-MLKF36	190	+10
42	P-MLKF42	196	+10
48	P-MLKF48	205	+10




Specify	Notes
<ul style="list-style-type: none"> <li>• Finish Style for Topcap - Painted Metal</li> <li>• Paint Selection for Topcap (if applicable) and Bottom Tile Retainer</li> </ul>	<ul style="list-style-type: none"> <li>• Linear Frame Topcap Conversion Kit - may be ordered to convert existing radius profile Matrix frames to linear profile Matrix frames.</li> <li>• Linear topcap conversion kits include one linear profile topcap (painted metal), two bottom tile retainers, and all necessary mounting hardware.</li> <li>• Mid-tile retainers need to be ordered separately.</li> </ul>


**Linear Single End Gallery Panels**

LINEAR SINGLE END GALLERY PANELS					
H	W	Grain	Left	Right	List
			Model Number	Model Number	
34	24	Vertical	P-MLGPES3424L	P-MLGPES3424R	553
34	30	Vertical	P-MLGPES3430L	P-MLGPES3430R	580
34	36	Vertical	P-MLGPES3436L	P-MLGPES3436R	597
34	42	Vertical	P-MLGPES3442L	P-MLGPES3442R	609
34	48	Vertical	P-MLGPES3448L	P-MLGPES3448R	618
34	54	Vertical	P-MLGPES3454L	P-MLGPES3454R	627
34	24	Horizontal	P-MLGPES3424LH	P-MLGPES3424RH	553
34	30	Horizontal	P-MLGPES3430LH	P-MLGPES3430RH	580
34	36	Horizontal	P-MLGPES3436LH	P-MLGPES3436RH	597
34	42	Horizontal	P-MLGPES3442LH	P-MLGPES3442RH	609
34	48	Horizontal	P-MLGPES3448LH	P-MLGPES3448RH	618
34	54	Horizontal	P-MLGPES3454LH	P-MLGPES3454RH	627
34	60	Horizontal	P-MLGPES3460L	P-MLGPES3460R	742
34	66	Horizontal	P-MLGPES3466L	P-MLGPES3466R	780
34	72	Horizontal	P-MLGPES3472L	P-MLGPES3472R	831
34	78	Horizontal	P-MLGPES3478L	P-MLGPES3478R	881
34	84	Horizontal	P-MLGPES3484L	P-MLGPES3484R	931
34	90	Horizontal	P-MLGPES3490L	P-MLGPES3490R	981


LINEAR SINGLE END GALLERY PANELS					
H	W	Grain	Left	Right	List
			Model Number	Model Number	
42	24	Vertical	P-MLGPES4224L	P-MLGPES4224R	595
42	30	Vertical	P-MLGPES4230L	P-MLGPES4230R	641
42	36	Vertical	P-MLGPES4236L	P-MLGPES4236R	681
42	42	Vertical	P-MLGPES4242L	P-MLGPES4242R	721
42	48	Vertical	P-MLGPES4248L	P-MLGPES4248R	762
42	54	Vertical	P-MLGPES4254L	P-MLGPES4254R	802
42	24	Horizontal	P-MLGPES4224LH	P-MLGPES4224RH	595
42	30	Horizontal	P-MLGPES4230LH	P-MLGPES4230RH	641
42	36	Horizontal	P-MLGPES4236LH	P-MLGPES4236RH	681
42	42	Horizontal	P-MLGPES4242LH	P-MLGPES4242RH	721
42	48	Horizontal	P-MLGPES4248LH	P-MLGPES4248RH	762
42	54	Horizontal	P-MLGPES4254LH	P-MLGPES4254RH	802
42	60	Horizontal	P-MLGPES4260L	P-MLGPES4260R	905
42	66	Horizontal	P-MLGPES4266L	P-MLGPES4266R	972
42	72	Horizontal	P-MLGPES4272L	P-MLGPES4272R	1,011
42	78	Horizontal	P-MLGPES4278L	P-MLGPES4278R	1,049
42	84	Horizontal	P-MLGPES4284L	P-MLGPES4284R	1,088
42	90	Horizontal	P-MLGPES4290L	P-MLGPES4290R	1,127



Left Hand





Right Hand



Horizontal Grain



Vertical Grain



Right Hand Shown

**Specify**

- Laminate with matching edge

**Notes**

- Linear Single End Gallery Panels mount to frames in place of wing panels for structural support.
- Gallery Panels add 1" to panel run. See panel creep description pages.
- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Single End Gallery Panels over 66" wide must be attached to storage units for support.
- Cannot be used freestanding, must be attached to a panel.


**Linear Single End Gallery Panels**

**LINEAR SINGLE END GALLERY PANELS**


H	W	Grain	Left	Right	List
			Model Number	Model Number	
50	24	Vertical	P-MLGPES5024L	P-MLGPES5024R	635
50	30	Vertical	P-MLGPES5030L	P-MLGPES5030R	701
50	36	Vertical	P-MLGPES5036L	P-MLGPES5036R	765
50	42	Vertical	P-MLGPES5042L	P-MLGPES5042R	833
50	48	Vertical	P-MLGPES5048L	P-MLGPES5048R	904
50	54	Vertical	P-MLGPES5054L	P-MLGPES5054R	976
50	24	Horizontal	P-MLGPES5024LH	P-MLGPES5024RH	635
50	30	Horizontal	P-MLGPES5030LH	P-MLGPES5030RH	701
50	36	Horizontal	P-MLGPES5036LH	P-MLGPES5036RH	765
50	42	Horizontal	P-MLGPES5042LH	P-MLGPES5042RH	833
50	48	Horizontal	P-MLGPES5048LH	P-MLGPES5048RH	904
50	54	Horizontal	P-MLGPES5054LH	P-MLGPES5054RH	976
50	60	Horizontal	P-MLGPES5060L	P-MLGPES5060R	1,070
50	66	Horizontal	P-MLGPES5066L	P-MLGPES5066R	1,162
50	72	Horizontal	P-MLGPES5072L	P-MLGPES5072R	1,190
50	78	Horizontal	P-MLGPES5078L	P-MLGPES5078R	1,218
50	84	Horizontal	P-MLGPES5084L	P-MLGPES5084R	1,245
50	90	Horizontal	P-MLGPES5090L	P-MLGPES5090R	1,272

**LINEAR SINGLE END GALLERY PANELS**


H	W	Grain	Left	Right	List
			Model Number	Model Number	
58	24	Vertical	P-MLGPES5824L	P-MLGPES5824R	708
58	30	Vertical	P-MLGPES5830L	P-MLGPES5830R	777
58	36	Vertical	P-MLGPES5836L	P-MLGPES5836R	837
58	42	Vertical	P-MLGPES5842L	P-MLGPES5842R	903
58	48	Vertical	P-MLGPES5848L	P-MLGPES5848R	952
58	54	Vertical	P-MLGPES5854L	P-MLGPES5854R	1,003
58	24	Horizontal	P-MLGPES5824LH	P-MLGPES5824RH	708
58	30	Horizontal	P-MLGPES5830LH	P-MLGPES5830RH	777
58	36	Horizontal	P-MLGPES5836LH	P-MLGPES5836RH	837
58	42	Horizontal	P-MLGPES5842LH	P-MLGPES5842RH	903
58	48	Horizontal	P-MLGPES5848LH	P-MLGPES5848RH	952
58	54	Horizontal	P-MLGPES5854LH	P-MLGPES5854RH	1,003
58	60	Horizontal	P-MLGPES5860L	P-MLGPES5860R	1,092
58	66	Horizontal	P-MLGPES5866L	P-MLGPES5866R	1,182
58	72	Horizontal	P-MLGPES5872L	P-MLGPES5872R	1,271
58	78	Horizontal	P-MLGPES5878L	P-MLGPES5878R	1,359
58	84	Horizontal	P-MLGPES5884L	P-MLGPES5884R	1,450
58	90	Horizontal	P-MLGPES5890L	P-MLGPES5890R	1,539
66	24	Vertical	P-MLGPES6624L	P-MLGPES6624R	727
66	30	Vertical	P-MLGPES6630L	P-MLGPES6630R	800
66	36	Vertical	P-MLGPES6636L	P-MLGPES6636R	866
66	42	Vertical	P-MLGPES6642L	P-MLGPES6642R	937
66	48	Vertical	P-MLGPES6648L	P-MLGPES6648R	1,005
66	54	Vertical	P-MLGPES6654L	P-MLGPES6654R	1,073




Left Hand





Right Hand



Horizontal Grain



Vertical Grain



Right Hand Shown

**Specify**

- Laminate with matching edge

**Notes**

- Linear Single End Gallery Panels mount to frames in place of wing panels for structural support.
- Gallery Panels add 1" to panel run. See panel creep description pages.
- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Single End Gallery Panels over 66" wide must be attached to storage units for support.
- Cannot be used freestanding, must be attached to a panel.



**Linear Single End for Wing Gallery Panels**

**LINEAR SINGLE END FOR WING GALLERY PANELS**


H	W	Grain	Left	Right	List
			Model Number	Model Number	
34	48	Vertical	P-MLGESW3448L	P-MLGESW3448R	650
34	54	Vertical	P-MLGESW3454L	P-MLGESW3454R	657
34	48	Horizontal	P-MLGESW3448LH	P-MLGESW3448RH	650
34	54	Horizontal	P-MLGESW3454LH	P-MLGESW3454RH	657
34	60	Horizontal	P-MLGESW3460L	P-MLGESW3460R	774
34	66	Horizontal	P-MLGESW3466L	P-MLGESW3466R	811
34	72	Horizontal	P-MLGESW3472L	P-MLGESW3472R	862
34	78	Horizontal	P-MLGESW3478L	P-MLGESW3478R	912
34	84	Horizontal	P-MLGESW3484L	P-MLGESW3484R	962
34	90	Horizontal	P-MLGESW3490L	P-MLGESW3490R	1,013
42	48	Vertical	P-MLGESW4248L	P-MLGESW4248R	792
42	54	Vertical	P-MLGESW4254L	P-MLGESW4254R	832
42	48	Horizontal	P-MLGESW4248LH	P-MLGESW4248RH	792
42	54	Horizontal	P-MLGESW4254LH	P-MLGESW4254RH	832
42	60	Horizontal	P-MLGESW4260L	P-MLGESW4260R	936
42	66	Horizontal	P-MLGESW4266L	P-MLGESW4266R	1,003
42	72	Horizontal	P-MLGESW4272L	P-MLGESW4272R	1,041
42	78	Horizontal	P-MLGESW4278L	P-MLGESW4278R	1,080
42	84	Horizontal	P-MLGESW4284L	P-MLGESW4284R	1,119
42	90	Horizontal	P-MLGESW4290L	P-MLGESW4290R	1,159

**LINEAR SINGLE END FOR WING GALLERY PANELS**

H	W	Grain	Left	Right	List
			Model Number	Model Number	
50	48	Vertical	P-MLGESW5048L	P-MLGESW5048R	935
50	54	Vertical	P-MLGESW5054L	P-MLGESW5054R	1,007
50	48	Horizontal	P-MLGESW5048LH	P-MLGESW5048RH	935
50	54	Horizontal	P-MLGESW5054LH	P-MLGESW5054RH	1,007
50	60	Horizontal	P-MLGESW5060L	P-MLGESW5060R	1,100
50	66	Horizontal	P-MLGESW5066L	P-MLGESW5066R	1,193
50	72	Horizontal	P-MLGESW5072L	P-MLGESW5072R	1,221
50	78	Horizontal	P-MLGESW5078L	P-MLGESW5078R	1,248
50	84	Horizontal	P-MLGESW5084L	P-MLGESW5084R	1,275
50	90	Horizontal	P-MLGESW5090L	P-MLGESW5090R	1,302
58	48	Vertical	P-MLGESW5848L	P-MLGESW5848R	983
58	54	Vertical	P-MLGESW5854L	P-MLGESW5854R	1,034
58	48	Horizontal	P-MLGESW5848LH	P-MLGESW5848RH	983
58	54	Horizontal	P-MLGESW5854LH	P-MLGESW5854RH	1,034
58	60	Horizontal	P-MLGESW5860L	P-MLGESW5860R	1,123
58	66	Horizontal	P-MLGESW5866L	P-MLGESW5866R	1,213
58	72	Horizontal	P-MLGESW5872L	P-MLGESW5872R	1,301
58	78	Horizontal	P-MLGESW5878L	P-MLGESW5878R	1,392
58	84	Horizontal	P-MLGESW5884L	P-MLGESW5884R	1,481
58	90	Horizontal	P-MLGESW5890L	P-MLGESW5890R	1,569
66	48	Vertical	P-MLGESW6648L	P-MLGESW6648R	1,036
66	54	Vertical	P-MLGESW6654L	P-MLGESW6654R	1,104



Horizontal Grain



Right Hand Shown

**Specify**

• Laminate with matching edge

**Notes**

- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Wing panels sold separately.




**Linear Single End for Wing Facing Forward Gallery Panels**

**LINEAR SINGLE END FOR WING FACING FORWARD GALLERY PANELS**


H	W	Grain	Left	Right	List
			Model Number	Model Number	
34	48	Vertical	P-MGESWF3448L	P-MGESWF3448R	650
34	54	Vertical	P-MGESWF3454L	P-MGESWF3454R	657
34	48	Horizontal	P-MGESWF3448LH	P-MGESWF3448RH	650
34	54	Horizontal	P-MGESWF3454LH	P-MGESWF3454RH	657
34	60	Horizontal	P-MGESWF3460L	P-MGESWF3460R	774
34	66	Horizontal	P-MGESWF3466L	P-MGESWF3466R	811
34	72	Horizontal	P-MGESWF3472L	P-MGESWF3472R	862
34	78	Horizontal	P-MGESWF3478L	P-MGESWF3478R	912
34	84	Horizontal	P-MGESWF3484L	P-MGESWF3484R	962
34	90	Horizontal	P-MGESWF3490L	P-MGESWF3490R	1,013
42	48	Vertical	P-MGESWF4248L	P-MGESWF4248R	792
42	54	Vertical	P-MGESWF4254L	P-MGESWF4254R	832
42	48	Horizontal	P-MGESWF4248LH	P-MGESWF4248RH	792
42	54	Horizontal	P-MGESWF4254LH	P-MGESWF4254RH	832
42	60	Horizontal	P-MGESWF4260L	P-MGESWF4260R	936
42	66	Horizontal	P-MGESWF4266L	P-MGESWF4266R	1,003
42	72	Horizontal	P-MGESWF4272L	P-MGESWF4272R	1,041
42	78	Horizontal	P-MGESWF4278L	P-MGESWF4278R	1,080
42	84	Horizontal	P-MGESWF4284L	P-MGESWF4284R	1,119
42	90	Horizontal	P-MGESWF4290L	P-MGESWF4290R	1,159

**LINEAR SINGLE END FOR WING FACING FORWARD GALLERY PANELS**


H	W	Grain	Left	Right	List
			Model Number	Model Number	
50	48	Vertical	P-MGESWF5048L	P-MGESWF5048R	935
50	54	Vertical	P-MGESWF5054L	P-MGESWF5054R	1,006
50	48	Horizontal	P-MGESWF5048LH	P-MGESWF5048RH	935
50	54	Horizontal	P-MGESWF5054LH	P-MGESWF5054RH	1,006
50	60	Horizontal	P-MGESWF5060L	P-MGESWF5060R	1,100
50	66	Horizontal	P-MGESWF5066L	P-MGESWF5066R	1,193
50	72	Horizontal	P-MGESWF5072L	P-MGESWF5072R	1,221
50	78	Horizontal	P-MGESWF5078L	P-MGESWF5078R	1,248
50	84	Horizontal	P-MGESWF5084L	P-MGESWF5084R	1,275
50	90	Horizontal	P-MGESWF5090L	P-MGESWF5090R	1,302
58	48	Vertical	P-MGESWF5848L	P-MGESWF5848R	983
58	54	Vertical	P-MGESWF5854L	P-MGESWF5854R	1,034
58	48	Horizontal	P-MGESWF5848LH	P-MGESWF5848RH	983
58	54	Horizontal	P-MGESWF5854LH	P-MGESWF5854RH	1,034
58	60	Horizontal	P-MGESWF5860L	P-MGESWF5860R	1,123
58	66	Horizontal	P-MGESWF5866L	P-MGESWF5866R	1,213
58	72	Horizontal	P-MGESWF5872L	P-MGESWF5872R	1,301
58	78	Horizontal	P-MGESWF5878L	P-MGESWF5878R	1,392
58	84	Horizontal	P-MGESWF5884L	P-MGESWF5884R	1,481
58	90	Horizontal	P-MGESWF5890L	P-MGESWF5890R	1,569
66	48	Vertical	P-MGESWF6648L	P-MGESWF6648R	1,036
66	54	Vertical	P-MGESWF6654L	P-MGESWF6654R	1,103



Left Hand Shown



Left Hand Shown



Right Hand Shown

**Specify**

• Laminate with matching edge


**Notes**

- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Wing panels sold separately.


**Linear Single End for Double Wing Gallery Panels**

LINEAR SINGLE END FOR DOUBLE WING GALLERY PANELS					
H	W	Grain	Left	Right	List
			Model Number	Model Number	
34	48	Vertical	P-MGESWD3448L	P-MGESWD3448R	711
34	54	Vertical	P-MGESWD3454L	P-MGESWD3454R	720
34	48	Horizontal	P-MGESWD3448LH	P-MGESWD3448RH	711
34	54	Horizontal	P-MGESWD3454LH	P-MGESWD3454RH	720
34	60	Horizontal	P-MGESWD3460L	P-MGESWD3460R	835
34	66	Horizontal	P-MGESWD3466L	P-MGESWD3466R	874
34	72	Horizontal	P-MGESWD3472L	P-MGESWD3472R	924
34	78	Horizontal	P-MGESWD3478L	P-MGESWD3478R	974
34	84	Horizontal	P-MGESWD3484L	P-MGESWD3484R	1,023
34	90	Horizontal	P-MGESWD3490L	P-MGESWD3490R	1,074
42	48	Vertical	P-MGESWD4248L	P-MGESWD4248R	854
42	54	Vertical	P-MGESWD4254L	P-MGESWD4254R	893
42	48	Horizontal	P-MGESWD4248LH	P-MGESWD4248RH	854
42	54	Horizontal	P-MGESWD4254LH	P-MGESWD4254RH	893
42	60	Horizontal	P-MGESWD4260L	P-MGESWD4260R	998
42	66	Horizontal	P-MGESWD4266L	P-MGESWD4266R	1,064
42	72	Horizontal	P-MGESWD4272L	P-MGESWD4272R	1,102
42	78	Horizontal	P-MGESWD4278L	P-MGESWD4278R	1,142
42	84	Horizontal	P-MGESWD4284L	P-MGESWD4284R	1,181
42	90	Horizontal	P-MGESWD4290L	P-MGESWD4290R	1,220

LINEAR SINGLE END FOR DOUBLE WING GALLERY PANELS					
H	W	Grain	Left	Right	List
			Model Number	Model Number	
50	48	Vertical	P-MGESWD5048L	P-MGESWD5048R	996
50	54	Vertical	P-MGESWD5054L	P-MGESWD5054R	1,067
50	48	Horizontal	P-MGESWD5048LH	P-MGESWD5048RH	996
50	54	Horizontal	P-MGESWD5054LH	P-MGESWD5054RH	1,067
50	60	Horizontal	P-MGESWD5060L	P-MGESWD5060R	1,162
50	66	Horizontal	P-MGESWD5066L	P-MGESWD5066R	1,255
50	72	Horizontal	P-MGESWD5072L	P-MGESWD5072R	1,283
50	78	Horizontal	P-MGESWD5078L	P-MGESWD5078R	1,310
50	84	Horizontal	P-MGESWD5084L	P-MGESWD5084R	1,337
50	90	Horizontal	P-MGESWD5090L	P-MGESWD5090R	1,364
58	48	Vertical	P-MGESWD5848L	P-MGESWD5848R	1,045
58	54	Vertical	P-MGESWD5854L	P-MGESWD5854R	1,095
58	48	Horizontal	P-MGESWD5848LH	P-MGESWD5848RH	1,045
58	54	Horizontal	P-MGESWD5854LH	P-MGESWD5854RH	1,095
58	60	Horizontal	P-MGESWD5860L	P-MGESWD5860R	1,186
58	66	Horizontal	P-MGESWD5866L	P-MGESWD5866R	1,274
58	72	Horizontal	P-MGESWD5872L	P-MGESWD5872R	1,363
58	78	Horizontal	P-MGESWD5878L	P-MGESWD5878R	1,453
58	84	Horizontal	P-MGESWD5884L	P-MGESWD5884R	1,542
58	90	Horizontal	P-MGESWD5890L	P-MGESWD5890R	1,632
66	48	Vertical	P-MGESWD6648L	P-MGESWD6648R	1,098
66	54	Vertical	P-MGESWD6654L	P-MGESWD6654R	1,165



Left Hand Shown



**Specify**

• Laminate with matching edge

**Notes**

- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Wing panels sold separately.


**Linear Single Spine Gallery Panels**

**LINEAR SINGLE SPINE GALLERY PANELS**

H	W	Grain	Model Number	List
34	24	Vertical	P-MLGPSS3424	553
34	30	Vertical	P-MLGPSS3430	580
34	36	Vertical	P-MLGPSS3436	597
34	42	Vertical	P-MLGPSS3442	609
34	48	Vertical	P-MLGPSS3448	618
34	54	Vertical	P-MLGPSS3454	627
34	24	Horizontal	P-MLGPSS3424H	553
34	30	Horizontal	P-MLGPSS3430H	580
34	36	Horizontal	P-MLGPSS3436H	597
34	42	Horizontal	P-MLGPSS3442H	609
34	48	Horizontal	P-MLGPSS3448H	618
34	54	Horizontal	P-MLGPSS3454H	627
34	60	Horizontal	P-MLGPSS3460	742
34	66	Horizontal	P-MLGPSS3466	780
34	72	Horizontal	P-MLGPSS3472	831
34	78	Horizontal	P-MLGPSS3478	881
34	84	Horizontal	P-MLGPSS3484	931
34	90	Horizontal	P-MLGPSS3490	981

**LINEAR SINGLE SPINE GALLERY PANELS**

H	W	Grain	Model Number	List
42	24	Vertical	P-MLGPSS4224	595
42	30	Vertical	P-MLGPSS4230	641
42	36	Vertical	P-MLGPSS4236	681
42	42	Vertical	P-MLGPSS4242	721
42	48	Vertical	P-MLGPSS4248	762
42	54	Vertical	P-MLGPSS4254	802
42	24	Horizontal	P-MLGPSS4224H	595
42	30	Horizontal	P-MLGPSS4230H	641
42	36	Horizontal	P-MLGPSS4236H	681
42	42	Horizontal	P-MLGPSS4242H	721
42	48	Horizontal	P-MLGPSS4248H	762
42	54	Horizontal	P-MLGPSS4254H	802
42	60	Horizontal	P-MLGPSS4260	905
42	66	Horizontal	P-MLGPSS4266	972
42	72	Horizontal	P-MLGPSS4272	1,010
42	78	Horizontal	P-MLGPSS4278	1,049
42	84	Horizontal	P-MLGPSS4284	1,088
42	90	Horizontal	P-MLGPSS4290	1,127



Horizontal Grain

Vertical Grain

**Specify**


**Notes**

• Laminate with matching edge

- Linear Single Spine Gallery Panels mount to frames in place of wing panels for structural support.
- Gallery panels add 1" to panel run. See panel creep description pages.
- Panel to panel jumpers passing through a single spine gallery panel should be changed to extended panel to panel jumpers to accommodate the extra length added by the gallery panel.
- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.

**Linear Single Spine Gallery Panels**

LINEAR SINGLE SPINE GALLERY PANELS					LINEAR SINGLE SPINE GALLERY PANELS				
H	W	Grain	Model Number	List	H	W	Grain	Model Number	List
50	24	Vertical	P-MLGPSS5024	635	58	24	Vertical	P-MLGPSS5824	708
50	30	Vertical	P-MLGPSS5030	701	58	30	Vertical	P-MLGPSS5830	777
50	36	Vertical	P-MLGPSS5036	765	58	36	Vertical	P-MLGPSS5836	837
50	42	Vertical	P-MLGPSS5042	833	58	42	Vertical	P-MLGPSS5842	903
50	48	Vertical	P-MLGPSS5048	904	58	48	Vertical	P-MLGPSS5848	952
50	54	Vertical	P-MLGPSS5054	976	58	54	Vertical	P-MLGPSS5854	1,003
50	24	Horizontal	P-MLGPSS5024H	635	58	24	Horizontal	P-MLGPSS5824H	708
50	30	Horizontal	P-MLGPSS5030H	701	58	30	Horizontal	P-MLGPSS5830H	777
50	36	Horizontal	P-MLGPSS5036H	765	58	36	Horizontal	P-MLGPSS5836H	837
50	42	Horizontal	P-MLGPSS5042H	833	58	42	Horizontal	P-MLGPSS5842H	903
50	48	Horizontal	P-MLGPSS5048H	904	58	48	Horizontal	P-MLGPSS5848H	952
50	54	Horizontal	P-MLGPSS5054H	976	58	54	Horizontal	P-MLGPSS5854H	1,003
50	60	Horizontal	P-MLGPSS5060	1,070	58	60	Horizontal	P-MLGPSS5860	1,092
50	66	Horizontal	P-MLGPSS5066	1,162	58	66	Horizontal	P-MLGPSS5866	1,182
50	72	Horizontal	P-MLGPSS5072	1,190	58	72	Horizontal	P-MLGPSS5872	1,271
50	78	Horizontal	P-MLGPSS5078	1,218	58	78	Horizontal	P-MLGPSS5878	1,359
50	84	Horizontal	P-MLGPSS5084	1,245	58	84	Horizontal	P-MLGPSS5884	1,450
50	90	Horizontal	P-MLGPSS5090	1,272	58	90	Horizontal	P-MLGPSS5890	1,539
					66	24	Vertical	P-MLGPSS6624	727
					66	30	Vertical	P-MLGPSS6630	800
					66	36	Vertical	P-MLGPSS6636	866
					66	42	Vertical	P-MLGPSS6642	937
					66	48	Vertical	P-MLGPSS6648	1,005
					66	54	Vertical	P-MLGPSS6654	1,073



**Specify**

**Notes**



• Laminate with matching edge

- Linear Single Spine Gallery Panels mount to frames in place of wing panels for structural support.
- Gallery Panels add 1” to panel run. See panel creep description pages.
- Panel to panel jumpers passing through a single spine gallery panel should be changed to extended panel to panel jumpers to accommodate the extra length added by the gallery panel.
- Gallery Panels are 1 1/8” thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.

**Linear Single Spine for Wing Gallery Panels**

LINEAR SINGLE SPINE FOR WING GALLERY PANELS					
H	W	Grain	Left	Right	List
			Model Number	Model Number	
34	48	Vertical	P-MLGSSW3448L	P-MLGSSW3448R	680
34	54	Vertical	P-MLGSSW3454L	P-MLGSSW3454R	690
34	48	Horizontal	P-MLGSSW3448LH	P-MLGSSW3448RH	680
34	54	Horizontal	P-MLGSSW3454LH	P-MLGSSW3454RH	690
34	60	Horizontal	P-MLGSSW3460L	P-MLGSSW3460R	804
34	66	Horizontal	P-MLGSSW3466L	P-MLGSSW3466R	841
34	72	Horizontal	P-MLGSSW3472L	P-MLGSSW3472R	892
34	78	Horizontal	P-MLGSSW3478L	P-MLGSSW3478R	943
34	84	Horizontal	P-MLGSSW3484L	P-MLGSSW3484R	992
34	90	Horizontal	P-MLGSSW3490L	P-MLGSSW3490R	1,043
42	48	Vertical	P-MLGSSW4248L	P-MLGSSW4248R	824
42	54	Vertical	P-MLGSSW4254L	P-MLGSSW4254R	863
42	48	Horizontal	P-MLGSSW4248LH	P-MLGSSW4248RH	824
42	54	Horizontal	P-MLGSSW4254LH	P-MLGSSW4254RH	863
42	60	Horizontal	P-MLGSSW4260L	P-MLGSSW4260R	966
42	66	Horizontal	P-MLGSSW4266L	P-MLGSSW4266R	1,034
42	72	Horizontal	P-MLGSSW4272L	P-MLGSSW4272R	1,072
42	78	Horizontal	P-MLGSSW4278L	P-MLGSSW4278R	1,112
42	84	Horizontal	P-MLGSSW4284L	P-MLGSSW4284R	1,149
42	90	Horizontal	P-MLGSSW4290L	P-MLGSSW4290R	1,189

LINEAR SINGLE SPINE FOR WING GALLERY PANELS					
H	W	Grain	Left	Right	List
			Model Number	Model Number	
50	48	Vertical	P-MLGSSW5048L	P-MLGSSW5048R	965
50	54	Vertical	P-MLGSSW5054L	P-MLGSSW5054R	1,037
50	48	Horizontal	P-MLGSSW5048LH	P-MLGSSW5048RH	965
50	54	Horizontal	P-MLGSSW5054LH	P-MLGSSW5054RH	1,037
50	60	Horizontal	P-MLGSSW5060L	P-MLGSSW5060R	1,132
50	66	Horizontal	P-MLGSSW5066L	P-MLGSSW5066R	1,224
50	72	Horizontal	P-MLGSSW5072L	P-MLGSSW5072R	1,252
50	78	Horizontal	P-MLGSSW5078L	P-MLGSSW5078R	1,280
50	84	Horizontal	P-MLGSSW5084L	P-MLGSSW5084R	1,307
50	90	Horizontal	P-MLGSSW5090L	P-MLGSSW5090R	1,333
58	48	Vertical	P-MLGSSW5848L	P-MLGSSW5848R	1,014
58	54	Vertical	P-MLGSSW5854L	P-MLGSSW5854R	1,064
58	48	Horizontal	P-MLGSSW5848LH	P-MLGSSW5848RH	1,014
58	54	Horizontal	P-MLGSSW5854LH	P-MLGSSW5854RH	1,064
58	60	Horizontal	P-MLGSSW5860L	P-MLGSSW5860R	1,154
58	66	Horizontal	P-MLGSSW5866L	P-MLGSSW5866R	1,244
58	72	Horizontal	P-MLGSSW5872L	P-MLGSSW5872R	1,332
58	78	Horizontal	P-MLGSSW5878L	P-MLGSSW5878R	1,422
58	84	Horizontal	P-MLGSSW5884L	P-MLGSSW5884R	1,511
58	90	Horizontal	P-MLGSSW5890L	P-MLGSSW5890R	1,601
66	48	Vertical	P-MLGSSW6648L	P-MLGSSW6648R	1,066
66	54	Vertical	P-MLGSSW6654L	P-MLGSSW6654R	1,135



Horizontal Grain



Right Hand Shown

**Specify**

• Laminate with matching edge

**Notes**

- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Wing panels sold separately.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.



**Linear Single Spine for Double Wing Gallery Panels**

**LINEAR SINGLE SPINE FOR DOUBLE WING GALLERY PANELS**

H	W	Grain	Model Number	List
34	48	Vertical	P-MGSSWD3448	711
34	54	Vertical	P-MGSSWD3454	720
34	48	Horizontal	P-MGSSWD3448H	711
34	54	Horizontal	P-MGSSWD3454H	720
34	60	Horizontal	P-MGSSWD3460	835
34	66	Horizontal	P-MGSSWD3466	874
34	72	Horizontal	P-MGSSWD3472	924
34	78	Horizontal	P-MGSSWD3478	974
34	84	Horizontal	P-MGSSWD3484	1,023
34	90	Horizontal	P-MGSSWD3490	1,074
42	48	Vertical	P-MGSSWD4248	854
42	54	Vertical	P-MGSSWD4254	893
42	48	Horizontal	P-MGSSWD4248H	854
42	54	Horizontal	P-MGSSWD4254H	893
42	60	Horizontal	P-MGSSWD4260	998
42	66	Horizontal	P-MGSSWD4266	1,064
42	72	Horizontal	P-MGSSWD4272	1,102
42	78	Horizontal	P-MGSSWD4278	1,142
42	84	Horizontal	P-MGSSWD4284	1,181
42	90	Horizontal	P-MGSSWD4290	1,220

**LINEAR SINGLE SPINE FOR DOUBLE WING GALLERY PANELS**

H	W	Grain	Model Number	List
50	48	Vertical	P-MGSSWD5048	996
50	54	Vertical	P-MGSSWD5054	1,067
50	48	Horizontal	P-MGSSWD5048H	996
50	54	Horizontal	P-MGSSWD5054H	1,067
50	60	Horizontal	P-MGSSWD5060	1,162
50	66	Horizontal	P-MGSSWD5066	1,255
50	72	Horizontal	P-MGSSWD5072	1,283
50	78	Horizontal	P-MGSSWD5078	1,310
50	84	Horizontal	P-MGSSWD5084	1,337
50	90	Horizontal	P-MGSSWD5090	1,364
58	48	Vertical	P-MGSSWD5848	1,045
58	54	Vertical	P-MGSSWD5854	1,095
58	48	Horizontal	P-MGSSWD5848H	1,045
58	54	Horizontal	P-MGSSWD5854H	1,095
58	60	Horizontal	P-MGSSWD5860	1,186
58	66	Horizontal	P-MGSSWD5866	1,274
58	72	Horizontal	P-MGSSWD5872	1,363
58	78	Horizontal	P-MGSSWD5878	1,453
58	84	Horizontal	P-MGSSWD5884	1,542
58	90	Horizontal	P-MGSSWD5890	1,632
66	54	Vertical	P-MGSSWD6648	1,098
66	60	Vertical	P-MGSSWD6654	1,165



**Specify**

• Laminate with matching edge

**Notes**

- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Wing panels sold separately.



**Linear Double End Gallery Panels**

**LINEAR DOUBLE END GALLERY PANELS**


H	W	Grain	Model Number	List
34	48	Vertical	P-MLGPED3448V	618
34	54	Vertical	P-MLGPED3454V	627
34	48	Horizontal	P-MLGPED3448	618
34	54	Horizontal	P-MLGPED3454	627
34	60	Horizontal	P-MLGPED3460	742
34	66	Horizontal	P-MLGPED3466	780
34	72	Horizontal	P-MLGPED3472	831
34	78	Horizontal	P-MLGPED3478	881
34	84	Horizontal	P-MLGPED3484	931
34	90	Horizontal	P-MLGPED3490	981
42	48	Vertical	P-MLGPED4248V	762
42	54	Vertical	P-MLGPED4254V	802
42	48	Horizontal	P-MLGPED4248	762
42	54	Horizontal	P-MLGPED4254	802
42	60	Horizontal	P-MLGPED4260	905
42	66	Horizontal	P-MLGPED4266	972
42	72	Horizontal	P-MLGPED4272	1,010
42	78	Horizontal	P-MLGPED4278	1,049
42	84	Horizontal	P-MLGPED4284	1,088
42	90	Horizontal	P-MLGPED4290	1,127

**LINEAR DOUBLE END GALLERY PANELS**



H	W	Grain	Model Number	List
50	48	Vertical	P-MLGPED5048V	904
50	54	Vertical	P-MLGPED5054V	976
50	48	Horizontal	P-MLGPED5048	904
50	54	Horizontal	P-MLGPED5054	976
50	60	Horizontal	P-MLGPED5060	1,070
50	66	Horizontal	P-MLGPED5066	1,162
50	72	Horizontal	P-MLGPED5072	1,190
50	78	Horizontal	P-MLGPED5078	1,218
50	84	Horizontal	P-MLGPED5084	1,245
50	90	Horizontal	P-MLGPED5090	1,272
58	48	Vertical	P-MLGPED5848V	952
58	54	Vertical	P-MLGPED5854V	1,003
58	48	Horizontal	P-MLGPED5848	952
58	54	Horizontal	P-MLGPED5854	1,003
58	60	Horizontal	P-MLGPED5860	1,092
58	66	Horizontal	P-MLGPED5866	1,182
58	72	Horizontal	P-MLGPED5872	1,271
58	78	Horizontal	P-MLGPED5878	1,359
58	84	Horizontal	P-MLGPED5884	1,450
58	90	Horizontal	P-MLGPED5890	1,539
66	48	Vertical	P-MLGPED6648V	1,586
66	54	Horizontal	P-MLGPED6654	1,073



Horizontal Grain



Vertical Grain



**Specify**

- Laminate with matching edge

**Notes**

- Linear Double End Gallery Panels mount to frames in place of wing panels for structural support.
- Gallery Panels add 1" to panel run. See panel creep description pages.
- Double End Gallery Panels are connected to the spine in the center of the gallery panel.
- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.



**Linear Double Spine Gallery Panels**

**LINEAR DOUBLE SPINE GALLERY PANELS**


H	W	Grain	Model Number	List
34	48	Vertical	P-MLGPSD3448V	650
34	54	Vertical	P-MLGPSD3454V	657
34	48	Horizontal	P-MLGPSD3448	650
34	54	Horizontal	P-MLGPSD3454	657
34	60	Horizontal	P-MLGPSD3460	774
34	66	Horizontal	P-MLGPSD3466	811
34	72	Horizontal	P-MLGPSD3472	862
34	78	Horizontal	P-MLGPSD3478	912
34	84	Horizontal	P-MLGPSD3484	962
34	90	Horizontal	P-MLGPSD3490	1,013
42	48	Vertical	P-MLGPSD4248V	792
42	54	Vertical	P-MLGPSD4254V	832
42	48	Horizontal	P-MLGPSD4248	792
42	54	Horizontal	P-MLGPSD4254	832
42	60	Horizontal	P-MLGPSD4260	936
42	66	Horizontal	P-MLGPSD4266	1,003
42	72	Horizontal	P-MLGPSD4272	1,041
42	78	Horizontal	P-MLGPSD4278	1,080
42	84	Horizontal	P-MLGPSD4284	1,119
42	90	Horizontal	P-MLGPSD4290	1,159

**LINEAR DOUBLE SPINE GALLERY PANELS**



H	W	Grain	Model Number	List
50	48	Vertical	P-MLGPSD5048V	935
50	54	Vertical	P-MLGPSD5054V	1,006
50	48	Horizontal	P-MLGPSD5048	935
50	54	Horizontal	P-MLGPSD5054	1,006
50	60	Horizontal	P-MLGPSD5060	1,100
50	66	Horizontal	P-MLGPSD5066	1,193
50	72	Horizontal	P-MLGPSD5072	1,221
50	78	Horizontal	P-MLGPSD5078	1,248
50	84	Horizontal	P-MLGPSD5084	1,275
50	90	Horizontal	P-MLGPSD5090	1,302
58	48	Vertical	P-MLGPSD5848V	983
58	54	Vertical	P-MLGPSD5854V	1,034
58	48	Horizontal	P-MLGPSD5848	983
58	54	Horizontal	P-MLGPSD5854	1,034
58	60	Horizontal	P-MLGPSD5860	1,123
58	66	Horizontal	P-MLGPSD5866	1,213
58	72	Horizontal	P-MLGPSD5872	1,301
58	78	Horizontal	P-MLGPSD5878	1,392
58	84	Horizontal	P-MLGPSD5884	1,481
58	90	Horizontal	P-MLGPSD5890	1,569
66	54	Horizontal	P-MLGPSD6654	1,103



Horizontal Grain



Vertical Grain



**Specify**

- Laminate with matching edge

**Notes**

- Linear Double Spine Gallery Panels mount to frames in place of wing panels for structural support.
- Gallery Panels add 1" to panel run. See panel creep description pages.
- Panel to panel jumpers passing through a single spine gallery panel should be changed to extended panel to panel jumpers to accommodate the extra length added by the gallery panel.
- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.




**Linear Mid Mount End Gallery Panels**

**LINEAR MID MOUNT END GALLERY PANELS**


H	W	Grain	Left	Right	List
			Model Number	Model Number	
34	24	Vertical	P-MLGPMM3424L	P-MLGPMM3424R	553
34	30	Vertical	P-MLGPMM3430L	P-MLGPMM3430R	580
34	36	Vertical	P-MLGPMM3436L	P-MLGPMM3436R	597
34	42	Vertical	P-MLGPMM3442L	P-MLGPMM3442R	609
34	48	Vertical	P-MLGPMM3448L	P-MLGPMM3448R	618
34	54	Vertical	P-MLGPMM3454L	P-MLGPMM3454R	627
34	24	Horizontal	P-MLGPMM3424LH	P-MLGPMM3424RH	553
34	30	Horizontal	P-MLGPMM3430LH	P-MLGPMM3430RH	580
34	36	Horizontal	P-MLGPMM3436LH	P-MLGPMM3436RH	597
34	42	Horizontal	P-MLGPMM3442LH	P-MLGPMM3442RH	609
34	48	Horizontal	P-MLGPMM3448LH	P-MLGPMM3448RH	618
34	54	Horizontal	P-MLGPMM3454LH	P-MLGPMM3454RH	627
34	60	Horizontal	P-MLGPMM3460L	P-MLGPMM3460R	742
34	66	Horizontal	P-MLGPMM3466L	P-MLGPMM3466R	780
34	72	Horizontal	P-MLGPMM3472L	P-MLGPMM3472R	831
34	78	Horizontal	P-MLGPMM3478L	P-MLGPMM3478R	881
34	84	Horizontal	P-MLGPMM3484L	P-MLGPMM3484R	931
34	90	Horizontal	P-MLGPMM3490L	P-MLGPMM3490R	981

**LINEAR MID MOUNT END GALLERY PANELS**


H	W	Grain	Left	Right	List
			Model Number	Model Number	
42	24	Vertical	P-MLGPMM4224L	P-MLGPMM4224R	595
42	30	Vertical	P-MLGPMM4230L	P-MLGPMM4230R	641
42	36	Vertical	P-MLGPMM4236L	P-MLGPMM4236R	681
42	42	Vertical	P-MLGPMM4242L	P-MLGPMM4242R	721
42	48	Vertical	P-MLGPMM4248L	P-MLGPMM4248R	762
42	54	Vertical	P-MLGPMM4254L	P-MLGPMM4254R	802
42	24	Horizontal	P-MLGPMM4224LH	P-MLGPMM4224RH	595
42	30	Horizontal	P-MLGPMM4230LH	P-MLGPMM4230RH	641
42	36	Horizontal	P-MLGPMM4236LH	P-MLGPMM4236RH	681
42	42	Horizontal	P-MLGPMM4242LH	P-MLGPMM4242RH	721
42	48	Horizontal	P-MLGPMM4248LH	P-MLGPMM4248RH	762
42	54	Horizontal	P-MLGPMM4254LH	P-MLGPMM4254RH	802
42	60	Horizontal	P-MLGPMM4260L	P-MLGPMM4260R	905
42	66	Horizontal	P-MLGPMM4266L	P-MLGPMM4266R	972
42	72	Horizontal	P-MLGPMM4272L	P-MLGPMM4272R	1,010
42	78	Horizontal	P-MLGPMM4278L	P-MLGPMM4278R	1,049
42	84	Horizontal	P-MLGPMM4284L	P-MLGPMM4284R	1,088
42	90	Horizontal	P-MLGPMM4290L	P-MLGPMM4290R	1,127




Left Hand Shown



Horizontal Grain



Vertical Grain



**Specify**

- Laminate with matching edge


**Notes**

- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.


**Linear Mid Mount End Gallery Panels**

LINEAR MID MOUNT END GALLERY PANELS					
H	W	Grain	Left	Right	List
			Model Number	Model Number	
50	24	Vertical	P-MLGPMM5024L	P-MLGPMM5024R	635
50	30	Vertical	P-MLGPMM5030L	P-MLGPMM5030R	701
50	36	Vertical	P-MLGPMM5036L	P-MLGPMM5036R	765
50	42	Vertical	P-MLGPMM5042L	P-MLGPMM5042R	833
50	48	Vertical	P-MLGPMM5048L	P-MLGPMM5048R	904
50	54	Vertical	P-MLGPMM5054L	P-MLGPMM5054R	976
50	24	Horizontal	P-MLGPMM5024LH	P-MLGPMM5024RH	635
50	30	Horizontal	P-MLGPMM5030LH	P-MLGPMM5030RH	701
50	36	Horizontal	P-MLGPMM5036LH	P-MLGPMM5036RH	765
50	42	Horizontal	P-MLGPMM5042LH	P-MLGPMM5042RH	833
50	48	Horizontal	P-MLGPMM5048LH	P-MLGPMM5048RH	904
50	54	Horizontal	P-MLGPMM5054LH	P-MLGPMM5054RH	976
50	60	Horizontal	P-MLGPMM5060L	P-MLGPMM5060R	1,070
50	66	Horizontal	P-MLGPMM5066L	P-MLGPMM5066R	1,162


LINEAR MID MOUNT END GALLERY PANELS					
H	W	Grain	Left	Right	List
			Model Number	Model Number	
58	24	Vertical	P-MLGPMM5824L	P-MLGPMM5824R	708
58	30	Vertical	P-MLGPMM5830L	P-MLGPMM5830R	777
58	36	Vertical	P-MLGPMM5836L	P-MLGPMM5836R	837
58	42	Vertical	P-MLGPMM5842L	P-MLGPMM5842R	903
58	48	Vertical	P-MLGPMM5848L	P-MLGPMM5848R	952
58	54	Vertical	P-MLGPMM5854L	P-MLGPMM5854R	1,003
58	60	Vertical	P-MLGPMM5860L	P-MLGPMM5860R	1,092
58	66	Vertical	P-MLGPMM5866L	P-MLGPMM5866R	1,182
58	24	Horizontal	P-MLGPMM5824LH	P-MLGPMM5824RH	708
58	30	Horizontal	P-MLGPMM5830LH	P-MLGPMM5830RH	777
58	36	Horizontal	P-MLGPMM5836LH	P-MLGPMM5836RH	837
58	42	Horizontal	P-MLGPMM5842LH	P-MLGPMM5842RH	903
58	48	Horizontal	P-MLGPMM5848LH	P-MLGPMM5848RH	952
58	54	Horizontal	P-MLGPMM5854LH	P-MLGPMM5854RH	1,003
66	24	Vertical	P-MLGPMM6624L	P-MLGPMM6624R	727
66	30	Vertical	P-MLGPMM6630L	P-MLGPMM6630R	800
66	36	Vertical	P-MLGPMM6636L	P-MLGPMM6636R	866
66	42	Vertical	P-MLGPMM6642L	P-MLGPMM6642R	937
66	48	Vertical	P-MLGPMM6648L	P-MLGPMM6648R	1,005
66	54	Vertical	P-MLGPMM6654L	P-MLGPMM6654R	1,073




Left Hand Shown



Horizontal Grain



Vertical Grain



**Specify**

• Laminate with matching edge

**Notes**

- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Can not be used freestanding, must be attached to a panel.



**Linear Mid Mount End for Wing Gallery Panels**

**LINEAR MID MOUNT END FOR WING GALLERY PANELS**

H	W	Grain	Left	Right	List
			Model Number	Model Number	
34	48	Vertical	P-MLGMMW3448L	P-MLGMMW3448R	650
34	54	Vertical	P-MLGMMW3454L	P-MLGMMW3454R	657
34	48	Horizontal	P-MLGMMW3448LH	P-MLGMMW3448RH	650
34	54	Horizontal	P-MLGMMW3454LH	P-MLGMMW3454RH	657
34	60	Horizontal	P-MLGMMW3460L	P-MLGMMW3460R	774
34	66	Horizontal	P-MLGMMW3466L	P-MLGMMW3466R	811
34	72	Horizontal	P-MLGMMW3472L	P-MLGMMW3472R	862
34	78	Horizontal	P-MLGMMW3478L	P-MLGMMW3478R	912
34	84	Horizontal	P-MLGMMW3484L	P-MLGMMW3484R	962
34	90	Horizontal	P-MLGMMW3490L	P-MLGMMW3490R	1,013
42	48	Vertical	P-MLGMMW4248L	P-MLGMMW4248R	792
42	54	Vertical	P-MLGMMW4254L	P-MLGMMW4254R	832
42	48	Horizontal	P-MLGMMW4248LH	P-MLGMMW4248RH	792
42	54	Horizontal	P-MLGMMW4254LH	P-MLGMMW4254RH	832
42	60	Horizontal	P-MLGMMW4260L	P-MLGMMW4260R	936
42	66	Horizontal	P-MLGMMW4266L	P-MLGMMW4266R	1,003
42	72	Horizontal	P-MLGMMW4272L	P-MLGMMW4272R	1,041
42	78	Horizontal	P-MLGMMW4278L	P-MLGMMW4278R	1,080
42	84	Horizontal	P-MLGMMW4284L	P-MLGMMW4284R	1,119
42	90	Horizontal	P-MLGMMW4290L	P-MLGMMW4290R	1,159

**LINEAR MID MOUNT END FOR WING GALLERY PANELS**

H	W	Grain	Left	Right	List
			Model Number	Model Number	
50	48	Vertical	P-MLGMMW5048L	P-MLGMMW5048R	935
50	54	Vertical	P-MLGMMW5054L	P-MLGMMW5054R	1,006
50	48	Horizontal	P-MLGMMW5048LH	P-MLGMMW5048RH	935
50	54	Horizontal	P-MLGMMW5054LH	P-MLGMMW5054RH	1,006
50	60	Horizontal	P-MLGMMW5060L	P-MLGMMW5060R	1,100
50	66	Horizontal	P-MLGMMW5066L	P-MLGMMW5066R	1,193
50	72	Horizontal	P-MLGMMW5072L	P-MLGMMW5072R	1,221
50	78	Horizontal	P-MLGMMW5078L	P-MLGMMW5078R	1,248
50	84	Horizontal	P-MLGMMW5084L	P-MLGMMW5084R	1,275
50	90	Horizontal	P-MLGMMW5090L	P-MLGMMW5090R	1,302
58	48	Vertical	P-MLGMMW5848L	P-MLGMMW5848R	983
58	54	Vertical	P-MLGMMW5854L	P-MLGMMW5854R	1,034
58	48	Horizontal	P-MLGMMW5848LH	P-MLGMMW5848RH	983
58	54	Horizontal	P-MLGMMW5854LH	P-MLGMMW5854RH	1,034
58	60	Horizontal	P-MLGMMW5860L	P-MLGMMW5860R	1,123
58	66	Horizontal	P-MLGMMW5866L	P-MLGMMW5866R	1,213
58	72	Horizontal	P-MLGMMW5872L	P-MLGMMW5872R	1,301
58	78	Horizontal	P-MLGMMW5878L	P-MLGMMW5878R	1,392
58	84	Horizontal	P-MLGMMW5884L	P-MLGMMW5884R	1,481
58	90	Horizontal	P-MLGMMW5890L	P-MLGMMW5890R	1,569
66	48	Vertical	P-MLGMMW6648L	P-MLGMMW6648R	1,036
66	54	Vertical	P-MLGMMW6654L	P-MLGMMW6654R	1,103



**Specify**

• Laminate with matching edge


**Notes**

- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Wing panels sold separately.


**Linear Mid Mount End for Wing Facing Forward Gallery Panels**

LINEAR MID MOUNT END FOR WING FACING FORWARD GALLERY PANELS					
H	W	Grain	Left	Right	List
			Model Number	Model Number	
34	48	Vertical	P-MGMMWF3448L	P-MGMMWF3448R	650
34	54	Vertical	P-MGMMWF3454L	P-MGMMWF3454R	657
34	48	Horizontal	P-MGMMWF3448LH	P-MGMMWF3448RH	650
34	54	Horizontal	P-MGMMWF3454LH	P-MGMMWF3454RH	657
34	60	Horizontal	P-MGMMWF3460L	P-MGMMWF3460R	774
34	66	Horizontal	P-MGMMWF3466L	P-MGMMWF3466R	811
34	72	Horizontal	P-MGMMWF3472L	P-MGMMWF3472R	862
34	78	Horizontal	P-MGMMWF3478L	P-MGMMWF3478R	912
34	84	Horizontal	P-MGMMWF3484L	P-MGMMWF3484R	962
34	90	Horizontal	P-MGMMWF3490L	P-MGMMWF3490R	1,013
42	48	Vertical	P-MGMMWF4248L	P-MGMMWF4248R	792
42	54	Vertical	P-MGMMWF4254L	P-MGMMWF4254R	832
42	48	Horizontal	P-MGMMWF4248LH	P-MGMMWF4248RH	792
42	54	Horizontal	P-MGMMWF4254LH	P-MGMMWF4254RH	832
42	60	Horizontal	P-MGMMWF4260L	P-MGMMWF4260R	936
42	66	Horizontal	P-MGMMWF4266L	P-MGMMWF4266R	1,003
42	72	Horizontal	P-MGMMWF4272L	P-MGMMWF4272R	1,041
42	78	Horizontal	P-MGMMWF4278L	P-MGMMWF4278R	1,080
42	84	Horizontal	P-MGMMWF4284L	P-MGMMWF4284R	1,119
42	90	Horizontal	P-MGMMWF4290L	P-MGMMWF4290R	1,159

LINEAR MID MOUNT END FOR WING FACING FORWARD GALLERY PANELS					
H	W	Grain	Left	Right	List
			Model Number	Model Number	
50	48	Vertical	P-MGMMWF5048L	P-MGMMWF5048R	935
50	54	Vertical	P-MGMMWF5054L	P-MGMMWF5054R	1,006
50	48	Horizontal	P-MGMMWF5048LH	P-MGMMWF5048RH	935
50	54	Horizontal	P-MGMMWF5054LH	P-MGMMWF5054RH	1,006
50	60	Horizontal	P-MGMMWF5060L	P-MGMMWF5060R	1,100
50	66	Horizontal	P-MGMMWF5066L	P-MGMMWF5066R	1,193
50	72	Horizontal	P-MGMMWF5072L	P-MGMMWF5072R	1,221
50	78	Horizontal	P-MGMMWF5078L	P-MGMMWF5078R	1,248
50	84	Horizontal	P-MGMMWF5084L	P-MGMMWF5084R	1,275
50	90	Horizontal	P-MGMMWF5090L	P-MGMMWF5090R	1,302
58	48	Vertical	P-MGMMWF5848L	P-MGMMWF5848R	983
58	54	Vertical	P-MGMMWF5854L	P-MGMMWF5854R	1,034
58	48	Horizontal	P-MGMMWF5848LH	P-MGMMWF5848RH	983
58	54	Horizontal	P-MGMMWF5854LH	P-MGMMWF5854RH	1,034
58	60	Horizontal	P-MGMMWF5860L	P-MGMMWF5860R	1,123
58	66	Horizontal	P-MGMMWF5866L	P-MGMMWF5866R	1,213
58	72	Horizontal	P-MGMMWF5872L	P-MGMMWF5872R	1,301
58	78	Horizontal	P-MGMMWF5878L	P-MGMMWF5878R	1,392
58	84	Horizontal	P-MGMMWF5884L	P-MGMMWF5884R	1,481
58	90	Horizontal	P-MGMMWF5890L	P-MGMMWF5890R	1,569
66	48	Vertical	P-MGMMWF6648L	P-MGMMWF6648R	1,036
66	54	Vertical	P-MGMMWF6654L	P-MGMMWF6654R	1,103



Left Hand Shown



**Specify**

- Laminate with matching edge

**Notes**

- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Wing panels sold separately.


**Linear Mid Mount End for Double Wing Gallery Panels**

**LINEAR MID MOUNT END FOR DOUBLE WING GALLERY PANELS**


H	W	Grain	Left	Right	List
			Model Number	Model Number	
34	48	Vertical	P-MGMMWD3448L	P-MGMMWD3448R	711
34	54	Vertical	P-MGMMWD3454L	P-MGMMWD3454R	720
34	48	Horizontal	P-MGMMWD3448LH	P-MGMMWD3448RH	711
34	54	Horizontal	P-MGMMWD3454LH	P-MGMMWD3454RH	720
34	60	Horizontal	P-MGMMWD3460L	P-MGMMWD3460R	835
34	66	Horizontal	P-MGMMWD3466L	P-MGMMWD3466R	874
34	72	Horizontal	P-MGMMWD3472L	P-MGMMWD3472R	924
34	78	Horizontal	P-MGMMWD3478L	P-MGMMWD3478R	974
34	84	Horizontal	P-MGMMWD3484L	P-MGMMWD3484R	1,023
34	90	Horizontal	P-MGMMWD3490L	P-MGMMWD3490R	1,074
42	48	Vertical	P-MGMMWD4248L	P-MGMMWD4248R	854
42	54	Vertical	P-MGMMWD4254L	P-MGMMWD4254R	893
42	48	Horizontal	P-MGMMWD4248LH	P-MGMMWD4248RH	854
42	54	Horizontal	P-MGMMWD4254LH	P-MGMMWD4254RH	893
42	60	Horizontal	P-MGMMWD4260L	P-MGMMWD4260R	998
42	66	Horizontal	P-MGMMWD4266L	P-MGMMWD4266R	1,064
42	72	Horizontal	P-MGMMWD4272L	P-MGMMWD4272R	1,102
42	78	Horizontal	P-MGMMWD4278L	P-MGMMWD4278R	1,142
42	84	Horizontal	P-MGMMWD4284L	P-MGMMWD4284R	1,181
42	90	Horizontal	P-MGMMWD4290L	P-MGMMWD4290R	1,220

**LINEAR MID MOUNT END FOR DOUBLE WING GALLERY PANELS**

H	W	Grain	Left	Right	List
			Model Number	Model Number	
50	48	Vertical	P-MGMMWD5048L	P-MGMMWD5048R	996
50	54	Vertical	P-MGMMWD5054L	P-MGMMWD5054R	1,067
50	48	Horizontal	P-MGMMWD5048LH	P-MGMMWD5048RH	996
50	54	Horizontal	P-MGMMWD5054LH	P-MGMMWD5054RH	1,067
50	60	Horizontal	P-MGMMWD5060L	P-MGMMWD5060R	1,162
50	66	Horizontal	P-MGMMWD5066L	P-MGMMWD5066R	1,255
50	72	Horizontal	P-MGMMWD5072L	P-MGMMWD5072R	1,283
50	78	Horizontal	P-MGMMWD5078L	P-MGMMWD5078R	1,310
50	84	Horizontal	P-MGMMWD5084L	P-MGMMWD5084R	1,337
50	90	Horizontal	P-MGMMWD5090L	P-MGMMWD5090R	1,364
58	48	Vertical	P-MGMMWD5848L	P-MGMMWD5848R	1,045
58	54	Vertical	P-MGMMWD5854L	P-MGMMWD5854R	1,095
58	48	Horizontal	P-MGMMWD5848LH	P-MGMMWD5848RH	1,045
58	54	Horizontal	P-MGMMWD5854LH	P-MGMMWD5854RH	1,095
58	60	Horizontal	P-MGMMWD5860L	P-MGMMWD5860R	1,186
58	66	Horizontal	P-MGMMWD5866L	P-MGMMWD5866R	1,274
58	72	Horizontal	P-MGMMWD5872L	P-MGMMWD5872R	1,363
58	78	Horizontal	P-MGMMWD5878L	P-MGMMWD5878R	1,453
58	84	Horizontal	P-MGMMWD5884L	P-MGMMWD5884R	1,542
58	90	Horizontal	P-MGMMWD5890L	P-MGMMWD5890R	1,632
66	48	Horizontal	P-MGMMWD6648L	P-MGMMWD6648R	1,098
66	54	Horizontal	P-MGMMWD6654L	P-MGMMWD6654R	1,165



Left Hand Shown



**Specify**

• Laminate with matching edge



**Notes**

- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Wing panels sold separately.


**Linear Mid Mount Spine Gallery Panels**

LINEAR MID MOUNT SPINE GALLERY PANELS				
H	W	Grain	Model Number	List
34	24	Vertical	P-MLGPMMS3424	583
34	30	Vertical	P-MLGPMMS3430	610
34	36	Vertical	P-MLGPMMS3436	628
34	42	Vertical	P-MLGPMMS3442	641
34	48	Vertical	P-MLGPMMS3448	650
34	54	Vertical	P-MLGPMMS3454	657
34	24	Horizontal	P-MLGPMMS3424H	583
34	30	Horizontal	P-MLGPMMS3430H	610
34	36	Horizontal	P-MLGPMMS3436H	628
34	42	Horizontal	P-MLGPMMS3442H	641
34	48	Horizontal	P-MLGPMMS3448H	650
34	54	Horizontal	P-MLGPMMS3454H	657
34	60	Horizontal	P-MLGPMMS3460	774
34	66	Horizontal	P-MLGPMMS3466	811
34	72	Horizontal	P-MLGPMMS3472	862
34	78	Horizontal	P-MLGPMMS3478	912
34	84	Horizontal	P-MLGPMMS3484	962
34	90	Horizontal	P-MLGPMMS3490	1,013

LINEAR MID MOUNT SPINE GALLERY PANELS				
H	W	Grain	Model Number	List
42	24	Vertical	P-MLGPMMS4224	626
42	30	Vertical	P-MLGPMMS4230	671
42	36	Vertical	P-MLGPMMS4236	712
42	42	Vertical	P-MLGPMMS4242	752
42	48	Vertical	P-MLGPMMS4248	792
42	54	Vertical	P-MLGPMMS4254	832
42	24	Horizontal	P-MLGPMMS4224H	626
42	30	Horizontal	P-MLGPMMS4230H	671
42	36	Horizontal	P-MLGPMMS4236H	712
42	42	Horizontal	P-MLGPMMS4242H	752
42	48	Horizontal	P-MLGPMMS4248H	792
42	54	Horizontal	P-MLGPMMS4254H	832
42	60	Horizontal	P-MLGPMMS4260	936
42	66	Horizontal	P-MLGPMMS4266	1,003
42	72	Horizontal	P-MLGPMMS4272	1,041
42	78	Horizontal	P-MLGPMMS4278	1,080
42	84	Horizontal	P-MLGPMMS4284	1,119
42	90	Horizontal	P-MLGPMMS4290	1,159



Horizontal Grain



Vertical Grain



**Specify**

- Laminate with matching edge

**Notes**

- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.



**Linear Mid Mount Spine Gallery Panels**

**LINEAR MID MOUNT SPINE GALLERY PANELS**


H	W	Grain	Model Number	List
50	24	Vertical	P-MLGPMMS5024	667
50	30	Vertical	P-MLGPMMS5030	732
50	36	Vertical	P-MLGPMMS5036	796
50	42	Vertical	P-MLGPMMS5042	864
50	48	Vertical	P-MLGPMMS5048	935
50	54	Vertical	P-MLGPMMS5054	1,006
50	24	Horizontal	P-MLGPMMS5024H	667
50	30	Horizontal	P-MLGPMMS5030H	732
50	36	Horizontal	P-MLGPMMS5036H	796
50	42	Horizontal	P-MLGPMMS5042H	864
50	48	Horizontal	P-MLGPMMS5048H	935
50	54	Horizontal	P-MLGPMMS5054H	1,006
50	60	Horizontal	P-MLGPMMS5060	1,100
50	66	Horizontal	P-MLGPMMS5066	1,193
50	72	Horizontal	P-MLGPMMS5072	1,221
50	78	Horizontal	P-MLGPMMS5078	1,248
50	84	Horizontal	P-MLGPMMS5084	1,275
50	90	Horizontal	P-MLGPMMS5090	1,302

**LINEAR MID MOUNT SPINE GALLERY PANELS**

H	W	Grain	Model Number	List
58	24	Vertical	P-MLGPMMS5824	739
58	30	Vertical	P-MLGPMMS5830	807
58	36	Vertical	P-MLGPMMS5836	867
58	42	Vertical	P-MLGPMMS5842	934
58	48	Vertical	P-MLGPMMS5848	983
58	54	Vertical	P-MLGPMMS5854	1,034
58	24	Horizontal	P-MLGPMMS5824H	739
58	30	Horizontal	P-MLGPMMS5830H	807
58	36	Horizontal	P-MLGPMMS5836H	867
58	42	Horizontal	P-MLGPMMS5842H	934
58	48	Horizontal	P-MLGPMMS5848H	983
58	54	Horizontal	P-MLGPMMS5854H	1,034
58	60	Horizontal	P-MLGPMMS5860	1,123
58	66	Horizontal	P-MLGPMMS5866	1,213
58	72	Horizontal	P-MLGPMMS5872	1,301
58	78	Horizontal	P-MLGPMMS5878	1,392
58	84	Horizontal	P-MLGPMMS5884	1,481
58	90	Horizontal	P-MLGPMMS5890	1,569
66	24	Vertical	P-MLGPMMS6624	757
66	30	Vertical	P-MLGPMMS6630	831
66	36	Vertical	P-MLGPMMS6636	898
66	42	Vertical	P-MLGPMMS6642	967
66	48	Vertical	P-MLGPMMS6648	1,036
66	54	Vertical	P-MLGPMMS6654	1,103



Horizontal Grain



Vertical Grain



**Specify**

- Laminate with matching edge



**Notes**

- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.


**Linear Mid Mount Spine for Wing Gallery Panels**

LINEAR MID MOUNT SPINE FOR WING GALLERY PANELS					
H	W	Grain	Left	Right	List
			Model Number	Model Number	
34	48	Vertical	P-MGSMMW3448L	P-MGSMMW3448R	680
34	54	Vertical	P-MGSMMW3454L	P-MGSMMW3454R	690
34	48	Horizontal	P-MGSMMW3448LH	P-MGSMMW3448RH	680
34	54	Horizontal	P-MGSMMW3454LH	P-MGSMMW3454RH	690
34	60	Horizontal	P-MLGSMMW3460L	P-MLGSMMW3460R	804
34	66	Horizontal	P-MLGSMMW3466L	P-MLGSMMW3466R	841
34	72	Horizontal	P-MLGSMMW3472L	P-MLGSMMW3472R	892
34	78	Horizontal	P-MLGSMMW3478L	P-MLGSMMW3478R	943
34	84	Horizontal	P-MLGSMMW3484L	P-MLGSMMW3484R	992
34	90	Horizontal	P-MLGSMMW3490L	P-MLGSMMW3490R	1,043
42	48	Vertical	P-MGSMMW4248L	P-MGSMMW4248R	824
42	54	Vertical	P-MGSMMW4254L	P-MGSMMW4254R	863
42	48	Horizontal	P-MGSMMW4248LH	P-MGSMMW4248RH	824
42	54	Horizontal	P-MGSMMW4254LH	P-MGSMMW4254RH	863
42	60	Horizontal	P-MLGSMMW4260L	P-MLGSMMW4260R	966
42	66	Horizontal	P-MLGSMMW4266L	P-MLGSMMW4266R	1,034
42	72	Horizontal	P-MLGSMMW4272L	P-MLGSMMW4272R	1,072
42	78	Horizontal	P-MLGSMMW4278L	P-MLGSMMW4278R	1,112
42	84	Horizontal	P-MLGSMMW4284L	P-MLGSMMW4284R	1,149
42	90	Horizontal	P-MLGSMMW4290L	P-MLGSMMW4290R	1,189

LINEAR MID MOUNT SPINE FOR WING GALLERY PANELS					
H	W	Grain	Left	Right	List
			Model Number	Model Number	
50	48	Vertical	P-MGSMMW5048L	P-MGSMMW5048R	965
50	54	Vertical	P-MGSMMW5054L	P-MGSMMW5054R	1,037
50	48	Horizontal	P-MGSMMW5048LH	P-MGSMMW5048RH	965
50	54	Horizontal	P-MGSMMW5054LH	P-MGSMMW5054RH	1,037
50	60	Horizontal	P-MLGSMMW5060L	P-MLGSMMW5060R	1,132
50	66	Horizontal	P-MLGSMMW5066L	P-MLGSMMW5066R	1,224
50	72	Horizontal	P-MLGSMMW5072L	P-MLGSMMW5072R	1,252
50	78	Horizontal	P-MLGSMMW5078L	P-MLGSMMW5078R	1,280
50	84	Horizontal	P-MLGSMMW5084L	P-MLGSMMW5084R	1,307
50	90	Horizontal	P-MLGSMMW5090L	P-MLGSMMW5090R	1,333
58	48	Vertical	P-MGSMMW5848L	P-MGSMMW5848R	1,014
58	54	Vertical	P-MGSMMW5854L	P-MGSMMW5854R	1,064
58	48	Horizontal	P-MGSMMW5848LH	P-MGSMMW5848RH	1,014
58	54	Horizontal	P-MGSMMW5854LH	P-MGSMMW5854RH	1,064
58	60	Horizontal	P-MLGSMMW5860L	P-MLGSMMW5860R	1,154
58	66	Horizontal	P-MLGSMMW5866L	P-MLGSMMW5866R	1,244
58	72	Horizontal	P-MLGSMMW5872L	P-MLGSMMW5872R	1,332
58	78	Horizontal	P-MLGSMMW5878L	P-MLGSMMW5878R	1,422
58	84	Horizontal	P-MLGSMMW5884L	P-MLGSMMW5884R	1,511
58	90	Horizontal	P-MLGSMMW5890L	P-MLGSMMW5890R	1,601
66	48	Vertical	P-MGSMMW6648L	P-MGSMMW6648R	1,066
66	54	Vertical	P-MGSMMW6654L	P-MGSMMW6654R	1,135



HORIZONTAL GRAIN



**Specify**

- Laminate with matching edge

**Notes**

- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Wing panels sold separately.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.





**Linear Mid Mount Spine for Double Wing Gallery Panels**

**LINEAR MID MOUNT SPINE FOR DOUBLE WING GALLERY PANELS**

H	W	Grain	Model Number	List
34	48	Vertical	P-MGMMSSWD3448	742
34	54	Vertical	P-MGMMSSWD3454	751
34	48	Horizontal	P-MGMMSSWD3448H	742
34	54	Horizontal	P-MGMMSSWD3454H	751
34	60	Horizontal	P-MGMMSSWD3460	865
34	66	Horizontal	P-MGMMSSWD3466	904
34	72	Horizontal	P-MGMMSSWD3472	954
34	78	Horizontal	P-MGMMSSWD3478	1,005
34	84	Horizontal	P-MGMMSSWD3484	1,055
34	90	Horizontal	P-MGMMSSWD3490	1,104
42	48	Vertical	P-MGMMSSWD4248	886
42	54	Vertical	P-MGMMSSWD4254	925
42	48	Horizontal	P-MGMMSSWD4248H	886
42	54	Horizontal	P-MGMMSSWD4254H	925
42	60	Horizontal	P-MGMMSSWD4260	1,029
42	66	Horizontal	P-MGMMSSWD4266	1,095
42	72	Horizontal	P-MGMMSSWD4272	1,134
42	78	Horizontal	P-MGMMSSWD4278	1,173
42	84	Horizontal	P-MGMMSSWD4284	1,212
42	90	Horizontal	P-MGMMSSWD4290	1,251

**LINEAR MID MOUNT SPINE FOR DOUBLE WING GALLERY PANELS**

H	W	Grain	Model Number	List
50	48	Vertical	P-MGMMSSWD5048	1,028
50	54	Vertical	P-MGMMSSWD5054	1,099
50	48	Horizontal	P-MGMMSSWD5048H	1,028
50	54	Horizontal	P-MGMMSSWD5054H	1,099
50	60	Horizontal	P-MGMMSSWD5060	1,193
50	66	Horizontal	P-MGMMSSWD5066	1,285
50	72	Horizontal	P-MGMMSSWD5072	1,314
50	78	Horizontal	P-MGMMSSWD5078	1,342
50	84	Horizontal	P-MGMMSSWD5084	1,369
50	90	Horizontal	P-MGMMSSWD5090	1,396
58	48	Vertical	P-MGMMSSWD5848	1,075
58	54	Vertical	P-MGMMSSWD5854	1,126
58	48	Horizontal	P-MGMMSSWD5848H	1,075
58	54	Horizontal	P-MGMMSSWD5854H	1,126
58	60	Horizontal	P-MGMMSSWD5860	1,216
58	66	Horizontal	P-MGMMSSWD5866	1,305
58	72	Horizontal	P-MGMMSSWD5872	1,395
58	78	Horizontal	P-MGMMSSWD5878	1,483
58	84	Horizontal	P-MGMMSSWD5884	1,572
58	90	Horizontal	P-MGMMSSWD5890	1,663
66	54	Vertical	P-MGMMSSWD6648	1,128
66	60	Vertical	P-MGMMSSWD6654	1,197



**Specify**

• Laminate with matching edge


**Notes**

- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Wing panels sold separately.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.

**Linear Wing Gallery Panels**

LINEAR WING GALLERY PANELS					
H	W	Grain	Left Model Number	Right Model Number	List
34	18	Vertical	P-MLGWPL3418	P-MLGWPR3418	496
34	24	Vertical	P-MLGWPL3424	P-MLGWPR3424	522
34	30	Vertical	P-MLGWPL3430	P-MLGWPR3430	549
34	18	Horizontal	P-MLGWPL3418H	P-MLGWPR3418H	496
34	24	Horizontal	P-MLGWPL3424H	P-MLGWPR3424H	522
34	30	Horizontal	P-MLGWPL3430H	P-MLGWPR3430H	549
42	18	Vertical	P-MLGWPL4218	P-MLGWPR4218	517
42	24	Vertical	P-MLGWPL4224	P-MLGWPR4224	565
42	30	Vertical	P-MLGWPL4230	P-MLGWPR4230	609
42	18	Horizontal	P-MLGWPL4218H	P-MLGWPR4218H	517
42	24	Horizontal	P-MLGWPL4224H	P-MLGWPR4224H	565
42	30	Horizontal	P-MLGWPL4230H	P-MLGWPR4230H	609
50	18	Vertical	P-MLGWPL5018	P-MLGWPR5018	539
50	24	Vertical	P-MLGWPL5024	P-MLGWPR5024	605
50	30	Vertical	P-MLGWPL5030	P-MLGWPR5030	670


LINEAR WING GALLERY PANELS					
H	W	Grain	Left Model Number	Right Model Number	List
50	18	Horizontal	P-MLGWPL5018H	P-MLGWPR5018H	539
50	24	Horizontal	P-MLGWPL5024H	P-MLGWPR5024H	605
50	30	Horizontal	P-MLGWPL5030H	P-MLGWPR5030H	670
58	18	Vertical	P-MLGWPL5818	P-MLGWPR5818	610
58	24	Vertical	P-MLGWPL5824	P-MLGWPR5824	678
58	30	Vertical	P-MLGWPL5830	P-MLGWPR5830	746
58	18	Horizontal	P-MLGWPL5818H	P-MLGWPR5818H	610
58	24	Horizontal	P-MLGWPL5824H	P-MLGWPR5824H	678
58	30	Horizontal	P-MLGWPL5830H	P-MLGWPR5830H	746
66	18	Vertical	P-MLGWPL6618	P-MLGWPR6618	622
66	24	Vertical	P-MLGWPL6624	P-MLGWPR6624	696
66	30	Vertical	P-MLGWPL6630	P-MLGWPR6630	769



Horizontal Grain



Vertical Grain



Left Hand Shown

**Specify**

- Laminate with matching edge


**Notes**

- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.

**Brackets for Gallery Panels**

**DESKING L BRACKET**

<b>Model Number</b>	<b>List</b>
O-WSLB	52



**Specify**

**Notes**

- Order L Bracket when mounting worksurfaces to Gallery Panels.
- Brackets measure 5.5" x 1" x 1".
- Available in black only.



**Wall Mounted Gallery Panels**

**WALL MOUNTED GALLERY PANELS – HORIZONTAL**

H	W	Model Number	List
34	24	P-MLWMGP3424	553
34	30	P-MLWMGP3430	580
34	36	P-MLWMGP3436	597
34	42	P-MLWMGP3442	609
34	48	P-MLWMGP3448	618
34	54	P-MLWMGP3454	627
34	60	P-MLWMGP3460	742
34	66	P-MLWMGP3466	780
34	72	P-MLWMGP3472	831
34	78	P-MLWMGP3478	881
34	84	P-MLWMGP3484	931
34	90	P-MLWMGP3490	981
34	96	P-MLWMGP3496	1,069
42	24	P-MLWMGP4224	595
42	30	P-MLWMGP4230	641
42	36	P-MLWMGP4236	681
42	42	P-MLWMGP4242	721
42	48	P-MLWMGP4248	762
42	54	P-MLWMGP4254	802
42	60	P-MLWMGP4260	905
42	66	P-MLWMGP4266	972
42	72	P-MLWMGP4272	1,011
42	78	P-MLWMGP4278	1,049
42	84	P-MLWMGP4284	1,088
42	90	P-MLWMGP4290	1,127
42	96	P-MLWMGP4296	1,215

**WALL MOUNTED GALLERY PANELS – HORIZONTAL**

H	W	Model Number	List
50	24	P-MLWMGP5024	635
50	30	P-MLWMGP5030	701
50	36	P-MLWMGP5036	765
50	42	P-MLWMGP5042	833
50	48	P-MLWMGP5048	904
50	54	P-MLWMGP5054	976
50	60	P-MLWMGP5060	1,070
50	66	P-MLWMGP5066	1,162
50	72	P-MLWMGP5072	1,190
50	78	P-MLWMGP5078	1,218
50	84	P-MLWMGP5084	1,245
50	90	P-MLWMGP5090	1,272
50	96	P-MLWMGP5096	1,359



**Specify**

- Laminate selection
- Paint selection for Mounting Brackets



**Notes**

- Gallery panels are 1 1/8" with 2mm edge.
- Cannot be used freestanding, must be attached to a wall.
- Wall mounted gallery panels over 66" wide must be attached to storage units for support.
- Laminate gallery panel has matching edge.

**Wall Mounted Gallery Panels**

**WALL MOUNTED GALLERY PANELS – HORIZONTAL**

H	W	Model Number	List
58	24	P-MLWMGP5824	708
58	30	P-MLWMGP5830	777
58	36	P-MLWMGP5836	837
58	42	P-MLWMGP5842	903
58	48	P-MLWMGP5848	952
58	54	P-MLWMGP5854	1,003
58	60	P-MLWMGP5860	1,092
58	66	P-MLWMGP5866	1,182
58	72	P-MLWMGP5872	1,271
58	78	P-MLWMGP5878	1,359
58	84	P-MLWMGP5884	1,450
58	90	P-MLWMGP5890	1,539
58	96	P-MLWMGP5896	1,617
66	24	P-MLWMGP6624	727
66	30	P-MLWMGP6630	800
66	36	P-MLWMGP6636	866
66	42	P-MLWMGP6642	937
66	48	P-MLWMGP6648	1,005
66	54	P-MLWMGP6654	1,073



**Specify**

- Laminate selection
- Paint selection for Mounting Brackets



**Notes**

- Gallery panels are 1 1/8" with 2mm edge.
- Cannot be used freestanding, must be attached to a wall.
- Wall mounted gallery panels over 66" wide must be attached to storage units for support.
- Laminate gallery panel has matching edge.

**Wall Mounted Gallery Panels**

WALL MOUNTED GALLERY PANELS – VERTICAL			
H	W	Model Number	List
34	24	P-MLWMGP3424V	553
34	30	P-MLWMGP3430V	580
34	36	P-MLWMGP3436V	597
34	42	P-MLWMGP3442V	609
34	48	P-MLWMGP3448V	618
34	54	P-MLWMGP3454V	627
42	24	P-MLWMGP4224V	595
42	30	P-MLWMGP4230V	641
42	36	P-MLWMGP4236V	681
42	42	P-MLWMGP4242V	721
42	48	P-MLWMGP4248V	762
42	54	P-MLWMGP4254V	802

WALL MOUNTED GALLERY PANELS – VERTICAL			
H	W	Model Number	List
50	24	P-MLWMGP5024V	635
50	30	P-MLWMGP5030V	701
50	36	P-MLWMGP5036V	765
50	42	P-MLWMGP5042V	833
50	48	P-MLWMGP5048V	904
50	54	P-MLWMGP5054V	976
58	24	P-MLWMGP5824V	708
58	30	P-MLWMGP5830V	777
58	36	P-MLWMGP5836V	837
58	42	P-MLWMGP5842V	903
58	48	P-MLWMGP5848V	952
58	54	P-MLWMGP5854V	1,003



**Specify**

**Notes**

- Laminate selection
- Paint selection for Mounting Brackets

- Gallery panels are 1 1/8" with 2mm edge.
- Cannot be used freestanding, must be attached to a wall.
- Wall mounted gallery panels over 66" wide must be attached to storage units for support.
- Laminate gallery panel has matching edge.


**Wall Mounted Gallery Panels for Wing**

**WALL MOUNTED GALLERY PANEL FOR WINGS – HORIZONTAL**


H	W	Left		List
		Model Number	Model Number	
34	66	P-MLWMPWL3466	P-MLWMPWR3466	811
34	72	P-MLWMPWL3472	P-MLWMPWR3472	862
34	78	P-MLWMPWL3478	P-MLWMPWR3478	912
34	84	P-MLWMPWL3484	P-MLWMPWR3484	962
34	90	P-MLWMPWL3490	P-MLWMPWR3490	1,013
42	66	P-MLWMPWL4266	P-MLWMPWR4266	1,003
42	72	P-MLWMPWL4272	P-MLWMPWR4272	1,041
42	78	P-MLWMPWL4278	P-MLWMPWR4278	1,080
42	84	P-MLWMPWL4284	P-MLWMPWR4284	1,119
42	90	P-MLWMPWL4290	P-MLWMPWR4290	1,159

**WALL MOUNTED GALLERY PANEL FOR WINGS – HORIZONTAL**

H	W	Left		List
		Model Number	Model Number	
50	66	P-MLWMPWL5066	P-MLWMPWR5066	1,193
50	72	P-MLWMPWL5072	P-MLWMPWR5072	1,221
50	78	P-MLWMPWL5078	P-MLWMPWR5078	1,248
50	84	P-MLWMPWL5084	P-MLWMPWR5084	1,275
50	90	P-MLWMPWL5090	P-MLWMPWR5090	1,302
58	66	P-MLWMPWL5866	P-MLWMPWR5866	1,213
58	72	P-MLWMPWL5872	P-MLWMPWR5872	1,301
58	78	P-MLWMPWL5878	P-MLWMPWR5878	1,392
58	84	P-MLWMPWL5884	P-MLWMPWR5884	1,481
58	90	P-MLWMPWL5890	P-MLWMPWR5890	1,569



Left Hand Shown



Left Hand Shown

**Specify**

- Laminate selection
- Paint selection for Mounting Brackets

**Notes**

- Gallery panels are 1 1/8" with 2mm edge.
- Cannot be used freestanding, must be attached to a wall.
- Laminate gallery panel has matching edge.


**Matrix Connector Product Details**

**Product Detail 1**  
**Connector and Profile Options**

**2-Way Connectors:**

Available in either 90°, 120°, or 135°. 2-way connectors are only available in painted metal finish.

Linear Profile - Painted Metal




Available Heights: 34", 42", 50", 58", 66", 82"

**3-Way Connectors:**

Available in either 90° or 120°. 3-way connectors are only available in painted metal finish.

Linear Profile - Painted Metal




Available Heights: 34", 42", 50", 58", 66", 82"

**4-Way Connectors:**

Available in 90°. 4-way connectors are only available in painted metal finish.

Linear Profile - Painted Metal



Available Heights: 34", 42", 50", 58", 66", 82"



**Product Detail 2**  
**Connector and Profile Options (Cont.)**

**Panel End Caps:**

Finish the end of a panel frame run where no other panel frames are to be connected.

Linear Profile - Painted Metal



Available Heights: 34", 42", 50", 58", 66", 82", 90", 98", 106"

Note: 90", 98" and 106" high panel end caps are specified when stack-on panel frames are being utilized, drive the overall height of the panel frames over 82".

**HiLo Trim Covers (Corner Application):**

For 2-way, 3-way and 4-way applications finish the side of a 90° connector above the low panel. Specify size which corresponds to the difference between the height of the connector and the height of the low panel frame (ie: 66" high connector with a 42" high panel frame attached receives a 24" trim cover above the 42" panel frame).

Linear Profile - Painted Metal



Available Heights: 8", 16", 24", 32", 40", 48", 56", 64", 72", 80"

**HiLo Trim Covers (Straight Line Application):**

For 180° applications finishes the side of the panel frame above the low panel. Specify size that corresponds to the difference between the height of the high panel frame and the height of the low panel frame (ie: 66" high panel frame with a 42" high panel frame attached receives a 24" trim cover above the 42" panel frame).

Linear Profile - Painted Metal



Available Heights: 8", 16", 24", 32", 40", 48", 56", 64", 72", 80"


**Matrix Connector Product Details**

**Product Detail 3  
Connector and Profile Options (Cont.)**

**Wall Mounts:**

Mounts panel frames and door frames perpendicular to a fixed wall. Because the wall mount adds 1" of creep to the panel run, the extended topcap sent with this kit replaces the panel frame topcap which would otherwise be used on the panel frame at the connection. Be sure to specify this particular panel frame with the "no topcap option" in order to avoid receiving an unusable panel frame topcap.


Linear Profile - Painted Metal



Available Heights: 34", 42", 50", 58", 66", 82", 90", 98", 108"  
Available Widths: 24", 30", 36", 42", 48"

**Stack-On Connectors:**

For 2-way, 3-way, or 4-way scenarios are designed to add height to a base connector where stack-on frames are used. For instance, two 66" high panel frames connected at 90° with a 66" high 2-way connector could be expanded 24" with two 24" stack-on frames inserted into the tops of the two 66" panel frames. A 24" 2-way stack-on connector is required to connect the two stack-on frames above the base connector. A separate connector vertical cover must be specified separately to accommodate the added height. The connector topcap from the base connector is used at the top of the stack-on connector. Includes 1/4 - 20 x 2 1/4" long bolts for connecting to adjacent frames.




**Matrix Connector Product Details**

**Product Detail 4**  
**Connector Vertical Covers and Profile Options**


**2-Way Connector Vertical Covers:**

In 90°, 120°, or 135° are specified separately only when stack-on connectors increase the height of a base connector. Specify the connector which corresponds to the overall height of a base connector plus the height of the stack-on connector. Connector vertical cover stack-on covers are specified when stack-on connectors extend beyond the height of 108".

Painted Metal



Available Heights: 34", 42", 50", 58", 66", 82", 90", 98", 106"




Stack-On Cover

Available Heights: 8", 16", 24", 32", 40", 48"


**3-Way Connector Vertical Covers:**

In 90° are specified separately only when stack-on connectors increase the height of a base connector. Specify the connector which corresponds to the overall height of a base connector plus the height of the stack-on connector. Note: Connector vertical cover stack-on covers are specified when stack-on connectors extend beyond the height of 108".

Painted Metal



Available Heights: 34", 42", 50", 58", 66", 82", 90", 98", 106"



Stack-On Cover

Available Heights: 8", 16", 24", 32", 40", 48"

**90° 2-Way, 3-Way and 4-Way Stack-On Connectors**

**2-WAY STACK-ON CONNECTORS 90°**

H	Model Number	List
8	P-M2BCC08	92
16	P-M2BCC16	114
24	P-M2BCC24	131



**3-WAY STACK-ON CONNECTORS 90°**

H	Model Number	List
8	P-M2B3C08	115
16	P-M2B3C16	129
24	P-M2B3C24	139



**4-WAY STACK-ON CONNECTORS 90°**

H	Model Number	List
8	P-M2BXC08	159
16	P-M2BXC16	180
24	P-M2BXC24	188



**Notes**

- Stack-On Connectors for a 2-way, 3-way or 4-way scenario are designed to add height to a base connector where stack-on frames are used.
- For instance, two 66" high panels connected at 90° with a 66" high 2-way connector could be expanded 24" with two 24" stack-on frames inserted into the tops of the two 66" panels.
- A 24" 2-way stack-on connector is required to connect the two stack-on frames above the base connector.
- Note: A separate connector vertical cover must be specified separately to accommodate the added height. See following pages.
- The connector topcap from the base connector is used at the top of the stack on connector.
- Includes 1/4 - 20 x 2 1/4" long bolts for connecting to adjacent frames.

**120° 2-Way and 3-Way Stack-On Connectors**

**2-WAY STACK-ON CONNECTORS 120°**

H	Model Number	List
8	P-M2B120CC08	152
16	P-M2B120CC16	187
24	P-M2B120CC24	197



**2-WAY STACK-ON CONNECTORS 135°**

H	Model Number	List
8	P-M2B45CC08	114
16	P-M2B45CC16	158
24	P-M2B45CC24	181



**3-WAY STACK-ON CONNECTORS 120°**

H	Model Number	List
8	P-M2B1203C08	225
16	P-M2B1203C16	250
24	P-M2B1203C24	269



**Notes**

- Stack-On Connectors for a 120° or 135° 2-way and a 120° 3-way are designed to add height to a base connector where stack-on frames are used.
- For instance, two 66" high panels connected at 120° with a 66" high 2-way connector could be expanded 24" with two 24" stack-on frames inserted into the tops of the two 66" panels.
- A 24" 2-way stack-on connector is required to connect the two stack-on frames above the base connector.
- Note: A separate connector vertical cover must be specified separately to accommodate the added height. See following pages.
- The connector topcap from the base connector is used at the top of the stack-on connector.
- Includes 1/4 - 20 x 2 1/4" long bolts for connecting to adjacent frames.

**Linear Profile 2-Ways**

**LINEAR PROFILE 2-WAY 90°**

H	Model Number	List	Grade C Paint
34	P-MLCC34	196	+15
42	P-MLCC42	217	+15
50	P-MLCC50	238	+15
58	P-MLCC58	268	+15
66	P-MLCC66	291	+15
82	P-MLCC82	371	+15



**LINEAR PROFILE 2-WAY 120°**

H	Model Number	List	Grade C Paint
34	P-MLCC12034	233	+15
42	P-MLCC12042	399	+15
50	P-MLCC12050	446	+15
58	P-MLCC12058	344	+15
66	P-MLCC12066	539	+15
82	P-MLCC12082	630	+15



**LINEAR PROFILE 2-WAY 135°**

H	Model Number	List	Grade C Paint
34	P-MLCC4534	233	+15
42	P-MLCC4542	399	+15
50	P-MLCC4550	309	+15
58	P-MLCC4558	344	+15
66	P-MLCC4566	539	+15
82	P-MLCC4582	630	+15



**Specify**

- Paint Selection for Vertical Cover and Topcap (if applicable)
- Finish Style for Painted Metal

**Notes**

- 2-Way Connectors connect two frames of equal height at 90°, 120°, or 135°.
- Order connector for specific connection angle.
- For frames of unequal height, specify the connector that corresponds to the highest panel in the configuration.
- Includes connector topcap and vertical cover. Vertical cover is shipped installed on connector, but may be removed on-site for installation of electrical cables. See installation instructions.
- Includes 1/4 - 20 x 2 1/4" long bolts for connecting to adjacent frames.

**Linear Profile 3-Ways**

**LINEAR PROFILE 3-WAY 90°**

H	Model Number	List	Grade C Paint
34	P-ML3C34	199	+15
42	P-ML3C42	238	+15
50	P-ML3C50	246	+15
58	P-ML3C58	297	+15
66	P-ML3C66	304	+15
82	P-ML3C82	378	+15

**LINEAR PROFILE 3-WAY 120°**

H	Model Number	List	Grade C Paint
34	P-ML3C12034	547	+5
42	P-ML3C12042	571	+5
50	P-ML3C12050	600	+5
58	P-ML3C12058	621	+5
66	P-ML3C12066	644	+5
82	P-ML3C12082	695	+5



**Specify**

- Paint Selection for Vertical Cover and Topcap (if applicable)
- Finish Style for Painted Metal


**Notes**

- 3-Way Connectors connect three frames of equal height at 90° or 120°.
- Order connector for specific connection angle.
- For frames of unequal height, specify the connector that corresponds to the highest panel in the configuration.
- Includes connector topcap and vertical cover.
- Vertical cover is shipped installed on connector, but may be removed on-site for installation of electrical cables. See installation instructions.
- Includes 1/4 - 20 x 2 1/4" long bolts for connecting to adjacent frames.
- 3-Way 120 connectors do not require a vertical cover.

**Linear Profile 4-Ways and End Caps**

**LINEAR PROFILE 4-WAY 90°**

H	Model Number	List	Grade C Paint
34	P-MLXC34	382	+5
42	P-MLXC42	398	+5
50	P-MLXC50	417	+5
58	P-MLXC58	435	+5
66	P-MLXC66	452	+5
82	P-MLXC82	483	+5



**LINEAR PROFILE PANEL END CAPS**

H	Model Number	List	Grade C Paint
34	P-MLEC34	76	+15
42	P-MLEC42	90	+15
50	P-MLEC50	106	+15
58	P-MLEC58	116	+15
66	P-MLEC66	137	+15
74	P-MLEC74	159	+15
82	P-MLEC82	158	+15
90	P-MLEC90	202	+15
98	P-MLEC98	218	+15
106	P-MLEC106	203	+15



**Specify** **Notes**

- Paint Selection for Top-cap (if applicable)
  - Finish Style for Painted Metal
- 4-Way Connectors connect four frames of equal height at 90°.
  - For frames of unequal height, specify the connector that corresponds to the highest panel in the configuration.
  - Includes connector topcap and four base shrouds. See installation instructions.
  - Includes 1/4 - 20 x 2 1/4" long bolts for connecting to adjacent frames.

**Specify** **Notes**


- Finish Style for Painted Metal
  - Paint Selection for Vertical Cover (if applicable)
- Panel End Caps finish the end of a panel run where no other panels are to be connected.



**Linear Profile Wall Mount Kits**

**LINEAR PROFILE WALL MOUNT KITS**

H	W	Model Number	List	Grade C Paint	H	W	Model Number	List	Grade C Paint
34	24	P-MLWM3424	494	+15	74	24	P-MLWM7424	610	+15
34	30	P-MLWM3430	494	+15	74	30	P-MLWM7430	610	+15
34	36	P-MLWM3436	494	+15	74	36	P-MLWM7436	610	+15
34	42	P-MLWM3442	494	+15	74	42	P-MLWM7442	610	+15
34	48	P-MLWM3448	494	+15	74	48	P-MLWM7448	610	+15
42	24	P-MLWM4224	510	+15	82	24	P-MLWM8224	627	+15
42	30	P-MLWM4230	510	+15	82	30	P-MLWM8230	627	+15
42	36	P-MLWM4236	510	+15	82	36	P-MLWM8236	627	+15
42	42	P-MLWM4242	510	+15	82	42	P-MLWM8242	627	+15
42	48	P-MLWM4248	510	+15	82	48	P-MLWM8248	627	+15
50	24	P-MLWM5024	545	+15	90	24	P-MLWM9024	643	+15
50	30	P-MLWM5030	545	+15	90	30	P-MLWM9030	643	+15
50	36	P-MLWM5036	545	+15	90	36	P-MLWM9036	643	+15
50	42	P-MLWM5042	545	+15	90	42	P-MLWM9042	643	+15
50	48	P-MLWM5048	545	+15	90	48	P-MLWM9048	643	+15
58	24	P-MLWM5824	565	+15	98	24	P-MLWM9824	659	+15
58	30	P-MLWM5830	565	+15	98	30	P-MLWM9830	659	+15
58	36	P-MLWM5836	565	+15	98	36	P-MLWM9836	659	+15
58	42	P-MLWM5842	565	+15	98	42	P-MLWM9842	659	+15
58	48	P-MLWM5848	565	+15	98	48	P-MLWM9848	659	+15
66	24	P-MLWM6624	595	+15	106	24	P-MLWM10624	678	+15
66	30	P-MLWM6630	595	+15	106	30	P-MLWM10630	678	+15
66	36	P-MLWM6636	595	+15	106	36	P-MLWM10636	678	+15
66	42	P-MLWM6642	595	+15	106	42	P-MLWM10642	678	+15
66	48	P-MLWM6648	595	+15	106	48	P-MLWM10648	678	+15



**Specify**

**Notes**

- Finish Style for Topcap - Painted Metal
- Paint Selection for Topcap (if applicable)
- Wall Mount Kits mount frames and doors perpendicular to a fixed wall.
- Includes a 180° straight line topcap and a filler topcap to finish top of the wall mount.
- Specify according to the height of the panel to be mounted.
- Wall mount adds 1" to panel run. See panel creep description pages.
- Wall mount hardware to attach wall mount to wall is not included.
- Screws and hardware needed are determined by the type of wall the wall mount is being mounted to.

**Linear Profile HiLo Trim Covers**

**LINEAR PROFILE HILO TRIM COVERS (CORNER APPLICATION)**

H	Model Number	List	Grade C Paint
8	P-MLHILO08	107	+15
16	P-MLHILO16	110	+15
24	P-MLHILO24	126	+15
32	P-MLHILO32	167	+15
40	P-MLHILO40	193	+15
48	P-MLHILO48	217	+15
56	P-MLHILO56	235	+15
64	P-MLHILO64	259	+15
72	P-MLHILO72	285	+15
80	P-MLHILO80	307	+15



**LINEAR PROFILE HILO TRIM COVERS (STRAIGHT LINE APPLICATION)**

H	Model Number	List	Grade C Paint
8	P-MLHILOSK08	102	+15
16	P-MLHILOSK16	106	+15
24	P-MLHILOSK24	122	+15
32	P-MLHILOSK32	160	+15
40	P-MLHILOSK40	187	+15
48	P-MLHILOSK48	208	+15
56	P-MLHILOSK56	227	+15
64	P-MLHILOSK64	248	+15
72	P-MLHILOSK72	275	+15
80	P-MLHILOSK80	296	+15



**Specify**

**Notes**

- Finish Style for Painted Metal
- Paint Selection for Vertical Cover (if applicable)

- HiLo Trim Cover for 2-way, 3-way and 4-way applications finishes the side of a 90° connector above the low panel.
- Order one for each unfinished side.
- Specify size which corresponds to difference between the height of the connector and the height of the low panel (ie: 66" high connector with a 42" high panel attached gets a 24" trim cover above the 42" panel).
- HiLo trim covers for 90° connectors are different from those used in a straight line 180° HiLo condition. See straight line HiLo's.

**Specify**

**Notes**


- Finish Style for Painted Metal
- Paint Selection for Vertical Cover (if applicable)

- HiLo Trim Covers for 2-way, 3-way and 4-way applications finish the side of a panel frame above the low panel.
- Order one per condition.
- Specify size which corresponds to the difference between the height of the high panel and the height of the low panel (ie: 66" high panel with a 42" high panel attached gets a 24" trim cover above the 42" panel).
- HiLo trim covers for 90° connectors are different from those used in a straight line HiLo condition. See 90° HiLo's.

**Linear Profile 2-Way Vertical Covers**

**LINEAR PROFILE 2-WAY 90° VERTICAL COVERS**

H	Model Number	List	Grade C Paint
34	P-MLCCT34	75	+15
42	P-MLCCT42	89	+15
50	P-MLCCT50	106	+15
58	P-MLCCT58	120	+15
66	P-MLCCT66	135	+15
74	P-MLCCT74	159	+15
82	P-MLCCT82	164	+15
90	P-MLCCT90	256	+15
98	P-MLCCT98	272	+15
106	P-MLCCT106	212	+15




**LINEAR PROFILE 2-WAY 120° VERTICAL COVERS**

H	Model Number	List	Grade C Paint
34	P-MLCT12034	81	+15
42	P-MLCT12042	101	+15
50	P-MLCT12050	119	+15
58	P-MLCT12058	138	+15
66	P-MLCT12066	152	+15
74	P-MLCT12074	175	+15
82	P-MLCT12082	189	+15
90	P-MLCT12090	208	+15
98	P-MLCT12098	224	+15
106	P-MLCT120106	237	+15



**LINEAR PROFILE 2-WAY 135° VERTICAL COVERS**

H	Model Number	List	Grade C Paint
34	P-MLCT4534	81	+15
42	P-MLCT4542	101	+15
50	P-MLCT4550	119	+15
58	P-MLCT4558	138	+15
66	P-MLCT4566	152	+15
74	P-MLCT4574	175	+15
82	P-MLCT4582	189	+15
90	P-MLCT4590	208	+15
98	P-MLCT4598	224	+15
106	P-MLCT45106	237	+15



**Specify**

- Finish Style for Topcap - Painted Metal
- Paint Selection for Vertical Cover (if applicable)


**Notes**

- 2-Way Connector Vertical Covers are specified separately only when stack-on connectors increase the height of a base connector.
- Specify the connector which corresponds to the overall height of a base connector plus the height of the stack-on connector.

**Linear Profile 2-Way Vertical Stack-On Covers**

**LINEAR PROFILE 2-WAY 90° VERTICAL STACK-ON COVERS**

H	Model Number	List	Grade C Paint
8	P-ML2WSC08	151	+15
16	P-ML2WSC16	176	+15
24	P-ML2WSC24	199	+15
32	P-ML2WSC32	222	+15
40	P-ML2WSC40	174	+15
48	P-ML2WSC48	189	+15




**LINEAR PROFILE 2-WAY 120° VERTICAL STACK-ON COVERS**

H	Model Number	List	Grade C Paint
8	P-ML120SC08	101	+15
16	P-ML120SC16	116	+15
24	P-ML120SC24	134	+15
32	P-ML120SC32	149	+15
40	P-ML120SC40	163	+15
48	P-ML120SC48	182	+15



**LINEAR PROFILE 2-WAY 135° VERTICAL STACK-ON COVERS**

H	Model Number	List	Grade C Paint
8	P-ML135SC08	106	+15
16	P-ML135SC16	121	+15
24	P-ML135SC24	138	+15
32	P-ML135SC32	153	+15
40	P-ML135SC40	174	+15
48	P-ML135SC48	189	+15



**Specify**

- Finish Style for Topcap - Painted Metal
- Paint Selection for Vertical Cover (if applicable)


**Notes**

- 2-Way Connector Vertical Cover Stack-Ons are specified when stack-on connectors extend beyond the height of 108".
- The vertical cover splice plate is included with vertical stack-on covers.

**Linear Profile 3-Way Vertical and Vertical Stack-On Covers**


**LINEAR PROFILE 3-WAY 90° VERTICAL COVERS**

H	Model Number	List	Grade C Paint
34	P-ML3CT34	59	+15
42	P-ML3CT42	67	+15
50	P-ML3CT50	78	+15
58	P-ML3CT58	89	+15
66	P-ML3CT66	102	+15
74	P-ML3CT74	120	+15
82	P-ML3CT82	121	+15
90	P-ML3CT90	164	+15
98	P-ML3CT98	180	+15
106	P-ML3CT106	156	+15



**LINEAR PROFILE 3-WAY 90° VERTICAL STACK-ON COVERS**

H	Model Number	List	Grade C Paint
8	P-M23WSC08	101	+15
16	P-M23WSC16	116	+15
24	P-M23WSC24	134	+15
32	P-M23WSC32	149	+15
40	P-M23WSC40	163	+15
48	P-M23WSC48	182	+15



**Specify**

**Notes**

- Paint Selection for Vertical Cover (if applicable)
- Finish Style for Painted Metal

- 3-Way Connector Vertical Covers are specified separately only when stack-on connectors increase the height of a base connector.
- Specify the connector which corresponds to the overall height of a base connector plus the height of the stack-on connector.

**Specify**

**Notes**


- Paint Selection for Vertical Cover (if applicable)
- Finish Style for Painted Metal

- 3-Way Connector Vertical Cover Stack-Ons are specified when stack-on connectors extend beyond the height of 108".
- The vertical cover splice plate is included with vertical stack-on covers.

**2-Way Linear Connector Trim Conversion Kits**


**2-WAY 90° LINEAR CONNECTOR TRIM CONVERSION KIT**

H	Model Number	List	Grade C Paint
34	P-MLKCC34	181	+15
42	P-MLKCC42	223	+15
50	P-MLKCC50	268	+15
58	P-MLKCC58	308	+15
66	P-MLKCC66	350	+15
82	P-MLKCC82	396	+15




**2-WAY 120° LINEAR CONNECTOR TRIM CONVERSION KIT**

H	Model Number	List	Grade C Paint
34	P-MLKCC12034	139	+15
42	P-MLKCC12042	176	+15
50	P-MLKCC12050	205	+15
58	P-MLKCC12058	236	+15
66	P-MLKCC12066	274	+15
82	P-MLKCC12082	304	+15



**2-WAY 135° LINEAR CONNECTOR TRIM CONVERSION KIT**

H	Model Number	List	Grade C Paint
34	P-MLKCC4534	131	+15
42	P-MLKCC4542	159	+15
50	P-MLKCC4550	188	+15
58	P-MLKCC4558	214	+15
66	P-MLKCC4566	238	+15
82	P-MLKCC4582	270	+15



**Specify**

- Finish Style for Topcap - Painted Metal
- Paint Selection for Vertical Cover (if applicable)

**Notes**

- Linear Connector Trim Conversion Kits - 2-Way 90°, 120°, 135° - are specified when converting existing radius profile connectors to linear profile connectors.
- Includes linear profile connector topcap and vertical cover (painted metal).

**3-Way and 4-Way Linear Connector Trim Conversion Kits**

**3-WAY 90° LINEAR CONNECTOR TRIM CONVERSION KIT**

H	Model Number	List	Grade C Paint
34	P-MLK3C34	112	+15
42	P-MLK3C42	138	+15
50	P-MLK3C50	161	+15
58	P-MLK3C58	189	+15
66	P-MLK3C66	213	+15
82	P-MLK3C82	236	+15

**3-WAY 120° LINEAR CONNECTOR TRIM CONVERSION KIT**

Model Number	List	Grade C Paint
P-MLK3C120	77	+5




**Specify**

**Notes**

- Finish Style for Topcap - Painted Metal
- Paint Selection for Topcap/Vertical Cover (if applicable)
- Linear Connector Trim Conversion Kits - 3-Way 90°, 120°- are specified when converting existing radius profile connectors to linear profile connectors.
- Includes linear profile connector topcap and vertical cover (painted metal).
- 3-way 120° kits include only the connector topcap since there are no vertical covers on 3-way 120° connectors.

**4-WAY 90° LINEAR CONNECTOR TRIM CONVERSION KIT**

Model Number	List
P-MLK4	76



**Specify**


**Notes**

- Paint Selection for Vertical Cover (if applicable)
- Finish Style for Painted Metal
- Linear Connector Trim Conversion Kits - 4-Way 90°- are specified when converting existing radius profile connectors to linear profile connectors.
- Includes only the connector topcap (painted metal) since there are no vertical covers on 4-way 90° connectors.

**Linear Wall Mount Trim Conversion Kits, Wall Tracks and Off-Modular Frame Connection Kits**

**LINEAR WALL MOUNT TRIM CONVERSION KITS**

H	Model Number	List	Grade C Paint
24	P-MLKWM24	138	+10
30	P-MLKWM30	146	+10
36	P-MLKWM36	149	+10
42	P-MLKWM42	152	+10
48	P-MLKWM48	159	+10



**Specify**


**Notes**

- Finish Style for Painted Metal
- Paint Selection for Top-cap(if applicable)

- Linear Wall Mount Trim Conversion Kits - specify topcap width to correspond to the width of the panel attached to the wall mount.

**OFF-MODULAR FRAME CONNECTION KITS**

Model Number	List
P-M2OMFC	178



**Specify**


**Notes**

- Paint Selection

- Off-Modular Frame Connection Kit mounts over top of panel and is available in all standard paint colors.
- Used in conjunction with off-modular rails (included with off-modular tiles) to mount a Matrix frame to the face of another Matrix frame.
- Frame may be mounted anywhere along off-modular rail and may be moved easily in the future.
- Connection is fully load bearing.
- Specify an off-modular top-tile and off-modular mid-tile at the bottom of the frame to accommodate an off-modular frame connection.
- If off-modular panel is lower than spine panel, specify an off-modular mid-tile at location such that the top of the mid-tile matches the top of the low off-modular frame.

**WALL TRACKS**

H	Model Number	List	Grade C Paint
60	A-WTRK60	186	+5
80	A-WTRK80	225	+5



**Specify**

**Notes**

- Paint Selection

- Wall Track mounts to fixed walls to provide slotted channel for worksurface support brackets, tack-boards or shelves.
- Slots are on 1" vertical repeat pattern.
- Wall track mounting holes are 1/4" diameter, repeat 6" on center starting 1/2" from top of track.
- Track sits approx. 5" off floor when leveled with top of panels to accommodate wall cover base.
- Hardware for mounting wall track to walls is not included. Use hardware appropriate to wall type.
- **Important:** Wall track may be shared with Matrix and AO2 storage. Wall track may not be shared with Divi and MWall storage.





**Matrix Electrical Product Details**

**Product Detail 1  
Electrical Components (8 Wire, 4 Circuit)**



AIS Matrix 8 Wire 4 Circuit electrical system contains four circuits. Each circuit is rated at 20 amps/120 volts maximum. Circuit 1, Circuit 2 and Circuit 3 are served by a system neutral and an equipment ground. Circuit 4 is dedicated and is served by its own neutral and ground. Circuit and ground conductors are #12 A.G.W. (gauge). All neutrals are #10 A.G.W. (gauge).

Shown below is a cross section of metal cable used for 8 Wire 4 Circuit jumpers and infeeds. Circuit and ground conductors are #12 A.G.W. (gauge). All neutrals are #10 A.G.W. (gauge).



Powerways provide electrical distribution and access for duplex outlets back to back. 24" wide panels can accept only one duplex outlet per side, two total back to back. All other powerways can accept two per side, four total back to back. Powerways "grow" in length with frames of greater width, making panel to panel connections a "standard" configuration and allowing for "pass through" connections. Each powerway has locations for up to four jumpers, two at each end.

Duplex Outlets are designated as circuits 1 through 4. Each duplex outlet contains two single receptacles (places to plug into) of the same circuit and are specified separately from powerways. All duplex outlets have black faces. The lettering on outlets for Circuit 1, 2 and 3 is white. The lettering on outlets for Circuit 4 is orange. Outlets are screw mounted to powerway and include a plastic or metal outlet trim bezel which can be ordered black to match outlets or the color of the painted tile. Duplex outlets are standard 15 amp outlets. For 20 amp outlets, call AIS Customer Service.



**Common Equipment Amperages:**


Personal Computer .....	2.00 - 4.00
Laser Printer .....	5.00 - 8.00
Desktop Plotter .....	1.50
Fan .....	1.00
Heater .....	8.50 - 12.50
Tasklight .....	1.00
Slide Projector .....	2.00 - 6.00
Coffee Pot .....	15.00
Paper Shredder .....	4.40 - 13.00
Radio .....	0.05
Pencil Sharpener .....	1.00
Calculator .....	0.25
Answering Machine .....	0.08

**Matrix Electrical Product Details**

**Product Detail 2  
Electrical Location and Vertical Jumpers**

An AIS Matrix panel frame contains an electrical “chase” hole for electrical and data cables at every 8” of height. These chase holes are divided into “locations”. Each location has an upper and lower “position”. A 34” high panel has four electrical locations while an 82” high panel has 10 locations. Powerway assemblies can be mounted in any location and position except the four upper and the last upper position of the highest location, which in the illustration below, is 10 upper. Each location has one electrical chase hole aligned with the lower position of every location. Therefore, electrical cables can only be chased from the lower positions to lower positions. Use the upper positions for additional powerway assemblies to provide access for more duplex outlets or jump points for vertical jumpers. Horizontal crossbar of frames inhibit the use of power and data in the top upper position.

Location 4 is not recommended for use, as an electrical tile located at this location would most likely be blocked by a worksurface. Powerway assemblies can be mounted at any position; however, jumping to adjacent panels can only be done at the lower positions. To access the upper positions, use vertical jumpers or double powerway jumpers inside a frame or use a lower position from a location above the assembly. The formula for figuring out a vertical jumper length inside the same frame is: Higher Location - Lower Location x 8” = Delta. Location 7 lower to location 5 lower = 7 - 5 = 2 x 8 = 16” delta. Note: Vertical jumpers are designed to span from lower to lower or upper to upper. For example, jumping from 5 lower to 9 upper is not correct. Note: Horizontal crossbar of frames inhibit the use of power and data in the top upper position.




**Note:** Certain areas of Chicago prohibit the use of modular electrical systems and require all electrical components to be hardwired. All electrical components need to be supplied by the electrician.

**Electrical Jumpers**

**PANEL-TO-PANEL JUMPERS**

L	Type	Model Number	List
18	Standard	E-MX8W4PTPC18	220
21	Extended	E-MX8W4PTPC21	231




**Notes**

Panel-to-Panel Jumpers connect two powerway assemblies across a straight panel connection at the same elevation location. Order an Extended Panel-to-Panel Jumper when connecting two powerway assemblies at 90° at the same elevation location or straight across the gap created by a 3-way or 4-way at the same elevation location.

**LATERAL PASS THROUGH JUMPERS**

Panel W	Actual L	Model Number	List
24	45	E-MW8W4PJ24E	328
30	51	E-MW8W4PJ30E	344
36	57	E-MW8W4PJ36E	356
42	63	E-MW8W4PJ42E	365
48	69	E-MW8W4PJ48E	397




**Notes**

Lateral Pass Through Jumpers pass laterally through a non-powered frame to connect two powerway assemblies at the same elevation location. Specify the jumper that corresponds to the width of the panel to be passed through. Lateral pass through jumpers are used for both straight, standard pass throughs, and extended situations.

**VERTICAL TRANSITION JUMPERS**

Panel W	Actual L	Model Number	List
8	18	E-MX8W4PTPC18	220
16	24	E-UN8W4VT16	270
24	37	E-MW8W4PJ18	283
32	43	E-MW8W4PJ24	315
40	48	E-MW8W4PJ30	337
48	57	E-MW8W4PJ36E	356
56	67	E-MW8W4PJ48	387
64	79	E-MW8W4PJ60	416
72	81	E-MW8W4PJ60E	438




**Notes**

Vertical Transition Jumpers connect two powerway assemblies at different elevation locations inside the same frame. Specify length by delta elevation. [ie: location 7 lower to location 3 lower = (7-3 = 4) x 8" = 32" = VT jumper for a 32" delta.]

**DOUBLE POWERWAY VERTICAL JUMPER**

L	Model Number	List
12	E-MXDPWJV	254



**Notes**


Double Powerway Vertical Jumper connects two powerway assemblies inside the same elevation location.

**Note:** Certain areas of Chicago prohibit the use of modular electrical systems and require all electrical components to be hardwired. All electrical components need to be supplied by the electrician.

**Access Hole Covers, Outlet Trim Bezels and I-Connectors**

**ACCESS HOLE COVERS**

Model Number	List
E-MXWCPB	33




**Specify**      **Notes**

---

• Paint Selection for Access Hole Covers      Access Hole Covers are included with every electrical tile. Order separately only if using less than the indicated number of holes (one per dual tile or two per quad tile).

**OUTLET TRIM BEZELS**

Model Number	List
E-MXWPCP	28




**Specify**      **Notes**

---

• Paint Selection for Outlet Trim Bezels      Outlet trim bezels are included with every duplex outlet. Order separately only if bezels are lost or for punch lists.

**I-CONNECTOR**

Model Number	List
E-UN8W4ICON	161



**Notes**


---

I-Connector is only required when it is necessary to connect two male end jumpers.

**Electrical Outlets**


**DUPLEX OUTLETS**

Line	Color	Model Number	List
1	Black	E-MX8W4FDO1	70
2	Black	E-MX8W4FDO2	70
3	Black	E-MX8W4FDO3	70
4	Black	E-MX8W4FDO4	70
1	White	E-MX8W4FDO1-W	63
2	White	E-MX8W4FDO2-W	63
3	White	E-MX8W4FDO3-W	63
4	White	E-MX8W4FDO4-W	63



**CALIFORNIA TITLE 24 CONTROLLED DUPLEX OUTLETS**

Line	Color	Model Number	List
1	Black	E-MX8W4T24DO1	84
2	Black	E-MX8W4T24DO2	84
3	Black	E-MX8W4T24DO3	84
4	Black	E-MX8W4T24DO4	84
1	White	E-MX8W4T24DO1-W	76
2	White	E-MX8W4T24DO2-W	76
3	White	E-MX8W4T24DO3-W	76
4	White	E-MX8W4T24DO4-W	76



**Notes**

- Duplex Outlets are available in designated circuits 1 through 4.
- Each duplex outlet contains two single receptacles (places to plug into) of the same circuit and are specified separately from powerways.
- Available in black or white. The lettering on outlets for circuit 1, 2 and 3 is white. The lettering on outlets for circuit 4 is orange.
- Outlets are screw mounted to the powerway and include a plastic or metal outlet trim bezel which can be ordered in black, to match outlets or the color of the painted tile.
- Duplex outlets are standard 15 amp outlets.

**Notes**


- In California, 50% of all outlets in a system panel cluster or benching cluster, for new construction, MUST be controlled outlets, even if there is no task lighting.
- Customers should plan on using 2 and 3 controlled circuits, and plan general load for all items on circuits 1 and 4.
- If using 2+2 configuration, controlled circuits should be 1 and 2, and general load circuits on 4 and 5.
- Outlets must have the “controlled” symbol for identification purposes.

**Note:** Certain areas of Chicago prohibit the use of modular electrical systems and require all electrical components to be hardwired. All electrical components need to be supplied by the electrician.

## Electrical Outlets

## USB OUTLETS

Line	Color	Model Number	List
1	Black	E-MX8W4USB01	424
2	Black	E-MX8W4USB02	424
3	Black	E-MX8W4USB03	424
4	Black	E-MX8W4USB04	424
1	White	E-MX8W4USB01-W	379
2	White	E-MX8W4USB02-W	379
3	White	E-MX8W4USB03-W	379
4	White	E-MX8W4USB04-W	379




## Notes

USB Outlets bring charging options to panel power distribution systems. The USB Outlets provide convenient charging power access through dual ports on the face of the receptacle. Include a plastic or metal outlet trim bezel which can be ordered in black to match outlets or the color of the painted tile. The USB Outlets offer a total of 2 Amps between two USB charging ports. The USB Outlets are UL and FCC Part 15A approved.

**In-Feeds and Hardwire Junction Boxes**

**RECEPTACLE MOUNTED BASE IN-FEEDS**

L	Hand	Model Number	List
72	Left	E-UN8W4BIFL	550
72	Right	E-UN8W4BIFR	550




**Notes**

Receptacle Mounted Base In-Feeds provide interface with building power and mounts to powerway at duplex outlet location. Each base feed is 6' in length, encased in "liquid tight". New York City code requires the use of a special base feed with an in-line junction box, see New York City Base In-Feeds for more details.

**NEW YORK CITY BASE IN-FEEDS**

L	Hand	Model Number	List
72	Left	E-HM8W4BIFLNY	1,069
72	Right	E-HM8W4BIFRNY	1,069




**Notes**

New York City Receptacle Mounted Base In-Feeds provide interface with building power and mount to powerway at duplex outlet location. Each base feed is 6' in length, encased in "liquid tight". New York City code requires the use of a special base feed with an in-line junction box.

**CEILING IN-FEED KIT**

Model Number	List
E-M28W4CIF	643




**Notes**

Ceiling In-Feed Kit provides interface with building power from a suspended ceiling through a power pole shell. Power pole shells are ordered separately. Includes one ceiling in-feed 144", one panel-to-panel jumper 18", and two I-Connectors. Power/Data Pole Kits are sold and specified separately.

**Important:** Vertical transition jumper is required and specified separately in order to reach power input destination. The ceiling in-feed is restricted at the horizontal steel tube at the top of the panel frame. The panel-to-panel jumper (via an I-Connector) brings the power 18" down into the panel frame. From this point, an additional vertical transition jumper (via an I-Connector) needs to be specified in order to bring power source to the power assembly mounted at any of the locations within the panel frame.

**DOUBLE SIDED JUNCTION BOX**

Model Number	List
E-M2JBCH	396



**Notes**


Hardwire Junction Box allows standard, hardwired, single gang duplex outlets to be used in Matrix panels at each standard, modular duplex outlet location. Each outlet will require one junction box; however, outlets can be placed back to back on a spine, with a total of two outlets total per box. Junction boxes mount to inside wall of Matrix frame and occupy one vertical electrical position in any numbered location. Thus boxes can be stacked in location 1 (base) or location 5 (beltline) in both the upper and lower positions. **Junction boxes do not include electrical connectors.** Boxes are UL listed. Decora faced outlets cannot be used. Kit includes all hardware required to attach box to Matrix frame at duplex outlet location. Designed for use with Chicago power or wherever junction boxes are required by code.

Standard Matrix electrical tiles are required on both front and back sides of frame, regardless of if 2 outlets are needed. If only using 1 outlet on one side, use standard duplex outlet cover on non-outlet side. Boxes have standard 0.875" knock-outs for electrical connectors. Kit includes two low profile metal face plates painted per specification. Box is 2.448"H x 2.059"W x 12"L. Junction boxes can be used with either 15 amp or 20 amp single gang outlets.

**Linear Power / Data Pole Kits**

**LINEAR PROFILE POWER / DATA POLE KITS**

H	W	Model Number	List	Grade C Pole Paint	Grade C Topcap Paint	H	W	Model Number	List	Grade C Pole Paint	Grade C Topcap Paint
34	24	A-PPML3424	1,290	+15	+10	66	24	A-PPML6624	835	+15	+10
34	30	A-PPML3430	1,300	+15	+10	66	30	A-PPML6630	844	+15	+10
34	36	A-PPML3436	1,312	+15	+10	66	36	A-PPML6636	861	+15	+10
34	42	A-PPML3442	1,325	+15	+10	66	42	A-PPML6642	873	+15	+10
34	48	A-PPML3448	1,346	+15	+10	66	48	A-PPML6648	882	+15	+10
42	24	A-PPML4224	1,228	+15	+10	74	24	A-PPML7424	775	+15	+10
42	30	A-PPML4230	1,243	+15	+10	74	30	A-PPML7430	792	+15	+10
42	36	A-PPML4236	1,252	+15	+10	74	36	A-PPML7436	805	+15	+10
42	42	A-PPML4242	1,263	+15	+10	74	42	A-PPML7442	813	+15	+10
42	48	A-PPML4248	1,277	+15	+10	74	48	A-PPML7448	827	+15	+10
50	24	A-PPML5024	1,202	+15	+10	82	24	A-PPML8224	835	+15	+10
50	30	A-PPML5030	1,214	+15	+10	82	30	A-PPML8230	844	+15	+10
50	36	A-PPML5036	1,224	+15	+10	82	36	A-PPML8236	861	+15	+10
50	42	A-PPML5042	1,236	+15	+10	82	42	A-PPML8242	874	+15	+10
50	48	A-PPML5048	1,246	+15	+10	82	48	A-PPML8248	882	+15	+10
58	24	A-PPML5824	1,103	+15	+10						
58	30	A-PPML5830	1,134	+15	+10						
58	36	A-PPML5836	1,198	+15	+10						
58	42	A-PPML5842	1,207	+15	+10						
58	48	A-PPML5848	1,234	+15	+10						



**Specify**

- Paint Selection for Power Pole
- Finish Style for Topcap - Painted Metal
- Paint Selection for Topcap (if applicable)

**Notes**


Power/Data Pole Kits provide a sealed vertical channel for running ceiling feeds and/or data cables from a suspended ceiling. Poles mount to any Matrix frame or stack-on frame and are designed to finish at a height of 136". Each frame can accommodate two poles mounted approximately 4" from panel end. Order ceiling in-feeds separately. Pole can be divided into one, two or three sections for separation of low voltage and high voltage. Specify pole that corresponds to panel height and panel width.



**Powerway Assemblies and Data Plate Kits**

**SINGLE POWERWAY ASSEMBLIES**

W	Model Number	List
24	E-MXEK24	305
30	E-MXEK30	320
36	E-MXEK36	341
42	E-MXEK42	356
48	E-MXEK48	372




**Notes**

Single Powerway Assemblies occupy one position of one electrical location in a Matrix frame. Assembly mounts to inside of frame with screws. Assembly can accommodate four duplex outlets total.

**DOUBLE POWERWAY ASSEMBLIES**

W	Model Number	List
24	E-MXEL24	762
30	E-MXEL30	798
36	E-MXEL36	831
42	E-MXEL42	865
48	E-MXEL48	899




**Notes**

Double Powerway Assemblies occupy two positions of one electrical location in a Matrix frame. Assembly mounts to inside of frame with screws. Assembly can accommodate eight duplex outlets total. Assembly includes a double powerway vertical jumper.

**DATA PLATE KITS**

Item	Model Number	List
6 Port Data Gang Plate	E-HDP6B-SM	35
CAT 5e Jack	E-HRJ45-SM	128
CAT 6 Data Jack	E-HXJ6BK-SM	139
Hole Blank (Pk 10)	E-SFBB10-SM	86



**Notes**


Data Plate Kits has six ports for modular jacks. Bezel screws directly to Matrix electrical access tiles in pre-drilled and tapped hole pattern. RJ-45 jack can be used in place of RJ-11 jacks.

**Note:** Certain areas of Chicago prohibit the use of modular electrical systems and require all electrical components to be hardwired. All electrical components need to be supplied by the electrician.

**Electrical Tiles and Data Cable Support Troughs**

**DUAL ELECTRICAL TILES**

H	W	Model Number	List	C.O.M Fabric	Grade C Fabric	Grade D Fabric	Grade C Tile Paint	Grade C Retainer Paint
8	24	P-M2TED0824	102	+20	+31	+44	+5	+5
8	30	P-M2TED0830	114	+20	+31	+44	+5	+5
8	36	P-M2TED0836	122	+20	+31	+44	+5	+5
8	42	P-M2TED0842	131	+20	+31	+44	+5	+5
8	48	P-M2TED0848	156	+20	+31	+44	+5	+5



**Specify**


**Notes**

- Paint Selection for Tile Retainer, Access Hole Cover and Tile (if applicable)
- Fabric Selection for Tile (if applicable)

Dual Electrical Tiles contain two access holes at the lower position for duplex outlets or data devices. Available in painted steel or fabric covered steel. Access holes are standard electrical single gang interface which will accommodate any manufacturer's single gang data device plates or bezels screwed directly to the tile. Includes: one mid-tile retainer, two tile retainer clips, and one access hole cover. If only one access hole is used, order an additional access hole cover separately. Tile is "front" removable/replaceable. Use when specifying electrical powerway assemblies separately. Specify jumpers and outlets separately. 24" wide tile has only one access hole. Access Hole has dimensions of 2"H x 2.875"W.

**QUAD ELECTRICAL TILES**

H	W	Model Number	List	C.O.M Fabric	Grade B Fabric	Grade C Fabric	Grade D Fabric	Grade C Tile Paint	Grade C Retainer Paint
8	24	P-M2TEQ0824	112	+20	+20	+31	+44	+5	+5
8	30	P-M2TEQ0830	123	+20	+20	+31	+44	+5	+5
8	36	P-M2TEQ0836	134	+20	+20	+31	+44	+5	+5
8	42	P-M2TEQ0842	144	+20	+20	+31	+44	+5	+5
8	48	P-M2TEQ0848	159	+20	+20	+31	+44	+5	+5



**Specify**


**Notes**

- Paint Selection for Tile Retainer, Access Hole Cover and Tile (if applicable)
- Fabric Selection for Tile (if applicable)

Quad Electrical Tiles contain four access holes (two in the top location and two in the bottom location) for duplex outlets or data devices. Available in painted steel or fabric covered steel. Access holes are standard single gang interface which will accommodate any manufacturer's single gang data device plates or bezels screwed directly to the tile. Includes: one mid-tile retainer, two tile retainer clips, and two access hole covers. If less than two access holes are used, order additional access hole covers separately. Tile is "front" removable/replaceable. Use when specifying electrical powerway assemblies separately. Specify jumpers and outlets separately. 24" wide tile has only two access holes. Access Hole has dimensions of 2"H x 2.875"W.

**DATA CABLE SUPPORT TROUGHS**

W	Model Number	List
24	E-MXSTKIT24	227
30	E-MXSTKIT30	242
36	E-MXSTKIT36	249
42	E-MXSTKIT42	270
48	E-MXSTKIT48	326




**Notes**

Data Cable Support Troughs screw to inside of Matrix frame at any height and provide shielded channel via snap on cover.

**Product Detail 1**  
**Tile Availability**


All Matrix tiles (excluding off-modular mid and top tiles) include one mid-tile retainer and one set of mid-tile retainer clips. Off-modular tiles (mid or top) include one off-modular tile retainer rail (mid or top).

Tackable Acoustical




Available Heights\*: 8", 16", 24", 32", 40", 48", 56", 64"  
Available Widths: 24", 30", 36", 42", 48"

Standard Steel




Available Heights: 8", 16", 24"  
Available Widths: 24", 30", 36", 42", 48"

Embossed Steel




Available Heights: 16", 24"  
Available Widths: 24", 30", 36", 42", 48"

Perforated Steel




Available Heights: 16", 24"  
Available Widths: 24", 30", 36", 42", 48"

Laminate




Available Heights: 8", 16"  
Available Widths: 24", 30", 36", 42", 48"

Standard Front Glass (Linear Profile)




Available Heights: 16", 24"  
Available Widths: 24", 30", 36", 42", 48"

Standard Back Glass (Linear Profile)




Available Heights: 16", 24"  
Available Widths: 24", 30", 36", 42", 48"

Bottom Front Glass (Linear Profile)



Available Heights: 16", 24"  
Available Widths: 24", 30", 36", 42", 48"

Bottom Back Glass (Linear Profile)




Available Heights: 16", 24"  
Available Widths: 24", 30", 36", 42", 48"

\*Tile Sizes 40"H - 64"H include four mid-grip brackets which prevent larger tiles from bowing and keep them in place.

**Tile Availability**


**Product Detail 2  
Tile Availability (Cont.)**

Standard Open Frame (Linear Profile)




Available Heights: 16", 24"  
Available Widths: 24", 30", 36", 42", 48"

Bottom Open Frame (Linear Profile)




Available Heights: 16", 24"  
Available Widths: 24", 30", 36", 42", 48"

White Board (Non-Magnetic)\*\*




Available Heights: 16", 24"  
Available Widths: 24", 30", 36", 42", 48"

Utility Tile




Available Heights: 8"  
Available Widths: 24", 30", 36", 42", 48"

Off-Modular Mid-Tile



Available Heights\*: 8", 16", 24", 32", 40", 48", 56", 64"  
Available Widths: 24", 30", 36", 42", 48"

Off-Modular Top-Tile





Available Heights\*: 8", 16", 24", 32", 40", 48", 56", 64"  
Available Widths: 24", 30", 36", 42", 48"

\*Tile Sizes 40"H - 64"H include four mid-grip brackets which prevent larger tiles from bowing and keep them in place.

\*\*Marker Tray for white board specified separately and available in all standard white board widths.



**Product Detail 3  
Wall Tile Basic Rail Setup**



**Tackable Acoustical Tiles**

**TACKABLE ACOUSTICAL TILES**

H	W	Model Number	List	C.O.M Fabric	Grade C Fabric	Grade D Fabric	Grade C Paint	H	W	Model Number	List	C.O.M Fabric	Grade C Fabric	Grade D Fabric	Grade C Paint
8	24	P-M2TTK0824	73	-7	+11	+22	+5	40	24	P-M2TTK4024	152	-25	+42	+84	+5
8	30	P-M2TTK0830	77	-7	+11	+22	+5	40	30	P-M2TTK4030	164	-25	+42	+84	+5
8	36	P-M2TTK0836	88	-7	+11	+22	+5	40	36	P-M2TTK4036	223	-25	+42	+84	+5
8	42	P-M2TTK0842	95	-7	+11	+22	+5	40	42	P-M2TTK4042	238	-25	+42	+84	+5
8	48	P-M2TTK0848	100	-7	+11	+22	+5	40	48	P-M2TTK4048	259	-25	+42	+84	+5
16	24	P-M2TTK1624	102	-12	+19	+38	+5	48	24	P-M2TTK4824	180	-30	+49	+98	+5
16	30	P-M2TTK1630	110	-12	+19	+38	+5	48	30	P-M2TTK4830	203	-30	+49	+98	+5
16	36	P-M2TTK1636	135	-12	+19	+38	+5	48	36	P-M2TTK4836	260	-30	+49	+98	+5
16	42	P-M2TTK1642	137	-12	+19	+38	+5	48	42	P-M2TTK4842	284	-30	+49	+98	+5
16	48	P-M2TTK1648	148	-12	+19	+38	+5	48	48	P-M2TTK4848	302	-30	+49	+98	+5
24	24	P-M2TTK2424	106	-16	+27	+54	+5	56	24	P-M2TTK5624	200	-35	+56	+112	+5
24	30	P-M2TTK2430	112	-16	+27	+54	+5	56	30	P-M2TTK5630	217	-35	+56	+112	+5
24	36	P-M2TTK2436	151	-16	+27	+54	+5	56	36	P-M2TTK5636	297	-35	+56	+112	+5
24	42	P-M2TTK2442	161	-16	+27	+54	+5	56	42	P-M2TTK5642	317	-35	+56	+112	+5
24	48	P-M2TTK2448	177	-16	+27	+54	+5	56	48	P-M2TTK5648	345	-35	+56	+112	+5
32	24	P-M2TTK3224	128	-20	+34	+68	+5	64	24	P-M2TTK6424	223	-40	+63	+126	+5
32	30	P-M2TTK3230	139	-20	+34	+68	+5	64	30	P-M2TTK6430	257	-40	+63	+126	+5
32	36	P-M2TTK3236	190	-20	+34	+68	+5	64	36	P-M2TTK6436	333	-40	+63	+126	+5
32	42	P-M2TTK3242	202	-20	+34	+68	+5	64	42	P-M2TTK6442	385	-40	+63	+126	+5
32	48	P-M2TTK3248	218	-20	+34	+68	+5	64	48	P-M2TTK6448	415	-40	+63	+126	+5



Mid-Grip Bracket

**Specify**

- Paint Selection for Tile Retainer
- Fabric Selection for Tile


**Notes**

- Tackable Acoustical Tiles include one mid-tile retainer and one set of mid-tile retainer clips.
- Tackable acoustical tiles are available fabric covered only.
- Tile sizes 16”H - 32”H include two mid-grip brackets. Tile sizes 40”H - 64”H include four mid-grip brackets.
- Tile is front removable for easy replacement and access to frame interior.

Steel Tiles


8" HIGH STANDARD STEEL TILES

H	W	Model Number	List	Grade C Tile Paint	Grade C Retainer Paint
8	24	P-M2TMR0824	74	+5	+5
8	30	P-M2TMR0830	81	+5	+5
8	36	P-M2TMR0836	94	+5	+5
8	42	P-M2TMR0842	101	+5	+5
8	48	P-M2TMR0848	122	+5	+5




16" HIGH STANDARD STEEL TILES

H	W	Model Number	List	Grade C Tile Paint	Grade C Retainer Paint
16	24	P-M2TMR1624	214	+5	+5
16	30	P-M2TMR1630	231	+5	+5
16	36	P-M2TMR1636	256	+5	+5
16	42	P-M2TMR1642	293	+5	+5
16	48	P-M2TMR1648	344	+5	+5



24" HIGH STANDARD STEEL TILES

H	W	Model Number	List	Grade C Tile Paint	Grade C Retainer Paint
24	24	P-M2TMR2424	284	+5	+5
24	30	P-M2TMR2430	317	+5	+5
24	36	P-M2TMR2436	356	+5	+5
24	42	P-M2TMR2442	415	+5	+5
24	48	P-M2TMR2448	480	+5	+5



Specify


Notes

- Paint Selection for Tile Retainer and Tile
- Standard Steel Tiles include one mid-tile retainer and one set of mid-tile retainer clips.
- Tile is front removable for easy replacement and access to frame interior.
- 8"H standard steel tiles are often used at the base of a Matrix panel frame next to electrical tiles to give the appearance of a base cover.

**Embossed and Perforated Steel Tiles**

**EMBOSSED STEEL TILES**

H	W	Model Number	List	Grade C Tile Paint	Grade C Retainer Paint
16	24	P-M2TDS1624	218	+5	+5
16	30	P-M2TDS1630	256	+5	+5
16	36	P-M2TDS1636	269	+5	+5
16	42	P-M2TDS1642	304	+5	+5
16	48	P-M2TDS1648	322	+5	+5
24	24	P-M2TDS2424	291	+5	+5
24	30	P-M2TDS2430	336	+5	+5
24	36	P-M2TDS2436	344	+5	+5
24	42	P-M2TDS2442	375	+5	+5
24	48	P-M2TDS2448	397	+5	+5



**Specify**


- Paint Selection for Tile Retainer and Tile

**Notes**

- Embossed Steel Tiles include one mid-tile retainer and one set of mid-tile retainer clips.
- Tile is front removable for easy replacement and access to frame interior.

**PERFORATED STEEL TILES**

H	W	Model Number	List	Grade C Tile Paint	Grade C Retainer Paint
16	24	P-M2TPM1624	250	+5	+5
16	30	P-M2TPM1630	306	+5	+5
16	36	P-M2TPM1636	313	+5	+5
16	42	P-M2TPM1642	332	+5	+5
16	48	P-M2TPM1648	398	+5	+5
24	24	P-M2TPM2424	331	+5	+5
24	30	P-M2TPM2430	445	+5	+5
24	36	P-M2TPM2436	495	+5	+5
24	42	P-M2TPM2442	552	+5	+5
24	48	P-M2TPM2448	517	+5	+5



**Specify**

- Paint Selection for Tile Retainer and Tile



**Notes**

- Perforated Steel Tiles include one mid-tile retainer and one set of mid-tile retainer clips.
- Tile is front removable for easy replacement and access to frame interior.
- Perforated steel tiles are used primarily for air flow under worksurfaces or for aesthetics.

White Board and Laminate Tiles

WHITE BOARD TILES				
H	W	Model Number	List	Grade C Retainer Paint
16	24	P-M2TWB1624	223	+5
16	30	P-M2TWB1630	264	+5
16	36	P-M2TWB1636	304	+5
16	42	P-M2TWB1642	343	+5
16	48	P-M2TWB1648	383	+5
24	24	P-M2TWB2424	294	+5
24	30	P-M2TWB2430	348	+5
24	36	P-M2TWB2436	405	+5
24	42	P-M2TWB2442	465	+5
24	48	P-M2TWB2448	521	+5


LAMINATE TILES					
H	W	Model Number	List	Grade C Retainer Paint	Grade C Laminate
8	24	P-M2TLM0824	180	+5	+34
8	30	P-M2TLM0830	201	+5	+42
8	36	P-M2TLM0836	240	+5	+50
8	42	P-M2TLM0842	266	+5	+59
8	48	P-M2TLM0848	296	+5	+67
16	24	P-M2TLM1624	224	+5	+34
16	30	P-M2TLM1630	270	+5	+42
16	36	P-M2TLM1636	308	+5	+50
16	42	P-M2TLM1642	349	+5	+59
16	48	P-M2TLM1648	396	+5	+67



- |  |   |
|--|---|
| <p><b>Specify</b></p> <ul style="list-style-type: none"> <li>• Paint Selection for Tile Retainer and Tile</li> </ul> | <p><b>Notes</b></p> <ul style="list-style-type: none"> <li>• White Board Tiles include one mid-tile retainer and one set of mid-tile retainer clips.</li> <li>• Tile is front removable for easy replacement and access to frame interior.</li> <li>• Marker Tray sits on top of mid-tile retainer and is held in place by the white board tile. Tile slides into groove in back of marker tray.</li> <li>• For use with dry erase markers only.</li> </ul> |
|--|---|

- |  |  |
|--|--|
| <p><b>Specify</b></p> <ul style="list-style-type: none"> <li>• Paint Selection for Tile Retainer</li> <li>• Laminate Selection for Tile</li> </ul> | <p><b>Notes</b></p> <ul style="list-style-type: none"> <li>• Laminate Tiles include one mid-tile retainer and one set of mid-tile retainer clips.</li> <li>• Tile is front removable for easy replacement and access to frame interior.</li> <li>• Grain direction runs vertical.</li> </ul> |
|--|--|

WHITE BOARD MARKER TRAYS		
W	Model Number	List
24	A-M2WBMT24	111
30	A-M2WBMT30	115
36	A-M2WBMT36	122
42	A-M2WBMT42	131
48	A-M2WBMT48	135




- Notes**
- Marker Tray sits on top of mid-tile retainer and is held in place by the white board tile.
  - White board marker tray is available in black only and ordered separately.



**Laminate Tiles and Double Sided MX Monolithic Kit**

LAMINATE TILES			
H	W	Model Number	List
24	24	P-M2TLMSS2424	355
24	30	P-M2TLMSS2430	430
24	36	P-M2TLMSS2436	488
24	42	P-M2TLMSS2442	557
24	48	P-M2TLMSS2448	635
32	24	P-M2TLMSS3224	441
32	30	P-M2TLMSS3230	528
32	36	P-M2TLMSS3236	606
32	42	P-M2TLMSS3242	686
32	48	P-M2TLMSS3248	779
40	24	P-M2TLMSS4024	615
40	30	P-M2TLMSS4030	727
40	36	P-M2TLMSS4036	841
40	42	P-M2TLMSS4042	946
40	48	P-M2TLMSS4048	1,067
48	24	P-M2TLMSS4824	658
48	30	P-M2TLMSS4830	791
48	36	P-M2TLMSS4836	907
48	42	P-M2TLMSS4842	1,029
48	48	P-M2TLMSS4848	1,167


LAMINATE TILES			
H	W	Model Number	List
56	24	P-M2TLMSS5624	879
56	30	P-M2TLMSS5630	1,055
56	36	P-M2TLMSS5636	1,211
56	42	P-M2TLMSS5642	1,371
56	48	P-M2TLMSS5648	1,556
64	24	P-M2TLMSS6424	879
64	30	P-M2TLMSS6430	1,055
64	36	P-M2TLMSS6436	1,211
64	42	P-M2TLMSS6442	1,371
64	48	P-M2TLMSS6448	1,556
80	24	P-M2TLMSS8024	1,099
80	30	P-M2TLMSS8030	1,318
80	36	P-M2TLMSS8036	1,512
80	42	P-M2TLMSS8042	1,713
80	48	P-M2TLMSS8048	1,945



Specify	Notes
<ul style="list-style-type: none"> <li>Laminate Selection for Tiles</li> <li>Paint Selection for Mid-Tile Retainer</li> </ul>	<ul style="list-style-type: none"> <li>Mid-tile retainer and clips included.</li> <li>Tile is front removable for easy replacement and access to frame interior.</li> <li>Grain directions runs vertical.</li> </ul>

**DOUBLE SIDED MX MONOLITHIC KIT**

Model Number	List
P-MXMTKIT	50




Notes
<ul style="list-style-type: none"> <li>Kit required for monolithic tiles on Matrix where a double sided application is desired.</li> <li>Each kit comes with 16 brackets.</li> <li>Order the quantity of kits needed to satisfy the requirement needed per Tile. Refer to the chart to the right for the quantities needed per Tile size.</li> </ul>


Height	Width				
	24"	30"	36"	42"	48"
32"	12	12	12	12	12
40"	12	12	12	12	12
48"	16	16	16	16	16
56"	20	20	20	20	20
64"	20	20	20	20	20
80"	28	28	28	28	28
<b># Qty of Brackets Required per Tile</b>					

Linear Profile Standard Front Glass Tiles

LINEAR PROFILE STANDARD FRONT GLASS TILES					
H	W	Model Number	List	Grade C Tile Paint	Grade C Retainer Paint
16	24	P-MLTGF1624	249	+5	+5
16	30	P-MLTGF1630	293	+5	+5
16	36	P-MLTGF1636	334	+5	+5
16	42	P-MLTGF1642	378	+5	+5
16	48	P-MLTGF1648	418	+5	+5
24	24	P-MLTGF2424	345	+5	+5
24	30	P-MLTGF2430	407	+5	+5
24	36	P-MLTGF2436	470	+5	+5
24	42	P-MLTGF2442	531	+5	+5
24	48	P-MLTGF2448	597	+5	+5



LINEAR PROFILE STANDARD BACK GLASS TILES					
H	W	Model Number	List	Grade C Tile Paint	Grade C Retainer Paint
16	24	P-MLTGB1624	161	+5	+5
16	30	P-MLTGB1630	188	+5	+5
16	36	P-MLTGB1636	212	+5	+5
16	42	P-MLTGB1642	233	+5	+5
16	48	P-MLTGB1648	251	+5	+5
24	24	P-MLTGB2424	207	+5	+5
24	30	P-MLTGB2430	234	+5	+5
24	36	P-MLTGB2436	270	+5	+5
24	42	P-MLTGB2442	300	+5	+5
24	48	P-MLTGB2448	331	+5	+5




Specify	Notes
<ul style="list-style-type: none"> <li>• Paint Selection for Tile Retainer and Tile</li> <li>• Style Selection for Glass Insert</li> </ul>	<ul style="list-style-type: none"> <li>• Standard Front Glass Tiles include one mid-tile retainer, one set of mid-tile retainer clips, one tempered glass insert, and insert mounting hardware.</li> <li>• Tile is front removable for easy replacement and access to frame interior.</li> <li>• Must be paired with standard back glass tiles (ordered separately) on opposite side of frame to complete a glass tile situation.</li> </ul>

Specify	Notes
<ul style="list-style-type: none"> <li>• Paint Selection for Tile Retainer and Tile</li> </ul>	<ul style="list-style-type: none"> <li>• Standard Back Glass Tiles include one mid-tile retainer and one set of mid-tile retainer clips.</li> <li>• Standard back glass tiles do not include glass inserts or mounting hardware.</li> <li>• Tile is front removable for easy replacement and access to frame interior.</li> <li>• Must be paired with standard front glass tiles (ordered separately) on opposite side of frame to complete a glass tile situation.</li> </ul>

**Linear Profile Standard Bottom Glass Tiles**


**LINEAR PROFILE BOTTOM FRONT GLASS TILES**

H	W	Model Number	List	Grade C Tile Paint	Grade C Retainer Paint
16	24	P-MLTGY1624	189	+5	+5
16	30	P-MLTGY1630	297	+5	+5
16	36	P-MLTGY1636	333	+5	+5
16	42	P-MLTGY1642	378	+5	+5
16	48	P-MLTGY1648	416	+5	+5
24	24	P-MLTGY2424	256	+5	+5
24	30	P-MLTGY2430	407	+5	+5
24	36	P-MLTGY2436	465	+5	+5
24	42	P-MLTGY2442	526	+5	+5
24	48	P-MLTGY2448	590	+5	+5



**LINEAR PROFILE BOTTOM BACK GLASS TILES**

H	W	Model Number	List	Grade C Tile Paint	Grade C Retainer Paint
16	24	P-MLTGZ1624	161	+5	+5
16	30	P-MLTGZ1630	188	+5	+5
16	36	P-MLTGZ1636	212	+5	+5
16	42	P-MLTGZ1642	233	+5	+5
16	48	P-MLTGZ1648	251	+5	+5
24	24	P-MLTGZ2424	182	+5	+5
24	30	P-MLTGZ2430	203	+5	+5
24	36	P-MLTGZ2436	225	+5	+5
24	42	P-MLTGZ2442	248	+5	+5
24	48	P-MLTGZ2448	274	+5	+5



**Specify**

- Paint Selection for Tile Retainer and Tile
- Style Selection for Glass Insert

**Notes**

- Bottom Front Glass Tiles include one mid-tile retainer, one set of mid-tile retainer clips, one tempered glass insert, and insert mounting hardware.
- Tile is front removable for easy replacement and access to frame interior.
- Must be paired with bottom back glass tiles (ordered separately) on opposite side of frame to complete a glass tile situation.

**Specify**

- Paint Selection for Tile Retainer and Tile


**Notes**

- Bottom Back Glass Tiles include one mid-tile retainer and one set of mid-tile retainer clips.
- Bottom back glass tiles do not include glass inserts or mounting hardware.
- Tile is front removable for easy replacement and access to frame interior.
- Must be paired with bottom front glass tiles (ordered separately) on opposite side of frame to complete a glass tile situation.

Linear Profile Open Frame Tiles

LINEAR PROFILE STANDARD OPEN FRAME TILES

H	W	Model Number	List	Grade C Tile Paint	Grade C Retainer Paint
16	24	P-MLTOF1624	161	+5	+5
16	30	P-MLTOF1630	188	+5	+5
16	36	P-MLTOF1636	212	+5	+5
16	42	P-MLTOF1642	233	+5	+5
16	48	P-MLTOF1648	251	+5	+5
24	24	P-MLTOF2424	207	+5	+5
24	30	P-MLTOF2430	234	+5	+5
24	36	P-MLTOF2436	270	+5	+5
24	42	P-MLTOF2442	300	+5	+5
24	48	P-MLTOF2448	331	+5	+5



Specify


- Paint Selection for Tile

Notes

- Standard Open Frame Tiles include one mid-tile retainer and one set of mid-tile retainer clips.
- Tile is front removable for easy replacement and access to frame interior.
- Must always be paired with a second standard open frame tile (ordered separately) on opposite side of frame to complete an open frame situation.

LINEAR PROFILE BOTTOM OPEN FRAME TILES

H	W	Model Number	List	Grade C Tile Paint	Grade C Retainer Paint
16	24	P-MLTOB1624	161	+5	+5
16	30	P-MLTOB1630	188	+5	+5
16	36	P-MLTOB1636	212	+5	+5
16	42	P-MLTOB1642	233	+5	+5
16	48	P-MLTOB1648	251	+5	+5
24	24	P-MLTOB2424	182	+5	+5
24	30	P-MLTOB2430	203	+5	+5
24	36	P-MLTOB2436	225	+5	+5
24	42	P-MLTOB2442	248	+5	+5
24	48	P-MLTOB2448	274	+5	+5



Specify

- Paint Selection for Tile


Notes

- Bottom Open Frame Tiles include one mid-tile retainer and one set of mid-tile retainer clips.
- Tile is front removable for easy replacement and access to frame interior.
- Must always be paired with a second bottom open frame tile (ordered separately) on opposite side of frame to complete an open frame situation.


**Open Frame In-Feed Tiles and Utility Tiles**

**LINEAR PROFILE 16" HIGH OPEN FRAME TILE IN-FEED KIT**

W	With Hole		Without Hole		List	Grade C Paint	Grade C Retainer
	Model Number	Model Number	Model Number	Model Number			
24	P-MLTOBINH1624	P-MLTOBINB1624	410	+5	+5		
30	P-MLTOBINH1630	P-MLTOBINB1630	417	+5	+5		
36	P-MLTOBINH1636	P-MLTOBINB1636	434	+5	+5		
42	P-MLTOBINH1642	P-MLTOBINB1642	469	+5	+5		
48	P-MLTOBINH1648	P-MLTOBINB1648	476	+5	+5		



With Hole



Without Hole

**Specify**


- Paint Selection

**Notes**

- Open Frame In-Feed Tiles allow for the use of a side-mounted in-feed with Matrix product, when using an open frame tile at the bottom of the frame.
- Open frame tiles should be used back to back in a Matrix frame, with one tile containing a knockout hole and the other without.
- Must use side mounted in-feed with open frame in-feed tiles.

**UTILITY TILES**

H	W	Model Number	List	Grade C Tile Paint	Grade C Retainer Paint
8	24	P-MLTTB0824	152	+5	+5
8	30	P-MLTTB0830	186	+5	+5
8	36	P-MLTTB0836	217	+5	+5
8	42	P-MLTTB0842	243	+5	+5
8	48	P-MLTTB0848	277	+5	+5



**Specify**


- Paint Selection for Tile Retainer and Tile

**Notes**

- Utility Tiles include one mid-tile retainer (linear profile) and one set of mid-tile retainer clips. Tile is front removable for easy replacement and access to frame interior.
- Utility tiles are designed to receive various paper flow elements.
- Utility tiles are available in 8"H only. For taller utility tile situations, place additional tile above or below as needed.
- Tiles are designed to blend with tile retainers to give a uniform look.
- See Accessories for compatible paper flow elements.

**STAND ALONE IN-FEED TILES**

H	W	With Hole		Without Hole		List	Grade C Paint
		Model Number	Model Number	Model Number	Model Number		
16	6	P-M2TBIFH0616	P-M2TBIFB0616	246	+25		





**Notes**

- Order with adjacent tile separate.


Tackable Acoustical Off-Modular Mid-Tiles

TACKABLE ACOUSTICAL OFF-MODULAR MID-TILES

H	W	Model Number	List	C.O.M Fabric	Grade C Fabric	Grade D Fabric	Grade C Paint	H	W	Model Number	List	C.O.M Fabric	Grade C Fabric	Grade D Fabric	Grade C Paint
8	24	P-M2TTKOM0824	121	-7	+11	+22	+5	40	24	P-M2TTKOM4024	199	-25	+42	+84	+5
8	30	P-M2TTKOM0830	125	-7	+11	+22	+5	40	30	P-M2TTKOM4030	212	-25	+42	+84	+5
8	36	P-M2TTKOM0836	145	-7	+11	+22	+5	40	36	P-M2TTKOM4036	291	-25	+42	+84	+5
8	42	P-M2TTKOM0842	146	-7	+11	+22	+5	40	42	P-M2TTKOM4042	333	-25	+42	+84	+5
8	48	P-M2TTKOM0848	150	-7	+11	+22	+5	40	48	P-M2TTKOM4048	333	-25	+42	+84	+5
16	24	P-M2TTKOM1624	153	-12	+19	+38	+5	48	24	P-M2TTKOM4824	224	-30	+49	+98	+5
16	30	P-M2TTKOM1630	161	-12	+19	+38	+5	48	30	P-M2TTKOM4830	234	-30	+49	+98	+5
16	36	P-M2TTKOM1636	192	-12	+19	+38	+5	48	36	P-M2TTKOM4836	304	-30	+49	+98	+5
16	42	P-M2TTKOM1642	193	-12	+19	+38	+5	48	42	P-M2TTKOM4842	333	-30	+49	+98	+5
16	48	P-M2TTKOM1648	202	-12	+19	+38	+5	48	48	P-M2TTKOM4848	382	-30	+49	+98	+5
24	24	P-M2TTKOM2424	158	-16	+27	+54	+5	56	24	P-M2TTKOM5624	264	-35	+56	+112	+5
24	30	P-M2TTKOM2430	164	-16	+27	+54	+5	56	30	P-M2TTKOM5630	283	-35	+56	+112	+5
24	36	P-M2TTKOM2436	209	-16	+27	+54	+5	56	36	P-M2TTKOM5636	372	-35	+56	+112	+5
24	42	P-M2TTKOM2442	223	-16	+27	+54	+5	56	42	P-M2TTKOM5642	404	-35	+56	+112	+5
24	48	P-M2TTKOM2448	234	-16	+27	+54	+5	56	48	P-M2TTKOM5648	459	-35	+56	+112	+5
32	24	P-M2TTKOM3224	186	-20	+34	+68	+5	64	24	P-M2TTKOM6424	262	-40	+63	+126	+5
32	30	P-M2TTKOM3230	196	-20	+34	+68	+5	64	30	P-M2TTKOM6430	281	-40	+63	+126	+5
32	36	P-M2TTKOM3236	269	-20	+34	+68	+5	64	36	P-M2TTKOM6436	371	-40	+63	+126	+5
32	42	P-M2TTKOM3242	287	-20	+34	+68	+5	64	42	P-M2TTKOM6442	409	-40	+63	+126	+5
32	48	P-M2TTKOM3248	268	-20	+34	+68	+5	64	48	P-M2TTKOM6448	443	-40	+63	+126	+5



Mid-Grip Bracket



Off-Modular Mid-Rail Radius Profile Only (works with Linear)

Specify

- Paint Selection for Tile Rail (Radius Profile only)
- Fabric Selection for Tile


Notes

- Off-Modular Mid-Tiles - Tackable Acoustical include one off-modular mid-tile rail and mounting hardware.
- Off-modular mid-tiles are made smaller in height to accommodate off-modular rails.
- Use rails in conjunction with off-modular frame connectors and off-modular overhead elements. Tile sizes 16”H - 32”H include two mid-grip brackets.
- Tile sizes 40”H - 64”H include four mid-grip brackets.
- Tile is front removable for easy replacement and access to frame interior.

**Linear Profile Tile Retainer Kits**

**LINEAR PROFILE TOP TILE RETAINER KIT**

W	Model Number	List	Grade C Paint
24	P-MLTTR24	63	+5
30	P-MLTTR30	70	+5
36	P-MLTTR36	79	+5
42	P-MLTTR42	89	+5
48	P-MLTTR48	96	+5




**Specify**

**Notes**

- |   |   |
|---|---|
| <ul style="list-style-type: none"> <li>• Paint Selection</li> </ul> | <ul style="list-style-type: none"> <li>• Top Tile Retainer Kit includes mounting hardware.</li> <li>• Order when dressing wall tile rails.</li> <li>• Top tile retainers automatically come with all AIS Matrix frames.</li> <li>• Order only when extra are needed.</li> </ul> |
|---|---|

**LINEAR PROFILE BOTTOM TILE RETAINER KIT**

W	Model Number	List	Grade C Paint
24	P-MLBTR24	32	+5
30	P-MLBTR30	34	+5
36	P-MLBTR36	37	+5
42	P-MLBTR42	41	+5
48	P-MLBTR48	45	+5





**Specify**

**Notes**

- |   |   |
|---|---|
| <ul style="list-style-type: none"> <li>• Paint Selection</li> </ul> | <ul style="list-style-type: none"> <li>• Bottom Tile Retainer Kit includes mounting hardware.</li> <li>• Order when dressing wall tile rails.</li> <li>• Bottom tile retainers automatically come with all AIS Matrix frames.</li> <li>• Order only when extra are needed.</li> </ul> |
|---|---|

**LINEAR PROFILE MID-TILE RETAINER KIT**

W	Model Number	List	Grade C Paint
24	P-MLMTR24	28	+5
30	P-MLMTR30	32	+5
36	P-MLMTR36	33	+5
42	P-MLMTR42	35	+5
48	P-MLMTR48	37	+5



**Specify**

**Notes**

- |   |   |
|---|---|
| <ul style="list-style-type: none"> <li>• Paint Selection</li> </ul> | <ul style="list-style-type: none"> <li>• Mid-Tile Retainer Kit includes one set of tile retainer clips.</li> <li>• All AIS Matrix tiles automatically come with mid tile retainers.</li> <li>• Order only when extra are needed.</li> </ul> |
|---|---|

Tile Rails

SINGLE WALL TILE RAILS

H	Model Number	List
34	A-M2WTRS34	146
42	A-M2WTRS42	160
50	A-M2WTRS50	180
58	A-M2WTRS58	196
66	A-M2WTRS66	213
74	A-M2WTRS74	228
82	A-M2WTRS82	250



Notes

- Single Wall Tile Rails are used at the edge of tiles where there are no adjacent tiles.
- Wall tile rails are structural and will support worksurfaces and overheads where appropriate wall hardware is used.
- Available in black only.
- Tiles and tile retainers ordered separately.

SHARED WALL TILE RAILS

H	Model Number	List
34	A-M2WTRSH34	146
42	A-M2WTRSH42	160
50	A-M2WTRSH50	180
58	A-M2WTRSH58	196
66	A-M2WTRSH66	213
74	A-M2WTRSH74	228
82	A-M2WTRSH82	250



Notes

- Shared Wall Tile Rails are used for sharing tiles between tiles.
- Wall tile rails are structural and will support worksurfaces and overheads where appropriate wall hardware is used.
- Available in black only.
- Tiles and tile retainers ordered separately.

SINGLE STACK WALL TILE RAILS

H	Model Number	List
8	A-M2WTRS08	95
16	A-M2WTRS16	111
24	A-M2WTRS24	128



Notes

- Single Stack Wall Tile Rails are used to stack above longer rails for taller walls.
- Wall tile rails are structural and will support worksurfaces and overheads where appropriate wall hardware is used.
- Available in black only.
- Tiles and tile retainers ordered separately.

SHARED STACK WALL TILE RAILS

H	Model Number	List
8	A-M2WTRSH08	94
16	A-M2WTRSH16	111
24	A-M2WTRSH24	128



Notes

- Shared Stack Wall Tile Rails are used to stack above shared rails for taller walls.
- Wall tile rails are structural and will support worksurfaces and overheads where appropriate wall hardware is used.
- Available in black only.
- Tile and tile retainers ordered separately.



**Wall Tile Corner Filler Strips**

**WALL TILE CORNER FILLER STRIPS**

<b>H</b>	<b>Model Number</b>	<b>List</b>
34	P-M2WTRCFS34	33
42	P-M2WTRCFS42	37
50	P-M2WTRCFS50	42
58	P-M2WTRCFS58	48
66	P-M2WTRCFS66	52
74	P-M2WTRCFS74	58
82	P-M2WTRCFS82	62
90	P-M2WTRCFS90	67
98	P-M2WTRCFS98	73
103	P-M2WTRCFS106	76
114	P-M2WTRCFS114	79
122	P-M2WTRCFS122	83
130	P-M2WTRCFS130	94




**Notes**

- Wall Tile Corner Filler Strips are a 1” square foam which is used to fill the gap created in a corner when using wall tile rails.
- Available in black.
- Tiles and tile retainers ordered separately.

**Cantilevers and Support Brackets**

**STANDARD CANTILEVERS**


Surface Depth	Actual Depth	Hand	Model Number	List	Grade C Paint
24	18	Left	WPS-UNCT24L	98	+10
24	18	Right	WPS-UNCT24R	98	+10
24	18	Pair	WPS-UNCT24P	189	+20
30	25.5	Left	WPS-UNCT30L	189	+10
30	25.5	Right	WPS-UNCT30R	189	+10
30	25.5	Pair	WPS-UNCT30P	375	+20



Specify	Notes
<ul style="list-style-type: none"> <li>• Paint Selection for Cantilevers</li> </ul>	<ul style="list-style-type: none"> <li>• Standard Cantilevers provide cantilevered work-surface support from panel or wall track at either the left or right hand side of a worksurface.</li> <li>• All worksurface support components fasten directly to worksurfaces with screws.</li> <li>• Standard cantilevers may also be used as a center support.</li> <li>• Specify cantilever that corresponds to worksurface depth.</li> <li>• It is highly recommended that flat plates are specified in conjunction with support cantilevers to splice two worksurfaces together at the front edge.</li> <li>• Painted black as standard, all other trim colors are Grade C upcharged.</li> </ul>

**SHARED CANTILEVERS**


Surface Depth	Actual Depth	Hand	Model Number	List	Grade C Paint
24	18	Single	WPS-UNCT24S	140	+10
24	18	Pair	WPS-UNCT24SP	277	+20
30	25.5	Single	WPS-UNCT30S	277	+10
30	25.5	Pair	WPS-UNCT30SP	555	+20



Specify	Notes
<ul style="list-style-type: none"> <li>• Paint Selection for Cantilevers</li> </ul>	<ul style="list-style-type: none"> <li>• Shared Cantilevers provide cantilevered support from panel or wall track at seam between two worksurfaces.</li> <li>• All worksurface support components fasten directly to worksurfaces with screws.</li> <li>• Specify cantilever that corresponds to worksurface depth.</li> <li>• It is highly recommended that flat plates are specified in conjunction with support cantilevers to splice two worksurfaces together at the front edge.</li> <li>• Painted black as standard, all other trim colors are Grade C upcharged.</li> </ul>

**PANEL MOUNTED SHELF CANTILEVERS**


Surface Depth	Actual Depth	Hand	Model Number	List	Grade C Paint
12	10	Left	WPS-CT10L	177	+10
12	10	Right	WPS-CT10R	177	+10
12	10	Pair	WPS-CT10P	336	+20



Specify	Notes
<ul style="list-style-type: none"> <li>• Paint Selection</li> </ul>	<ul style="list-style-type: none"> <li>• Panel Mounted Shelf Cantilevers are 10”d and designed to work in conjunction with 12”d worksurfaces to create additional desk top shelving.</li> <li>• Available for all AIS panel systems (Matrix, Divi and MWall).</li> <li>• For use with 12” to 16” worksurfaces only.</li> </ul>

**SIDE SUPPORT / REAR BRACKETS**

Hand	Model Number	List	Grade C Paint
Left	WPS-SSSAL	72	+10
Right	WPS-SSSAR	72	+10
Pair	WPS-SSSA	137	+20




Specify	Notes
<ul style="list-style-type: none"> <li>• Paint Selection for Side Support / Rear Bracket</li> </ul>	<ul style="list-style-type: none"> <li>• Side Support/Rear Brackets provide direct support from panel or wall track along short side of rectangular worksurface or at rear of corner worksurface.</li> <li>• All worksurface support components fasten directly to worksurfaces with screws.</li> <li>• Painted black as a standard. All other trim colors are Grade C upcharged.</li> </ul>

**End Panels and Pedestal-to-Panel Attachment Brackets**

**STANDARD END PANELS**


D	Model Number	List	Grade C Laminate
12	WFS-EPMX12	332	+20
18	WFS-EPMX18	390	+24
24	WFS-EPMX24	442	+27
30	WFS-EPMX30	489	+30
36	WFS-EPMX36	556	+34



Specify	Notes
<ul style="list-style-type: none"> <li>Laminate Selection for End Panel</li> <li>2mm Edge Selection for End Panel</li> </ul>	<ul style="list-style-type: none"> <li>Standard End Panels have laminated vertical surfaces and a 2mm PVC vertical front edge.</li> <li>Standard end panels provide direct support from floor at left or right side of a worksurface, and engage and lock to panels with provided mounting brackets. A</li> <li>If worksurface support components fasten directly to worksurfaces with screws.</li> <li>Specify end panel that corresponds to worksurface depth.</li> </ul>

**CLEAR ACCESS END PANELS**

D	Model Number	List	Grade C Laminate
24	WFS-EPCAMX24	462	+29
30	WFS-EPCAMX30	517	+32



Specify	Notes
<ul style="list-style-type: none"> <li>Laminate Selection for End Panel</li> <li>2mm Edge Selection for End Panel</li> </ul>	<ul style="list-style-type: none"> <li>Clear Access End Panels have laminated vertical surfaces and a 2mm vertical front edge.</li> <li>Clear access end panels provide direct support from floor at left or right side of a worksurface, and engage and lock to panels with provided mounting brackets.</li> <li>All worksurface support components fasten directly to worksurfaces with screws.</li> </ul>

**PEDESTAL-TO-PANEL ATTACHMENT BRACKET**


Model Number	List	Grade C Laminate
S-MXPMPB	214	+25




Specify	Notes
<ul style="list-style-type: none"> <li>Paint Selection</li> </ul>	<ul style="list-style-type: none"> <li>Pedestal-to-Panel Attachment Brackets attach structural pedestals to panels. T</li> <li>These brackets serve as a space filler and as a way to add stability to panels.</li> <li>Pedestal to panel attachment brackets may only be used when the nominal surface depth matches the nominal pedestal depth (24" Deep surface &amp; 24" deep pedestal or 30" deep surface and 30" deep pedestal).</li> </ul>

**Matrix Panel Mounted A-Legs**


MATRIX PANEL MOUNTED A-LEGS					SHARED MATRIX PANEL MOUNTED A-LEGS				
H	D	Left Hand		List	H	D	Left Hand Shared		List
		Model Number	Model Number				Model Number	Model Number	
27	12	WFS-ALW2712MXL	WFS-ALW2712MXR	400	27	12	WFS-ALW2712MXLS	WFS-ALW2712MXRS	432
27	24	WFS-ALW2724MXL	WFS-ALW2724MXR	457	27	24	WFS-ALW2724MXLS	WFS-ALW2724MXRS	485
27	30	WFS-ALW2730MXL	WFS-ALW2730MXR	485	27	30	WFS-ALW2730MXLS	WFS-ALW2730MXRS	516




Left Hand



Right Hand



Left Hand Shared




Right Hand Shared

**Specify**


- Paint Selection (+25 for Grade C)

**Notes**


- **Important:** A-Legs cannot be used as freestanding table support. One side must be anchored to a storage element or panel.
- A-Legs are constructed from 1 x 2 painted steel.
- Legs have 1 1/2" leveling glides.
- A-Leg welded construction allows for attachment to the worksurface.
- Ships installed with panel attachment brackets. Panel locking bracket for panel attachment situations ships separate.




**EXAMPLE 1 - UNSTABLE**  
32"H Structural Wing




**EXAMPLE 2 - UNSTABLE**  
32"H Panel with Cantilever




**EXAMPLE 3 - UNSTABLE**  
32"H Panel with Cantilevers



**EXAMPLE 1 - STABLE**  
Standard Structural Wing



**EXAMPLE 2 - STABLE**  
32"H Panel with Floor Support




**EXAMPLE 3 - STABLE**  
32"H Panel with Panel Mounted A-Legs


**Matrix Panel Mounted O-Legs**

<b>MATRIX PANEL MOUNTED O-LEGS</b>				
		<b>Left Hand</b>	<b>Right Hand</b>	
<b>H</b>	<b>D</b>	<b>Model Number</b>	<b>Model Number</b>	<b>List</b>
27	12	WFS-OLW2712MXL	WFS-OLW2712MXR	530
27	18	WFS-OLW2718MXL	WFS-OLW2718MXR	565
27	24	WFS-OLW2724MXL	WFS-OLW2724MXR	603
27	30	WFS-OLW2730MXL	WFS-OLW2730MXR	642

<b>SHARED MATRIX PANEL MOUNTED O-LEGS</b>				
<b>H</b>	<b>D</b>	<b>Model Number</b>	<b>List</b>	
27	12	WFS-OLW2712MXLS	569	
27	18	WFS-OLW2718MXLS	603	
27	24	WFS-OLW2724MXLS	642	
27	30	WFS-OLW2730MXLS	681	



Left Hand




**Specify**


- Paint Selection (+25 for Grade C)

**Notes**


- **Important:** O-Legs cannot be used as freestanding table support. One side must be anchored to a storage element or panel.
- O-Legs are constructed from 1 x 2 painted steel.
- Legs have 1 1/2" leveling glides.
- O-Leg welded construction allows for attachment to the worksurface.
- Ships installed with panel attachment brackets. Panel locking bracket for panel attachment situations ships separate.




**EXAMPLE 1 - UNSTABLE**  
32"H Structural Wing




**EXAMPLE 2 - UNSTABLE**  
32"H Panel with Cantilever




**EXAMPLE 3 - UNSTABLE**  
32"H Panel with Cantilevers



**EXAMPLE 1 - STABLE**  
Standard Structural Wing



**EXAMPLE 2 - STABLE**  
32"H Panel with Floor Support




**EXAMPLE 3 - STABLE**  
32"H Panel with Panel Mounted O-Legs

**Worksurface Kits, Support Brackets and Attachment Brackets**

**LINEAR PROFILE TRANSACTION TOP WORKSURFACE KITS**

D	Model Number	List	Grade C Laminate
24	P-MLCTT24	442	+5
30	P-MLCTT30	462	+5
36	P-MLCTT36	485	+5
42	P-MLCTT42	510	+5
48	P-MLCTT48	536	+5



**Specify**


- Paint Selection for Tiles Retainer and Topcap (if applicable)

**Notes**

- Transaction Top Worksurface Kit supports a panel top worksurface.
- Panel top worksurface kits are specified by panel width. If spanning two panels, order a panel top worksurface kit for each panel.
- Kit includes one topcap, two panel top worksurface brackets, two countertop splice plates, and hardware.
- When specifying for wood veneer trim, a new topcap is not required as it is for a painted metal topcap.
- Order panel top worksurfaces separately.

**OPEN FRAME WORKSURFACE KITS**

Model Number	List
P-MXCTP	570




**Notes**

- Open Frame Worksurface Kit supports an open frame worksurface.
- Kit includes two open frame mounting brackets and mounting hardware.
- Specify open frame worksurface and open frame tiles separately.

**WING PANEL SUPPORT BRACKET**

Model Number	List
P-MXWPSK	101




**Notes**

- Wing Panel Support Bracket acts as a wing panel stabilizer, connecting a worksurface to a wing panel that matches the worksurface depth.
- Bracket can also be used on the back of a worksurface behind a structural pedestal to keep a panel tight to a worksurface back.

**Mid-Height Shelf Units**

**MID-HEIGHT SHELF UNITS**

H	W	D	Model Number	List	Grade C Paint
7.75	24	12	S-SHFMX24	298	+12
7.75	30	12	S-SHFMX30	308	+12
7.75	36	12	S-SHFMX36	319	+12
7.75	42	12	S-SHFMX42	337	+12
7.75	48	12	S-SHFMX48	373	+12
7.75	60	12	S-SHFMX60	393	+12



**Specify**


- Paint Selection

**Notes**

- Mid-Height Shelf Units provide low profile overhead storage.
- Shelf ends have locking swing cams to prevent dislodgement.
- Shelf bottom will receive tasklights.
- Unit includes two mid-height shelf ends, one shelf pan, and mounting hardware.
- Order shelf unit that corresponds to panel width.
- Metal shelves have a weight capacity of 1.5 lbs per linear inch of width.

**LINEAR MID-HEIGHT SHELF UNITS**

H	W	D	Model Number	List	Grade C Paint
7.75	24	12	S-SHFLMX24	293	+12
7.75	30	12	S-SHFLMX30	305	+12
7.75	36	12	S-SHFLMX36	316	+12
7.75	42	12	S-SHFLMX42	332	+12
7.75	48	12	S-SHFLMX48	367	+12
7.75	60	12	S-SHFLMX60	390	+12



**Specify**


- Paint Selection

**Notes**

- Linear Mid-Height Shelf Units provide low profile overhead storage.
- Shelf ends have locking swing cams to prevent dislodgement.
- Shelf bottom will receive tasklights.
- Unit includes two Linear Mid-height shelf ends, one shelf pan, and mounting hardware.
- Order shelf unit that corresponds to panel width.
- Metal shelves have a weight capacity of 1.5 lbs per linear inch of width.

**SHELF DIVIDER**

Model Number	List	Grade C Paint
S-SHFDIV12	145	+10



**Specify**

- Paint Selection


**Notes**

- Shelf Divider mounts to mid-height shelf decks and may also be used inside of complete flipper bins.
- No hardware necessary.
- Divider snaps into place.
- Divider is 5 5/8" tall and designed to finish at the same height as a mid-height shelf end.

**Mid-Height Corner Shelf Units**

**MID-HEIGHT CORNER SHELF UNITS**

H	W	Center D	Wing D	Model Number	List	Grade C Paint
7.75	36	30.5	12	S-SHFCMX36	1,232	+25
7.75	42	30.5	12	S-SHFCMX42	1,364	+25
7.75	48	30.5	12	S-SHFCMX48	1,664	+25




**Specify** **Notes**

- Paint Selection
- Mid-Height Corner Shelf Units provide low profile overhead storage in corner above corner worksurfaces.
- Shelf ends have locking swing cams to prevent dislodgement.
- Shelf has lateral strength bar welded parallel to front edge which will receive a 36" or smaller tasklight parallel to front edge.
- All shelves 33 5/8" across front edge and are 30 1/2" deep front to back corner.
- Back corner has 3 1/2" x 3 1/2" cutout to facilitate cable management.
- 42" and 48" units have 6" and 12" wings respectively.
- Unit includes two mid-height shelf ends, one bottom shelf pan, two corner shelf back mounting brackets, and mounting hardware.
- Order shelf unit that corresponds to panel width.
- Metal shelves have a weight capacity of 1.5 lbs per linear inch of width.

**LINEAR MID-HEIGHT CORNER SHELF UNITS**

H	W	Center D	Wing D	Model Number	List	Grade C Paint
7.75	36	30.5	12	S-SHFLCMX36	1,240	+25
7.75	42	30.5	12	S-SHFLCMX42	1,322	+25
7.75	48	30.5	12	S-SHFLCMX48	1,858	+25




**Specify** **Notes**

- Paint Selection
- Linear Mid-Height Corner Shelf Units provide low profile overhead storage in corner above corner worksurfaces.
- Shelf ends have locking swing cams to prevent dislodgement.
- Shelf has lateral strength bar welded parallel to front edge which will receive a 36" or smaller tasklight parallel to front edge.
- All shelves 33 5/8" across front edge and are 30 1/2" deep front to back corner.
- Back corner has 3 1/2" x 3 1/2" cutout to facilitate cable management.
- 42" and 48" units have 6" and 12" wings respectively.
- Unit includes two Linear Mid-height shelf ends, one bottom shelf pan, two corner shelf back mounting brackets, and mounting hardware.
- Order shelf unit that corresponds to panel width.
- Metal shelves have a weight capacity of 1.5 lbs per linear inch of width.

**SHELF DIVIDER**

Model Number	List	Grade C Paint
S-SHFDIV12	145	+10



**Specify** **Notes**

- Paint Selection
- Shelf Divider mounts to mid-height shelf decks and may also be used inside of complete flipper bins.
- No hardware necessary. Divider snaps into place.
- Divider is 5 5/8" tall and designed to finish at the same height as a mid-height shelf end.

**OFF-MODULAR FLIPPER DOOR CONVERSION KIT**

Model Number	List	Grade C Paint
S-M2OMMKIT	256	+10

**Specify** **Notes**



- Paint Selection
- Off-Modular Flipper Door Conversion Kit allows you to convert Type C and Type D flipper door units into an off-modular flipper door unit.
- Order flipper door units separately.



**Type C Flipper Door Units**

**METAL / FABRIC DOOR FRONT TYPE C FLIPPER DOOR UNITS**



Interior H	W	Interior D	Model Number	List	Grade C Paint	C.O.M Fabric	Grade C Fabric	Grade D Fabric	Easy Down
14.25	24	12	S-FDUMX24	770	+20	-5	+13	+24	+232
14.25	30	12	S-FDUMX30	785	+20	-5	+13	+24	+232
14.25	36	12	S-FDUMX36	810	+20	-5	+13	+24	+232
14.25	42	12	S-FDUMX42	826	+20	-5	+13	+24	+232
14.25	48	12	S-FDUMX48	880	+20	-5	+13	+24	+232
14.25	60	12	S-FDUMX60	1,067	+20	-5	+13	+24	+232



Easy Down Mechanism (Optional)

**LAMINATE DOOR FRONT TYPE C FLIPPER DOOR UNITS**

Interior H	W	Interior D	Model Number	List	Grade C Paint	Grade C Laminate	Grade C Edge	Easy Down
14.25	24	12	S-FDUMX24L	953	+20	+17	+16	+232
14.25	30	12	S-FDUMX30L	971	+20	+18	+18	+232
14.25	36	12	S-FDUMX36L	992	+20	+19	+20	+232
14.25	42	12	S-FDUMX42L	1,015	+20	+20	+22	+232
14.25	48	12	S-FDUMX48L	1,128	+20	+21	+24	+232
14.25	60	12	S-FDUMX60L	1,251	+20	+22	+28	+232



Easy Down Mechanism (Optional)

**Specify**

**Notes**



- Paint Selection
- Paint or Fabric for Flipper Door Style (for metal/fabric units only)
- Fabric Selection for Flipper Selection (for fabric units only)
- Laminate Selection for Flipper Door (for laminate units only)
- Edge Selection for Flipper Door (for laminate units only)
- Easy Down Mechanism (optional)

- Type C Flipper Door Unit provides binder height, lockable overhead storage.
- Door opens and stores above top cover pan.
- Flipper unit has an open back.
- Shelf ends have locking swing cams to prevent dislodgement.
- Shelf bottom will receive tasklights.
- Easy Down Mechanisms are optional for all sizes and recommended on 60" wide units.
- All flipper doors are lockable with two supplied keys.
- Lock cores are removable with removal keys and master keys are available.
- Extra lock cores are available for keying flipper doors alike, but flipper doors may not be ordered without locks.
- Keying flippers alike requires removal of pre-installed lock cores and installation of keyed alike cores in the field.
- Order flipper unit that corresponds to panel width.
- See "Accessories" for ordering replacement keys, master keys, core removal keys, additional keys cores for keying alike or replacement uses.
- Metal shelves have a weight capacity of 1.5 lbs per linear inch of width.

**Type C Raised Flipper Door Units**

**METAL / FABRIC DOOR FRONT TYPE C RAISED FLIPPER DOOR UNITS**



Interior H	W	Interior D	Model Number	List	Grade C Paint	C.O.M Fabric	Grade C Fabric	Grade D Fabric	Perf Back	Easy Down
14.25	24	12	S-FDURFMX24	1,592	+20	-5	+13	+24	+35	+232
14.25	30	12	S-FDURFMX30	1,628	+20	-5	+13	+24	+35	+232
14.25	36	12	S-FDURFMX36	1,667	+20	-5	+13	+24	+35	+232
14.25	42	12	S-FDURFMX42	1,716	+20	-5	+13	+24	+35	+232
14.25	48	12	S-FDURFMX48	1,806	+20	-5	+13	+24	+35	+232
14.25	60	12	S-FDURFMX60	2,040	+20	-5	+13	+24	+35	+232



Easy Down Mechanism (Optional)

**LAMINATE DOOR FRONT TYPE C RAISED FLIPPER DOOR UNITS**

Interior H	W	Interior D	Model Number	List	Grade C Paint	Grade C Laminate	Grade C Edge	Perf Back	Easy Down
14.25	24	12	S-FDURFMX24L	1,782	+20	+17	+16	+35	+232
14.25	30	12	S-FDURFMX30L	1,818	+20	+18	+18	+35	+232
14.25	36	12	S-FDURFMX36L	1,853	+20	+19	+20	+35	+232
14.25	42	12	S-FDURFMX42L	1,906	+20	+20	+22	+35	+232
14.25	48	12	S-FDURFMX48L	2,062	+20	+21	+24	+35	+232
14.25	60	12	S-FDURFMX60L	2,235	+20	+22	+28	+35	+232





Easy Down Mechanism (Optional)

Specify	Notes
<ul style="list-style-type: none"> <li>• Paint Selection</li> <li>• Paint or Fabric for Flipper Door Style (for metal/fabric units only)</li> <li>• Fabric Selection for Flipper Selection (for fabric units only)</li> <li>• Laminate Selection for Flipper Door (for laminate units only)</li> <li>• Edge Selection for Flipper Door (for laminate units only)</li> <li>• Metal or Perforated Back Panel Style</li> <li>• Easy Down Mechanism (optional)</li> </ul>	<ul style="list-style-type: none"> <li>• Type C Raised Flipper Door Unit provides binder height, lockable overhead storage.</li> <li>• When mounted on 50" high panels, unit rests level with a standard flipper door unit mounted at the top of a 66" high panel.</li> <li>• Door opens and stores above top cover pan.</li> <li>• Backside of unit is completely enclosed providing added security.</li> <li>• Shelf ends have locking swing cams to prevent dislodgement.</li> <li>• Shelf bottom will receive tasklights.</li> <li>• Easy Down Mechanisms are optional for all sizes and recommended on 60" wide units.</li> <li>• All flipper doors are lockable with two supplied keys.</li> <li>• Lock cores are removable with removal keys and master keys are available.</li> <li>• Extra lock cores are available for keying flipper doors alike, but flipper doors may not be ordered without locks.</li> <li>• Keying flippers alike requires removal of pre-installed lock cores and installation of keyed alike cores in the field.</li> <li>• Order flipper unit that corresponds to panel width.</li> <li>• See "Accessories" for ordering replacement keys, master keys, core removal keys, additional key cores for keying alike or replacement uses.</li> <li>• Metal shelves have a weight capacity of 1.5 lbs per linear inch of width.</li> </ul>

**Type D Flipper Door Units**

**SOLID METAL DOOR FRONT TYPE D FLIPPER DOOR UNITS**



Interior H	W	Interior D	Model Number	List	Grade C Paint	Easy Down
14.25	24	12	S-FDDSMX24	935	+20	+232
14.25	30	12	S-FDDSMX30	957	+20	+232
14.25	36	12	S-FDDSMX36	977	+20	+232
14.25	42	12	S-FDDSMX42	996	+20	+232
14.25	48	12	S-FDDSMX48	1,047	+20	+232



Easy Down Mechanism (Optional)

**SOLID METAL DOOR FRONT TYPE D RAISED FLIPPER DOOR UNITS**

Interior H	W	Interior D	Model Number	List	Grade C Paint	Perf Back	Easy Down
14.25	24	12	S-FDDRMX24	1,764	+20	+35	+232
14.25	30	12	S-FDDRMX30	1,801	+20	+35	+232
14.25	36	12	S-FDDRMX36	1,842	+20	+35	+232
14.25	42	12	S-FDDRMX42	1,889	+20	+35	+232
14.25	48	12	S-FDDRMX48	1,981	+20	+35	+232



Easy Down Mechanism (Optional)

Specify	Notes
<ul style="list-style-type: none"> <li>• Paint Selection</li> <li>• Metal or Perforated Back Panel Style (for raised flipper door units only)</li> <li>• Easy Down Mechanism (optional)</li> </ul>	<ul style="list-style-type: none"> <li>• Type D Flipper Door Unit provides binder height, lockable overhead storage.</li> <li>• When raised flipper door units are mounted on 50" high panels, unit rests level with a standard flipper door unit mounted at the top of a 66" high panel</li> <li>• Door opens and stores above top cover pan.</li> <li>• Flipper unit has an open back.</li> <li>• Shelf ends have locking swing cams to prevent dislodgement.</li> <li>• Shelf bottom will receive tasklights.</li> <li>• Easy Down Mechanisms are optional for all sizes and recommended on 60" wide units.</li> <li>• All flipper doors are lockable with two supplied keys.</li> <li>• Lock cores are removable with removal keys and master keys are available.</li> <li>• Extra lock cores are available for keying flipper doors alike, but flipper doors may not be ordered without locks.</li> <li>• Keying flippers alike requires removal of pre-installed lock cores and installation of keyed alike cores in the field.</li> <li>• Order flipper unit that corresponds to panel width.</li> <li>• See "Accessories" for ordering replacement keys, master keys, core removal keys, additional key cores for keying alike or replacement uses.</li> <li>• Metal shelves have a weight capacity of 1.5 lbs per linear inch of width.</li> </ul>



**Sliding Door Units**

**METAL DOOR FRONT SLIDING DOOR UNIT**

H	W	D	Model Number	List	Grade C Paint
14.25	30	12	S-MS2DOMX30	959	+20
14.25	36	12	S-MS2DOMX36	983	+20
14.25	42	12	S-MS2DOMX42	1,003	+20
14.25	48	12	S-MS2DOMX48	1,057	+20
14.25	60	12	S-MS2DOMX60	1,241	+20

**LAMINATE DOOR FRONT SLIDING DOOR UNIT**

H	W	D	Model Number	List	Grade C Paint	Grade C Laminate
14.25	30	12	S-MS2DOMX30L	1,145	+20	+18
14.25	36	12	S-MS2DOMX36L	1,168	+20	+19
14.25	42	12	S-MS2DOMX42L	1,188	+20	+20
14.25	48	12	S-MS2DOMX48L	1,304	+20	+21
14.25	60	12	S-MS2DOMX60L	1,427	+20	+22



**Specify**

**Notes**

- Paint Selection
- Laminate Selection for Sliding Door (for laminate units only)
- Edge Selection for Sliding Door (for laminate units only)

- Sliding Door Unit provides binder height, lockable overhead storage.
- Door slides open side to side.
- Sliding door unit has an open back.
- Shelf ends have locking swing cams to prevent dislodgement.
- Shelf bottom will receive tasklights.
- All sliding doors are lockable with (2) keys supplied.
- Lock cores are removable with removal keys and master keys are available.
- Extra lock cores are available for keying sliding doors alike, but sliding doors may not be ordered without locks.
- Keying sliding doors alike requires removal of pre-installed lock cores and installation of keyed alike cores in the field.
- See "Accessories" for shelf, flipper and key accessories.
- Metal shelves have a weight capacity of 1.5 lbs per linear inch of width.



**Raised Sliding Door Units**

**METAL DOOR FRONT RAISED SLIDING DOOR UNIT**

H	W	D	Model Number	List	Grade C Paint	Perforated Back
14.25	30	12	S-RMS2DOMX30	1,802	+20	+35
14.25	36	12	S-RMS2DOMX36	1,844	+20	+35
14.25	42	12	S-RMS2DOMX42	1,890	+20	+35
14.25	48	12	S-RMS2DOMX48	1,982	+20	+35
14.25	60	12	S-RMS2DOMX60	2,213	+20	+35

**LAMINATE DOOR FRONT RAISED SLIDING DOOR UNIT**

H	W	D	Model Number	List	Grade C Paint	Grade C Laminate	Perforated Back
14.25	30	12	S-RMS2DOMX30L	1,988	+20	+18	+35
14.25	36	12	S-RMS2DOMX36L	2,028	+20	+19	+35
14.25	42	12	S-RMS2DOMX42L	2,077	+20	+20	+35
14.25	48	12	S-RMS2DOMX48L	2,237	+20	+21	+35
14.25	60	12	S-RMS2DOMX60L	2,406	+20	+22	+35



**Specify**

- Paint Selection
- Laminate Selection for Sliding Door (for laminate units only)
- Edge Selection for Sliding Door (for laminate units only)

**Notes**

- Type C Raised Sliding Door Unit provides binder height, lockable overhead storage.
- When mounted on 50" high panels, unit rests level with a standard flipper door unit mounted at the top of a 66" high panel.
- Door slides open side to side.
- Backside of unit is completely enclosed providing added security.
- Shelf ends have locking swing cams to prevent dislodgement.
- Shelf bottom will receive tasklights.
- All sliding doors are lockable with (2) keys supplied.
- Lock cores are removable with removal keys and master keys are available.
- Extra lock cores are available for keying sliding doors alike, but sliding doors may not be ordered without locks.
- Keying sliding doors alike requires removal of pre-installed lock cores and installation of keyed alike cores in the field.
- See "Accessories" for shelf, flipper and key accessories.
- Metal shelves have a weight capacity of 1.5 lbs per linear inch of width.



**Cabinet Door Units**

**METAL DOOR FRONT CABINET DOOR UNIT**

H	W	D	Model Number	List	Grade C Paint
14.25	24	12	S-VDOMX24	1,271	+20
14.25	30	12	S-VDOMX30	1,290	+20
14.25	36	12	S-VDOMX36	1,311	+20
14.25	42	12	S-VDOMX42	1,331	+20
14.25	48	12	S-VDOMX48	1,385	+20

**LAMINATE DOOR FRONT CABINET DOOR UNIT**

H	W	D	Model Number	List	Grade C Paint	Perforated Back
14.25	24	12	S-VDOMX24L	1,456	+20	+17
14.25	30	12	S-VDOMX30L	1,478	+20	+18
14.25	36	12	S-VDOMX36L	1,494	+20	+19
14.25	42	12	S-VDOMX42L	1,520	+20	+20
14.25	48	12	S-VDOMX48L	1,633	+20	+21



**Specify**

**Notes**

- Paint Selection
- Laminate Selection for Cabinet Door (for laminate units only)
- Edge Selection for Cabinet Door (for laminate units only)

- Cabinet Door Unit provides binder height, lockable overhead storage.
- Doors swing open.
- Cabinet door unit has an open back.
- Shelf ends have locking swing cams to prevent dislodgement.
- Shelf bottom will receive tasklights.
- Units are lockable with (2) keys supplied.
- Lock cores are removable with removal keys and master keys are available.
- Extra lock cores are available for keying sliding doors alike, but sliding doors may not be ordered without locks.
- Keying sliding doors alike requires removal of pre-installed lock cores and installation of keyed alike cores in the field.
- See "Accessories" for shelf, flipper and key accessories.
- Metal shelves have a weight capacity of 1.5 lbs per linear inch of width.



**Raised Cabinet Door Units**

**METAL DOOR FRONT RAISED CABINET DOOR UNIT**

H	W	D	Model Number	List	Grade C Paint	Perforated Back
14.25	24	12	S-RVDOMX24	2,040	+20	+35
14.25	30	12	S-RVDOMX30	2,075	+20	+35
14.25	36	12	S-RVDOMX36	2,114	+20	+35
14.25	42	12	S-RVDOMX42	2,160	+20	+35
14.25	48	12	S-RVDOMX48	2,246	+20	+35

**LAMINATE DOOR FRONT RAISED CABINET DOOR UNIT**

H	W	D	Model Number	List	Grade C Paint	Grade C Laminate	Perforated Back
14.25	24	12	S-RVDOMX24L	2,222	+20	+17	+35
14.25	30	12	S-RVDOMX30L	2,254	+20	+18	+35
14.25	36	12	S-RVDOMX36L	2,295	+20	+19	+35
14.25	42	12	S-RVDOMX42L	2,386	+20	+20	+35
14.25	48	12	S-RVDOMX48L	2,495	+20	+21	+35



**Specify**

**Notes**


- Paint Selection
- Laminate Selection for Cabinet Door (for laminate units only)
- Edge Selection for Cabinet Door (for laminate units only)

- Raised Cabinet Door Unit provides binder height, lockable overhead storage.
- Doors swing open.
- Cabinet door unit has an open back.
- Shelf ends have locking swing cams to prevent dislodgement.
- Shelf bottom will receive tasklights.
- Units are lockable with (2) keys supplied.
- Lock cores are removable with removal keys and master keys are available.
- Extra lock cores are available for keying sliding doors alike, but sliding doors may not be ordered without locks.
- Keying sliding doors alike requires removal of pre-installed lock cores and installation of keyed alike cores in the field.
- See "Accessories" for shelf, flipper and key accessories.
- Metal shelves have a weight capacity of 1.5 lbs per linear inch of width.

**Coat Hooks**

**LINEAR PANEL TOP COAT HOOK**

Model Number	List	Grade C Paint
A-CHML	72	+5



**Specify**



- Paint Selection

**Notes**

- Linear Panel Top Coat Hook mounts over top of panel frame (linear profile trim) and is available in all standard paint colors.

**MATRIX COAT HOOK**

Model Number	List
A-MTXCH	63



**Specify**

- Paint Selection

**Notes**

- Coat hook installs under topcap prior to tile installation.
- Can only be used on fabric or laminate tile.




**Frameless Glass Mounting Kits**

**SINGLE FRAME FRAMELESS GLASS MOUNTING KITS**


Frames	W	Model Number	List	Grade C Paint	3/8th" Glass Clamps
24	24	P-MLFGTC24	434	+10	+50
30	30	P-MLFGTC30	438	+10	+50
36	36	P-MLFGTC36	442	+10	+50
42	42	P-MLFGTC42	445	+10	+50
48	48	P-MLFGTC48	449	+10	+50

**MULTIPLE FRAME FRAMELESS GLASS MOUNTING KITS**


Frames	W	Model Number	List	Grade C Paint	3/8th" Glass Clamps
24, 24	48	P-MLFGTC224	763	+20	+100
24, 30	54	P-MLFGTC2430	769	+20	+100
24, 36	60	P-MLFGTC2436	774	+20	+100
24, 42	66	P-MLFGTC2442	778	+20	+100
24, 48	72	P-MLFGTC2448	781	+20	+100
30, 30	60	P-MLFGTC230	774	+20	+100
30, 36	66	P-MLFGTC3036	778	+20	+100
30, 42	72	P-MLFGTC3042	781	+20	+100
36, 36	72	P-MLFGTC236	781	+20	+100
24, 24, 24	72	P-MLFGTC324	1,097	+20	+150



36" Frameless Glass



72" Frameless Glass  
(36, 36)



72" Frameless Glass  
(24, 48)

**Specify**

- Finish Selection for Topcap


**Notes**

- Frameless Glass Mounting Kits - Matrix include topcaps with pre-drilled holes, mounting brackets and under topcap stabilizers for the glass.
- Frameless glass mounting kits are specified for the panel width, or in the case of multiple panels, the panel configuration.
- Glass is ordered separately.
- Glass should match frame width (no off-modular glass).
- For use with Linear Frames only.
- Frame Glass Mounting Kits inhibit using the top channel for cables.


**Frameless Recessed Glass Mounting Kits**

**SINGLE FRAME RECESSED GLASS MOUNTING KITS V2**

Frames	W	Model Number	List	Grade C Paint
24	24	P-MLSFRG24	433	+10
30	30	P-MLSFRG30	437	+10
36	36	P-MLSFRG36	441	+10
42	42	P-MLSFRG42	444	+10
48	48	P-MLSFRG48	448	+10




36" Frameless Glass



Screen Mounting Kit

**MULTIPLE FRAME RECESSED GLASS MOUNTING KITS V2**

Frames	W	Model Number	List	Grade C Paint
24, 24	48	P-MLDFRG2424	762	+10
24, 30	54	P-MLDFRG2430	768	+10
24, 36	60	P-MLDFRG2436	778	+10
24, 42	66	P-MLDFRG2442	778	+10
24, 48	72	P-MLDFRG2448	781	+10
30, 30	60	P-MLDFRG3030	778	+10
30, 36	66	P-MLDFRG3036	778	+10
30, 42	72	P-MLDFRG3042	781	+10
30, 48	78	P-MLDFRG3048	785	+10
36, 36	72	P-MLDFRG3636	778	+10
36, 42	78	P-MLDFRG3642	785	+10
36, 48	84	P-MLDFRG3648	789	+10
42, 42	84	P-MLDFRG4242	789	+10
42, 48	90	P-MLDFRG4248	792	+10
48, 48	96	P-MLDFRG4848	792	+10
24, 24, 24	72	P-MLTFRG242424	1,169	+10
24, 24, 30	78	P-MLTFRG242430	1,173	+10
24, 24, 36	84	P-MLTFRG242436	1,176	+10
24, 24, 42	90	P-MLTFRG242442	1,181	+10
24, 24, 48	96	P-MLTFRG242448	1,185	+10
30, 24, 30	84	P-MLTFRG302430	1,176	+10
30, 24, 36	90	P-MLTFRG302436	1,181	+10
30, 24, 42	96	P-MLTFRG302442	1,185	+10
30, 30, 36	96	P-MLTFRG303036	1,185	+10
36, 24, 36	96	P-MLTFRG362436	1,185	+10



72" Frameless Glass

**Specify**

- Paint Selection



**Notes**

- Recessed Frameless Mounting Kits - Matrix include mounting brackets and all required screws.
- The mounting brackets double as the top caps once installed.
- Screen is ordered separately. Screen must match frame width (no off-modular screens).
- For use with Linear Frames only.
- Frameless Screen Mounting Kits inhibit using the top channel for cables.
- **Recessed frameless up-mounted Screens MUST be ordered with these kits.**

**Recessed Glass for Linear Power Pole Situations**

**RECESSED GLASS FOR LINEAR POWER POLE SITUATIONS**

H	W	Model Number	List Clear	Frosted	Gray	Bronze
8	24	P-MLPPRG0824	737	+30	+15	+15
8	30	P-MLPPRG0830	771	+60	+30	+30
8	36	P-MLPPRG0836	814	+60	+30	+30
8	42	P-MLPPRG0842	854	+60	+30	+30
8	48	P-MLPPRG0848	911	+90	+45	+45
12	24	P-MLPPRG1224	769	+60	+30	+30
12	30	P-MLPPRG1230	842	+60	+30	+30
12	36	P-MLPPRG1236	915	+90	+45	+45
12	42	P-MLPPRG1242	988	+90	+45	+45
12	48	P-MLPPRG1248	1,066	+120	+60	+60
16	24	P-MLPPRG1624	849	+60	+30	+30
16	30	P-MLPPRG1630	915	+90	+45	+45
16	36	P-MLPPRG1636	1,003	+120	+60	+60
16	42	P-MLPPRG1642	1,115	+120	+60	+60
16	48	P-MLPPRG1648	1,189	+150	+75	+75
20	24	P-MLPPRG2024	927	+60	+30	+30
20	30	P-MLPPRG2030	987	+90	+45	+45
20	36	P-MLPPRG2036	1,091	+120	+60	+60
20	42	P-MLPPRG2042	1,241	+150	+75	+75
20	48	P-MLPPRG2048	1,309	+180	+90	+90





Specify	Notes
• Paint Selection for Top Cap (Grade C +10)	• Order when installing recessed glass on top of a panel that requires a power pole installation.
• Finish Selection for Glass	• Includes glass and complete top cap kit.
	• Power poles are ordered separately.
	• Order size that corresponds to the overall panel width.


**Frameless Up-Mounted Glass**

FRAMELESS UP-MOUNTED GLASS							
H	W	Model Number	1/4th" Clear	1/4th" Tinted	1/4th" Frosted	3/8th" Clear	3/8th" Frosted
8	24	A-FG0824	214	+33	+68	+92	+136
8	30	A-FG0830	218	+41	+85	+112	+170
8	36	A-FG0836	235	+49	+102	+132	+204
8	42	A-FG0842	244	+57	+119	+152	+232
8	48	A-FG0848	275	+65	+135	+172	+270
8	54	A-FG0854	311	+73	+152	+192	+304
8	60	A-FG0860	356	+81	+169	+212	+338
8	66	A-FG0866	369	+89	+186	+232	+372
8	72	A-FG0872	400	+97	+203	+252	+406
12	24	A-FG1224	209	+38	+79	+120	+158
12	30	A-FG1230	251	+47	+99	+146	+198
12	36	A-FG1236	294	+57	+119	+171	+238
12	42	A-FG1242	336	+66	+138	+196	+276
12	48	A-FG1248	378	+76	+158	+222	+316
12	54	A-FG1254	420	+85	+178	+247	+356
12	60	A-FG1260	466	+94	+197	+273	+394
12	66	A-FG1266	505	+104	+217	+298	+434
12	72	A-FG1272	547	+113	+237	+323	+474

FRAMELESS UP-MOUNTED GLASS							
H	W	Model Number	1/4th" Clear	1/4th" Tinted	1/4th" Frosted	3/8th" Clear	3/8th" Frosted
16	24	A-FG1624	256	+43	+90	+148	+180
16	30	A-FG1630	287	+54	+113	+179	+226
16	36	A-FG1636	336	+65	+135	+210	+270
16	42	A-FG1642	412	+76	+158	+241	+316
16	48	A-FG1648	447	+86	+180	+272	+360
16	54	A-FG1654	496	+97	+203	+302	+406
16	60	A-FG1660	570	+108	+225	+333	+450
16	66	A-FG1666	626	+119	+248	+364	+494
16	72	A-FG1672	674	+129	+270	+395	+540



1/4" Glass



3/8" Glass

**Specify**

- Finish Selection for Glass



**Notes**

- Frameless Up-Mounted Glass are sheets of glass to be used with up-mounted kits.
- Tempered glass is available in clear, grey tint, bronze tint, and frosted.
- Glass Mounting Kit ordered separately.
- Glass used in HiLo situations has a different width. See "HiLo Frameless Up-Mounted Glass" when in a HiLo situation.
- Glass should match frame width (no off-modular glass).
- For use with Linear Frames only.

**Recessed Frameless Glass**

RECESSED FRAMELESS GLASS V2						
H	W	Model Number	List Clear	Frosted	Gray	Bronze
8	24	P-MLRGF0824	407	+42	+42	+42
8	30	P-MLRGF0830	447	+61	+61	+61
8	36	P-MLRGF0836	499	+77	+77	+77
8	42	P-MLRGF0842	546	+86	+86	+86
8	48	P-MLRGF0848	617	+106	+106	+106
8	54	P-MLRGF0854	690	+124	+124	+124
8	60	P-MLRGF0860	777	+138	+138	+138
8	66	P-MLRGF0866	830	+155	+155	+155
8	72	P-MLRGF0872	898	+171	+171	+171
8	78	P-MLRGF0878	971	+185	+185	+185
8	84	P-MLRGF0884	1,048	+199	+199	+199
8	90	P-MLRGF0890	1,132	+215	+215	+215
8	96	P-MLRGF0896	1,221	+233	+233	+233
12	24	P-MLRGF1224	449	+44	+44	+44
12	30	P-MLRGF1230	543	+64	+64	+64
12	36	P-MLRGF1236	633	+83	+83	+83
12	42	P-MLRGF1242	726	+99	+99	+99
12	48	P-MLRGF1248	824	+116	+116	+116
12	54	P-MLRGF1254	914	+136	+136	+136
12	60	P-MLRGF1260	1,006	+153	+153	+153
12	66	P-MLRGF1266	1,102	+169	+169	+169
12	72	P-MLRGF1272	1,198	+185	+185	+185
12	78	P-MLRGF1278	1,294	+200	+200	+200
12	84	P-MLRGF1284	1,396	+216	+216	+216
12	90	P-MLRGF1290	1,506	+233	+233	+233
12	96	P-MLRGF1296	1,628	+252	+252	+252

RECESSED FRAMELESS GLASS V2						
H	W	Model Number	List Clear	Frosted	Gray	Bronze
16	24	P-MLRGF1624	554	+49	+49	+49
16	30	P-MLRGF1630	639	+72	+72	+72
16	36	P-MLRGF1636	750	+89	+89	+89
16	42	P-MLRGF1642	893	+110	+110	+110
16	48	P-MLRGF1648	985	+129	+129	+129
16	54	P-MLRGF1654	1,097	+153	+153	+153
16	60	P-MLRGF1660	1,236	+172	+172	+172
16	66	P-MLRGF1666	1,348	+194	+194	+194
16	72	P-MLRGF1672	1,471	+206	+206	+206
16	78	P-MLRGF1678	1,586	+222	+222	+222
16	84	P-MLRGF1684	1,716	+240	+240	+240
16	90	P-MLRGF1690	1,852	+260	+260	+260
16	96	P-MLRGF1696	2,000	+280	+280	+280
20	24	P-MLRGF2024	657	+54	+54	+54
20	30	P-MLRGF2030	733	+80	+80	+80
20	36	P-MLRGF2036	867	+95	+95	+95
20	42	P-MLRGF2042	1,062	+121	+121	+121
20	48	P-MLRGF2048	1,145	+142	+142	+142
20	54	P-MLRGF2054	1,280	+170	+170	+170
20	60	P-MLRGF2060	1,467	+191	+191	+191
20	66	P-MLRGF2066	1,594	+219	+219	+219
20	72	P-MLRGF2072	1,744	+227	+227	+227
20	78	P-MLRGF2078	1,883	+244	+244	+244
20	84	P-MLRGF2084	2,034	+264	+264	+264
20	90	P-MLRGF2090	2,199	+287	+287	+287
20	96	P-MLRGF2096	2,372	+308	+308	+308



3/8" Glass

**Specify**

• Finish Selection for Glass


**Notes**

- Recessed Frameless Glass are sheets of glass screens to be used with up-mounted kits.
- Tempered glass is available in clear, frosted, aqua and blue.
- Glass is 3/8" thick.
- Frames receiving recessed glass should be specified with top cap option.
- Glass height is nominal, not including the glass inside of the frame.
- Glass must match frame width (no off-modular screens).


**Single HiLo Situation Up-Mounted Glass**

SINGLE HILO SITUATION UP-MOUNTED GLASS							
H	W	Model Number	1/4th" Clear	1/4th" Tinted	1/4th" Frosted	3/8th" Clear	3/8th" Frosted
8	24	A-FGMXH10824	201	+33	+68	+92	+136
8	30	A-FGMXH10830	205	+41	+85	+112	+170
8	36	A-FGMXH10836	222	+49	+102	+132	+204
8	42	A-FGMXH10842	228	+57	+119	+152	+232
8	48	A-FGMXH10848	257	+65	+135	+172	+270
8	54	A-FGMXH10854	289	+73	+152	+192	+304
8	60	A-FGMXH10860	331	+81	+169	+212	+338
8	66	A-FGMXH10866	346	+89	+186	+232	+372
8	72	A-FGMXH10872	375	+97	+203	+252	+406
12	24	A-FGMXH11224	196	+38	+79	+120	+158
12	30	A-FGMXH11230	234	+47	+99	+146	+198
12	36	A-FGMXH11236	276	+57	+119	+171	+238
12	42	A-FGMXH11242	313	+66	+138	+196	+276
12	48	A-FGMXH11248	355	+76	+158	+222	+316
12	54	A-FGMXH11254	395	+85	+178	+247	+356
12	60	A-FGMXH11260	437	+94	+197	+273	+394
12	66	A-FGMXH11266	472	+104	+217	+298	+434
12	72	A-FGMXH11272	511	+113	+237	+323	+474


SINGLE HILO SITUATION UP-MOUNTED GLASS							
H	W	Model Number	1/4th" Clear	1/4th" Tinted	1/4th" Frosted	3/8th" Clear	3/8th" Frosted
16	24	A-FGMXH11624	238	+43	+90	+148	+180
16	30	A-FGMXH11630	270	+54	+113	+179	+226
16	36	A-FGMXH11636	313	+65	+135	+210	+270
16	42	A-FGMXH11642	386	+76	+158	+241	+316
16	48	A-FGMXH11648	416	+86	+180	+272	+360
16	54	A-FGMXH11654	465	+97	+203	+302	+406
16	60	A-FGMXH11660	534	+108	+225	+333	+450
16	66	A-FGMXH11666	582	+119	+248	+364	+494
16	72	A-FGMXH11672	630	+129	+270	+395	+540



Single HiLo Situation



1/4" Glass



3/8" Glass

**Specify**

- Finish Selection for Glass

**Notes**

- Single HiLo Situation Up-Mounted Glass are sheets of glass to be used with up-mounted kits in HiLo locations.
- In order to accommodate one HiLo location, the glass must be 1/2" smaller horizontally.
- Tempered glass is available in clear, grey tint, bronze tint, and frosted.
- Mounting Kit Ordered Separately.
- Glass should match frame width (no off-modular glass).
- For use with Linear Frames only


**Single HiLo Situation Recessed Frameless Glass**

**SINGLE HILO SITUATION RECESSED FRAMELESS GLASS V2**


H	W	Model Number	List Clear	Frosted	Gray	Bronze
8	24	P-MLRGFSH-0824	407	+42	+42	+42
8	30	P-MLRGFSH-0830	447	+61	+61	+61
8	36	P-MLRGFSH-0836	499	+77	+77	+77
8	42	P-MLRGFSH-0842	546	+86	+86	+86
8	48	P-MLRGFSH-0848	617	+106	+106	+106
8	54	P-MLRGFSH-0854	690	+124	+124	+124
8	60	P-MLRGFSH-0860	777	+138	+138	+138
8	66	P-MLRGFSH-0866	830	+155	+155	+155
8	72	P-MLRGFSH-0872	898	+171	+171	+171
8	78	P-MLRGFSH-0878	971	+185	+185	+185
8	84	P-MLRGFSH-0884	1,048	+199	+199	+199
8	90	P-MLRGFSH-0890	1,132	+215	+215	+215
8	96	P-MLRGFSH-0896	1,221	+233	+233	+233
12	24	P-MLRGFSH-1224	449	+44	+44	+44
12	30	P-MLRGFSH-1230	543	+64	+64	+64
12	36	P-MLRGFSH-1236	633	+83	+83	+83
12	42	P-MLRGFSH-1242	726	+99	+99	+99
12	48	P-MLRGFSH-1248	824	+116	+116	+116
12	54	P-MLRGFSH-1254	914	+136	+136	+136
12	60	P-MLRGFSH-1260	1,006	+153	+153	+153
12	66	P-MLRGFSH-1266	1,102	+169	+169	+169
12	72	P-MLRGFSH-1272	1,198	+185	+185	+185
12	78	P-MLRGFSH-1278	1,294	+200	+200	+200
12	84	P-MLRGFSH-1284	1,396	+216	+216	+216
12	90	P-MLRGFSH-1290	1,506	+233	+233	+233
12	96	P-MLRGFSH-1296	1,628	+252	+252	+252

**SINGLE HILO SITUATION RECESSED FRAMELESS GLASS V2**

H	W	Model Number	List Clear	Frosted	Gray	Bronze
16	24	P-MLRGFSH-1624	554	+49	+49	+49
16	30	P-MLRGFSH-1630	639	+72	+72	+72
16	36	P-MLRGFSH-1636	750	+89	+89	+89
16	42	P-MLRGFSH-1642	893	+110	+110	+110
16	48	P-MLRGFSH-1648	985	+129	+129	+129
16	54	P-MLRGFSH-1654	1,097	+153	+153	+153
16	60	P-MLRGFSH-1660	1,236	+172	+172	+172
16	66	P-MLRGFSH-1666	1,348	+194	+194	+194
16	72	P-MLRGFSH-1672	1,471	+206	+206	+206
16	78	P-MLRGFSH-1678	1,586	+222	+222	+222
16	84	P-MLRGFSH-1684	1,716	+240	+240	+240
16	90	P-MLRGFSH-1690	1,852	+260	+260	+260
16	96	P-MLRGFSH-1696	2,000	+280	+280	+280
20	24	P-MLRGFSH-2024	657	+54	+54	+54
20	30	P-MLRGFSH-2030	733	+80	+80	+80
20	36	P-MLRGFSH-2036	867	+95	+95	+95
20	42	P-MLRGFSH-2042	1,062	+121	+121	+121
20	48	P-MLRGFSH-2048	1,145	+142	+142	+142
20	54	P-MLRGFSH-2054	1,280	+170	+170	+170
20	60	P-MLRGFSH-2060	1,467	+191	+191	+191
20	66	P-MLRGFSH-2066	1,594	+219	+219	+219
20	72	P-MLRGFSH-2072	1,744	+227	+227	+227
20	78	P-MLRGFSH-2078	1,883	+244	+244	+244
20	84	P-MLRGFSH-2084	2,034	+264	+264	+264
20	90	P-MLRGFSH-2090	2,199	+287	+287	+287
20	96	P-MLRGFSH-2096	2,372	+308	+308	+308



Recessed Single HiLo Situation



3/8" Glass

**Specify**

• Finish Selection for Glass


**Notes**

- Single HiLo Situation Recessed Frameless Glass are sheets of glass to be used with up-mounted kits in HiLo locations.
- In order to accommodate one HiLo location, the glass must be 1/2" smaller horizontally.
- Tempered glass is available in clear, grey tint, bronze tint, and frosted.
- Tempered glass is 3/8" thick.
- Mounting Kit Ordered Separately.
- Glass should match frame width (no off-modular glass).
- For use with Linear Frames only.


**Double HiLo Situation Up-Mounted Glass**

DOUBLE HILO SITUATION UP-MOUNTED GLASS							
H	W	Model Number	1/4th" Clear	1/4th" Tinted	1/4th" Frosted	3/8th" Clear	3/8th" Frosted
8	24	A-FGMXH20824	201	+33	+68	+92	+136
8	30	A-FGMXH20830	205	+41	+85	+112	+170
8	36	A-FGMXH20836	222	+49	+102	+132	+204
8	42	A-FGMXH20842	228	+57	+119	+152	+232
8	48	A-FGMXH20848	257	+65	+135	+172	+270
8	54	A-FGMXH20854	289	+73	+152	+192	+304
8	60	A-FGMXH20860	331	+81	+169	+212	+338
8	66	A-FGMXH20866	346	+89	+186	+232	+372
8	72	A-FGMXH20872	375	+97	+203	+252	+406
12	24	A-FGMXH21224	196	+38	+79	+120	+158
12	30	A-FGMXH21230	234	+47	+99	+146	+198
12	36	A-FGMXH21236	276	+57	+119	+171	+238
12	42	A-FGMXH21242	313	+66	+138	+196	+276
12	48	A-FGMXH21248	355	+76	+158	+222	+316
12	54	A-FGMXH21254	395	+85	+178	+247	+356
12	60	A-FGMXH21260	437	+94	+197	+273	+394
12	66	A-FGMXH21266	472	+104	+217	+298	+434
12	72	A-FGMXH21272	511	+113	+237	+323	+474


DOUBLE HILO SITUATION UP-MOUNTED GLASS							
H	W	Model Number	1/4th" Clear	1/4th" Tinted	1/4th" Frosted	3/8th" Clear	3/8th" Frosted
16	24	A-FGMXH21624	238	+43	+90	+148	+180
16	30	A-FGMXH21630	270	+54	+113	+179	+226
16	36	A-FGMXH21636	313	+65	+135	+210	+270
16	42	A-FGMXH21642	386	+76	+158	+241	+316
16	48	A-FGMXH21648	416	+86	+180	+272	+360
16	54	A-FGMXH21654	465	+97	+203	+302	+406
16	60	A-FGMXH21660	534	+108	+225	+333	+450
16	66	A-FGMXH21666	582	+119	+248	+364	+494
16	72	A-FGMXH21672	630	+129	+270	+395	+540



Double HiLo Situation



1/4" Glass



3/8" Glass

**Specify**

- Finish Selection for Glass

**Notes**

- Double HiLo Situation Up-Mounted glass are sheets of glass to be used with up-mounted kits in HiLo locations.
- In order to accommodate one HiLo location, the glass must be 1" smaller horizontally.
- Tempered glass is available in clear, grey tint, bronze tint, and frosted.
- Mounting Kit Ordered Separately.
- Glass should match frame width (no off-modular glass).
- For use with Linear Frames only.




**Double HiLo Situation Recessed Frameless Glass**

**DOUBLE HILO SITUATION RECESSED FRAMELESS GLASS V2**


H	W	Model Number	List Clear	Frosted	Gray	Bronze
8	24	P-MLRGFDH-0824	407	+42	+42	+42
8	30	P-MLRGFDH-0830	447	+61	+61	+61
8	36	P-MLRGFDH-0836	499	+77	+77	+77
8	42	P-MLRGFDH-0842	546	+86	+86	+86
8	48	P-MLRGFDH-0848	617	+106	+106	+106
8	54	P-MLRGFDH-0854	690	+124	+124	+124
8	60	P-MLRGFDH-0860	777	+138	+138	+138
8	66	P-MLRGFDH-0866	830	+155	+155	+155
8	72	P-MLRGFDH-0872	898	+171	+171	+171
8	78	P-MLRGFDH-0878	971	+185	+185	+185
8	84	P-MLRGFDH-0884	1,048	+199	+199	+199
8	90	P-MLRGFDH-0890	1,132	+215	+215	+215
8	96	P-MLRGFDH-0896	1,221	+233	+233	+233
12	24	P-MLRGFDH-1224	449	+44	+44	+44
12	30	P-MLRGFDH-1230	543	+64	+64	+64
12	36	P-MLRGFDH-1236	633	+83	+83	+83
12	42	P-MLRGFDH-1242	726	+99	+99	+99
12	48	P-MLRGFDH-1248	824	+116	+116	+116
12	54	P-MLRGFDH-1254	914	+136	+136	+136
12	60	P-MLRGFDH-1260	1,006	+153	+153	+153
12	66	P-MLRGFDH-1266	1,102	+169	+169	+169
12	72	P-MLRGFDH-1272	1,198	+185	+185	+185
12	78	P-MLRGFDH-1278	1,294	+200	+200	+200
12	84	P-MLRGFDH-1284	1,396	+216	+216	+216
12	90	P-MLRGFDH-1290	1,506	+233	+233	+233
12	96	P-MLRGFDH-1296	1,628	+252	+252	+252

**DOUBLE HILO SITUATION RECESSED FRAMELESS GLASS V2**

H	W	Model Number	List Clear	Frosted	Gray	Bronze
16	24	P-MLRGFDH-1624	554	+49	+49	+49
16	30	P-MLRGFDH-1630	639	+72	+72	+72
16	36	P-MLRGFDH-1636	750	+89	+89	+89
16	42	P-MLRGFDH-1642	893	+110	+110	+110
16	48	P-MLRGFDH-1648	985	+129	+129	+129
16	54	P-MLRGFDH-1654	1,097	+153	+153	+153
16	60	P-MLRGFDH-1660	1,236	+172	+172	+172
16	66	P-MLRGFDH-1666	1,348	+194	+194	+194
16	72	P-MLRGFDH-1672	1,471	+206	+206	+206
16	78	P-MLRGFDH-1678	1,586	+222	+222	+222
16	84	P-MLRGFDH-1684	1,716	+240	+240	+240
16	90	P-MLRGFDH-1690	1,852	+260	+260	+260
16	96	P-MLRGFDH-1696	2,000	+280	+280	+280
20	24	P-MLRGFDH-2024	657	+54	+54	+54
20	30	P-MLRGFDH-2030	733	+80	+80	+80
20	36	P-MLRGFDH-2036	867	+95	+95	+95
20	42	P-MLRGFDH-2042	1,062	+121	+121	+121
20	48	P-MLRGFDH-2048	1,145	+142	+142	+142
20	54	P-MLRGFDH-2054	1,280	+170	+170	+170
20	60	P-MLRGFDH-2060	1,467	+191	+191	+191
20	66	P-MLRGFDH-2066	1,594	+219	+219	+219
20	72	P-MLRGFDH-2072	1,744	+227	+227	+227
20	78	P-MLRGFDH-2078	1,883	+244	+244	+244
20	84	P-MLRGFDH-2084	2,034	+264	+264	+264
20	90	P-MLRGFDH-2090	2,199	+287	+287	+287
20	96	P-MLRGFDH-2096	2,372	+308	+308	+308



Double HiLo Situation



3/8" Glass

**Specify**



• Finish Selection for Glass

**Notes**

- Double HiLo Situation Up-Mounted glass are sheets of glass to be used with up-mounted kits in HiLo locations.
- In order to accommodate one HiLo location, the glass must be 1" smaller horizontally.
- Tempered glass is available in clear, grey tint, bronze tint, and frosted.
- Tempered glass is 3/8" thick.
- Mounting Kit Ordered Separately.
- Glass should match frame width (no off-modular glass).
- For use with Linear Frames only.

**Recessed Frameless Lexan**

RECESSED FRAMELESS LEXAN				RECESSED FRAMELESS LEXAN			
H	W	Model Number	List	H	W	Model Number	List
8	24	P-YMLRGF0824	206	16	24	P-YMLRGF1624	386
8	30	P-YMLRGF0830	256	16	30	P-YMLRGF1630	483
8	36	P-YMLRGF0836	307	16	36	P-YMLRGF1636	578
8	42	P-YMLRGF0842	360	16	42	P-YMLRGF1642	674
8	48	P-YMLRGF0848	410	16	48	P-YMLRGF1648	772
8	54	P-YMLRGF0854	462	16	54	P-YMLRGF1654	869
8	60	P-YMLRGF0860	512	16	60	P-YMLRGF1660	965
8	66	P-YMLRGF0866	565	16	66	P-YMLRGF1666	1,062
8	72	P-YMLRGF0872	616	16	72	P-YMLRGF1672	1,158
8	78	P-YMLRGF0878	665	16	78	P-YMLRGF1678	1,255
8	84	P-YMLRGF0884	718	16	84	P-YMLRGF1684	1,351
8	90	P-YMLRGF0890	766	16	90	P-YMLRGF1690	1,448
8	96	P-YMLRGF0896	820	16	96	P-YMLRGF1696	1,543
12	24	P-YMLRGF1224	296	20	24	P-YMLRGF2024	475
12	30	P-YMLRGF1230	370	20	30	P-YMLRGF2030	595
12	36	P-YMLRGF1236	444	20	36	P-YMLRGF2036	714
12	42	P-YMLRGF1242	517	20	42	P-YMLRGF2042	833
12	48	P-YMLRGF1248	590	20	48	P-YMLRGF2048	954
12	54	P-YMLRGF1254	665	20	54	P-YMLRGF2054	1,072
12	60	P-YMLRGF1260	738	20	60	P-YMLRGF2060	1,191
12	66	P-YMLRGF1266	813	20	66	P-YMLRGF2066	1,311
12	72	P-YMLRGF1272	888	20	72	P-YMLRGF2072	1,429
12	78	P-YMLRGF1278	962	20	78	P-YMLRGF2078	1,550
12	84	P-YMLRGF1284	1,035	20	84	P-YMLRGF2084	1,668
12	90	P-YMLRGF1290	1,109	20	90	P-YMLRGF2090	1,787
12	96	P-YMLRGF1296	1,182	20	96	P-YMLRGF2096	1,907



3/8" Clear Lexan

**Specify**

**Notes**

- Recessed Frameless Lexan are sheets of clear lexan screens to be used with up-mounted kits.
- Available in clear only.
- Screens are 3/8" thick.
- Screen mounting kit ordered separately.
- Lexan height is nominal, not including the lexan inside of the frame.
- Screen must match frame width (no off-modular screens).


**Single HiLo Situation Recessed Frameless Lexan**

**SINGLE HILO SITUATION RECESSED FRAMELESS LEXAN**


H	W	Model Number	List
8	24	P-YMLRGFSH-0824	202
8	30	P-YMLRGFSH-0830	251
8	36	P-YMLRGFSH-0836	304
8	42	P-YMLRGFSH-0842	356
8	48	P-YMLRGFSH-0848	406
8	54	P-YMLRGFSH-0854	458
8	60	P-YMLRGFSH-0860	508
8	66	P-YMLRGFSH-0866	558
8	72	P-YMLRGFSH-0872	612
8	78	P-YMLRGFSH-0878	661
8	84	P-YMLRGFSH-0884	713
8	90	P-YMLRGFSH-0890	763
8	96	P-YMLRGFSH-0896	816
12	24	P-YMLRGFSH-1224	290
12	30	P-YMLRGFSH-1230	364
12	36	P-YMLRGFSH-1236	439
12	42	P-YMLRGFSH-1242	511
12	48	P-YMLRGFSH-1248	584
12	54	P-YMLRGFSH-1254	658
12	60	P-YMLRGFSH-1260	733
12	66	P-YMLRGFSH-1266	807
12	72	P-YMLRGFSH-1272	881
12	78	P-YMLRGFSH-1278	955
12	84	P-YMLRGFSH-1284	1,029
12	90	P-YMLRGFSH-1290	1,101
12	96	P-YMLRGFSH-1296	1,175

**SINGLE HILO SITUATION RECESSED FRAMELESS LEXAN**

H	W	Model Number	List
16	24	P-YMLRGFSH-1624	378
16	30	P-YMLRGFSH-1630	474
16	36	P-YMLRGFSH-1636	570
16	42	P-YMLRGFSH-1642	668
16	48	P-YMLRGFSH-1648	763
16	54	P-YMLRGFSH-1654	861
16	60	P-YMLRGFSH-1660	958
16	66	P-YMLRGFSH-1666	1,056
16	72	P-YMLRGFSH-1672	1,150
16	78	P-YMLRGFSH-1678	1,247
16	84	P-YMLRGFSH-1684	1,343
16	90	P-YMLRGFSH-1690	1,439
16	96	P-YMLRGFSH-1696	1,537
20	24	P-YMLRGFSH-2024	466
20	30	P-YMLRGFSH-2030	584
20	36	P-YMLRGFSH-2036	705
20	42	P-YMLRGFSH-2042	823
20	48	P-YMLRGFSH-2048	943
20	54	P-YMLRGFSH-2054	1,062
20	60	P-YMLRGFSH-2060	1,181
20	66	P-YMLRGFSH-2066	1,301
20	72	P-YMLRGFSH-2072	1,420
20	78	P-YMLRGFSH-2078	1,539
20	84	P-YMLRGFSH-2084	1,659
20	90	P-YMLRGFSH-2090	1,776
20	96	P-YMLRGFSH-2096	1,897



Single HiLo Situation



3/8" Clear Lexan


**Specify**

**Notes**


- Single HiLo Situation Recessed Frameless Lexan are sheets of lexan to be used with up-mounted kits in HiLo locations.
- In order to accommodate one HiLo location, the lexan must be 1/2" smaller horizontally.
- Available in clear only.
- Lexan is 3/8" thick.
- Mounting Kit Ordered Separately.
- Lexan should match frame width (no off-modular screens).
- For use with Linear Frames only.

**Double HiLo Situation Recessed Frameless Lexan**

DOUBLE HILO SITUATION RECESSED FRAMELESS LEXAN				DOUBLE HILO SITUATION RECESSED FRAMELESS LEXAN			
H	W	Model Number	List	H	W	Model Number	List
8	24	P-YMLRGFDH-0824	199	16	24	P-YMLRGFDH-1624	370
8	30	P-YMLRGFDH-0830	248	16	30	P-YMLRGFDH-1630	466
8	36	P-YMLRGFDH-0836	301	16	36	P-YMLRGFDH-1636	564
8	42	P-YMLRGFDH-0842	350	16	42	P-YMLRGFDH-1642	658
8	48	P-YMLRGFDH-0848	400	16	48	P-YMLRGFDH-1648	755
8	54	P-YMLRGFDH-0854	453	16	54	P-YMLRGFDH-1654	851
8	60	P-YMLRGFDH-0860	502	16	60	P-YMLRGFDH-1660	948
8	66	P-YMLRGFDH-0866	555	16	66	P-YMLRGFDH-1666	1,046
8	72	P-YMLRGFDH-0872	606	16	72	P-YMLRGFDH-1672	1,143
8	78	P-YMLRGFDH-0878	657	16	78	P-YMLRGFDH-1678	1,239
8	84	P-YMLRGFDH-0884	709	16	84	P-YMLRGFDH-1684	1,335
8	90	P-YMLRGFDH-0890	758	16	90	P-YMLRGFDH-1690	1,430
8	96	P-YMLRGFDH-0896	810	16	96	P-YMLRGFDH-1696	1,528
12	24	P-YMLRGFDH-1224	284	20	24	P-YMLRGFDH-2024	458
12	30	P-YMLRGFDH-1230	358	20	30	P-YMLRGFDH-2030	575
12	36	P-YMLRGFDH-1236	431	20	36	P-YMLRGFDH-2036	696
12	42	P-YMLRGFDH-1242	503	20	42	P-YMLRGFDH-2042	814
12	48	P-YMLRGFDH-1248	578	20	48	P-YMLRGFDH-2048	933
12	54	P-YMLRGFDH-1254	652	20	54	P-YMLRGFDH-2054	1,052
12	60	P-YMLRGFDH-1260	726	20	60	P-YMLRGFDH-2060	1,172
12	66	P-YMLRGFDH-1266	800	20	66	P-YMLRGFDH-2066	1,291
12	72	P-YMLRGFDH-1272	875	20	72	P-YMLRGFDH-2072	1,411
12	78	P-YMLRGFDH-1278	947	20	78	P-YMLRGFDH-2078	1,529
12	84	P-YMLRGFDH-1284	1,020	20	84	P-YMLRGFDH-2084	1,649
12	90	P-YMLRGFDH-1290	1,094	20	90	P-YMLRGFDH-2090	1,768
12	96	P-YMLRGFDH-1296	1,169	20	96	P-YMLRGFDH-2096	1,888



Double HiLo Situation



3/8" Clear Lexan

**Specify**

**Notes**

- Double HiLo Situation Recessed Frameless Lexan are sheets of lexan to be used with up-mounted kits in HiLo locations.
- In order to accommodate one HiLo location, the lexan must be 1" smaller horizontally.
- Available in clear only.
- Lexan is 3/8" thick.
- Mounting Kit Ordered Separately.
- Lexan should match frame width (no off-modular screens).
- For use with Linear Frames only.



**National Showrooms:**

**Leominster**

AIS Headquarters  
25 Tucker Drive  
Leominster, MA 01453

---

**Chicago**

The Merchandise Mart  
Suite 391  
Chicago, Illinois 60654

**New York**

AIS New York  
257 Park Avenue South  
New York, New York 10010

**Washington, D.C.**

AIS Washington, D.C.  
1501 M St, NW, STE 230  
Washington, D.C. 20005

**GSA Sales**

GSA Contract 47QSMA20D08Q4  
Multiple Award Schedule (MAS)  
Large Category: Furniture & Furnishings  
Subcategories: Office Furniture, Packaged  
Office Furniture and Furniture Services

**For additional information on AIS:**

Dealer Showrooms, Representative  
Directory, Project Case Studies, Online  
Catalog & Product Showcase  
Visit: [www.ais-inc.com](http://www.ais-inc.com)