

MATRIX™

March 2025 Price List

AIS

PRODUCT INFORMATION

Matrix Statement of Line 5
 Matrix Finish Options 11
 Matrix Product Details 13
 Matrix Component Details 15

FRAMES

Matrix Frames Product Details 16
 Linear Profile Panel Frames 24
 Linear Profile Panel Door Frames 25
 Linear Sliding Privacy Screens 26
 Linear Sliding Privacy Screen Handles and Brackets 27
 Stack-On Frames 28
 Topcaps 29
 Linear Single End Gallery Panels 30
 Linear Single End for Wing Gallery Panels 32
 Linear Single End for Wing Facing Forward Gallery Panels 33
 Linear Single End for Double Wing Gallery Panels 34
 Linear Single Spine Gallery Panels 35
 Linear Single Spine for Wing Gallery Panels 37
 Linear Single Spine for Double Wing Gallery Panels 38
 Linear Double End Gallery Panels 39
 Linear Double Spine Gallery Panels 40
 Linear Mid Mount End Gallery Panels 41
 Linear Mid Mount End for Wing Gallery Panels 43
 Linear Mid Mount End for Wing Facing Forward Gallery Panels 44
 Linear Mid Mount End for Double Wing Gallery Panels 45
 Linear Mid Mount Spine Gallery Panels 46
 Linear Mid Mount Spine for Wing Gallery Panels 48
 Linear Mid Mount Spine for Double Wing Gallery Panels 49
 Linear Wing Gallery Panels 50
 Brackets for Gallery Panels 51
 Wall Mounted Gallery Panels 52
 Wall Mounted Gallery Panels for Wing 55

CONNECTORS

Matrix Connector Product Details 56
 90° 2-Way, 3-Way and 4-Way Stack-On Connectors 60
 120° 2-Way and 3-Way Stack-On Connectors 61
 Linear Profile 2-Ways 62
 Linear Profile 3-Ways 63
 Linear Profile 4-Ways, End Caps, and Matrix 180° Spacer Connector 64
 Linear Profile Wall Mount Kits 65
 Linear Profile HiLo Trim Covers 66
 Linear Profile 2-Way Vertical Covers 67
 Linear Profile 2-Way Vertical Stack-On Covers 68
 Linear Profile 3-Way Vertical and Vertical Stack-On Covers 69
 2-Way Linear Connector Trim Conversion Kits 70
 3-Way and 4-Way Linear Connector Trim Conversion Kits 71
 Linear Wall Mount Trim Conversion Kits 72
 Wall Tracks and Off-Modular Frame Connection Kits 72

ELECTRICAL

Matrix Electrical Product Details 73

Electrical Jumpers 76

Access Hole Covers, Outlet Trim Bezels and I-Connectors 77

Electrical Outlets 78

Infeeds and Hardwire Junction Boxes 80

Linear Power / Data Pole Kits 81

Powerway Assemblies and Data Plate Kits 82

Electrical Tiles and Data Cable Support Troughs 83

TILES

Tile Availability 84

Tackable Acoustical Tiles 86

Steel Tiles 87

Embossed and Perforated Steel Tiles 88

White Board and Laminate Tiles 89

Laminate Tiles and Double Sided MX Monolithic Kit 90

Linear Profile Standard Front Glass Tiles 91

Linear Profile Standard Bottom Glass Tiles 92

Linear Profile Open Frame Tiles 93

Open Frame Infeed Tiles and Utility Tiles 94

Tackable Acoustical Off-Modular Mid-Tiles 95

Linear Profile Tile Retainer Kits 96

Tile Rails 97

Wall Tile Corner Filler Strips 98

SUPPORT

Cantilevers and Support Brackets 99

End Panels and Pedestal-to-Panel Attachment Brackets 100

Matrix Panel Mounted A-Legs 101

Matrix Panel Mounted O-Legs 102

Worksurface Kits, Support Brackets and Attachment Brackets 103

STORAGE

Mid-Height Shelf Units 104

Mid-Height Corner Shelf Units 105

Off-Modular Flipper Door Conversion Kits 105

Type C Flipper Door Units 106

Type C Raised Flipper Door Units 107

Type D Flipper Door Units 108

Sliding Door Units 109

Raised Sliding Door Units 110

Cabinet Door Units 111

Raised Cabinet Door Units 112

MATRIX ACCESSORIES

Coat Hooks 113

Frameless Glass Mounting Kits 114

Frameless Recessed Glass Mounting Kits 115

Recessed Glass for Linear Power Pole Situations 116

Frameless Up-Mounted Glass 117

Recessed Frameless Glass 118

Single HiLo Situation Up-Mounted Glass 119

Single HiLo Situation Recessed Frameless Glass 120

Double HiLo Situation Up-Mounted Glass 121

Double HiLo Situation Recessed Frameless Glass 122

Recessed Frameless Lexan. 123

Single HiLo Situation Recessed Frameless Lexan 124

Double HiLo Situation Recessed Frameless Lexan. 125


WARRANTY & TERMS AND CONDITIONS

For Warranty & Terms and Conditions please visit:

https://www.ais-inc.com/files/2023_Terms_and_Conditions_3_23.pdf

MATRIX

FRAMES



Linear Profile Panel Frames



Linear Profile Panel Door Frames
Left or Right,
With or Without Glass Window
Without Glass Window Shown




Linear Profile Arch Panel Door Frame with Inner Trim
(No Door)




66" High Matrix Linear Sliding Privacy Screen




82" High Matrix Linear Sliding Privacy Screen




Sliding Door Handle




Stack-On Frames



Linear Profile Extended Topcaps




Linear Door Frame Topcap Conversion Kits




Linear Profile Extended Topcaps




Single End Gallery Panels
Left or Right Hand
Left Hand Shown




Single End for Wing Gallery Panels
Left or Right Hand
Left Hand Shown




Single End for Wing Facing Forward Gallery Panels
Left or Right Hand
Left Hand Shown




Single Spine Gallery Panels




Single Spine for Wing Gallery Panels
Left or Right Hand
Left Hand Shown




Single Spine for Double Wing Gallery Panels




Double End Gallery Panels




Double Spine Gallery Panels




Mid Mount End Gallery Panels
Left or Right Hand
Left Hand Shown




Mid Mount End for Wing Gallery Panels
Left or Right Hand
Left Hand Shown




Mid Mount End for Wing Facing Forward Gallery Panels
Left or Right Hand
Left Hand Shown




Mid Mount End for Double Wing Gallery Panels
Left or Right Hand
Left Hand Shown



Mid Mount Spine Gallery Panels



Mid Mount Spine for Wing Gallery Panels
Left or Right Hand
Left Hand Shown



Mid Mount Spine for Double Wing Gallery Panels



Wing Gallery Panel

Matrix Statement of Line

CONNECTORS




2-Way Stack-On Connectors
90°, 120° or 135°




3-Way Stack-On Connectors
90° or 120°



4-Way Stack-On Connectors
90°



Linear Profile 2-Ways
90°, 120° or 135°




Linear Profile 3-Ways
90° or 120°




Matrix180° Spacer
Connector



Linear Profile 4-Ways
90°




Linear Profile Wall Mount Kits




Linear Profile HiLo Trim Covers
Corner or Straight Line Application



Linear Profile Panel End Caps



Linear Profile 2-Way
Vertical Covers
90°, 120° or 135°




Linear Profile 2-Way
Vertical Stack-On Covers
90°, 120° or 135°




Linear Profile 3-Way
Vertical Covers
90°



Linear Profile 3-Way
Vertical Stack-On Covers
90°




2-Way Linear Connector
Trim Conversion Kits
90°, 120° or 135°



3-Way Linear Connector
Trim Conversion Kits
90° or 120°




4-Way Linear Connector
Trim Conversion Kits
90°



Linear Wall Mount Trim
Conversion Kits




Wall Tracks




Off-Modular Frame
Connection Kits

ELECTRICAL



Panel-to-Panel Jumpers




Double Powerway Vertical Jumper




Vertical Transition Jumpers




Lateral Pass Through Jumper




I-Connector




Duplex Outlets




USB Outlets




Access Hole Covers




Outlet Trim Bezel



Receptacle Mounted Base Infeed




Ceiling Infeed Kit




Ceiling Infeed Kit




Linear Profile Power / Data Pole Kits




Powerway Assemblies
Single or Double
Single Powerway Assembly Shown



Data Plate Kits




Electrical Tiles
Dual or Quad
Dual Electrical Tile Shown




Data Cable Support Troughs


TILES




Tackable Acoustical Tiles




Standard Steel Tiles




Embossed Steel Tiles




Perforated Steel Tiles




White Board Tiles




Laminate Tiles




Linear Profile Standard Front Glass Tiles




Linear Profile Bottom Front Glass Tiles




Linear Profile Standard Back Glass Tiles




Linear Profile Bottom Back Glass Tiles




Linear Profile Standard Open Frame Tiles




Linear Profile Bottom Open Frame Tiles



Utility Tiles




16" High Open Frame Tile Infeed Kits
With or Without Hole




Stand Alone Infeed Tiles
With or Without Hole

Matrix Statement of Line


TILES




Tackable Acoustical
Off-Modular Mid-Tiles




Tackable Acoustical
Off-Modular Top-Tiles




Linear Profile Top Tile Retainer Kit



Linear Profile Bottom Tile Retainer Kit




Linear Profile Mid-Tile Retainer Kit




Double Sided MX Monolithic Kit


SUPPORT




Standard Cantilevers




Shared Cantilevers




Panel Mounted
Shelf Cantilevers



Side Support / Rear Brackets




Standard End Panels




Clear Access End Panels




Pedestal-to-Panel
Attachment Bracket




Panel Mounted A-Legs




Panel Mounted O-Legs



Linear Profile Transaction
Top Worksurface Kit




Open Frame Worksurface Kits




Wing Panel Support Bracket


STORAGE




Mid-Height Shelf Units




Linear Mid-Height Shelf Units




Mid-Height Corner Shelf Units




Linear Mid-Height Corner Shelf Units




Type C Flipper Door Unit
Metal/Fabric, Laminate Front
Metal/Fabric Door Front Shown




Type C Raised Flipper Door Unit
Metal/Fabric or Laminate Front
Metal/Fabric Door Front Shown




Type D Flipper Door Unit




Type D Raised
Flipper Door Unit




Sliding Door Unit
Metal/Fabric or Laminate Front
Metal/Fabric Door Front Shown



Raised Sliding Door Unit
Metal/Fabric or Laminate Front
Metal/Fabric Door Front Shown



Cabinet Door Unit
Metal/Fabric or Laminate Front
Metal/Fabric Door Front Shown



Raised Cabinet Door Unit
Metal/Fabric or Laminate Front
Metal/Fabric Door Front Shown

TILE RAILS



Single Wall Tile Rails



Shared Wall Tile Rails



Single Stack Wall Tile Rails




Shared Stack Wall Tile Rails




Wall Tile Corner Filler Strips

Matrix Statement of Line


ACCESSORIES




Linear Panel Top Coat Hooks




Matrix Coat Hook




Frameless Glass & Lexan Mounting Kits
Single Frame or Multiple Frame
Glass or Lexan
Glass Single Frame Mounting Kit Shown




Frameless Up-Mounted Glass & Lexan
Glass or Lexan
Glass Shown




HiLo Situation
Up-Mounted Glass & Lexan
Single or Double
Glass or Lexan
Glass Single Up-Mounted Glass Shown




Recessed Frameless Glass & Lexan
Mounting Kits
Single Frame or Multiple Frame
Glass or Lexan
Glass Single Frame Mounting Kit Shown



Recessed Frameless
Up-Mounted Glass & Lexan
Glass or Lexan
Glass Shown



Recessed HiLo Situation
Up-Mounted Glass & Lexan
Single or Double
Glass or Lexan
Glass Single Up-Mounted Glass Shown



Recessed Glass for Linear
Power Pole Situations

VERTICAL SURFACE FABRICS

Name	Grade
Amaze	A
Avenue	A
Cape Cod	A
Engage	A
Mirador	A
Rainfall	A
Simplicity	A
Theory	A
Twizzle	A
Lido	B
Marin	B
Nature	B
Off the Grid	B
Purpose	B
Spinel	B
Sprite	B

Note: 66" & 72" wide screens – if applying directional fabrics they will need to be railroaded for application. If using a COM fabric that is 54" wide, any screen over 48" wide would need to have the fabric railroaded as well.

C.O.M. Fabric Policy

- It is mandatory that you work directly with your AIS Customer Service Representative for all COM related testing and orders. They will provide all necessary forms to you, as well as work with you with regard to sending in correct yardage and where to send it, along with necessary RA# or #s. Please note an RA must be submitted along with the fabric for testing, as well as an RA created for an actual order.
- **Please Note:** A three to five yard sample is required for testing and approval for use on all monolithic panel systems. A one yard sample is required for testing and approval on Divi Insert Tiles, Matrix Tiles, flipper doors and tackboards. We may be able to test upholstery fabrics with a swatch, your Customer Service Representative will advise based on the fabric being tested; otherwise a 1 yard sample must be submitted for testing. Results take 48 - 72 hours.
- Customer Service must be advised as to the width of the fabric rolls being supplied (54"W or 60"W). Customer Service must also be advised if the fabric has a backer.
- Yardage required for the job must be calculated by an AIS Customer Service Rep.
- Once AIS has approved the COM fabric, a fabric sample needs to be marked by the dealer with "Front", "Top", and "Bottom", to be sure fabric is applied correctly. The fabric sample then needs to be attached to a COM Fabric Dealer Form and forwarded to AIS Customer Service. [The COM Fabric Dealer Form may be downloaded or printed here.](#)
- Fabrics may be discontinued or obsolete without notice.
- Contact AIS Customer Service with any questions regarding fabric availability.
- All directional fabric will be railroaded.

At AIS, we take great pride in offering a diverse selection of high-quality materials including but not limited to textiles, laminates, PET, mesh, etc. However, AIS cannot guarantee uniformity in dye lots across different production runs. As such, AIS is not liable for any variations in dye lots or color discrepancies in any of our products that may occur between orders. We encourage customers to review samples for color and texture matching prior to purchase. We are committed to providing exceptional products and are confident that our selection of textiles will meet your expectations for both aesthetic appeal and durability.

Paint, Edgeband, Laminate and Tempered Glass Options

MATRIX PAINT OPTIONS

Name	Color Code	Grade
Black	BK	A
Chalk	CK	A
Dark Tone	DT	A
Grey Value 1	GV1	A
Innertone	HT	A
Light Tone	LT	A
Medium Tone	MT	A
Metallic Silver	MS	A
Satin White	SW	A
Warm Brown	WB	A
Champagne Metallic	CHM	B
Dark Grey Metallic	DGM	B
Flint Grey Metallic	FGM	B
Light Grey	LG	B
Tan Value 1	TV1	B
Antique Gold	AG	C
Graphite Sky	GS	C
Burnt Orange	BO	C
Brown	BR	C
Steel Blue	SB	C
Baltic Blue	BB	C
Ruby Red	RR	C
Kelly Green	KG	C

Custom Paints

- Minimum order size for any custom color is \$75,000 list. Extended lead-time will apply.
- Any color not shown on Quick Ship, Standard Grade A, B or C will be considered custom.
- A \$450 net paint match fee will be assessed following receipt of (2) 5"x5" samples of paint being matched.
- Minimum order size for any custom color is \$75,000.00 list. Extended lead-time will apply.
- Additionally, Grade C paint up-charges will be applied to all applicable products on the order.
- **Important Custom Paint Note:** Most paint match pricing can be covered by the Grade C up-charge in the catalog, however the final pricing can only be determined after the paint is matched and a product list is provided to AIS customer service. An additional fee may apply based on job size and paint color.

TEMPERED GLASS OPTIONS

Name	Panels/Frame/Tiles/	1/4" Thick	3/8" Thick
	Screens	Frameless Glass	Frameless Glass
Clear	Y	Y	Y
Frosted	Y	Y	Y
Bronze Tint	Y	Y	N
Grey Tint	Y	Y	N

All glass is tempered. The etched side of Frosted is always on Side A of the Frame or Panel. Side B of this glass options are smooth. Please see specific price list pages on each type of glass for list pricing and up-charges.

EDGE BAND OPTIONS

Name	Color Code	Grade
Absolute Acajou	AA	A
Aimtoo Savatre	AS	A
Black	BK	A
Brazilwood	BZ	A
Chalk	CK	A
Corporate Walnut	CT	A
Dark Rum Cherry	DR	A
Dark Tone	DT	A
Field Elm	FE	A
Grand Cherry	GC	A
Grey Elm	GE	A
Grey Value 1	GV1	A
Landmark	LM	A
Leave Likatre	LV	A
Light Tone	LT	A
Linen	LN	A
Looks Likatre	LK	A
Maritime Dune	MD	A
Medium Tone	MT	A
Midwest Maple	MM	A
Neo Walnut	NW	A
Phantom Ecu	PE	A
Phantom Pearl	PP	A
Satin White / True White	SW / TW	A
Storm	ST	A
Summer Drops	SD	A
Trytoo Savatre	TS	A
White Chocolate	WC	A

Custom Edgebands

- A \$450 net edge match fee will be assessed to custom match non-standard edgeband.
- Minimum order size for any custom color is \$75,000.00 list. Extended lead-time will apply.

MATRIX TILE LAMINATE OPTIONS

Name	Grade
Absolute Acajou	A
Aimtoo Savatre	A
Black	A
Brazilwood	A
Chalk	A
Corporate Walnut	A
Dark Rum Cherry	A
Field Elm	A
Grand Cherry	A
Grey Elm	A
Landmark	A
Leave Likatre	A
Linen	A
Looks Likatre	A
Maritime Dune	A
Midwest Maple	A
Nightfall	A
Neo Walnut	A
Phantom Ecu	A
Phantom Pearl	A
Storm	A
Summer Drops	A
Titanium EV	A
True White	A
Trytoo Savatre	A
White Chocolate	A

Frames

- Full steel frame system. Frame thickness is 3.25".
- Available frame heights are 34", 42", 50", 58", 66" and 82" high.
- Available frame widths are 24", 30", 36", 42", and 48" wide.
- All frames, including door frames, can accommodate stack-on frames. Double stacking is allowed up to 48". ie: (2) 24"H stack-on frames stacked on top of a 82"H frame give the maximum height of 130"H.
- Available stack-on frame heights are 8", 16" and 24" high. Available stack-on frame widths are 24", 30", 36", 42", and 48" wide.
- Frame has a slotted standard in 1" increments at each edge to accommodate hanging components.
- Frames include one topcap, 1/4 - 20 x 4" Hex head bolts to connect to other frames in a straight line, and two top and bottom tile retainers.
- Topcap is metal and available in linear only and is specified as painted.
- 1/4 - 20 x 4" Hex head bolts along with Tinnerman nuts (factory mounted to the frames) produce a rigid straight line connection.
- Top tile retainers are metal. Retainer is field installed and mounting screws are supplied.
- Bottom tile retainers are metal and linear in profile. Retainers are field installed with supplied mounting screws.
- Electrical chase holes are located every 8" on the frame to accommodate data and electrical cables. Electrical can be mounted at any height within the frame in increments of 8". Each electrical location can accommodate up to two powerway assemblies.
- Up to 16 Cat 6 cables can fit into the topcap lay-in channel on the frame which is laterally continuous and unobstructed.
- One Carpet gripper is shipped with every four frames.
- Every frame subtracts two mid-tile retainers from the combined total of mid-tile retainers on each order that includes both frames and tiles. For example, an order with one frame and eight tiles will receive six mid-tile retainers, which is the appropriate amount required to "completely dress" both sides of a frame. However, if both sides of a frame are not being dressed, or if the frames and tiles are specified for supplemental add-on orders where each tile is required to have a mid-tile retainer, such retainers must be ordered separately.

Connectors

- Connectors create 90°, 120°, and 135° space planning and connect frames with 1/4 - 20 x 2 1/4" Hex head bolts via Tinnerman nuts (factory installed) on the connector post.
- Available in 2-Way, 3-Way, and 4-Ways in 34", 42", 50", 58", 66" and 82" high.
- 2-Way connectors are available in either 90°, 120°, or 135° and ship assembled with metal vertical cover and connector topcap.
- 3-Way connectors are available in either 90° or 120° and ship assembled with a metal vertical cover (90° only) and connector topcap.
- 4-Way connectors connect frames at 90° and ship assembled with connector topcap. 4-Way connectors do not require a vertical cover.
- Stack-on connectors are required when connecting stack-on frames in a 2-Way (90°, 120°, 135°), 3-Way (90°, 120°), or 4-Way scenario. Stack-on connectors connect the same way as standard connectors with 1/4 - 20 x 2 1/4" Hex head bolts via Tinnerman nuts (factory installed) on the connector post. Stack-on connectors do not include vertical covers or connector topcaps. A separate vertical cover needs to be specified corresponding to the overall height of the connection. [ie: When adding (2) 24"H stack-on frames to (2) 66"H frames at a 2-Way connection, a 24"H 2-Way stack-on connector needs to be specified. Because the overall height of the connection is now 90", a new 90"H vertical cover needs to be specified. The existing 66" vertical cover is no longer used and the connector topcap from the original 66"H connector is moved to the top of the stack-on connector.]
- Panel end caps are required to finish the side of a frame in an end of run situation where no other panels are to be connected. Available heights are 34", 42", 50", 58", 66", 74", 82", 90", 98" and 106". In stack-on situations at an end of run, the correct height panel end cap needs to be specified. [ie: When adding a 24"H stack-on frame to a 66"H frame at an end of run, a 90"H panel end cap needs to be specified.] Panel end caps are specified as painted.
- Straight line HiLo caps are required when frame heights change height in a straight line. [ie: When a 50"H frame is connected to a 66"H frame, a 16" straight line HiLo cap needs to be specified to cover the exposed frame on the 66"H frame.] Straight line HiLo caps are specified as painted.
- Corner HiLo caps are required when frame heights change at a 2-Way, 3-Way, or 4-Way connection [ie: When a 50"H frame and a 66" frame are connected at a 2-Way connector, a 16" corner HiLo needs to be specified to cover the exposed connector post above the 50"H frame.] Corner HiLo caps are specified as painted.
- Stack-on vertical covers are only required when connectors extend beyond 108"H. Stack-on vertical covers are specified as painted.
- Wall mount connectors are required when mounting frames perpendicular to a fixed wall. Available heights are 34", 42", 50", 58", 66", 74", 82", 90", 98", and 106". Wall mount connectors also require width specification because it includes a topcap to replace the existing topcap on the frame being wall mounted. This is due to the 1" of panel creep created by the wall mount. Topcaps may be specified painted.

Electrical

- 8 Wire 4 circuit electrical system contains four circuits. Each circuit is rated at 20 amps/120 volts maximum.
- Circuit 1, Circuit 2 and Circuit 3 are served by a system neutral and an equipment ground. Circuit 4 is dedicated and is served by its own neutral and ground.
- Electrical/data raceway channels are located at each 8" increment along the system frame and can accommodate either a single or double powerway.
- Each duplex outlet contains two single receptacles (places to plug into) of the same circuit and are specified separately from powerways. Duplex outlets are standard 15 amp outlets. For 20 amp outlets, call AIS Customer Service.
- 24" wide panels can accept only one duplex outlet per side, two total back to back. All other panels can accept two per side, four total.
- Lateral jumpers connect electrical from one powerway assembly in a frame to another powerway assembly in a different frame at the same height.
- Vertical jumpers connect electrical from one powerway assembly to another powerway assembly in the same frame at different heights.
- All electrical access tiles have access holes for duplex outlets or data devices. Access holes have a standard single gang mounting pattern which will accommodate any manufacturer's single gang data device plates and bezels.
- Electrical tiles are available in painted steel or with fabric covering.

Matrix Product Details

Tiles

- Tiles are available in many styles and options: fabric tackable acoustical, laminate, flat steel, perforated steel, embossed steel, white board, tool rail, glass, and open frame.
- Glass inserts are 1/4" tempered glass, available in many styles.
- Steel backers are available as a special for fabric tackable acoustical tiles for increased STC rating.
- Tiles are easily removable for field replacement.

Worksurfaces

- Worksurfaces are approximately 1 1/8" thick and are available with a 2 millimeter edge.
- Available in a multitude of shapes and sizes. Special sizes and dimensions are also available and easy to request.
- Different grommet locations are available for most worksurfaces and special grommet locations may be requested.

Support

- Available panel hung support includes standard and shared cantilever supports (24" and 30" deep surfaces), side support/rear brackets, panel top worksurface kits, and open frame worksurface kits.
- Available floor support includes: standard end panels and clear access end panels (12", 18", 24", 30" and 36" deep), universal combination legs, cross table bases, bi-point table bases, and full laminate support panels.
- Full laminate support panels are ideal for creating freestanding worksurface applications such as desk shells, returns, corner bases, carrols, and private office support.
- Painted Metal "A" Legs may be specified both as worksurface supports, as well as to add stability to panels.
- Other support items include flat plates, which are specified to help splice worksurfaces together at the front edge, and "V" channels, which mount to the underside of longer worksurfaces to provide bracing where a center support cantilever is not possible. "V" channels are highly recommended for surfaces longer than 48" without cantilever support.

Storage


- Structural pedestals are available 24" or 30" deep. Freestanding conversion kits are available for structural pedestals.
- Mobile pedestals are available 24" deep only.
- Lateral files are available in 2, 3, 4, and 5 drawer (30", 36", or 42" wide). The 2-drawer lateral file is structural with an open top. Freestanding conversion kits are available for converting structural lateral files to freestanding lateral files.
- Wardrobe towers are 48" and 64" high, are available left or right handed and with multiple options above the pedestal unit. Close cupboards and side panel bookshelves are available.
- A 2-Door cabinet and bookcase are also available.
- Panel hung storage includes mid-height shelves, corner mid-height shelves, Type C flipper door units (standard or raised), and Type D flipper door units (standard or raised).

Accessories


- Power/data pole shells mount to any Matrix frame or stack-on frame. Power/data pole shells can be divided into one, two, or three vertical channels with metal septums for separation of low voltage and high voltage.
- Other miscellaneous accessories include pelican drawers, wall track, tackboards, tasklighting, plastic pencil drawers, keyboard arms and trays, shelf dividers, desktop power/data modules, coat hooks, wall tile rails, and paper flow elements.

Matrix Component Details


Component Detail 1



Component Detail 2



Component Detail 3



Matrix Frames Product Details

**Product Detail 1
Panel Frame Availability**

Matrix panel frames include (1) topcap (field mounted), (2) top tile retainers (field mounted), (2) bottom tile retainers (field mounted), and (2) 1 1/2" leveling glides. Each frame is shipped with the needed amount of 1/4-20 x 4" hex head bolts which are required for connecting frames in a straight line.


Matrix panel frames can connect at 90°, 120°, or 135° at a 2-way connection, 90° or 120° at a 3-way connection, and 90° at a 4-way connection.

Note: Door frames may also be connected at these angles, but the proper swing must be specified in order to avoid door swing interference. End of runs require a panel end cap. Change of heights in a straight line require a straight line HiLo trim. Change of heights at 90°, 120°, or 135° require connector HiLo trim.

Panel Frame Dimensions (Nominal):

Height: 34", 42", 50", 58", 66", 82"

Width: 24", 30", 36", 42", 48"



**Product Detail 2
Stack-On Frame Availability**


All Matrix panel frames, including door frames, can accommodate stack-on frames. Double stacking on door frames is allowed up to 48". Stack-on frames connect to each other in a straight line with 1/4-20 x 4" hex head bolts. When stack-on connectors are to be used in a 2-way, 3-way, or 4-way connection, stack-on connectors need to be specified separately.

Maximum stackability is 130". 82" Frame + (2 x 24" Stack-On) = 130"

Stack-On Frame Dimensions (Nominal)

Height: 8", 16", 24"

Width: 24", 30", 36", 42", 48"




**Product Detail 3
Panel Frame Profile**



Matrix panel frames have a topcap lay-in channel which is laterally continuous and unobstructed. Lay-in channel can accommodate up to 16 Cat 6 cables.

Electrical chase holes are located every 8" on the frame to accommodate data and electrical cables. Electrical can be mounted at any height in a frame. Every 8" of height can accommodate up to two powerway assemblies. Chase holes can accommodate up to 40 Cat 6 cables.

Topcap Lay-In Channel



Electrical Chase Hole




Topcap lay-in channel can accommodate up to 16 Cat 6 cables.


Electrical chase hole can accommodate up to 40 Cat 6 cables.

**Product Detail 4
Panel Frame Trim - Profile Options**


Profile topcaps are available painted.w




Linear Profile
Painted Metal




Linear Profile
Top Tile Retainer



Linear Profile Top Tile
Retainer (Side View)



Linear Profile
Bottom Tile Retainer



Linear Profile Bottom Tile
Retainer(Side View)


Matrix Frames Product Details

**Product Detail 5
Panel Frame Creep Dimensions**

Small increments are added to or taken away from the length of a run of panels as a result of the many ways panels are connected to each other. The accumulation of these increments is called panel creep. The connection scenarios below outline panel creep dimensions.


Straight Connections

Add 0" to panel run for each straight connection. 24" W (nominal) panels are shown.




2-Way Connections

Add 3 5/16" each time a perpendicular panel is added to the end of a panel run.
Note: 2-way connections add 3 5/16" in both directions.




3-Way Connections

Add 3 5/16" each time a perpendicular panel is added to the end of a panel run.
Note: 3-way connections add 3 5/16" in both directions.




4-Way Connections

Add 3 5/16" each time a perpendicular panel is added to the end of a panel run.
Note: 4-way connections add 3 5/16" in both directions.




Finished End Connections

Add 7/16" to the end of the panel run for each finished end cap.



Wall Mount Connections


Add 1" to the end of panel run for Wall Mount connection.



Matrix Frames Product Details


**Product Detail 6
Rules for Panel Stability without Components**

The guidelines below should be followed when designing AIS Matrix panel frames without components to ensure panel stability and safety. Change in height will not affect panel frame stability. Any panel not directly attached to a perpendicular panel frame or fixed wall will yield when pressure is applied.



**Product Detail 7
Rules for Panel Stability with Components**

The guidelines below should be followed when designing AIS Matrix panel frames with components to ensure panel stability and safety. Change of heights do not effect panel frame stability. Any panel not directly attached to a perpendicular panel frame or fixed wall will yield when pressure is applied.



* 30" worksurfaces must be supported at the front with side support brackets or floor support elements/pedestals.

Matrix Frames Product Details


Product Detail 8
Left - Right Handing Logic for Matrix Door Frames

Left Hand Door Frames:


Left Hand door frames swing away from you to the left as you enter an office. The door is reversible.

Right Hand Door Frame:


Right Hand door frames swing away from you to the right as you enter an office. The door is reversible.




Left Hand Linear Profile Panel Door Frame



Left Hand Linear Profile Panel Glass Window Door Frame




Right Hand Linear Profile Panel Door Frame



Right Hand Linear Profile Panel Glass Window Door Frame

Product Detail 9
Corner Application Sliding Door


When specifying sliding doors at a corner application, a 2-way connector and corner connector HiLo trim piece needs to be ordered in addition to the sliding door. This fills the 3 1/2" gap created by this scenario.




Matrix Frames Product Details

Gallery Panel Examples


Single End
24" - 66" Wide*
Left or Right
**Over 66" Wide needs support*




Single End for Wing
48" - 90" Wide
Left or Right




Single End for Wing Facing Forward
48" - 90" Wide
Left or Right




Single End for Wing Front and Back
48" - 90" Wide
Left or Right




Single Spine
24" - 90" Wide*
Non-Handed
**Over 66" Wide needs support*




Single Spine for Wing
48" - 90" Wide
Left or Right




Single Spine for Wings Front and Back
48" - 90" Wide
Non-Handed




Double End
48" - 90" Wide



Double Spine
48" - 90" Wide
Non-Handed




Mid Mount End
24" - 90" Wide*
Left or Right
**Over 66" Wide needs support*




Matrix Frames Product Details

Gallery Panel Examples


Mid Mount End for Wing
48" - 90" Wide
Left or Right




Mid Mount End for Wing Facing Front
48" - 90" Wide
Left or Right




Mid Mount End for Wings Front and Back
48" - 90" Wide
Left or Right




Mid Mount Spine
24" - 90" Wide*
Non-Handed
**Over 66" Wide needs support*



Mid Mount Spine for Wing
60" - 90" Wide
Left or Right



Mid Mount Spine for Wings Front and Back
48" - 90" Wide
Non-Handed



Matrix Frames Product Details

SINGLE END AND SINGLE SPINE LEFT AND RIGHT GRAIN DIRECTIONS											
HEIGHT	WIDTH										
	24	30	36	42	54	60	66	72	78	84	90
34	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal
42	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal
50	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal
58	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal
66	Vertical	Vertical	Vertical	Vertical	Vertical	N/A	N/A	N/A	N/A	N/A	N/A

DOUBLE END AND DOUBLE SPINE GRAIN DIRECTIONS									
HEIGHT	WIDTH								
	48	54	60	66	72	78	84	90	
42	Vert./Horz.	Vert./Horz.	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal	
50	Vert./Horz.	Vert./Horz.	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal	
58	Vert./Horz.	Vert./Horz.	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal	



MID MOUNT END AND MID MOUNT SPINE LEFT AND RIGHT GRAIN DIRECTIONS											
HEIGHT	WIDTH										
	24	30	36	42	54	60	66	72	78	84	90
34	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal
42	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal
50	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal
58	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal
66	Vertical	Vertical	Vertical	Vertical	Vertical	N/A	N/A	N/A	N/A	N/A	N/A

WING PANEL LEFT AND RIGHT GRAIN DIRECTIONS			
HEIGHT	WIDTH		
	18	24	30
34	Vert./Horz.	Vert./Horz.	Vert./Horz.
42	Vert./Horz.	Vert./Horz.	Vert./Horz.
50	Vert./Horz.	Vert./Horz.	Vert./Horz.
58	Vert./Horz.	Vert./Horz.	Vert./Horz.
66	Vertical	Vertical	Vertical

Linear Profile Panel Frames

LINEAR PROFILE PANEL FRAMES

H	W	Model Number	List	Grade C Topcap Paint	Grade C Retainer Paint	H	W	Model Number	List	Grade C Topcap Paint	Grade C Retainer Paint
34	24	P-MLFR3424	448	+10	+5	58	24	P-MLFR5824	524	+10	+5
34	30	P-MLFR3430	462	+10	+5	58	30	P-MLFR5830	547	+10	+5
34	36	P-MLFR3436	479	+10	+5	58	36	P-MLFR5836	569	+10	+5
34	42	P-MLFR3442	491	+10	+5	58	42	P-MLFR5842	585	+10	+5
34	48	P-MLFR3448	508	+10	+5	58	48	P-MLFR5848	596	+10	+5
42	24	P-MLFR4224	474	+10	+5	66	24	P-MLFR6624	553	+10	+5
42	30	P-MLFR4230	494	+10	+5	66	30	P-MLFR6630	571	+10	+5
42	36	P-MLFR4236	508	+10	+5	66	36	P-MLFR6636	593	+10	+5
42	42	P-MLFR4242	520	+10	+5	66	42	P-MLFR6642	608	+10	+5
42	48	P-MLFR4248	537	+10	+5	66	48	P-MLFR6648	621	+10	+5
50	24	P-MLFR5024	498	+10	+5	82	24	P-MLFR8224	705	+10	+5
50	30	P-MLFR5030	514	+10	+5	82	30	P-MLFR8230	721	+10	+5
50	36	P-MLFR5036	542	+10	+5	82	36	P-MLFR8236	738	+10	+5
50	42	P-MLFR5042	557	+10	+5	82	42	P-MLFR8242	755	+10	+5
50	48	P-MLFR5048	569	+10	+5	82	48	P-MLFR8248	769	+10	+5



Painted Metal

Specify

- Finish Style for Topcap - Painted Metal
- Paint Selection for Tile Retainer
- Paint Selection for Topcap (when applicable)

Notes

- Panel Frames are made of steel tube, welded frame construction.
- Includes one topcap (field mounted), two top tile retainers (field mounted), two bottom tile retainers (field mounted), and two 1 1/2" leveling glides.
- Frame can accommodate up to two stack-on frames.
- 1/4 - 20 x 4" long hex head bolts are supplied for connecting to adjacent frames in a straight line.
- Every frame subtracts two mid-tile retainers from the combined total of mid-tile retainers on each order that includes both frames and tiles. For example, an order with one frame and eight tiles will receive six mid-tile retainers, which is the appropriate amount required to "completely dress" both sides of a frame. However, if both sides of a frame are not being dressed, or if the frames and tiles are specified for supplemental add-on orders where each tile is required to have a mid-tile retainer, such retainers must be ordered separately.
- When ordering frames without tiles, please contact AIS Customer Service.
- One Carpet Gripper Glide is shipped for every four panels.


Linear Profile Panel Door Frames

LINEAR PROFILE PANEL DOOR FRAMES

H	W	Type	Model Number	List	Grade C Topcap Paint	Grade C Retainer Paint	Grade C Door Paint
82	42	Left	P-MLDRL8242	4,222	+10	+5	+100
82	42	Right	P-MLDRR8242	4,222	+10	+5	+100



Left Hand



Right Hand


Specify

Notes


- Finish Style for Topcap - Painted Metal
- Paint Selection for Tile Retainer, Door and Topcap (when applicable)
- Panel Door Frames are made of steel tube, welded frame construction.
- Includes one topcap (field mounted), two topcap retainers (field mounted), one adjustable threshold, and one ADA right angle lock set with two keys.
- Door frame can accommodate up to two stack-on frames.
- Door frame and top cap can be painted in AIS standard colors.
- Door blank cannot be specified in Metallic Colors (ex. Metallic Silver, Champagne Metallic, Dark Grey Metallic, Flint Grey Metallic, Antique Gold & Graphite Sky).
- 1/4 - 20 x 4" long hex head bolts are supplied for connecting to adjacent frames in a straight line.
- Door swing is reversible in the field.
- Minimum door opening is 34 1/8" from door stop to door face while open at 90°.

LINEAR PROFILE PANEL GLASS WINDOW DOOR FRAMES

H	W	Type	Model Number	List	Grade C Topcap Paint	Grade C Retainer Paint	Grade C Door Paint
82	42	Left	P-MLDRGL8242	7,322	+10	+5	+100
82	42	Right	P-MLDRGR8242	7,322	+10	+5	+100



Left Hand



Right Hand

Specify

Notes

- Finish Style for Topcap - Painted Metal
- Paint Selection for Tile Retainer, Door and Topcap
- Insert Style for Tempered Glass
- Panel Glass Window Door Frames are made of steel tube, welded frame construction.
- Includes one topcap (field mounted), two topcap retainers (field mounted), one adjustable threshold, and one ADA right angle lock set with two keys.
- Door frame can accommodate up to two stack-on frames.
- Door frame and door are painted same color, as specified.
- 1/4 - 20 x 4" long hex head bolts are supplied for connecting to adjacent frames in a straight line.
- Door swing is reversible in the field.
- Minimum door opening is 34 1/8" from door stop to door face while open at 90°.
- Note: Door has a 5" painted wood border around the glass.

LINEAR ARCH PANEL DOOR FRAME WITH INNER TRIM (NO DOOR)

H	W	Model Number	List	Grade C Paint	Grade C Retainer Paint
82	42	P-MLDFRK8242	4,304	+10	+5



Specify

Notes

- Finish Style for Topcap - Painted Metal
- Paint Selection for Tile Retainer and Topcap
- For use with AIS sliding doors where an archway is needed.
- Opening width of 35 1/2".


Linear Sliding Privacy Screens

MATRIX LINEAR SLIDING PRIVACY SCREEN


Panel H	Doorway W	Adjacent Panel W	Left Hand		Right Hand		Grade C Paint
			Model Number	Model Number	List		
66	36	36	P-MXLR6636L	P-MXLR6636R	3,142	+25	
66	36	42	P-MXLR663642L	P-MXLR663642R	3,279	+25	
66	36	48	P-MXLR663648L	P-MXLR663648R	3,288	+25	
66	42	42	P-MXLR6642L	P-MXLR6642R	3,146	+25	
66	42	48	P-MXLR664248L	P-MXLR664248R	3,220	+25	
66	48	48	P-MXLR6648L	P-MXLR6648R	3,248	+25	
82	36	36	P-MXLR8236L	P-MXLR8236R	3,278	+25	
82	36	42	P-MXLR823642L	P-MXLR823642R	3,350	+25	
82	36	48	P-MXLR823648L	P-MXLR823648R	3,423	+25	
82	42	42	P-MXLR8242L	P-MXLR8242R	3,289	+25	
82	42	48	P-MXLR824248L	P-MXLR824248R	3,363	+25	
82	48	48	P-MXLR8248L	P-MXLR8248R	3,395	+25	

MATRIX LINEAR LOCKING SLIDING PRIVACY SCREEN


Panel H	Doorway W	Adjacent Panel W	Left Hand		Right Hand		Grade C Paint
			Model Number	Model Number	List		
66	36	36	P-MXLR6636LL	P-MXLR6636RL	3,333	+25	
66	36	42	P-MXLR663642LL	P-MXLR663642RL	3,404	+25	
66	36	48	P-MXLR663648LL	P-MXLR663648RL	3,478	+25	
66	42	42	P-MXLR6642LL	P-MXLR6642RL	3,338	+25	
66	42	48	P-MXLR664248LL	P-MXLR664248RL	3,409	+25	
66	48	48	P-MXLR6648LL	P-MXLR6648RL	3,437	+25	
82	36	36	P-MXLR8236LL	P-MXLR8236RL	3,466	+25	
82	36	42	P-MXLR823642LL	P-MXLR823642RL	3,540	+25	
82	36	48	P-MXLR823648LL	P-MXLR823648RL	3,613	+25	
82	42	42	P-MXLR8242LL	P-MXLR8242RL	3,479	+25	
82	42	48	P-MXLR824248LL	P-MXLR824248RL	3,552	+25	
82	48	48	P-MXLR8248LL	P-MXLR8248RL	3,585	+25	




Right Hand with Optional Handle Shown



Right Hand with Optional Handle Shown



Right Hand with Lock and Handle Shown



Right Hand with Lock and Handle Shown

Specify

• Paint Selection for Sliding Door Frame


Notes

- The Linear Sliding Privacy Screen attaches to frame face at either left or right, outside or inside of an opening.
- Select a Sliding Privacy Screen based upon the dimensions of the opening it will cover and the adjacent panel that it will be installed to.
- Linear Sliding Privacy Screens are available to accommodate 36", 42" or 48" wide by 66" or 82" high openings and adjacent panels.
- All doors come with a top track bar kit for added stability; only 82" high units extend over the doorway.
- Lightweight, aluminum frame, painted as specified, with a ribbed Lexan insert.
- The sliding door extends 6" into opening when fully open, and stands a total of 2-1/2" off panel face.
- These dimensions should be taken into consideration when planning for ADA door openings and aisle dimensional requirements if door is mounted on outside of office.
- Actual door thickness is 5/8".
- Actual door width is opening size +6".
- Only mount externally.
- Doors can only be locked from the outside, when user is out of office.
- Optional handles and wall termination brackets are available separately

Linear Sliding Privacy Screen Handles and Brackets

LINEAR SLIDING PRIVACY SCREEN HANDLE KIT

Model Number	List
P-UNSLDHK	87




Specify **Notes**

- Select Paint

LINEAR SLIDING PRIVACY SCREEN WALL BRACKET KIT

Model Number	List	Grade C Paint
A-RPSLWATB	81	+25




Specify **Notes**

- Select Paint
- Use this bracket where the top guide rail of the Linear Sliding Privacy Screen extends over the doorway and terminates against a wall instead of a panel.
- Fasteners for top rail included, fasteners for wall are not included.


MATRIX SLIDING DOOR MOUNTING BRACKET FOR ARCH DOOR

Model Number	List
A-MTXSLDAMB	81




Specify **Notes**

- Specify this bracket when using a sliding privacy screen on a Matrix Arch Door Frame with a 2- or 3-way connection.




This bracket required when a sliding door installed on Arch Door Frame with 2- or 3-way connection.




Stack-On Frames

STACK-ON FRAMES			
H	W	Model Number	List
8	24	P-M2BT0824	296
8	30	P-M2BT0830	315
8	36	P-M2BT0836	326
8	42	P-M2BT0842	343
8	48	P-M2BT0848	361
16	24	P-M2BT1624	345
16	30	P-M2BT1630	361
16	36	P-M2BT1636	376
16	42	P-M2BT1642	391
16	48	P-M2BT1648	408
24	24	P-M2BT2424	393
24	30	P-M2BT2430	408
24	36	P-M2BT2436	424
24	42	P-M2BT2442	437
24	48	P-M2BT2448	458



LINEAR PROFILE EXTENDED TOPCAPS			
H	Model Number	List	Grade C Paint
54	P-MLTC54	77	+20
60	P-MLTC60	81	+20
66	P-MLTC66	85	+20
72	P-MLTC72	92	+20
78	P-MLTC78	97	+20
84	P-MLTC84	101	+20
90	P-MLTC90	106	+20
96	P-MLTC96	111	+20
102	P-MLTC102	115	+30
108	P-MLTC108	120	+30



Notes

- Stack-On Frame is made of steel tube, welded frame construction.
- Frame color is black and includes 1/4 - 20 x 4" long bolts for connecting to adjacent frames in straight line.
- Supports overhead storage.
- Note: Stack-on frame may be retrofitted over data cables run in topcap channel.
- Existing topcap from lower panel frame is re-used on the stack-on frame.
- Stack-on connectors and vertical trim ordered separately.
- Maximum stackability on any frame is 48".
- When stacking on an 82" frame, 130" would be the maximum stacking height.

Specify


- Paint Selection for Topcap

Notes

- Extended Topcaps Linear Profile - may be ordered to reduce "seams" between panel frames.
- Order extended topcaps separately.
- **Important:** Matrix frames ship with standard "panel width" topcaps.
- Specify frames without topcaps to eliminate redundant topcaps.

LINEAR DOOR FRAME TOPCAP CONVERSION KIT

H	Model Number	List	Grade C Paint
42	P-MLKFD42	133	+10



Specify


- Finish Style for Topcap - Painted Metal
- Paint Selection for Topcap (when applicable)

Notes

- Linear Door Frame Topcap Conversion Kit - may be ordered to convert existing radius profile Matrix door frames to linear profile Matrix door frames.
- Linear topcap conversion kits include one linear profile topcap (painted metal) and all necessary mounting hardware.

RADIUS TO LINEAR FRAME TOPCAP CONVERSION KIT

H	Model Number	List	Grade C Paint
24	P-MLKF24	183	+10
30	P-MLKF30	192	+10
36	P-MLKF36	196	+10
42	P-MLKF42	202	+10
48	P-MLKF48	212	+10



Specify

- Finish Style for Topcap - Painted Metal
- Paint Selection for Topcap (if applicable) and Bottom Tile Retainer


Notes

- Linear Frame Topcap Conversion Kit - may be ordered to convert existing radius profile Matrix frames to linear profile Matrix frames.
- Linear topcap conversion kits include one linear profile topcap (painted metal), two bottom tile retainers, and all necessary mounting hardware.
- Mid-tile retainers need to be ordered separately.


Linear Single End Gallery Panels

LINEAR SINGLE END GALLERY PANELS					
H	W	Grain	Left	Right	List
			Model Number	Model Number	
34	24	Vertical	P-MLGPES3424L	P-MLGPES3424R	570
34	30	Vertical	P-MLGPES3430L	P-MLGPES3430R	598
34	36	Vertical	P-MLGPES3436L	P-MLGPES3436R	615
34	42	Vertical	P-MLGPES3442L	P-MLGPES3442R	628
34	48	Vertical	P-MLGPES3448L	P-MLGPES3448R	637
34	54	Vertical	P-MLGPES3454L	P-MLGPES3454R	646
34	24	Horizontal	P-MLGPES3424LH	P-MLGPES3424RH	570
34	30	Horizontal	P-MLGPES3430LH	P-MLGPES3430RH	598
34	36	Horizontal	P-MLGPES3436LH	P-MLGPES3436RH	615
34	42	Horizontal	P-MLGPES3442LH	P-MLGPES3442RH	628
34	48	Horizontal	P-MLGPES3448LH	P-MLGPES3448RH	637
34	54	Horizontal	P-MLGPES3454LH	P-MLGPES3454RH	646
34	60	Horizontal	P-MLGPES3460L	P-MLGPES3460R	765
34	66	Horizontal	P-MLGPES3466L	P-MLGPES3466R	804
34	72	Horizontal	P-MLGPES3472L	P-MLGPES3472R	856
34	78	Horizontal	P-MLGPES3478L	P-MLGPES3478R	908
34	84	Horizontal	P-MLGPES3484L	P-MLGPES3484R	959
34	90	Horizontal	P-MLGPES3490L	P-MLGPES3490R	1,011


LINEAR SINGLE END GALLERY PANELS					
H	W	Grain	Left	Right	List
			Model Number	Model Number	
42	24	Vertical	P-MLGPES4224L	P-MLGPES4224R	613
42	30	Vertical	P-MLGPES4230L	P-MLGPES4230R	661
42	36	Vertical	P-MLGPES4236L	P-MLGPES4236R	702
42	42	Vertical	P-MLGPES4242L	P-MLGPES4242R	743
42	48	Vertical	P-MLGPES4248L	P-MLGPES4248R	785
42	54	Vertical	P-MLGPES4254L	P-MLGPES4254R	827
42	24	Horizontal	P-MLGPES4224LH	P-MLGPES4224RH	613
42	30	Horizontal	P-MLGPES4230LH	P-MLGPES4230RH	661
42	36	Horizontal	P-MLGPES4236LH	P-MLGPES4236RH	702
42	42	Horizontal	P-MLGPES4242LH	P-MLGPES4242RH	743
42	48	Horizontal	P-MLGPES4248LH	P-MLGPES4248RH	785
42	54	Horizontal	P-MLGPES4254LH	P-MLGPES4254RH	827
42	60	Horizontal	P-MLGPES4260L	P-MLGPES4260R	933
42	66	Horizontal	P-MLGPES4266L	P-MLGPES4266R	1,002
42	72	Horizontal	P-MLGPES4272L	P-MLGPES4272R	1,042
42	78	Horizontal	P-MLGPES4278L	P-MLGPES4278R	1,081
42	84	Horizontal	P-MLGPES4284L	P-MLGPES4284R	1,121
42	90	Horizontal	P-MLGPES4290L	P-MLGPES4290R	1,161



Left Hand





Right Hand



Horizontal Grain



Vertical Grain



Right Hand Shown

Specify

Notes

- Laminate with matching edge
- Linear Single End Gallery Panels mount to frames in place of wing panels for structural support.
- Gallery Panels add 1" to panel run. See panel creep description pages.
- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Single End Gallery Panels over 66" wide must be attached to storage units for support.
- Cannot be used freestanding, must be attached to a panel.


Linear Single End Gallery Panels

LINEAR SINGLE END GALLERY PANELS


H	W	Grain	Left	Right	List
			Model Number	Model Number	
50	24	Vertical	P-MLGPES5024L	P-MLGPES5024R	655
50	30	Vertical	P-MLGPES5030L	P-MLGPES5030R	723
50	36	Vertical	P-MLGPES5036L	P-MLGPES5036R	788
50	42	Vertical	P-MLGPES5042L	P-MLGPES5042R	858
50	48	Vertical	P-MLGPES5048L	P-MLGPES5048R	932
50	54	Vertical	P-MLGPES5054L	P-MLGPES5054R	1,006
50	24	Horizontal	P-MLGPES5024LH	P-MLGPES5024RH	655
50	30	Horizontal	P-MLGPES5030LH	P-MLGPES5030RH	723
50	36	Horizontal	P-MLGPES5036LH	P-MLGPES5036RH	788
50	42	Horizontal	P-MLGPES5042LH	P-MLGPES5042RH	858
50	48	Horizontal	P-MLGPES5048LH	P-MLGPES5048RH	932
50	54	Horizontal	P-MLGPES5054LH	P-MLGPES5054RH	1,006
50	60	Horizontal	P-MLGPES5060L	P-MLGPES5060R	1,103
50	66	Horizontal	P-MLGPES5066L	P-MLGPES5066R	1,197
50	72	Horizontal	P-MLGPES5072L	P-MLGPES5072R	1,226
50	78	Horizontal	P-MLGPES5078L	P-MLGPES5078R	1,255
50	84	Horizontal	P-MLGPES5084L	P-MLGPES5084R	1,283
50	90	Horizontal	P-MLGPES5090L	P-MLGPES5090R	1,311

LINEAR SINGLE END GALLERY PANELS


H	W	Grain	Left	Right	List
			Model Number	Model Number	
58	24	Vertical	P-MLGPES5824L	P-MLGPES5824R	730
58	30	Vertical	P-MLGPES5830L	P-MLGPES5830R	801
58	36	Vertical	P-MLGPES5836L	P-MLGPES5836R	863
58	42	Vertical	P-MLGPES5842L	P-MLGPES5842R	931
58	48	Vertical	P-MLGPES5848L	P-MLGPES5848R	981
58	54	Vertical	P-MLGPES5854L	P-MLGPES5854R	1,034
58	24	Horizontal	P-MLGPES5824LH	P-MLGPES5824RH	730
58	30	Horizontal	P-MLGPES5830LH	P-MLGPES5830RH	801
58	36	Horizontal	P-MLGPES5836LH	P-MLGPES5836RH	863
58	42	Horizontal	P-MLGPES5842LH	P-MLGPES5842RH	931
58	48	Horizontal	P-MLGPES5848LH	P-MLGPES5848RH	981
58	54	Horizontal	P-MLGPES5854LH	P-MLGPES5854RH	1,034
58	60	Horizontal	P-MLGPES5860L	P-MLGPES5860R	1,125
58	66	Horizontal	P-MLGPES5866L	P-MLGPES5866R	1,218
58	72	Horizontal	P-MLGPES5872L	P-MLGPES5872R	1,310
58	78	Horizontal	P-MLGPES5878L	P-MLGPES5878R	1,400
58	84	Horizontal	P-MLGPES5884L	P-MLGPES5884R	1,494
58	90	Horizontal	P-MLGPES5890L	P-MLGPES5890R	1,586
66	24	Vertical	P-MLGPES6624L	P-MLGPES6624R	749
66	30	Vertical	P-MLGPES6630L	P-MLGPES6630R	824
66	36	Vertical	P-MLGPES6636L	P-MLGPES6636R	892
66	42	Vertical	P-MLGPES6642L	P-MLGPES6642R	966
66	48	Vertical	P-MLGPES6648L	P-MLGPES6648R	1,036
66	54	Vertical	P-MLGPES6654L	P-MLGPES6654R	1,106




Left Hand





Right Hand



Horizontal Grain



Vertical Grain



Right Hand Shown

Specify

- Laminate with matching edge



Notes

- Linear Single End Gallery Panels mount to frames in place of wing panels for structural support.
- Gallery Panels add 1" to panel run. See panel creep description pages.
- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Single End Gallery Panels over 66" wide must be attached to storage units for support.
- Cannot be used freestanding, must be attached to a panel.


Linear Single End for Wing Gallery Panels

LINEAR SINGLE END FOR WING GALLERY PANELS					
H	W	Grain	Left Model Number	Right Model Number	List
34	48	Vertical	P-MLGESW3448L	P-MLGESW3448R	670
34	54	Vertical	P-MLGESW3454L	P-MLGESW3454R	677
34	48	Horizontal	P-MLGESW3448LH	P-MLGESW3448RH	670
34	54	Horizontal	P-MLGESW3454LH	P-MLGESW3454RH	677
34	60	Horizontal	P-MLGESW3460L	P-MLGESW3460R	798
34	66	Horizontal	P-MLGESW3466L	P-MLGESW3466R	836
34	72	Horizontal	P-MLGESW3472L	P-MLGESW3472R	888
34	78	Horizontal	P-MLGESW3478L	P-MLGESW3478R	940
34	84	Horizontal	P-MLGESW3484L	P-MLGESW3484R	991
34	90	Horizontal	P-MLGESW3490L	P-MLGESW3490R	1,044
42	48	Vertical	P-MLGESW4248L	P-MLGESW4248R	816
42	54	Vertical	P-MLGESW4254L	P-MLGESW4254R	857
42	48	Horizontal	P-MLGESW4248LH	P-MLGESW4248RH	816
42	54	Horizontal	P-MLGESW4254LH	P-MLGESW4254RH	857
42	60	Horizontal	P-MLGESW4260L	P-MLGESW4260R	965
42	66	Horizontal	P-MLGESW4266L	P-MLGESW4266R	1,034
42	72	Horizontal	P-MLGESW4272L	P-MLGESW4272R	1,073
42	78	Horizontal	P-MLGESW4278L	P-MLGESW4278R	1,113
42	84	Horizontal	P-MLGESW4284L	P-MLGESW4284R	1,153
42	90	Horizontal	P-MLGESW4290L	P-MLGESW4290R	1,194

LINEAR SINGLE END FOR WING GALLERY PANELS					
H	W	Grain	Left Model Number	Right Model Number	List
50	48	Vertical	P-MLGESW5048L	P-MLGESW5048R	964
50	54	Vertical	P-MLGESW5054L	P-MLGESW5054R	1,038
50	48	Horizontal	P-MLGESW5048LH	P-MLGESW5048RH	964
50	54	Horizontal	P-MLGESW5054LH	P-MLGESW5054RH	1,038
50	60	Horizontal	P-MLGESW5060L	P-MLGESW5060R	1,133
50	66	Horizontal	P-MLGESW5066L	P-MLGESW5066R	1,229
50	72	Horizontal	P-MLGESW5072L	P-MLGESW5072R	1,258
50	78	Horizontal	P-MLGESW5078L	P-MLGESW5078R	1,286
50	84	Horizontal	P-MLGESW5084L	P-MLGESW5084R	1,314
50	90	Horizontal	P-MLGESW5090L	P-MLGESW5090R	1,342
58	48	Vertical	P-MLGESW5848L	P-MLGESW5848R	1,013
58	54	Vertical	P-MLGESW5854L	P-MLGESW5854R	1,066
58	48	Horizontal	P-MLGESW5848LH	P-MLGESW5848RH	1,013
58	54	Horizontal	P-MLGESW5854LH	P-MLGESW5854RH	1,066
58	60	Horizontal	P-MLGESW5860L	P-MLGESW5860R	1,157
58	66	Horizontal	P-MLGESW5866L	P-MLGESW5866R	1,250
58	72	Horizontal	P-MLGESW5872L	P-MLGESW5872R	1,341
58	78	Horizontal	P-MLGESW5878L	P-MLGESW5878R	1,434
58	84	Horizontal	P-MLGESW5884L	P-MLGESW5884R	1,526
58	90	Horizontal	P-MLGESW5890L	P-MLGESW5890R	1,617
66	48	Vertical	P-MLGESW6648L	P-MLGESW6648R	1,068
66	54	Vertical	P-MLGESW6654L	P-MLGESW6654R	1,138



Horizontal Grain



Right Hand Shown

Specify

• Laminate with matching edge

Notes

- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Wing panels sold separately.


Linear Single End for Wing Facing Forward Gallery Panels

LINEAR SINGLE END FOR WING FACING FORWARD GALLERY PANELS


H	W	Grain	Left	Right	List
			Model Number	Model Number	
34	48	Vertical	P-MGESWF3448L	P-MGESWF3448R	670
34	54	Vertical	P-MGESWF3454L	P-MGESWF3454R	677
34	48	Horizontal	P-MGESWF3448LH	P-MGESWF3448RH	670
34	54	Horizontal	P-MGESWF3454LH	P-MGESWF3454RH	677
34	60	Horizontal	P-MGESWF3460L	P-MGESWF3460R	798
34	66	Horizontal	P-MGESWF3466L	P-MGESWF3466R	836
34	72	Horizontal	P-MGESWF3472L	P-MGESWF3472R	888
34	78	Horizontal	P-MGESWF3478L	P-MGESWF3478R	940
34	84	Horizontal	P-MGESWF3484L	P-MGESWF3484R	991
34	90	Horizontal	P-MGESWF3490L	P-MGESWF3490R	1,044
42	48	Vertical	P-MGESWF4248L	P-MGESWF4248R	816
42	54	Vertical	P-MGESWF4254L	P-MGESWF4254R	857
42	48	Horizontal	P-MGESWF4248LH	P-MGESWF4248RH	816
42	54	Horizontal	P-MGESWF4254LH	P-MGESWF4254RH	857
42	60	Horizontal	P-MGESWF4260L	P-MGESWF4260R	965
42	66	Horizontal	P-MGESWF4266L	P-MGESWF4266R	1,034
42	72	Horizontal	P-MGESWF4272L	P-MGESWF4272R	1,073
42	78	Horizontal	P-MGESWF4278L	P-MGESWF4278R	1,113
42	84	Horizontal	P-MGESWF4284L	P-MGESWF4284R	1,153
42	90	Horizontal	P-MGESWF4290L	P-MGESWF4290R	1,194

LINEAR SINGLE END FOR WING FACING FORWARD GALLERY PANELS


H	W	Grain	Left	Right	List
			Model Number	Model Number	
50	48	Vertical	P-MGESWF5048L	P-MGESWF5048R	964
50	54	Vertical	P-MGESWF5054L	P-MGESWF5054R	1,037
50	48	Horizontal	P-MGESWF5048LH	P-MGESWF5048RH	964
50	54	Horizontal	P-MGESWF5054LH	P-MGESWF5054RH	1,037
50	60	Horizontal	P-MGESWF5060L	P-MGESWF5060R	1,133
50	66	Horizontal	P-MGESWF5066L	P-MGESWF5066R	1,229
50	72	Horizontal	P-MGESWF5072L	P-MGESWF5072R	1,258
50	78	Horizontal	P-MGESWF5078L	P-MGESWF5078R	1,286
50	84	Horizontal	P-MGESWF5084L	P-MGESWF5084R	1,314
50	90	Horizontal	P-MGESWF5090L	P-MGESWF5090R	1,342
58	48	Vertical	P-MGESWF5848L	P-MGESWF5848R	1,013
58	54	Vertical	P-MGESWF5854L	P-MGESWF5854R	1,066
58	48	Horizontal	P-MGESWF5848LH	P-MGESWF5848RH	1,013
58	54	Horizontal	P-MGESWF5854LH	P-MGESWF5854RH	1,066
58	60	Horizontal	P-MGESWF5860L	P-MGESWF5860R	1,157
58	66	Horizontal	P-MGESWF5866L	P-MGESWF5866R	1,250
58	72	Horizontal	P-MGESWF5872L	P-MGESWF5872R	1,341
58	78	Horizontal	P-MGESWF5878L	P-MGESWF5878R	1,434
58	84	Horizontal	P-MGESWF5884L	P-MGESWF5884R	1,526
58	90	Horizontal	P-MGESWF5890L	P-MGESWF5890R	1,617
66	48	Vertical	P-MGESWF6648L	P-MGESWF6648R	1,068
66	54	Vertical	P-MGESWF6654L	P-MGESWF6654R	1,137



Left Hand Shown



Left Hand Shown



Right Hand Shown

Specify

- Laminate with matching edge


Notes

- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Wing panels sold separately.


Linear Single End for Double Wing Gallery Panels

LINEAR SINGLE END FOR DOUBLE WING GALLERY PANELS					
H	W	Grain	Left	Right	List
			Model Number	Model Number	
34	48	Vertical	P-MGESWD3448L	P-MGESWD3448R	733
34	54	Vertical	P-MGESWD3454L	P-MGESWD3454R	742
34	48	Horizontal	P-MGESWD3448LH	P-MGESWD3448RH	733
34	54	Horizontal	P-MGESWD3454LH	P-MGESWD3454RH	742
34	60	Horizontal	P-MGESWD3460L	P-MGESWD3460R	861
34	66	Horizontal	P-MGESWD3466L	P-MGESWD3466R	901
34	72	Horizontal	P-MGESWD3472L	P-MGESWD3472R	952
34	78	Horizontal	P-MGESWD3478L	P-MGESWD3478R	1,004
34	84	Horizontal	P-MGESWD3484L	P-MGESWD3484R	1,054
34	90	Horizontal	P-MGESWD3490L	P-MGESWD3490R	1,107
42	48	Vertical	P-MGESWD4248L	P-MGESWD4248R	880
42	54	Vertical	P-MGESWD4254L	P-MGESWD4254R	920
42	48	Horizontal	P-MGESWD4248LH	P-MGESWD4248RH	880
42	54	Horizontal	P-MGESWD4254LH	P-MGESWD4254RH	920
42	60	Horizontal	P-MGESWD4260L	P-MGESWD4260R	1,028
42	66	Horizontal	P-MGESWD4266L	P-MGESWD4266R	1,096
42	72	Horizontal	P-MGESWD4272L	P-MGESWD4272R	1,136
42	78	Horizontal	P-MGESWD4278L	P-MGESWD4278R	1,177
42	84	Horizontal	P-MGESWD4284L	P-MGESWD4284R	1,217
42	90	Horizontal	P-MGESWD4290L	P-MGESWD4290R	1,257

LINEAR SINGLE END FOR DOUBLE WING GALLERY PANELS					
H	W	Grain	Left	Right	List
			Model Number	Model Number	
50	48	Vertical	P-MGESWD5048L	P-MGESWD5048R	1,026
50	54	Vertical	P-MGESWD5054L	P-MGESWD5054R	1,100
50	48	Horizontal	P-MGESWD5048LH	P-MGESWD5048RH	1,026
50	54	Horizontal	P-MGESWD5054LH	P-MGESWD5054RH	1,100
50	60	Horizontal	P-MGESWD5060L	P-MGESWD5060R	1,197
50	66	Horizontal	P-MGESWD5066L	P-MGESWD5066R	1,293
50	72	Horizontal	P-MGESWD5072L	P-MGESWD5072R	1,322
50	78	Horizontal	P-MGESWD5078L	P-MGESWD5078R	1,350
50	84	Horizontal	P-MGESWD5084L	P-MGESWD5084R	1,378
50	90	Horizontal	P-MGESWD5090L	P-MGESWD5090R	1,405
58	48	Vertical	P-MGESWD5848L	P-MGESWD5848R	1,077
58	54	Vertical	P-MGESWD5854L	P-MGESWD5854R	1,128
58	48	Horizontal	P-MGESWD5848LH	P-MGESWD5848RH	1,077
58	54	Horizontal	P-MGESWD5854LH	P-MGESWD5854RH	1,128
58	60	Horizontal	P-MGESWD5860L	P-MGESWD5860R	1,222
58	66	Horizontal	P-MGESWD5866L	P-MGESWD5866R	1,313
58	72	Horizontal	P-MGESWD5872L	P-MGESWD5872R	1,404
58	78	Horizontal	P-MGESWD5878L	P-MGESWD5878R	1,497
58	84	Horizontal	P-MGESWD5884L	P-MGESWD5884R	1,589
58	90	Horizontal	P-MGESWD5890L	P-MGESWD5890R	1,681
66	48	Vertical	P-MGESWD6648L	P-MGESWD6648R	1,131
66	54	Vertical	P-MGESWD6654L	P-MGESWD6654R	1,200



Left Hand Shown



Specify

• Laminate with matching edge

Notes

- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Wing panels sold separately.


Linear Single Spine Gallery Panels

LINEAR SINGLE SPINE GALLERY PANELS

H	W	Grain	Model Number	List
34	24	Vertical	P-MLGPSS3424	570
34	30	Vertical	P-MLGPSS3430	598
34	36	Vertical	P-MLGPSS3436	615
34	42	Vertical	P-MLGPSS3442	628
34	48	Vertical	P-MLGPSS3448	637
34	54	Vertical	P-MLGPSS3454	646
34	24	Horizontal	P-MLGPSS3424H	570
34	30	Horizontal	P-MLGPSS3430H	598
34	36	Horizontal	P-MLGPSS3436H	615
34	42	Horizontal	P-MLGPSS3442H	628
34	48	Horizontal	P-MLGPSS3448H	637
34	54	Horizontal	P-MLGPSS3454H	646
34	60	Horizontal	P-MLGPSS3460	765
34	66	Horizontal	P-MLGPSS3466	804
34	72	Horizontal	P-MLGPSS3472	856
34	78	Horizontal	P-MLGPSS3478	908
34	84	Horizontal	P-MLGPSS3484	959
34	90	Horizontal	P-MLGPSS3490	1,011

LINEAR SINGLE SPINE GALLERY PANELS

H	W	Grain	Model Number	List
42	24	Vertical	P-MLGPSS4224	613
42	30	Vertical	P-MLGPSS4230	661
42	36	Vertical	P-MLGPSS4236	702
42	42	Vertical	P-MLGPSS4242	743
42	48	Vertical	P-MLGPSS4248	785
42	54	Vertical	P-MLGPSS4254	827
42	24	Horizontal	P-MLGPSS4224H	613
42	30	Horizontal	P-MLGPSS4230H	661
42	36	Horizontal	P-MLGPSS4236H	702
42	42	Horizontal	P-MLGPSS4242H	743
42	48	Horizontal	P-MLGPSS4248H	785
42	54	Horizontal	P-MLGPSS4254H	827
42	60	Horizontal	P-MLGPSS4260	933
42	66	Horizontal	P-MLGPSS4266	1,002
42	72	Horizontal	P-MLGPSS4272	1,041
42	78	Horizontal	P-MLGPSS4278	1,081
42	84	Horizontal	P-MLGPSS4284	1,121
42	90	Horizontal	P-MLGPSS4290	1,161



Specify

Notes

- Laminate with matching edge
- Linear Single Spine Gallery Panels mount to frames in place of wing panels for structural support.
- Gallery panels add 1" to panel run. See panel creep description pages.
- Panel to panel jumpers passing through a single spine gallery panel should be changed to extended panel to panel jumpers to accommodate the extra length added by the gallery panel.
- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.


Linear Single Spine Gallery Panels

LINEAR SINGLE SPINE GALLERY PANELS

H	W	Grain	Model Number	List
50	24	Vertical	P-MLGPSS5024	655
50	30	Vertical	P-MLGPSS5030	723
50	36	Vertical	P-MLGPSS5036	788
50	42	Vertical	P-MLGPSS5042	858
50	48	Vertical	P-MLGPSS5048	932
50	54	Vertical	P-MLGPSS5054	1,006
50	24	Horizontal	P-MLGPSS5024H	655
50	30	Horizontal	P-MLGPSS5030H	723
50	36	Horizontal	P-MLGPSS5036H	788
50	42	Horizontal	P-MLGPSS5042H	858
50	48	Horizontal	P-MLGPSS5048H	932
50	54	Horizontal	P-MLGPSS5054H	1,006
50	60	Horizontal	P-MLGPSS5060	1,103
50	66	Horizontal	P-MLGPSS5066	1,197
50	72	Horizontal	P-MLGPSS5072	1,226
50	78	Horizontal	P-MLGPSS5078	1,255
50	84	Horizontal	P-MLGPSS5084	1,283
50	90	Horizontal	P-MLGPSS5090	1,311

LINEAR SINGLE SPINE GALLERY PANELS

H	W	Grain	Model Number	List
58	24	Vertical	P-MLGPSS5824	730
58	30	Vertical	P-MLGPSS5830	801
58	36	Vertical	P-MLGPSS5836	863
58	42	Vertical	P-MLGPSS5842	931
58	48	Vertical	P-MLGPSS5848	981
58	54	Vertical	P-MLGPSS5854	1,034
58	24	Horizontal	P-MLGPSS5824H	730
58	30	Horizontal	P-MLGPSS5830H	801
58	36	Horizontal	P-MLGPSS5836H	863
58	42	Horizontal	P-MLGPSS5842H	931
58	48	Horizontal	P-MLGPSS5848H	981
58	54	Horizontal	P-MLGPSS5854H	1,034
58	60	Horizontal	P-MLGPSS5860	1,125
58	66	Horizontal	P-MLGPSS5866	1,218
58	72	Horizontal	P-MLGPSS5872	1,310
58	78	Horizontal	P-MLGPSS5878	1,400
58	84	Horizontal	P-MLGPSS5884	1,494
58	90	Horizontal	P-MLGPSS5890	1,586
66	24	Vertical	P-MLGPSS6624	749
66	30	Vertical	P-MLGPSS6630	824
66	36	Vertical	P-MLGPSS6636	892
66	42	Vertical	P-MLGPSS6642	966
66	48	Vertical	P-MLGPSS6648	1,036
66	54	Vertical	P-MLGPSS6654	1,106



Specify

• Laminate with matching edge



Notes

- Linear Single Spine Gallery Panels mount to frames in place of wing panels for structural support.
- Gallery Panels add 1” to panel run. See panel creep description pages.
- Panel to panel jumpers passing through a single spine gallery panel should be changed to extended panel to panel jumpers to accommodate the extra length added by the gallery panel.
- Gallery Panels are 1 1/8” thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.

Linear Single Spine for Wing Gallery Panels

LINEAR SINGLE SPINE FOR WING GALLERY PANELS					
H	W	Grain	Left Model Number	Right Model Number	List
34	48	Vertical	P-MLGSSW3448L	P-MLGSSW3448R	701
34	54	Vertical	P-MLGSSW3454L	P-MLGSSW3454R	711
34	48	Horizontal	P-MLGSSW3448LH	P-MLGSSW3448RH	701
34	54	Horizontal	P-MLGSSW3454LH	P-MLGSSW3454RH	711
34	60	Horizontal	P-MLGSSW3460L	P-MLGSSW3460R	829
34	66	Horizontal	P-MLGSSW3466L	P-MLGSSW3466R	867
34	72	Horizontal	P-MLGSSW3472L	P-MLGSSW3472R	919
34	78	Horizontal	P-MLGSSW3478L	P-MLGSSW3478R	972
34	84	Horizontal	P-MLGSSW3484L	P-MLGSSW3484R	1,022
34	90	Horizontal	P-MLGSSW3490L	P-MLGSSW3490R	1,075
42	48	Vertical	P-MLGSSW4248L	P-MLGSSW4248R	849
42	54	Vertical	P-MLGSSW4254L	P-MLGSSW4254R	889
42	48	Horizontal	P-MLGSSW4248LH	P-MLGSSW4248RH	849
42	54	Horizontal	P-MLGSSW4254LH	P-MLGSSW4254RH	889
42	60	Horizontal	P-MLGSSW4260L	P-MLGSSW4260R	995
42	66	Horizontal	P-MLGSSW4266L	P-MLGSSW4266R	1,066
42	72	Horizontal	P-MLGSSW4272L	P-MLGSSW4272R	1,105
42	78	Horizontal	P-MLGSSW4278L	P-MLGSSW4278R	1,146
42	84	Horizontal	P-MLGSSW4284L	P-MLGSSW4284R	1,184
42	90	Horizontal	P-MLGSSW4290L	P-MLGSSW4290R	1,225

LINEAR SINGLE SPINE FOR WING GALLERY PANELS					
H	W	Grain	Left Model Number	Right Model Number	List
50	48	Vertical	P-MLGSSW5048L	P-MLGSSW5048R	994
50	54	Vertical	P-MLGSSW5054L	P-MLGSSW5054R	1,069
50	48	Horizontal	P-MLGSSW5048LH	P-MLGSSW5048RH	994
50	54	Horizontal	P-MLGSSW5054LH	P-MLGSSW5054RH	1,069
50	60	Horizontal	P-MLGSSW5060L	P-MLGSSW5060R	1,166
50	66	Horizontal	P-MLGSSW5066L	P-MLGSSW5066R	1,261
50	72	Horizontal	P-MLGSSW5072L	P-MLGSSW5072R	1,290
50	78	Horizontal	P-MLGSSW5078L	P-MLGSSW5078R	1,319
50	84	Horizontal	P-MLGSSW5084L	P-MLGSSW5084R	1,347
50	90	Horizontal	P-MLGSSW5090L	P-MLGSSW5090R	1,373
58	48	Vertical	P-MLGSSW5848L	P-MLGSSW5848R	1,045
58	54	Vertical	P-MLGSSW5854L	P-MLGSSW5854R	1,096
58	48	Horizontal	P-MLGSSW5848LH	P-MLGSSW5848RH	1,045
58	54	Horizontal	P-MLGSSW5854LH	P-MLGSSW5854RH	1,096
58	60	Horizontal	P-MLGSSW5860L	P-MLGSSW5860R	1,189
58	66	Horizontal	P-MLGSSW5866L	P-MLGSSW5866R	1,282
58	72	Horizontal	P-MLGSSW5872L	P-MLGSSW5872R	1,372
58	78	Horizontal	P-MLGSSW5878L	P-MLGSSW5878R	1,465
58	84	Horizontal	P-MLGSSW5884L	P-MLGSSW5884R	1,557
58	90	Horizontal	P-MLGSSW5890L	P-MLGSSW5890R	1,650
66	48	Vertical	P-MLGSSW6648L	P-MLGSSW6648R	1,098
66	54	Vertical	P-MLGSSW6654L	P-MLGSSW6654R	1,170



Horizontal Grain



Right Hand Shown

Specify

Notes

• Laminate with matching edge

- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Wing panels sold separately.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.



Linear Single Spine for Double Wing Gallery Panels

LINEAR SINGLE SPINE FOR DOUBLE WING GALLERY PANELS

H	W	Grain	Model Number	List
34	48	Vertical	P-MGSSWD3448	733
34	54	Vertical	P-MGSSWD3454	742
34	48	Horizontal	P-MGSSWD3448H	733
34	54	Horizontal	P-MGSSWD3454H	742
34	60	Horizontal	P-MGSSWD3460	861
34	66	Horizontal	P-MGSSWD3466	901
34	72	Horizontal	P-MGSSWD3472	952
34	78	Horizontal	P-MGSSWD3478	1,004
34	84	Horizontal	P-MGSSWD3484	1,054
34	90	Horizontal	P-MGSSWD3490	1,107
42	48	Vertical	P-MGSSWD4248	880
42	54	Vertical	P-MGSSWD4254	920
42	48	Horizontal	P-MGSSWD4248H	880
42	54	Horizontal	P-MGSSWD4254H	920
42	60	Horizontal	P-MGSSWD4260	1,028
42	66	Horizontal	P-MGSSWD4266	1,096
42	72	Horizontal	P-MGSSWD4272	1,136
42	78	Horizontal	P-MGSSWD4278	1,177
42	84	Horizontal	P-MGSSWD4284	1,217
42	90	Horizontal	P-MGSSWD4290	1,257

LINEAR SINGLE SPINE FOR DOUBLE WING GALLERY PANELS

H	W	Grain	Model Number	List
50	48	Vertical	P-MGSSWD5048	1,026
50	54	Vertical	P-MGSSWD5054	1,100
50	48	Horizontal	P-MGSSWD5048H	1,026
50	54	Horizontal	P-MGSSWD5054H	1,100
50	60	Horizontal	P-MGSSWD5060	1,197
50	66	Horizontal	P-MGSSWD5066	1,293
50	72	Horizontal	P-MGSSWD5072	1,322
50	78	Horizontal	P-MGSSWD5078	1,350
50	84	Horizontal	P-MGSSWD5084	1,378
50	90	Horizontal	P-MGSSWD5090	1,405
58	48	Vertical	P-MGSSWD5848	1,077
58	54	Vertical	P-MGSSWD5854	1,128
58	48	Horizontal	P-MGSSWD5848H	1,077
58	54	Horizontal	P-MGSSWD5854H	1,128
58	60	Horizontal	P-MGSSWD5860	1,222
58	66	Horizontal	P-MGSSWD5866	1,313
58	72	Horizontal	P-MGSSWD5872	1,404
58	78	Horizontal	P-MGSSWD5878	1,497
58	84	Horizontal	P-MGSSWD5884	1,589
58	90	Horizontal	P-MGSSWD5890	1,681
66	54	Vertical	P-MGSSWD6648	1,131
66	60	Vertical	P-MGSSWD6654	1,200



Specify

• Laminate with matching edge



Notes

- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Wing panels sold separately.


Linear Double End Gallery Panels

LINEAR DOUBLE END GALLERY PANELS				
H	W	Grain	Model Number	List
34	48	Vertical	P-MLGPED3448V	637
34	54	Vertical	P-MLGPED3454V	646
34	48	Horizontal	P-MLGPED3448	637
34	54	Horizontal	P-MLGPED3454	646
34	60	Horizontal	P-MLGPED3460	765
34	66	Horizontal	P-MLGPED3466	804
34	72	Horizontal	P-MLGPED3472	856
34	78	Horizontal	P-MLGPED3478	908
34	84	Horizontal	P-MLGPED3484	959
34	90	Horizontal	P-MLGPED3490	1,011
42	48	Vertical	P-MLGPED4248V	785
42	54	Vertical	P-MLGPED4254V	827
42	48	Horizontal	P-MLGPED4248	785
42	54	Horizontal	P-MLGPED4254	827
42	60	Horizontal	P-MLGPED4260	933
42	66	Horizontal	P-MLGPED4266	1,002
42	72	Horizontal	P-MLGPED4272	1,041
42	78	Horizontal	P-MLGPED4278	1,081
42	84	Horizontal	P-MLGPED4284	1,121
42	90	Horizontal	P-MLGPED4290	1,161



LINEAR DOUBLE END GALLERY PANELS				
H	W	Grain	Model Number	List
50	48	Vertical	P-MLGPED5048V	932
50	54	Vertical	P-MLGPED5054V	1,006
50	48	Horizontal	P-MLGPED5048	932
50	54	Horizontal	P-MLGPED5054	1,006
50	60	Horizontal	P-MLGPED5060	1,103
50	66	Horizontal	P-MLGPED5066	1,197
50	72	Horizontal	P-MLGPED5072	1,226
50	78	Horizontal	P-MLGPED5078	1,255
50	84	Horizontal	P-MLGPED5084	1,283
50	90	Horizontal	P-MLGPED5090	1,311
58	48	Vertical	P-MLGPED5848V	981
58	54	Vertical	P-MLGPED5854V	1,034
58	48	Horizontal	P-MLGPED5848	981
58	54	Horizontal	P-MLGPED5854	1,034
58	60	Horizontal	P-MLGPED5860	1,125
58	66	Horizontal	P-MLGPED5866	1,218
58	72	Horizontal	P-MLGPED5872	1,310
58	78	Horizontal	P-MLGPED5878	1,400
58	84	Horizontal	P-MLGPED5884	1,494
58	90	Horizontal	P-MLGPED5890	1,586
66	48	Vertical	P-MLGPED6648V	1,634
66	54	Horizontal	P-MLGPED6654	1,106



Horizontal Grain



Vertical Grain



Specify

- Laminate with matching edge

Notes

- Linear Double End Gallery Panels mount to frames in place of wing panels for structural support.
- Gallery Panels add 1" to panel run. See panel creep description pages.
- Double End Gallery Panels are connected to the spine in the center of the gallery panel.
- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.



Linear Double Spine Gallery Panels

LINEAR DOUBLE SPINE GALLERY PANELS


H	W	Grain	Model Number	List
34	48	Vertical	P-MLGPSD3448V	670
34	54	Vertical	P-MLGPSD3454V	677
34	48	Horizontal	P-MLGPSD3448	670
34	54	Horizontal	P-MLGPSD3454	677
34	60	Horizontal	P-MLGPSD3460	798
34	66	Horizontal	P-MLGPSD3466	836
34	72	Horizontal	P-MLGPSD3472	888
34	78	Horizontal	P-MLGPSD3478	940
34	84	Horizontal	P-MLGPSD3484	991
34	90	Horizontal	P-MLGPSD3490	1,044
42	48	Vertical	P-MLGPSD4248V	816
42	54	Vertical	P-MLGPSD4254V	857
42	48	Horizontal	P-MLGPSD4248	816
42	54	Horizontal	P-MLGPSD4254	857
42	60	Horizontal	P-MLGPSD4260	965
42	66	Horizontal	P-MLGPSD4266	1,034
42	72	Horizontal	P-MLGPSD4272	1,073
42	78	Horizontal	P-MLGPSD4278	1,113
42	84	Horizontal	P-MLGPSD4284	1,153
42	90	Horizontal	P-MLGPSD4290	1,194

LINEAR DOUBLE SPINE GALLERY PANELS



H	W	Grain	Model Number	List
50	48	Vertical	P-MLGPSD5048V	964
50	54	Vertical	P-MLGPSD5054V	1,037
50	48	Horizontal	P-MLGPSD5048	964
50	54	Horizontal	P-MLGPSD5054	1,037
50	60	Horizontal	P-MLGPSD5060	1,133
50	66	Horizontal	P-MLGPSD5066	1,229
50	72	Horizontal	P-MLGPSD5072	1,258
50	78	Horizontal	P-MLGPSD5078	1,286
50	84	Horizontal	P-MLGPSD5084	1,314
50	90	Horizontal	P-MLGPSD5090	1,342
58	48	Vertical	P-MLGPSD5848V	1,013
58	54	Vertical	P-MLGPSD5854V	1,066
58	48	Horizontal	P-MLGPSD5848	1,013
58	54	Horizontal	P-MLGPSD5854	1,066
58	60	Horizontal	P-MLGPSD5860	1,157
58	66	Horizontal	P-MLGPSD5866	1,250
58	72	Horizontal	P-MLGPSD5872	1,341
58	78	Horizontal	P-MLGPSD5878	1,434
58	84	Horizontal	P-MLGPSD5884	1,526
58	90	Horizontal	P-MLGPSD5890	1,617
66	54	Horizontal	P-MLGPSD6654	1,137



Horizontal Grain



Vertical Grain



Specify

- Laminate with matching edge

Notes

- Linear Double Spine Gallery Panels mount to frames in place of wing panels for structural support.
- Gallery Panels add 1" to panel run. See panel creep description pages.
- Panel to panel jumpers passing through a single spine gallery panel should be changed to extended panel to panel jumpers to accommodate the extra length added by the gallery panel.
- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.


Linear Mid Mount End Gallery Panels

LINEAR MID MOUNT END GALLERY PANELS


H	W	Grain	Left	Right	List
			Model Number	Model Number	
34	24	Vertical	P-MLGPMM3424L	P-MLGPMM3424R	570
34	30	Vertical	P-MLGPMM3430L	P-MLGPMM3430R	598
34	36	Vertical	P-MLGPMM3436L	P-MLGPMM3436R	615
34	42	Vertical	P-MLGPMM3442L	P-MLGPMM3442R	628
34	48	Vertical	P-MLGPMM3448L	P-MLGPMM3448R	637
34	54	Vertical	P-MLGPMM3454L	P-MLGPMM3454R	646
34	24	Horizontal	P-MLGPMM3424LH	P-MLGPMM3424RH	570
34	30	Horizontal	P-MLGPMM3430LH	P-MLGPMM3430RH	598
34	36	Horizontal	P-MLGPMM3436LH	P-MLGPMM3436RH	615
34	42	Horizontal	P-MLGPMM3442LH	P-MLGPMM3442RH	628
34	48	Horizontal	P-MLGPMM3448LH	P-MLGPMM3448RH	637
34	54	Horizontal	P-MLGPMM3454LH	P-MLGPMM3454RH	646
34	60	Horizontal	P-MLGPMM3460L	P-MLGPMM3460R	765
34	66	Horizontal	P-MLGPMM3466L	P-MLGPMM3466R	804
34	72	Horizontal	P-MLGPMM3472L	P-MLGPMM3472R	856
34	78	Horizontal	P-MLGPMM3478L	P-MLGPMM3478R	908
34	84	Horizontal	P-MLGPMM3484L	P-MLGPMM3484R	959
34	90	Horizontal	P-MLGPMM3490L	P-MLGPMM3490R	1,011

LINEAR MID MOUNT END GALLERY PANELS


H	W	Grain	Left	Right	List
			Model Number	Model Number	
42	24	Vertical	P-MLGPMM4224L	P-MLGPMM4224R	613
42	30	Vertical	P-MLGPMM4230L	P-MLGPMM4230R	661
42	36	Vertical	P-MLGPMM4236L	P-MLGPMM4236R	702
42	42	Vertical	P-MLGPMM4242L	P-MLGPMM4242R	743
42	48	Vertical	P-MLGPMM4248L	P-MLGPMM4248R	785
42	54	Vertical	P-MLGPMM4254L	P-MLGPMM4254R	827
42	24	Horizontal	P-MLGPMM4224LH	P-MLGPMM4224RH	613
42	30	Horizontal	P-MLGPMM4230LH	P-MLGPMM4230RH	661
42	36	Horizontal	P-MLGPMM4236LH	P-MLGPMM4236RH	702
42	42	Horizontal	P-MLGPMM4242LH	P-MLGPMM4242RH	743
42	48	Horizontal	P-MLGPMM4248LH	P-MLGPMM4248RH	785
42	54	Horizontal	P-MLGPMM4254LH	P-MLGPMM4254RH	827
42	60	Horizontal	P-MLGPMM4260L	P-MLGPMM4260R	933
42	66	Horizontal	P-MLGPMM4266L	P-MLGPMM4266R	1,002
42	72	Horizontal	P-MLGPMM4272L	P-MLGPMM4272R	1,041
42	78	Horizontal	P-MLGPMM4278L	P-MLGPMM4278R	1,081
42	84	Horizontal	P-MLGPMM4284L	P-MLGPMM4284R	1,121
42	90	Horizontal	P-MLGPMM4290L	P-MLGPMM4290R	1,161




Left Hand Shown



Horizontal Grain



Vertical Grain



Specify

• Laminate with matching edge


Notes

- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.


Linear Mid Mount End Gallery Panels

LINEAR MID MOUNT END GALLERY PANELS					
H	W	Grain	Left Model Number	Right Model Number	List
50	24	Vertical	P-MLGPMM5024L	P-MLGPMM5024R	655
50	30	Vertical	P-MLGPMM5030L	P-MLGPMM5030R	723
50	36	Vertical	P-MLGPMM5036L	P-MLGPMM5036R	788
50	42	Vertical	P-MLGPMM5042L	P-MLGPMM5042R	858
50	48	Vertical	P-MLGPMM5048L	P-MLGPMM5048R	932
50	54	Vertical	P-MLGPMM5054L	P-MLGPMM5054R	1,006
50	24	Horizontal	P-MLGPMM5024LH	P-MLGPMM5024RH	655
50	30	Horizontal	P-MLGPMM5030LH	P-MLGPMM5030RH	723
50	36	Horizontal	P-MLGPMM5036LH	P-MLGPMM5036RH	788
50	42	Horizontal	P-MLGPMM5042LH	P-MLGPMM5042RH	858
50	48	Horizontal	P-MLGPMM5048LH	P-MLGPMM5048RH	932
50	54	Horizontal	P-MLGPMM5054LH	P-MLGPMM5054RH	1,006
50	60	Horizontal	P-MLGPMM5060L	P-MLGPMM5060R	1,103
50	66	Horizontal	P-MLGPMM5066L	P-MLGPMM5066R	1,197


LINEAR MID MOUNT END GALLERY PANELS					
H	W	Grain	Left Model Number	Right Model Number	List
58	24	Vertical	P-MLGPMM5824L	P-MLGPMM5824R	730
58	30	Vertical	P-MLGPMM5830L	P-MLGPMM5830R	801
58	36	Vertical	P-MLGPMM5836L	P-MLGPMM5836R	863
58	42	Vertical	P-MLGPMM5842L	P-MLGPMM5842R	931
58	48	Vertical	P-MLGPMM5848L	P-MLGPMM5848R	981
58	54	Vertical	P-MLGPMM5854L	P-MLGPMM5854R	1,034
58	60	Vertical	P-MLGPMM5860L	P-MLGPMM5860R	1,125
58	66	Vertical	P-MLGPMM5866L	P-MLGPMM5866R	1,218
58	24	Horizontal	P-MLGPMM5824LH	P-MLGPMM5824RH	730
58	30	Horizontal	P-MLGPMM5830LH	P-MLGPMM5830RH	801
58	36	Horizontal	P-MLGPMM5836LH	P-MLGPMM5836RH	863
58	42	Horizontal	P-MLGPMM5842LH	P-MLGPMM5842RH	931
58	48	Horizontal	P-MLGPMM5848LH	P-MLGPMM5848RH	981
58	54	Horizontal	P-MLGPMM5854LH	P-MLGPMM5854RH	1,034
66	24	Vertical	P-MLGPMM6624L	P-MLGPMM6624R	749
66	30	Vertical	P-MLGPMM6630L	P-MLGPMM6630R	824
66	36	Vertical	P-MLGPMM6636L	P-MLGPMM6636R	892
66	42	Vertical	P-MLGPMM6642L	P-MLGPMM6642R	966
66	48	Vertical	P-MLGPMM6648L	P-MLGPMM6648R	1,036
66	54	Vertical	P-MLGPMM6654L	P-MLGPMM6654R	1,106




Left Hand Shown



Horizontal Grain



Vertical Grain



Specify

• Laminate with matching edge

Notes

- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Can not be used freestanding, must be attached to a panel.



Linear Mid Mount End for Wing Gallery Panels

LINEAR MID MOUNT END FOR WING GALLERY PANELS

H	W	Grain	Left	Right	List
			Model Number	Model Number	
34	48	Vertical	P-MLGMMW3448L	P-MLGMMW3448R	670
34	54	Vertical	P-MLGMMW3454L	P-MLGMMW3454R	677
34	48	Horizontal	P-MLGMMW3448LH	P-MLGMMW3448RH	670
34	54	Horizontal	P-MLGMMW3454LH	P-MLGMMW3454RH	677
34	60	Horizontal	P-MLGMMW3460L	P-MLGMMW3460R	798
34	66	Horizontal	P-MLGMMW3466L	P-MLGMMW3466R	836
34	72	Horizontal	P-MLGMMW3472L	P-MLGMMW3472R	888
34	78	Horizontal	P-MLGMMW3478L	P-MLGMMW3478R	940
34	84	Horizontal	P-MLGMMW3484L	P-MLGMMW3484R	991
34	90	Horizontal	P-MLGMMW3490L	P-MLGMMW3490R	1,044
42	48	Vertical	P-MLGMMW4248L	P-MLGMMW4248R	816
42	54	Vertical	P-MLGMMW4254L	P-MLGMMW4254R	857
42	48	Horizontal	P-MLGMMW4248LH	P-MLGMMW4248RH	816
42	54	Horizontal	P-MLGMMW4254LH	P-MLGMMW4254RH	857
42	60	Horizontal	P-MLGMMW4260L	P-MLGMMW4260R	965
42	66	Horizontal	P-MLGMMW4266L	P-MLGMMW4266R	1,034
42	72	Horizontal	P-MLGMMW4272L	P-MLGMMW4272R	1,073
42	78	Horizontal	P-MLGMMW4278L	P-MLGMMW4278R	1,113
42	84	Horizontal	P-MLGMMW4284L	P-MLGMMW4284R	1,153
42	90	Horizontal	P-MLGMMW4290L	P-MLGMMW4290R	1,194

LINEAR MID MOUNT END FOR WING GALLERY PANELS

H	W	Grain	Left	Right	List
			Model Number	Model Number	
50	48	Vertical	P-MLGMMW5048L	P-MLGMMW5048R	964
50	54	Vertical	P-MLGMMW5054L	P-MLGMMW5054R	1,037
50	48	Horizontal	P-MLGMMW5048LH	P-MLGMMW5048RH	964
50	54	Horizontal	P-MLGMMW5054LH	P-MLGMMW5054RH	1,037
50	60	Horizontal	P-MLGMMW5060L	P-MLGMMW5060R	1,133
50	66	Horizontal	P-MLGMMW5066L	P-MLGMMW5066R	1,229
50	72	Horizontal	P-MLGMMW5072L	P-MLGMMW5072R	1,258
50	78	Horizontal	P-MLGMMW5078L	P-MLGMMW5078R	1,286
50	84	Horizontal	P-MLGMMW5084L	P-MLGMMW5084R	1,314
50	90	Horizontal	P-MLGMMW5090L	P-MLGMMW5090R	1,342
58	48	Vertical	P-MLGMMW5848L	P-MLGMMW5848R	1,013
58	54	Vertical	P-MLGMMW5854L	P-MLGMMW5854R	1,066
58	48	Horizontal	P-MLGMMW5848LH	P-MLGMMW5848RH	1,013
58	54	Horizontal	P-MLGMMW5854LH	P-MLGMMW5854RH	1,066
58	60	Horizontal	P-MLGMMW5860L	P-MLGMMW5860R	1,157
58	66	Horizontal	P-MLGMMW5866L	P-MLGMMW5866R	1,250
58	72	Horizontal	P-MLGMMW5872L	P-MLGMMW5872R	1,341
58	78	Horizontal	P-MLGMMW5878L	P-MLGMMW5878R	1,434
58	84	Horizontal	P-MLGMMW5884L	P-MLGMMW5884R	1,526
58	90	Horizontal	P-MLGMMW5890L	P-MLGMMW5890R	1,617
66	48	Vertical	P-MLGMMW6648L	P-MLGMMW6648R	1,068
66	54	Vertical	P-MLGMMW6654L	P-MLGMMW6654R	1,137



Specify

- Laminate with matching edge


Notes

- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Wing panels sold separately.


Linear Mid Mount End for Wing Facing Forward Gallery Panels

LINEAR MID MOUNT END FOR WING FACING FORWARD GALLERY PANELS					
H	W	Grain	Left	Right	List
			Model Number	Model Number	
34	48	Vertical	P-MGMMWF3448L	P-MGMMWF3448R	670
34	54	Vertical	P-MGMMWF3454L	P-MGMMWF3454R	677
34	48	Horizontal	P-MGMMWF3448LH	P-MGMMWF3448RH	670
34	54	Horizontal	P-MGMMWF3454LH	P-MGMMWF3454RH	677
34	60	Horizontal	P-MGMMWF3460L	P-MGMMWF3460R	798
34	66	Horizontal	P-MGMMWF3466L	P-MGMMWF3466R	836
34	72	Horizontal	P-MGMMWF3472L	P-MGMMWF3472R	888
34	78	Horizontal	P-MGMMWF3478L	P-MGMMWF3478R	940
34	84	Horizontal	P-MGMMWF3484L	P-MGMMWF3484R	991
34	90	Horizontal	P-MGMMWF3490L	P-MGMMWF3490R	1,044
42	48	Vertical	P-MGMMWF4248L	P-MGMMWF4248R	816
42	54	Vertical	P-MGMMWF4254L	P-MGMMWF4254R	857
42	48	Horizontal	P-MGMMWF4248LH	P-MGMMWF4248RH	816
42	54	Horizontal	P-MGMMWF4254LH	P-MGMMWF4254RH	857
42	60	Horizontal	P-MGMMWF4260L	P-MGMMWF4260R	965
42	66	Horizontal	P-MGMMWF4266L	P-MGMMWF4266R	1,034
42	72	Horizontal	P-MGMMWF4272L	P-MGMMWF4272R	1,073
42	78	Horizontal	P-MGMMWF4278L	P-MGMMWF4278R	1,113
42	84	Horizontal	P-MGMMWF4284L	P-MGMMWF4284R	1,153
42	90	Horizontal	P-MGMMWF4290L	P-MGMMWF4290R	1,194

LINEAR MID MOUNT END FOR WING FACING FORWARD GALLERY PANELS					
H	W	Grain	Left	Right	List
			Model Number	Model Number	
50	48	Vertical	P-MGMMWF5048L	P-MGMMWF5048R	964
50	54	Vertical	P-MGMMWF5054L	P-MGMMWF5054R	1,037
50	48	Horizontal	P-MGMMWF5048LH	P-MGMMWF5048RH	964
50	54	Horizontal	P-MGMMWF5054LH	P-MGMMWF5054RH	1,037
50	60	Horizontal	P-MGMMWF5060L	P-MGMMWF5060R	1,133
50	66	Horizontal	P-MGMMWF5066L	P-MGMMWF5066R	1,229
50	72	Horizontal	P-MGMMWF5072L	P-MGMMWF5072R	1,258
50	78	Horizontal	P-MGMMWF5078L	P-MGMMWF5078R	1,286
50	84	Horizontal	P-MGMMWF5084L	P-MGMMWF5084R	1,314
50	90	Horizontal	P-MGMMWF5090L	P-MGMMWF5090R	1,342
58	48	Vertical	P-MGMMWF5848L	P-MGMMWF5848R	1,013
58	54	Vertical	P-MGMMWF5854L	P-MGMMWF5854R	1,066
58	48	Horizontal	P-MGMMWF5848LH	P-MGMMWF5848RH	1,013
58	54	Horizontal	P-MGMMWF5854LH	P-MGMMWF5854RH	1,066
58	60	Horizontal	P-MGMMWF5860L	P-MGMMWF5860R	1,157
58	66	Horizontal	P-MGMMWF5866L	P-MGMMWF5866R	1,250
58	72	Horizontal	P-MGMMWF5872L	P-MGMMWF5872R	1,341
58	78	Horizontal	P-MGMMWF5878L	P-MGMMWF5878R	1,434
58	84	Horizontal	P-MGMMWF5884L	P-MGMMWF5884R	1,526
58	90	Horizontal	P-MGMMWF5890L	P-MGMMWF5890R	1,617
66	48	Vertical	P-MGMMWF6648L	P-MGMMWF6648R	1,068
66	54	Vertical	P-MGMMWF6654L	P-MGMMWF6654R	1,137



Left Hand Shown



Specify

• Laminate with matching edge

Notes

- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Wing panels sold separately.


Linear Mid Mount End for Double Wing Gallery Panels

LINEAR MID MOUNT END FOR DOUBLE WING GALLERY PANELS


H	W	Grain	Left	Right	List
			Model Number	Model Number	
34	48	Vertical	P-MGMMWD3448L	P-MGMMWD3448R	733
34	54	Vertical	P-MGMMWD3454L	P-MGMMWD3454R	742
34	48	Horizontal	P-MGMMWD3448LH	P-MGMMWD3448RH	733
34	54	Horizontal	P-MGMMWD3454LH	P-MGMMWD3454RH	742
34	60	Horizontal	P-MGMMWD3460L	P-MGMMWD3460R	861
34	66	Horizontal	P-MGMMWD3466L	P-MGMMWD3466R	901
34	72	Horizontal	P-MGMMWD3472L	P-MGMMWD3472R	952
34	78	Horizontal	P-MGMMWD3478L	P-MGMMWD3478R	1,004
34	84	Horizontal	P-MGMMWD3484L	P-MGMMWD3484R	1,054
34	90	Horizontal	P-MGMMWD3490L	P-MGMMWD3490R	1,107
42	48	Vertical	P-MGMMWD4248L	P-MGMMWD4248R	880
42	54	Vertical	P-MGMMWD4254L	P-MGMMWD4254R	920
42	48	Horizontal	P-MGMMWD4248LH	P-MGMMWD4248RH	880
42	54	Horizontal	P-MGMMWD4254LH	P-MGMMWD4254RH	920
42	60	Horizontal	P-MGMMWD4260L	P-MGMMWD4260R	1,028
42	66	Horizontal	P-MGMMWD4266L	P-MGMMWD4266R	1,096
42	72	Horizontal	P-MGMMWD4272L	P-MGMMWD4272R	1,136
42	78	Horizontal	P-MGMMWD4278L	P-MGMMWD4278R	1,177
42	84	Horizontal	P-MGMMWD4284L	P-MGMMWD4284R	1,217
42	90	Horizontal	P-MGMMWD4290L	P-MGMMWD4290R	1,257

LINEAR MID MOUNT END FOR DOUBLE WING GALLERY PANELS

H	W	Grain	Left	Right	List
			Model Number	Model Number	
50	48	Vertical	P-MGMMWD5048L	P-MGMMWD5048R	1,026
50	54	Vertical	P-MGMMWD5054L	P-MGMMWD5054R	1,100
50	48	Horizontal	P-MGMMWD5048LH	P-MGMMWD5048RH	1,026
50	54	Horizontal	P-MGMMWD5054LH	P-MGMMWD5054RH	1,100
50	60	Horizontal	P-MGMMWD5060L	P-MGMMWD5060R	1,197
50	66	Horizontal	P-MGMMWD5066L	P-MGMMWD5066R	1,293
50	72	Horizontal	P-MGMMWD5072L	P-MGMMWD5072R	1,322
50	78	Horizontal	P-MGMMWD5078L	P-MGMMWD5078R	1,350
50	84	Horizontal	P-MGMMWD5084L	P-MGMMWD5084R	1,378
50	90	Horizontal	P-MGMMWD5090L	P-MGMMWD5090R	1,405
58	48	Vertical	P-MGMMWD5848L	P-MGMMWD5848R	1,077
58	54	Vertical	P-MGMMWD5854L	P-MGMMWD5854R	1,128
58	48	Horizontal	P-MGMMWD5848LH	P-MGMMWD5848RH	1,077
58	54	Horizontal	P-MGMMWD5854LH	P-MGMMWD5854RH	1,128
58	60	Horizontal	P-MGMMWD5860L	P-MGMMWD5860R	1,222
58	66	Horizontal	P-MGMMWD5866L	P-MGMMWD5866R	1,313
58	72	Horizontal	P-MGMMWD5872L	P-MGMMWD5872R	1,404
58	78	Horizontal	P-MGMMWD5878L	P-MGMMWD5878R	1,497
58	84	Horizontal	P-MGMMWD5884L	P-MGMMWD5884R	1,589
58	90	Horizontal	P-MGMMWD5890L	P-MGMMWD5890R	1,681
66	48	Horizontal	P-MGMMWD6648L	P-MGMMWD6648R	1,131
66	54	Horizontal	P-MGMMWD6654L	P-MGMMWD6654R	1,200



Left Hand Shown



Specify

• Laminate with matching edge



Notes

- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Wing panels sold separately.


Linear Mid Mount Spine Gallery Panels

LINEAR MID MOUNT SPINE GALLERY PANELS				
H	W	Grain	Model Number	List
34	24	Vertical	P-MLGPMMS3424	601
34	30	Vertical	P-MLGPMMS3430	629
34	36	Vertical	P-MLGPMMS3436	647
34	42	Vertical	P-MLGPMMS3442	661
34	48	Vertical	P-MLGPMMS3448	670
34	54	Vertical	P-MLGPMMS3454	677
34	24	Horizontal	P-MLGPMMS3424H	601
34	30	Horizontal	P-MLGPMMS3430H	629
34	36	Horizontal	P-MLGPMMS3436H	647
34	42	Horizontal	P-MLGPMMS3442H	661
34	48	Horizontal	P-MLGPMMS3448H	670
34	54	Horizontal	P-MLGPMMS3454H	677
34	60	Horizontal	P-MLGPMMS3460	798
34	66	Horizontal	P-MLGPMMS3466	836
34	72	Horizontal	P-MLGPMMS3472	888
34	78	Horizontal	P-MLGPMMS3478	940
34	84	Horizontal	P-MLGPMMS3484	991
34	90	Horizontal	P-MLGPMMS3490	1,044

LINEAR MID MOUNT SPINE GALLERY PANELS				
H	W	Grain	Model Number	List
42	24	Vertical	P-MLGPMMS4224	645
42	30	Vertical	P-MLGPMMS4230	692
42	36	Vertical	P-MLGPMMS4236	734
42	42	Vertical	P-MLGPMMS4242	775
42	48	Vertical	P-MLGPMMS4248	816
42	54	Vertical	P-MLGPMMS4254	857
42	24	Horizontal	P-MLGPMMS4224H	645
42	30	Horizontal	P-MLGPMMS4230H	692
42	36	Horizontal	P-MLGPMMS4236H	734
42	42	Horizontal	P-MLGPMMS4242H	775
42	48	Horizontal	P-MLGPMMS4248H	816
42	54	Horizontal	P-MLGPMMS4254H	857
42	60	Horizontal	P-MLGPMMS4260	965
42	66	Horizontal	P-MLGPMMS4266	1,034
42	72	Horizontal	P-MLGPMMS4272	1,073
42	78	Horizontal	P-MLGPMMS4278	1,113
42	84	Horizontal	P-MLGPMMS4284	1,153
42	90	Horizontal	P-MLGPMMS4290	1,194



Horizontal Grain



Vertical Grain



Specify

- Laminate with matching edge

Notes

- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.



Linear Mid Mount Spine Gallery Panels

LINEAR MID MOUNT SPINE GALLERY PANELS


H	W	Grain	Model Number	List
50	24	Vertical	P-MLGPMMS5024	688
50	30	Vertical	P-MLGPMMS5030	754
50	36	Vertical	P-MLGPMMS5036	820
50	42	Vertical	P-MLGPMMS5042	890
50	48	Vertical	P-MLGPMMS5048	964
50	54	Vertical	P-MLGPMMS5054	1,037
50	24	Horizontal	P-MLGPMMS5024H	688
50	30	Horizontal	P-MLGPMMS5030H	754
50	36	Horizontal	P-MLGPMMS5036H	820
50	42	Horizontal	P-MLGPMMS5042H	890
50	48	Horizontal	P-MLGPMMS5048H	964
50	54	Horizontal	P-MLGPMMS5054H	1,037
50	60	Horizontal	P-MLGPMMS5060	1,133
50	66	Horizontal	P-MLGPMMS5066	1,229
50	72	Horizontal	P-MLGPMMS5072	1,258
50	78	Horizontal	P-MLGPMMS5078	1,286
50	84	Horizontal	P-MLGPMMS5084	1,314
50	90	Horizontal	P-MLGPMMS5090	1,342

LINEAR MID MOUNT SPINE GALLERY PANELS

H	W	Grain	Model Number	List
58	24	Vertical	P-MLGPMMS5824	762
58	30	Vertical	P-MLGPMMS5830	832
58	36	Vertical	P-MLGPMMS5836	894
58	42	Vertical	P-MLGPMMS5842	963
58	48	Vertical	P-MLGPMMS5848	1,013
58	54	Vertical	P-MLGPMMS5854	1,066
58	24	Horizontal	P-MLGPMMS5824H	762
58	30	Horizontal	P-MLGPMMS5830H	832
58	36	Horizontal	P-MLGPMMS5836H	894
58	42	Horizontal	P-MLGPMMS5842H	963
58	48	Horizontal	P-MLGPMMS5848H	1,013
58	54	Horizontal	P-MLGPMMS5854H	1,066
58	60	Horizontal	P-MLGPMMS5860	1,157
58	66	Horizontal	P-MLGPMMS5866	1,250
58	72	Horizontal	P-MLGPMMS5872	1,341
58	78	Horizontal	P-MLGPMMS5878	1,434
58	84	Horizontal	P-MLGPMMS5884	1,526
58	90	Horizontal	P-MLGPMMS5890	1,617
66	24	Vertical	P-MLGPMMS6624	780
66	30	Vertical	P-MLGPMMS6630	856
66	36	Vertical	P-MLGPMMS6636	925
66	42	Vertical	P-MLGPMMS6642	997
66	48	Vertical	P-MLGPMMS6648	1,068
66	54	Vertical	P-MLGPMMS6654	1,137



Horizontal Grain



Vertical Grain



Specify

- Laminate with matching edge



Notes

- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.


Linear Mid Mount Spine for Wing Gallery Panels

LINEAR MID MOUNT SPINE FOR WING GALLERY PANELS					
H	W	Grain	Left	Right	List
			Model Number	Model Number	
34	48	Vertical	P-MGSMMW3448L	P-MGSMMW3448R	701
34	54	Vertical	P-MGSMMW3454L	P-MGSMMW3454R	711
34	48	Horizontal	P-MGSMMW3448LH	P-MGSMMW3448RH	701
34	54	Horizontal	P-MGSMMW3454LH	P-MGSMMW3454RH	711
34	60	Horizontal	P-MLGSMMW3460L	P-MLGSMMW3460R	829
34	66	Horizontal	P-MLGSMMW3466L	P-MLGSMMW3466R	867
34	72	Horizontal	P-MLGSMMW3472L	P-MLGSMMW3472R	919
34	78	Horizontal	P-MLGSMMW3478L	P-MLGSMMW3478R	972
34	84	Horizontal	P-MLGSMMW3484L	P-MLGSMMW3484R	1,022
34	90	Horizontal	P-MLGSMMW3490L	P-MLGSMMW3490R	1,075
42	48	Vertical	P-MGSMMW4248L	P-MGSMMW4248R	849
42	54	Vertical	P-MGSMMW4254L	P-MGSMMW4254R	889
42	48	Horizontal	P-MGSMMW4248LH	P-MGSMMW4248RH	849
42	54	Horizontal	P-MGSMMW4254LH	P-MGSMMW4254RH	889
42	60	Horizontal	P-MLGSMMW4260L	P-MLGSMMW4260R	995
42	66	Horizontal	P-MLGSMMW4266L	P-MLGSMMW4266R	1,066
42	72	Horizontal	P-MLGSMMW4272L	P-MLGSMMW4272R	1,105
42	78	Horizontal	P-MLGSMMW4278L	P-MLGSMMW4278R	1,146
42	84	Horizontal	P-MLGSMMW4284L	P-MLGSMMW4284R	1,184
42	90	Horizontal	P-MLGSMMW4290L	P-MLGSMMW4290R	1,225

LINEAR MID MOUNT SPINE FOR WING GALLERY PANELS					
H	W	Grain	Left	Right	List
			Model Number	Model Number	
50	48	Vertical	P-MGSMMW5048L	P-MGSMMW5048R	994
50	54	Vertical	P-MGSMMW5054L	P-MGSMMW5054R	1,069
50	48	Horizontal	P-MGSMMW5048LH	P-MGSMMW5048RH	994
50	54	Horizontal	P-MGSMMW5054LH	P-MGSMMW5054RH	1,069
50	60	Horizontal	P-MLGSMMW5060L	P-MLGSMMW5060R	1,166
50	66	Horizontal	P-MLGSMMW5066L	P-MLGSMMW5066R	1,261
50	72	Horizontal	P-MLGSMMW5072L	P-MLGSMMW5072R	1,290
50	78	Horizontal	P-MLGSMMW5078L	P-MLGSMMW5078R	1,319
50	84	Horizontal	P-MLGSMMW5084L	P-MLGSMMW5084R	1,347
50	90	Horizontal	P-MLGSMMW5090L	P-MLGSMMW5090R	1,373
58	48	Vertical	P-MGSMMW5848L	P-MGSMMW5848R	1,045
58	54	Vertical	P-MGSMMW5854L	P-MGSMMW5854R	1,096
58	48	Horizontal	P-MGSMMW5848LH	P-MGSMMW5848RH	1,045
58	54	Horizontal	P-MGSMMW5854LH	P-MGSMMW5854RH	1,096
58	60	Horizontal	P-MLGSMMW5860L	P-MLGSMMW5860R	1,189
58	66	Horizontal	P-MLGSMMW5866L	P-MLGSMMW5866R	1,282
58	72	Horizontal	P-MLGSMMW5872L	P-MLGSMMW5872R	1,372
58	78	Horizontal	P-MLGSMMW5878L	P-MLGSMMW5878R	1,465
58	84	Horizontal	P-MLGSMMW5884L	P-MLGSMMW5884R	1,557
58	90	Horizontal	P-MLGSMMW5890L	P-MLGSMMW5890R	1,650
66	48	Vertical	P-MGSMMW6648L	P-MGSMMW6648R	1,098
66	54	Vertical	P-MGSMMW6654L	P-MGSMMW6654R	1,170



HORIZONTAL GRAIN



Specify

- Laminate with matching edge

Notes

- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Wing panels sold separately.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.



Linear Mid Mount Spine for Double Wing Gallery Panels

LINEAR MID MOUNT SPINE FOR DOUBLE WING GALLERY PANELS

H	W	Grain	Model Number	List
34	48	Vertical	P-MGMMSSWD3448	765
34	54	Vertical	P-MGMMSSWD3454	774
34	48	Horizontal	P-MGMMSSWD3448H	765
34	54	Horizontal	P-MGMMSSWD3454H	774
34	60	Horizontal	P-MGMMSSWD3460	891
34	66	Horizontal	P-MGMMSSWD3466	932
34	72	Horizontal	P-MGMMSSWD3472	983
34	78	Horizontal	P-MGMMSSWD3478	1,036
34	84	Horizontal	P-MGMMSSWD3484	1,087
34	90	Horizontal	P-MGMMSSWD3490	1,138
42	48	Vertical	P-MGMMSSWD4248	913
42	54	Vertical	P-MGMMSSWD4254	953
42	48	Horizontal	P-MGMMSSWD4248H	913
42	54	Horizontal	P-MGMMSSWD4254H	953
42	60	Horizontal	P-MGMMSSWD4260	1,060
42	66	Horizontal	P-MGMMSSWD4266	1,128
42	72	Horizontal	P-MGMMSSWD4272	1,169
42	78	Horizontal	P-MGMMSSWD4278	1,209
42	84	Horizontal	P-MGMMSSWD4284	1,249
42	90	Horizontal	P-MGMMSSWD4290	1,289

LINEAR MID MOUNT SPINE FOR DOUBLE WING GALLERY PANELS

H	W	Grain	Model Number	List
50	48	Vertical	P-MGMMSSWD5048	1,059
50	54	Vertical	P-MGMMSSWD5054	1,132
50	48	Horizontal	P-MGMMSSWD5048H	1,059
50	54	Horizontal	P-MGMMSSWD5054H	1,132
50	60	Horizontal	P-MGMMSSWD5060	1,229
50	66	Horizontal	P-MGMMSSWD5066	1,324
50	72	Horizontal	P-MGMMSSWD5072	1,354
50	78	Horizontal	P-MGMMSSWD5078	1,383
50	84	Horizontal	P-MGMMSSWD5084	1,411
50	90	Horizontal	P-MGMMSSWD5090	1,438
58	48	Vertical	P-MGMMSSWD5848	1,108
58	54	Vertical	P-MGMMSSWD5854	1,160
58	48	Horizontal	P-MGMMSSWD5848H	1,108
58	54	Horizontal	P-MGMMSSWD5854H	1,160
58	60	Horizontal	P-MGMMSSWD5860	1,253
58	66	Horizontal	P-MGMMSSWD5866	1,345
58	72	Horizontal	P-MGMMSSWD5872	1,437
58	78	Horizontal	P-MGMMSSWD5878	1,528
58	84	Horizontal	P-MGMMSSWD5884	1,620
58	90	Horizontal	P-MGMMSSWD5890	1,713
66	54	Vertical	P-MGMMSSWD6648	1,162
66	60	Vertical	P-MGMMSSWD6654	1,233



Specify

- Laminate with matching edge


Notes

- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Wing panels sold separately.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.

Linear Wing Gallery Panels

LINEAR WING GALLERY PANELS					
H	W	Grain	Left Model Number	Right Model Number	List
34	18	Vertical	P-MLGWPL3418	P-MLGWPR3418	511
34	24	Vertical	P-MLGWPL3424	P-MLGWPR3424	538
34	30	Vertical	P-MLGWPL3430	P-MLGWPR3430	566
34	18	Horizontal	P-MLGWPL3418H	P-MLGWPR3418H	511
34	24	Horizontal	P-MLGWPL3424H	P-MLGWPR3424H	538
34	30	Horizontal	P-MLGWPL3430H	P-MLGWPR3430H	566
42	18	Vertical	P-MLGWPL4218	P-MLGWPR4218	533
42	24	Vertical	P-MLGWPL4224	P-MLGWPR4224	582
42	30	Vertical	P-MLGWPL4230	P-MLGWPR4230	628
42	18	Horizontal	P-MLGWPL4218H	P-MLGWPR4218H	533
42	24	Horizontal	P-MLGWPL4224H	P-MLGWPR4224H	582
42	30	Horizontal	P-MLGWPL4230H	P-MLGWPR4230H	628
50	18	Vertical	P-MLGWPL5018	P-MLGWPR5018	556
50	24	Vertical	P-MLGWPL5024	P-MLGWPR5024	624
50	30	Vertical	P-MLGWPL5030	P-MLGWPR5030	691


LINEAR WING GALLERY PANELS					
H	W	Grain	Left Model Number	Right Model Number	List
50	18	Horizontal	P-MLGWPL5018H	P-MLGWPR5018H	556
50	24	Horizontal	P-MLGWPL5024H	P-MLGWPR5024H	624
50	30	Horizontal	P-MLGWPL5030H	P-MLGWPR5030H	691
58	18	Vertical	P-MLGWPL5818	P-MLGWPR5818	629
58	24	Vertical	P-MLGWPL5824	P-MLGWPR5824	699
58	30	Vertical	P-MLGWPL5830	P-MLGWPR5830	769
58	18	Horizontal	P-MLGWPL5818H	P-MLGWPR5818H	629
58	24	Horizontal	P-MLGWPL5824H	P-MLGWPR5824H	699
58	30	Horizontal	P-MLGWPL5830H	P-MLGWPR5830H	769
66	18	Vertical	P-MLGWPL6618	P-MLGWPR6618	641
66	24	Vertical	P-MLGWPL6624	P-MLGWPR6624	717
66	30	Vertical	P-MLGWPL6630	P-MLGWPR6630	793



Horizontal Grain



Vertical Grain



Left Hand Shown

Specify

- Laminate with matching edge


Notes

- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.

Brackets for Gallery Panels

DESKING L BRACKET

Model Number	List
O-WSLB	54



Specify

Notes

- Order L Bracket when mounting worksurfaces to Gallery Panels.
- Brackets measure 5.5" x 1" x 1".
- Available in black only.



Wall Mounted Gallery Panels

WALL MOUNTED GALLERY PANELS – HORIZONTAL

H	W	Model Number	List
34	24	P-MLWMGP3424	570
34	30	P-MLWMGP3430	598
34	36	P-MLWMGP3436	615
34	42	P-MLWMGP3442	628
34	48	P-MLWMGP3448	637
34	54	P-MLWMGP3454	646
34	60	P-MLWMGP3460	765
34	66	P-MLWMGP3466	804
34	72	P-MLWMGP3472	856
34	78	P-MLWMGP3478	908
34	84	P-MLWMGP3484	959
34	90	P-MLWMGP3490	1,011
34	96	P-MLWMGP3496	1,102
42	24	P-MLWMGP4224	613
42	30	P-MLWMGP4230	661
42	36	P-MLWMGP4236	702
42	42	P-MLWMGP4242	743
42	48	P-MLWMGP4248	785
42	54	P-MLWMGP4254	827
42	60	P-MLWMGP4260	933
42	66	P-MLWMGP4266	1,002
42	72	P-MLWMGP4272	1,042
42	78	P-MLWMGP4278	1,081
42	84	P-MLWMGP4284	1,121
42	90	P-MLWMGP4290	1,161
42	96	P-MLWMGP4296	1,252

WALL MOUNTED GALLERY PANELS – HORIZONTAL

H	W	Model Number	List
50	24	P-MLWMGP5024	655
50	30	P-MLWMGP5030	723
50	36	P-MLWMGP5036	788
50	42	P-MLWMGP5042	858
50	48	P-MLWMGP5048	932
50	54	P-MLWMGP5054	1,006
50	60	P-MLWMGP5060	1,103
50	66	P-MLWMGP5066	1,197
50	72	P-MLWMGP5072	1,226
50	78	P-MLWMGP5078	1,255
50	84	P-MLWMGP5084	1,283
50	90	P-MLWMGP5090	1,311
50	96	P-MLWMGP5096	1,400



Specify

- Laminate selection
- Paint selection for Mounting Brackets



Notes

- Gallery panels are 1 1/8" with 2mm edge.
- Cannot be used freestanding, must be attached to a wall.
- Wall mounted gallery panels over 66" wide must be attached to storage units for support.
- Laminate gallery panel has matching edge.

Wall Mounted Gallery Panels

WALL MOUNTED GALLERY PANELS – HORIZONTAL

H	W	Model Number	List
58	24	P-MLWMGP5824	730
58	30	P-MLWMGP5830	801
58	36	P-MLWMGP5836	863
58	42	P-MLWMGP5842	931
58	48	P-MLWMGP5848	981
58	54	P-MLWMGP5854	1,034
58	60	P-MLWMGP5860	1,125
58	66	P-MLWMGP5866	1,218
58	72	P-MLWMGP5872	1,310
58	78	P-MLWMGP5878	1,400
58	84	P-MLWMGP5884	1,494
58	90	P-MLWMGP5890	1,586
58	96	P-MLWMGP5896	1,666
66	24	P-MLWMGP6624	749
66	30	P-MLWMGP6630	824
66	36	P-MLWMGP6636	892
66	42	P-MLWMGP6642	966
66	48	P-MLWMGP6648	1,036
66	54	P-MLWMGP6654	1,106



Specify

- Laminate selection
- Paint selection for Mounting Brackets

Notes

- Gallery panels are 1 1/8" with 2mm edge.
- Cannot be used freestanding, must be attached to a wall.
- Wall mounted gallery panels over 66" wide must be attached to storage units for support.
- Laminate gallery panel has matching edge.



Wall Mounted Gallery Panels

WALL MOUNTED GALLERY PANELS – VERTICAL

H	W	Model Number	List
34	24	P-MLWMGP3424V	570
34	30	P-MLWMGP3430V	598
34	36	P-MLWMGP3436V	615
34	42	P-MLWMGP3442V	628
34	48	P-MLWMGP3448V	637
34	54	P-MLWMGP3454V	646
42	24	P-MLWMGP4224V	613
42	30	P-MLWMGP4230V	661
42	36	P-MLWMGP4236V	702
42	42	P-MLWMGP4242V	743
42	48	P-MLWMGP4248V	785
42	54	P-MLWMGP4254V	827

WALL MOUNTED GALLERY PANELS – VERTICAL

H	W	Model Number	List
50	24	P-MLWMGP5024V	655
50	30	P-MLWMGP5030V	723
50	36	P-MLWMGP5036V	788
50	42	P-MLWMGP5042V	858
50	48	P-MLWMGP5048V	932
50	54	P-MLWMGP5054V	1,006
58	24	P-MLWMGP5824V	730
58	30	P-MLWMGP5830V	801
58	36	P-MLWMGP5836V	863
58	42	P-MLWMGP5842V	931
58	48	P-MLWMGP5848V	981
58	54	P-MLWMGP5854V	1,034



Specify

- Laminate selection
- Paint selection for Mounting Brackets


Notes

- Gallery panels are 1 1/8" with 2mm edge.
- Cannot be used freestanding, must be attached to a wall.
- Wall mounted gallery panels over 66" wide must be attached to storage units for support.
- Laminate gallery panel has matching edge.


Wall Mounted Gallery Panels for Wing

WALL MOUNTED GALLERY PANEL FOR WINGS – HORIZONTAL				
		Left	Right	
H	W	Model Number	Model Number	List
34	66	P-MLWMPWL3466	P-MLWMPWR3466	836
34	72	P-MLWMPWL3472	P-MLWMPWR3472	888
34	78	P-MLWMPWL3478	P-MLWMPWR3478	940
34	84	P-MLWMPWL3484	P-MLWMPWR3484	991
34	90	P-MLWMPWL3490	P-MLWMPWR3490	1,044
42	66	P-MLWMPWL4266	P-MLWMPWR4266	1,034
42	72	P-MLWMPWL4272	P-MLWMPWR4272	1,073
42	78	P-MLWMPWL4278	P-MLWMPWR4278	1,113
42	84	P-MLWMPWL4284	P-MLWMPWR4284	1,153
42	90	P-MLWMPWL4290	P-MLWMPWR4290	1,194

WALL MOUNTED GALLERY PANEL FOR WINGS – HORIZONTAL				
		Left	Right	
H	W	Model Number	Model Number	List
50	66	P-MLWMPWL5066	P-MLWMPWR5066	1,229
50	72	P-MLWMPWL5072	P-MLWMPWR5072	1,258
50	78	P-MLWMPWL5078	P-MLWMPWR5078	1,286
50	84	P-MLWMPWL5084	P-MLWMPWR5084	1,314
50	90	P-MLWMPWL5090	P-MLWMPWR5090	1,342
58	66	P-MLWMPWL5866	P-MLWMPWR5866	1,250
58	72	P-MLWMPWL5872	P-MLWMPWR5872	1,341
58	78	P-MLWMPWL5878	P-MLWMPWR5878	1,434
58	84	P-MLWMPWL5884	P-MLWMPWR5884	1,526
58	90	P-MLWMPWL5890	P-MLWMPWR5890	1,617



Left Hand Shown



Left Hand Shown

Specify

- Laminate selection
- Paint selection for Mounting Brackets

Notes

- Gallery panels are 1 1/8" with 2mm edge.
- Cannot be used freestanding, must be attached to a wall.
- Laminate gallery panel has matching edge.


Matrix Connector Product Details

Product Detail 1
Connector and Profile Options

2-Way Connectors:

Available in either 90°, 120°, or 135°. 2-way connectors are only available in painted metal finish.

Linear Profile - Painted Metal




Available Heights: 34", 42", 50", 58", 66", 82"

3-Way Connectors:

Available in either 90° or 120°. 3-way connectors are only available in painted metal finish.

Linear Profile - Painted Metal




Available Heights: 34", 42", 50", 58", 66", 82"

4-Way Connectors:

Available in 90°. 4-way connectors are only available in painted metal finish.

Linear Profile - Painted Metal



Available Heights: 34", 42", 50", 58", 66", 82"

Product Detail 2
Connector and Profile Options (Cont.)

Panel End Caps:

Finish the end of a panel frame run where no other panel frames are to be connected.

Linear Profile - Painted Metal



Available Heights: 34", 42", 50", 58", 66", 82", 90", 98", 106"

Note: 90", 98" and 106" high panel end caps are specified when stack-on panel frames are being utilized, drive the overall height of the panel frames over 82".

HiLo Trim Covers (Corner Application):

For 2-way, 3-way and 4-way applications finish the side of a 90° connector above the low panel. Specify size which corresponds to the difference between the height of the connector and the height of the low panel frame (ie: 66" high connector with a 42" high panel frame attached receives a 24" trim cover above the 42" panel frame).

Linear Profile - Painted Metal



Available Heights: 8", 16", 24", 32", 40", 48", 56", 64", 72", 80"

HiLo Trim Covers (Straight Line Application):

For 180° applications finishes the side of the panel frame above the low panel. Specify size that corresponds to the difference between the height of the high panel frame and the height of the low panel frame (ie: 66" high panel frame with a 42" high panel frame attached receives a 24" trim cover above the 42" panel frame).

Linear Profile - Painted Metal



Available Heights: 8", 16", 24", 32", 40", 48", 56", 64", 72", 80"


Matrix Connector Product Details

Product Detail 3 Connector and Profile Options (Cont.)

Wall Mounts:

Mounts panel frames and door frames perpendicular to a fixed wall. Because the wall mount adds 1" of creep to the panel run, the extended topcap sent with this kit replaces the panel frame topcap which would otherwise be used on the panel frame at the connection. Be sure to specify this particular panel frame with the "no topcap option" in order to avoid receiving an unusable panel frame topcap.


Linear Profile - Painted Metal



Available Heights: 34", 42", 50", 58", 66", 82", 90", 98", 108"
Available Widths: 24", 30", 36", 42", 48"

Stack-On Connectors:

For 2-way, 3-way, or 4-way scenarios are designed to add height to a base connector where stack-on frames are used. For instance, two 66" high panel frames connected at 90° with a 66" high 2-way connector could be expanded 24" with two 24" stack-on frames inserted into the tops of the two 66" panel frames. A 24" 2-way stack-on connector is required to connect the two stack-on frames above the base connector. A separate connector vertical cover must be specified separately to accommodate the added height. The connector topcap from the base connector is used at the top of the stack-on connector. Includes 1/4 - 20 x 2 1/4" long bolts for connecting to adjacent frames.




Matrix Connector Product Details

Product Detail 4
Connector Vertical Covers and Profile Options


2-Way Connector Vertical Covers:

In 90°, 120°, or 135° are specified separately only when stack-on connectors increase the height of a base connector. Specify the connector which corresponds to the overall height of a base connector plus the height of the stack-on connector. Connector vertical cover stack-on covers are specified when stack-on connectors extend beyond the height of 108".

Painted Metal



Available Heights: 34", 42", 50", 58", 66", 82", 90", 98", 106"




Stack-On Cover

Available Heights: 8", 16", 24", 32", 40", 48"


3-Way Connector Vertical Covers:

In 90° are specified separately only when stack-on connectors increase the height of a base connector. Specify the connector which corresponds to the overall height of a base connector plus the height of the stack-on connector. Note: Connector vertical cover stack-on covers are specified when stack-on connectors extend beyond the height of 108".

Painted Metal



Available Heights: 34", 42", 50", 58", 66", 82", 90", 98", 106"



Stack-On Cover

Available Heights: 8", 16", 24", 32", 40", 48"

90° 2-Way, 3-Way and 4-Way Stack-On Connectors

2-WAY STACK-ON CONNECTORS 90°

H	Model Number	List
8	P-M2BCC08	95
16	P-M2BCC16	118
24	P-M2BCC24	135



3-WAY STACK-ON CONNECTORS 90°

H	Model Number	List
8	P-M2B3C08	119
16	P-M2B3C16	133
24	P-M2B3C24	144



4-WAY STACK-ON CONNECTORS 90°

H	Model Number	List
8	P-M2BXC08	164
16	P-M2BXC16	186
24	P-M2BXC24	194



Notes

- Stack-On Connectors for a 2-way, 3-way or 4-way scenario are designed to add height to a base connector where stack-on frames are used.
- For instance, two 66" high panels connected at 90° with a 66" high 2-way connector could be expanded 24" with two 24" stack-on frames inserted into the tops of the two 66" panels.
- A 24" 2-way stack-on connector is required to connect the two stack-on frames above the base connector.
- Note: A separate connector vertical cover must be specified separately to accommodate the added height. See following pages.
- The connector topcap from the base connector is used at the top of the stack on connector.
- Includes 1/4 - 20 x 2 1/4" long bolts for connecting to adjacent frames.

120° 2-Way and 3-Way Stack-On Connectors

2-WAY STACK-ON CONNECTORS 120°

H	Model Number	List
8	P-M2B120CC08	157
16	P-M2B120CC16	193
24	P-M2B120CC24	203



2-WAY STACK-ON CONNECTORS 135°

H	Model Number	List
8	P-M2B45CC08	118
16	P-M2B45CC16	163
24	P-M2B45CC24	187



3-WAY STACK-ON CONNECTORS 120°

H	Model Number	List
8	P-M2B1203C08	232
16	P-M2B1203C16	258
24	P-M2B1203C24	278



Notes

- Stack-On Connectors for a 120° or 135° 2-way and a 120° 3-way are designed to add height to a base connector where stack-on frames are used.
- For instance, two 66" high panels connected at 120° with a 66" high 2-way connector could be expanded 24" with two 24" stack-on frames inserted into the tops of the two 66" panels.
- A 24" 2-way stack-on connector is required to connect the two stack-on frames above the base connector.
- Note: A separate connector vertical cover must be specified separately to accommodate the added height. See following pages.
- The connector topcap from the base connector is used at the top of the stack-on connector.
- Includes 1/4 - 20 x 2 1/4" long bolts for connecting to adjacent frames.

Linear Profile 2-Ways

LINEAR PROFILE 2-WAY 90°

H	Model Number	List	Grade C Paint
34	P-MLCC34	202	+15
42	P-MLCC42	224	+15
50	P-MLCC50	246	+15
58	P-MLCC58	277	+15
66	P-MLCC66	300	+15
82	P-MLCC82	383	+15



LINEAR PROFILE 2-WAY 120°

H	Model Number	List	Grade C Paint
34	P-MLCC12034	240	+15
42	P-MLCC12042	411	+15
50	P-MLCC12050	460	+15
58	P-MLCC12058	355	+15
66	P-MLCC12066	556	+15
82	P-MLCC12082	649	+15



LINEAR PROFILE 2-WAY 135°

H	Model Number	List	Grade C Paint
34	P-MLCC4534	240	+15
42	P-MLCC4542	411	+15
50	P-MLCC4550	319	+15
58	P-MLCC4558	355	+15
66	P-MLCC4566	556	+15
82	P-MLCC4582	649	+15



Specify

- Paint Selection for Vertical Cover and Topcap (if applicable)
- Finish Style for Painted Metal

Notes

- 2-Way Connectors connect two frames of equal height at 90°, 120°, or 135°.
- Order connector for specific connection angle.
- For frames of unequal height, specify the connector that corresponds to the highest panel in the configuration.
- Includes connector topcap and vertical cover. Vertical cover is shipped installed on connector, but may be removed on-site for installation of electrical cables. See installation instructions.
- Includes 1/4 - 20 x 2 1/4" long bolts for connecting to adjacent frames.

Linear Profile 3-Ways

LINEAR PROFILE 3-WAY 90°

H	Model Number	List	Grade C Paint
34	P-ML3C34	205	+15
42	P-ML3C42	246	+15
50	P-ML3C50	254	+15
58	P-ML3C58	306	+15
66	P-ML3C66	314	+15
82	P-ML3C82	390	+15

LINEAR PROFILE 3-WAY 120°

H	Model Number	List	Grade C Paint
34	P-ML3C12034	564	+5
42	P-ML3C12042	589	+5
50	P-ML3C12050	618	+5
58	P-ML3C12058	640	+5
66	P-ML3C12066	664	+5
82	P-ML3C12082	716	+5



Specify

- Paint Selection for Vertical Cover and Topcap (if applicable)
- Finish Style for Painted Metal


Notes

- 3-Way Connectors connect three frames of equal height at 90° or 120°.
- Order connector for specific connection angle.
- For frames of unequal height, specify the connector that corresponds to the highest panel in the configuration.
- Includes connector topcap and vertical cover.
- Vertical cover is shipped installed on connector, but may be removed on-site for installation of electrical cables. See installation instructions.
- Includes 1/4 - 20 x 2 1/4" long bolts for connecting to adjacent frames.
- 3-Way 120 connectors do not require a vertical cover.

Linear Profile 4-Ways, End Caps, and Matrix 180° Spacer Connector

LINEAR PROFILE 4-WAY 90°

H	Model Number	List	Grade C Paint
34	P-MLXC34	394	+5
42	P-MLXC42	410	+5
50	P-MLXC50	430	+5
58	P-MLXC58	449	+5
66	P-MLXC66	466	+5
82	P-MLXC82	498	+5




Specify **Notes**

- Paint Selection for Topcap (if applicable)
 - Finish Style for Painted Metal
- 4-Way Connectors connect four frames of equal height at 90°.
 - For frames of unequal height, specify the connector that corresponds to the highest panel in the configuration.
 - Includes connector topcap and four base shrouds. See installation instructions.
 - Includes 1/4 - 20 x 2 1/4" long bolts for connecting to adjacent frames.

LINEAR PROFILE PANEL END CAPS

H	Model Number	List	Grade C Paint
34	P-MLEC34	79	+15
42	P-MLEC42	93	+15
50	P-MLEC50	110	+15
58	P-MLEC58	120	+15
66	P-MLEC66	142	+15
74	P-MLEC74	164	+15
82	P-MLEC82	163	+15
90	P-MLEC90	209	+15
98	P-MLEC98	225	+15
106	P-MLEC106	210	+15



Specify **Notes**

- Finish Style for Painted Metal
 - Paint Selection for Vertical Cover (if applicable)
- Panel End Caps finish the end of a panel run where no other panels are to be connected.

MATRIX 180° SPACER CONNECTOR

H	Model Number	List	Grade C Paint
34	P-MLSPACER34	345	+15
42	P-MLSPACER42	365	+15
50	P-MLSPACER50	387	+15
58	P-MLSPACER58	409	+15
66	P-MLSPACER66	451	+15
82	P-MLSPACER82	487	+15




Specify **Notes**

- Paint Selection for Topcap
 - Paint Selection for Trim Cover
- For frames of unequal height, specify the 180 degree spacer that corresponds to the highest panel in the configuration.
 - Includes connector topcap and vertical cover.
 - Vertical cover is shipped installed on connector, but may be removed on-site for installation of electrical cables. See installation instructions.
 - Includes 1/4 - 20 x 2 1/4" long bolts for connecting to adjacent frames.

Linear Profile Wall Mount Kits

LINEAR PROFILE WALL MOUNT KITS

H	W	Model Number	List	Grade C Paint	H	W	Model Number	List	Grade C Paint
34	24	P-MLWM3424	509	+15	74	24	P-MLWM7424	629	+15
34	30	P-MLWM3430	509	+15	74	30	P-MLWM7430	629	+15
34	36	P-MLWM3436	509	+15	74	36	P-MLWM7436	629	+15
34	42	P-MLWM3442	509	+15	74	42	P-MLWM7442	629	+15
34	48	P-MLWM3448	509	+15	74	48	P-MLWM7448	629	+15
42	24	P-MLWM4224	526	+15	82	24	P-MLWM8224	646	+15
42	30	P-MLWM4230	526	+15	82	30	P-MLWM8230	646	+15
42	36	P-MLWM4236	526	+15	82	36	P-MLWM8236	646	+15
42	42	P-MLWM4242	526	+15	82	42	P-MLWM8242	646	+15
42	48	P-MLWM4248	526	+15	82	48	P-MLWM8248	646	+15
50	24	P-MLWM5024	562	+15	90	24	P-MLWM9024	663	+15
50	30	P-MLWM5030	562	+15	90	30	P-MLWM9030	663	+15
50	36	P-MLWM5036	562	+15	90	36	P-MLWM9036	663	+15
50	42	P-MLWM5042	562	+15	90	42	P-MLWM9042	663	+15
50	48	P-MLWM5048	562	+15	90	48	P-MLWM9048	663	+15
58	24	P-MLWM5824	582	+15	98	24	P-MLWM9824	679	+15
58	30	P-MLWM5830	582	+15	98	30	P-MLWM9830	679	+15
58	36	P-MLWM5836	582	+15	98	36	P-MLWM9836	679	+15
58	42	P-MLWM5842	582	+15	98	42	P-MLWM9842	679	+15
58	48	P-MLWM5848	582	+15	98	48	P-MLWM9848	679	+15
66	24	P-MLWM6624	613	+15	106	24	P-MLWM10624	699	+15
66	30	P-MLWM6630	613	+15	106	30	P-MLWM10630	699	+15
66	36	P-MLWM6636	613	+15	106	36	P-MLWM10636	699	+15
66	42	P-MLWM6642	613	+15	106	42	P-MLWM10642	699	+15
66	48	P-MLWM6648	613	+15	106	48	P-MLWM10648	699	+15



Specify

Notes

- Finish Style for Topcap - Painted Metal
- Paint Selection for Topcap (if applicable)
- Wall Mount Kits mount frames and doors perpendicular to a fixed wall.
- Includes a 180° straight line topcap and a filler topcap to finish top of the wall mount.
- Specify according to the height of the panel to be mounted.
- Wall mount adds 1" to panel run. See panel creep description pages.
- Wall mount hardware to attach wall mount to wall is not included.
- Screws and hardware needed are determined by the type of wall the wall mount is being mounted to.

Linear Profile HiLo Trim Covers


LINEAR PROFILE HILO TRIM COVERS (CORNER APPLICATION)

H	Model Number	List	Grade C Paint
8	P-MLHILO08	111	+15
16	P-MLHILO16	114	+15
24	P-MLHILO24	130	+15
32	P-MLHILO32	173	+15
40	P-MLHILO40	199	+15
48	P-MLHILO48	224	+15
56	P-MLHILO56	243	+15
64	P-MLHILO64	267	+15
72	P-MLHILO72	294	+15
80	P-MLHILO80	317	+15



LINEAR PROFILE HILO TRIM COVERS (STRAIGHT LINE APPLICATION)

H	Model Number	List	Grade C Paint
8	P-MLHILOSK08	106	+15
16	P-MLHILOSK16	110	+15
24	P-MLHILOSK24	126	+15
32	P-MLHILOSK32	165	+15
40	P-MLHILOSK40	193	+15
48	P-MLHILOSK48	215	+15
56	P-MLHILOSK56	234	+15
64	P-MLHILOSK64	256	+15
72	P-MLHILOSK72	284	+15
80	P-MLHILOSK80	305	+15



Specify

Notes

- Finish Style for Painted Metal
- Paint Selection for Vertical Cover (if applicable)

- HiLo Trim Cover for 2-way, 3-way and 4-way applications finishes the side of a 90° connector above the low panel.
- Order one for each unfinished side.
- Specify size which corresponds to difference between the height of the connector and the height of the low panel (ie: 66" high connector with a 42" high panel attached gets a 24" trim cover above the 42" panel).
- HiLo trim covers for 90° connectors are different from those used in a straight line 180° HiLo condition. See straight line HiLo's.

Specify

Notes


- Finish Style for Painted Metal
- Paint Selection for Vertical Cover (if applicable)

- HiLo Trim Covers for 2-way, 3-way and 4-way applications finish the side of a panel frame above the low panel.
- Order one per condition.
- Specify size which corresponds to the difference between the height of the high panel and the height of the low panel (ie: 66" high panel with a 42" high panel attached gets a 24" trim cover above the 42" panel).
- HiLo trim covers for 90° connectors are different from those used in a straight line HiLo condition. See 90° HiLo's.

Linear Profile 2-Way Vertical Covers

LINEAR PROFILE 2-WAY 90° VERTICAL COVERS

H	Model Number	List	Grade C Paint
34	P-MLCCT34	78	+15
42	P-MLCCT42	92	+15
50	P-MLCCT50	110	+15
58	P-MLCCT58	124	+15
66	P-MLCCT66	140	+15
74	P-MLCCT74	164	+15
82	P-MLCCT82	169	+15
90	P-MLCCT90	264	+15
98	P-MLCCT98	281	+15
106	P-MLCCT106	219	+15




LINEAR PROFILE 2-WAY 120° VERTICAL COVERS

H	Model Number	List	Grade C Paint
34	P-MLCT12034	84	+15
42	P-MLCT12042	105	+15
50	P-MLCT12050	123	+15
58	P-MLCT12058	143	+15
66	P-MLCT12066	157	+15
74	P-MLCT12074	181	+15
82	P-MLCT12082	195	+15
90	P-MLCT12090	215	+15
98	P-MLCT12098	231	+15
106	P-MLCT120106	245	+15



LINEAR PROFILE 2-WAY 135° VERTICAL COVERS

H	Model Number	List	Grade C Paint
34	P-MLCT4534	84	+15
42	P-MLCT4542	105	+15
50	P-MLCT4550	123	+15
58	P-MLCT4558	143	+15
66	P-MLCT4566	157	+15
74	P-MLCT4574	181	+15
82	P-MLCT4582	195	+15
90	P-MLCT4590	215	+15
98	P-MLCT4598	231	+15
106	P-MLCT45106	245	+15



Specify

- Finish Style for Topcap - Painted Metal
- Paint Selection for Vertical Cover (if applicable)

Notes

- 2-Way Connector Vertical Covers are specified separately only when stack-on connectors increase the height of a base connector.
- Specify the connector which corresponds to the overall height of a base connector plus the height of the stack-on connector.



Linear Profile 2-Way Vertical Stack-On Covers

LINEAR PROFILE 2-WAY 90° VERTICAL STACK-ON COVERS

H	Model Number	List	Grade C Paint
8	P-ML2WSC08	156	+15
16	P-ML2WSC16	182	+15
24	P-ML2WSC24	205	+15
32	P-ML2WSC32	229	+15
40	P-ML2WSC40	180	+15
48	P-ML2WSC48	195	+15


LINEAR PROFILE 2-WAY 120° VERTICAL STACK-ON COVERS

H	Model Number	List	Grade C Paint
8	P-ML120SC08	105	+15
16	P-ML120SC16	120	+15
24	P-ML120SC24	139	+15
32	P-ML120SC32	154	+15
40	P-ML120SC40	168	+15
48	P-ML120SC48	188	+15



LINEAR PROFILE 2-WAY 135° VERTICAL STACK-ON COVERS

H	Model Number	List	Grade C Paint
8	P-ML135SC08	110	+15
16	P-ML135SC16	125	+15
24	P-ML135SC24	143	+15
32	P-ML135SC32	158	+15
40	P-ML135SC40	180	+15
48	P-ML135SC48	195	+15



Specify

- Finish Style for Topcap - Painted Metal
- Paint Selection for Vertical Cover (if applicable)


Notes

- 2-Way Connector Vertical Cover Stack-Ons are specified when stack-on connectors extend beyond the height of 108".
- The vertical cover splice plate is included with vertical stack-on covers.

Linear Profile 3-Way Vertical and Vertical Stack-On Covers


LINEAR PROFILE 3-WAY 90° VERTICAL COVERS

H	Model Number	List	Grade C Paint
34	P-ML3CT34	61	+15
42	P-ML3CT42	70	+15
50	P-ML3CT50	81	+15
58	P-ML3CT58	92	+15
66	P-ML3CT66	106	+15
74	P-ML3CT74	124	+15
82	P-ML3CT82	125	+15
90	P-ML3CT90	169	+15
98	P-ML3CT98	186	+15
106	P-ML3CT106	161	+15



LINEAR PROFILE 3-WAY 90° VERTICAL STACK-ON COVERS

H	Model Number	List	Grade C Paint
8	P-M23WSC08	105	+15
16	P-M23WSC16	120	+15
24	P-M23WSC24	139	+15
32	P-M23WSC32	154	+15
40	P-M23WSC40	168	+15
48	P-M23WSC48	188	+15



Specify

Notes

- Paint Selection for Vertical Cover (if applicable)
- Finish Style for Painted Metal

- 3-Way Connector Vertical Covers are specified separately only when stack-on connectors increase the height of a base connector.
- Specify the connector which corresponds to the overall height of a base connector plus the height of the stack-on connector.

Specify

Notes


- Paint Selection for Vertical Cover (if applicable)
- Finish Style for Painted Metal

- 3-Way Connector Vertical Cover Stack-Ons are specified when stack-on connectors extend beyond the height of 108".
- The vertical cover splice plate is included with vertical stack-on covers.

2-Way Linear Connector Trim Conversion Kits


2-WAY 90° LINEAR CONNECTOR TRIM CONVERSION KIT

H	Model Number	List	Grade C Paint
34	P-MLKCC34	187	+15
42	P-MLKCC42	230	+15
50	P-MLKCC50	277	+15
58	P-MLKCC58	318	+15
66	P-MLKCC66	361	+15
82	P-MLKCC82	408	+15




2-WAY 120° LINEAR CONNECTOR TRIM CONVERSION KIT

H	Model Number	List	Grade C Paint
34	P-MLKCC12034	144	+15
42	P-MLKCC12042	182	+15
50	P-MLKCC12050	212	+15
58	P-MLKCC12058	244	+15
66	P-MLKCC12066	283	+15
82	P-MLKCC12082	314	+15



2-WAY 135° LINEAR CONNECTOR TRIM CONVERSION KIT

H	Model Number	List	Grade C Paint
34	P-MLKCC4534	135	+15
42	P-MLKCC4542	164	+15
50	P-MLKCC4550	194	+15
58	P-MLKCC4558	221	+15
66	P-MLKCC4566	246	+15
82	P-MLKCC4582	279	+15



Specify

- Finish Style for Topcap - Painted Metal
- Paint Selection for Vertical Cover (if applicable)

Notes

- Linear Connector Trim Conversion Kits - 2-Way 90°, 120°, 135° - are specified when converting existing radius profile connectors to linear profile connectors.
- Includes linear profile connector topcap and vertical cover (painted metal).

3-Way and 4-Way Linear Connector Trim Conversion Kits

3-WAY 90° LINEAR CONNECTOR TRIM CONVERSION KIT

H	Model Number	List	Grade C Paint
34	P-MLK3C34	116	+15
42	P-MLK3C42	143	+15
50	P-MLK3C50	166	+15
58	P-MLK3C58	195	+15
66	P-MLK3C66	220	+15
82	P-MLK3C82	244	+15

3-WAY 120° LINEAR CONNECTOR TRIM CONVERSION KIT


Model Number	List	Grade C Paint
P-MLK3C120	80	+5



- | Specify | Notes |
|--|---|
| <ul style="list-style-type: none"> • Finish Style for Topcap - Painted Metal • Paint Selection for Topcap/Vertical Cover (if applicable) | <ul style="list-style-type: none"> • Linear Connector Trim Conversion Kits - 3-Way 90°, 120°- are specified when converting existing radius profile connectors to linear profile connectors. • Includes linear profile connector topcap and vertical cover (painted metal). • 3-way 120° kits include only the connector topcap since there are no vertical covers on 3-way 120° connectors. |

4-WAY 90° LINEAR CONNECTOR TRIM CONVERSION KIT

Model Number	List
P-MLK4	79




- | Specify | Notes |
|--|---|
| <ul style="list-style-type: none"> • Paint Selection for Vertical Cover (if applicable) • Finish Style for Painted Metal | <ul style="list-style-type: none"> • Linear Connector Trim Conversion Kits - 4-Way 90°- are specified when converting existing radius profile connectors to linear profile connectors. • Includes only the connector topcap (painted metal) since there are no vertical covers on 4-way 90° connectors. |

Linear Wall Mount Trim Conversion Kits, Wall Tracks and Off-Modular Frame Connection Kits

LINEAR WALL MOUNT TRIM CONVERSION KITS


H	Model Number	List	Grade C Paint
24	P-MLKWM24	143	+10
30	P-MLKWM30	151	+10
36	P-MLKWM36	154	+10
42	P-MLKWM42	157	+10
48	P-MLKWM48	164	+10



Specify	Notes
<ul style="list-style-type: none"> • Finish Style for Painted Metal • Paint Selection for Topcap(if applicable) 	<ul style="list-style-type: none"> • Linear Wall Mount Trim Conversion Kits - specify topcap width to correspond to the width of the panel attached to the wall mount.

OFF-MODULAR FRAME CONNECTION KITS


Model Number	List
P-M2OMFC	184



Specify	Notes
<ul style="list-style-type: none"> • Paint Selection 	<ul style="list-style-type: none"> • Off-Modular Frame Connection Kit mounts over top of panel and is available in all standard paint colors. • Used in conjunction with off-modular rails (included with off-modular tiles) to mount a Matrix frame to the face of another Matrix frame. • Frame may be mounted anywhere along off-modular rail and may be moved easily in the future. • Connection is fully load bearing. • Specify an off-modular top-tile and off-modular mid-tile at the bottom of the frame to accommodate an off-modular frame connection. • If off-modular panel is lower than spine panel, specify an off-modular mid-tile at location such that the top of the mid-tile matches the top of the low off-modular frame.

WALL TRACKS

H	Model Number	List	Grade C Paint
60	A-WTRK60	192	+5
80	A-WTRK80	232	+5





Specify	Notes
<ul style="list-style-type: none"> • Paint Selection 	<ul style="list-style-type: none"> • Wall Track mounts to fixed walls to provide slotted channel for worksurface support brackets, tack-boards or shelves. • Slots are on 1" vertical repeat pattern. • Wall track mounting holes are 1/4" diameter, repeat 6" on center starting 1/2" from top of track. • Track sits approx. 5" off floor when leveled with top of panels to accommodate wall cover base. • Hardware for mounting wall track to walls is not included. Use hardware appropriate to wall type. • Important: Wall track may be shared with Matrix and AO2 storage. Wall track may not be shared with Divi and MWall storage.

Matrix Electrical Product Details

**Product Detail 1
Electrical Components (8 Wire, 4 Circuit)**



AIS Matrix 8 Wire 4 Circuit electrical system contains four circuits. Each circuit is rated at 20 amps/120 volts maximum. Circuit 1, Circuit 2 and Circuit 3 are served by a system neutral and an equipment ground. Circuit 4 is dedicated and is served by its own neutral and ground. Circuit and ground conductors are #12 A.G.W. (gauge). All neutrals are #10 A.G.W. (gauge).

Shown below is a cross section of metal cable used for 8 Wire 4 Circuit jumpers and infeeds. Circuit and ground conductors are #12 A.G.W. (gauge). All neutrals are #10 A.G.W. (gauge).



Powerways provide electrical distribution and access for duplex outlets back to back. 24" wide panels can accept only one duplex outlet per side, two total back to back. All other powerways can accept two per side, four total back to back. Powerways "grow" in length with frames of greater width, making panel to panel connections a "standard" configuration and allowing for "pass through" connections. Each powerway has locations for up to four jumpers, two at each end.

Duplex Outlets are designated as circuits 1 through 4. Each duplex outlet contains two single receptacles (places to plug into) of the same circuit and are specified separately from powerways. All duplex outlets have black faces. The lettering on outlets for Circuit 1, 2 and 3 is white. The lettering on outlets for Circuit 4 is orange. Outlets are screw mounted to powerway and include a plastic or metal outlet trim bezel which can be ordered black to match outlets or the color of the painted tile. Duplex outlets are standard 15 amp outlets. For 20 amp outlets, call AIS Customer Service.



Common Equipment Amperages:


Personal Computer	2.00 - 4.00
Laser Printer	5.00 - 8.00
Desktop Plotter	1.50
Fan	1.00
Heater	8.50 - 12.50
Tasklight	1.00
Slide Projector	2.00 - 6.00
Coffee Pot	15.00
Paper Shredder	4.40 - 13.00
Radio	0.05
Pencil Sharpener	1.00
Calculator	0.25
Answering Machine	0.08

Matrix Electrical Product Details

**Product Detail 2
Electrical Location and Vertical Jumpers**

An AIS Matrix panel frame contains an electrical “chase” hole for electrical and data cables at every 8” of height. These chase holes are divided into “locations”. Each location has an upper and lower “position”. A 34” high panel has four electrical locations while an 82” high panel has 10 locations. Powerway assemblies can be mounted in any location and position except the four upper and the last upper position of the highest location, which in the illustration below, is 10 upper. Each location has one electrical chase hole aligned with the lower position of every location. Therefore, electrical cables can only be chased from the lower positions to lower positions. Use the upper positions for additional powerway assemblies to provide access for more duplex outlets or jump points for vertical jumpers. Horizontal crossbar of frames inhibit the use of power and data in the top upper position.


Location 4 is not recommended for use, as an electrical tile located at this location would most likely be blocked by a worksurface. Powerway assemblies can be mounted at any position; however, jumping to adjacent panels can only be done at the lower positions. To access the upper positions, use vertical jumpers or double powerway jumpers inside a frame or use a lower position from a location above the assembly. The formula for figuring out a vertical jumper length inside the same frame is: Higher Location - Lower Location x 8” = Delta. Location 7 lower to location 5 lower = 7 - 5 = 2 x 8 = 16” delta. Note: Vertical jumpers are designed to span from lower to lower or upper to upper. For example, jumping from 5 lower to 9 upper is not correct. Note: Horizontal crossbar of frames inhibit the use of power and data in the top upper position.



Note: Certain areas of Chicago prohibit the use of modular electrical systems and require all electrical components to be hardwired. All electrical components need to be supplied by the electrician.

Product Detail 3
Receptacle Mounted Base Infeed Details


Receptacle mounted base infeed protrudes 1 1/2" from the panel. Designers should allow for at least 2" of separation between the panel and any adjacent furniture or walls.



Electrical Jumpers

PANEL-TO-PANEL JUMPERS

L	Type	Model Number	List
18	Standard	E-MX8W4PTPC18	227
21	Extended	E-MX8W4PTPC21	238



Notes

Panel-to-Panel Jumpers connect two powerway assemblies across a straight panel connection at the same elevation location. Order an Extended Panel-to-Panel Jumper when connecting two powerway assemblies at 90° at the same elevation location or straight across the gap created by a 3-way or 4-way at the same elevation location.

LATERAL PASS THROUGH JUMPERS

Panel W	Actual L	Model Number	List
24	45	E-MW8W4PJ24E	338
30	51	E-MW8W4PJ30E	355
36	57	E-MW8W4PJ36E	367
42	63	E-MW8W4PJ42E	376
48	69	E-MW8W4PJ48E	409




Notes

Lateral Pass Through Jumpers pass laterally through a non-powered frame to connect two powerway assemblies at the same elevation location. Specify the jumper that corresponds to the width of the panel to be passed through. Lateral pass through jumpers are used for both straight, standard pass throughs, and extended situations.

VERTICAL TRANSITION JUMPERS

Panel W	Actual L	Model Number	List
8	18	E-MX8W4PTPC18	227
16	24	E-UN8W4VT16	279
24	37	E-MW8W4PJ18	292
32	43	E-MW8W4PJ24	325
40	48	E-MW8W4PJ30	348
48	57	E-MW8W4PJ36E	367
56	67	E-MW8W4PJ48	399
64	79	E-MW8W4PJ60	429
72	81	E-MW8W4PJ60E	452




Notes

Vertical Transition Jumpers connect two powerway assemblies at different elevation locations inside the same frame. Specify length by delta elevation. [ie: location 7 lower to location 3 lower = (7-3 = 4) x 8" = 32" = VT jumper for a 32" delta.]

DOUBLE POWERWAY VERTICAL JUMPER

L	Model Number	List
12	E-MXDPWJV	272



Notes


Double Powerway Vertical Jumper connects two powerway assemblies inside the same elevation location.

Note: Certain areas of Chicago prohibit the use of modular electrical systems and require all electrical components to be hardwired. All electrical components need to be supplied by the electrician.

Access Hole Covers, Outlet Trim Bezels and I-Connectors

ACCESS HOLE COVERS

Model Number	List
E-MXWCPB	34



Specify


• Paint Selection for Access Hole Covers

Notes

Access Hole Covers are included with every electrical tile. Order separately only if using less than the indicated number of holes (one per dual tile or two per quad tile).

OUTLET TRIM BEZELS

Model Number	List
E-MXWCPCP	28



Specify


• Paint Selection for Outlet Trim Bezels

Notes

Outlet trim bezels are included with every duplex outlet. Order separately only if bezels are lost or for punch lists.

I-CONNECTOR

Model Number	List
E-UN8W4ICON	166




Notes

I-Connector is only required when it is necessary to connect two male end jumpers.

Electrical Outlets


DUPLEX OUTLETS

Line	Color	Model Number	List
1	Black	E-MX8W4FDO1	73
2	Black	E-MX8W4FDO2	73
3	Black	E-MX8W4FDO3	73
4	Black	E-MX8W4FDO4	73
1	White	E-MX8W4FDO1-W	65
2	White	E-MX8W4FDO2-W	65
3	White	E-MX8W4FDO3-W	65
4	White	E-MX8W4FDO4-W	65



CALIFORNIA TITLE 24 CONTROLLED DUPLEX OUTLETS

Line	Color	Model Number	List
1	Black	E-MX8W4T24DO1	87
2	Black	E-MX8W4T24DO2	87
3	Black	E-MX8W4T24DO3	87
4	Black	E-MX8W4T24DO4	87
1	White	E-MX8W4T24DO1-W	79
2	White	E-MX8W4T24DO2-W	79
3	White	E-MX8W4T24DO3-W	79
4	White	E-MX8W4T24DO4-W	79



Notes

- Duplex Outlets are available in designated circuits 1 through 4.
- Each duplex outlet contains two single receptacles (places to plug into) of the same circuit and are specified separately from powerways.
- Available in black or white. The lettering on outlets for circuit 1, 2 and 3 is white. The lettering on outlets for circuit 4 is orange.
- Outlets are screw mounted to the powerway and include a plastic or metal outlet trim bezel which can be ordered in black, to match outlets or the color of the painted tile.
- Duplex outlets are standard 15 amp outlets.


Notes

- In California, 50% of all outlets in a system panel cluster or benching cluster, for new construction, MUST be controlled outlets, even if there is no task lighting.
- Customers should plan on using 2 and 3 controlled circuits, and plan general load for all items on circuits 1 and 4.
- If using 2+2 configuration, controlled circuits should be 1 and 2, and general load circuits on 4 and 5.
- Outlets must have the “controlled” symbol for identification purposes.

Note: Certain areas of Chicago prohibit the use of modular electrical systems and require all electrical components to be hardwired. All electrical components need to be supplied by the electrician.

USB OUTLETS

Line	Color	Model Number	List
1	Black	E-MX8W4USB01	437
2	Black	E-MX8W4USB02	437
3	Black	E-MX8W4USB03	437
4	Black	E-MX8W4USB04	437
1	White	E-MX8W4USB01-W	391
2	White	E-MX8W4USB02-W	391
3	White	E-MX8W4USB03-W	391
4	White	E-MX8W4USB04-W	391




Notes

USB Outlets bring charging options to panel power distribution systems. The USB Outlets provide convenient charging power access through dual ports on the face of the receptacle. Include a plastic or metal outlet trim bezel which can be ordered in black to match outlets or the color of the painted tile. The USB Outlets offer a total of 2 Amps between two USB charging ports. The USB Outlets are UL and FCC Part 15A approved.

Infeeds and Hardwire Junction Boxes

RECEPTACLE MOUNTED BASE INFEEDS

L	Hand	Model Number	List
72	Left	E-UN8W4BIFL	567
72	Right	E-UN8W4BIFR	567




Notes

Receptacle Mounted Base Infeeds provide interface with building power and mounts to powerway at duplex outlet location. Each base feed is 6' in length, encased in "liquid tight". New York City code requires the use of a special base feed with an in-line junction box, see New York City Base Infeeds for more details.

NEW YORK CITY BASE INFEEDS

L	Hand	Model Number	List
72	Left	E-HM8W4BIFLNY	1,102
72	Right	E-HM8W4BIFRNY	1,102




Notes

New York City Receptacle Mounted Base Infeeds provide interface with building power and mount to powerway at duplex outlet location. Each base feed is 6' in length, encased in "liquid tight". New York City code requires the use of a special base feed with an in-line junction box.

CEILING INFEED KIT

Model Number	List
E-M28W4CIF	663




Notes

Ceiling Infeed Kit provides interface with building power from a suspended ceiling through a power pole shell. Power pole shells are ordered separately. Includes one ceiling infeed 144", one panel-to-panel jumper 18", and two I-Connectors. Power/Data Pole Kits are sold and specified separately.

Important: Vertical transition jumper is required and specified separately in order to reach power input destination. The ceiling infeed is restricted at the horizontal steel tube at the top of the panel frame. The panel-to-panel jumper (via an I-Connector) brings the power 18" down into the panel frame. From this point, an additional vertical transition jumper (via an I-Connector) needs to be specified in order to bring power source to the power assembly mounted at any of the locations within the panel frame.

DOUBLE SIDED JUNCTION BOX

Model Number	List
E-M2JBCH	408



Notes


Hardwire Junction Box allows standard, hardwired, single gang duplex outlets to be used in Matrix panels at each standard, modular duplex outlet location. Each outlet will require one junction box; however, outlets can be placed back to back on a spine, with a total of two outlets total per box. Junction boxes mount to inside wall of Matrix frame and occupy one vertical electrical position in any numbered location. Thus boxes can be stacked in location 1 (base) or location 5 (beltline) in both the upper and lower positions. **Junction boxes do not include electrical connectors.** Boxes are UL listed. Decora faced outlets cannot be used. Kit includes all hardware required to attach box to Matrix frame at duplex outlet location. Designed for use with Chicago power or wherever junction boxes are required by code.

Standard Matrix electrical tiles are required on both front and back sides of frame, regardless of if 2 outlets are needed. If only using 1 outlet on one side, use standard duplex outlet cover on non-outlet side. Boxes have standard 0.875" knock-outs for electrical connectors. Kit includes two low profile metal face plates painted per specification. Box is 2.448"H x 2.059"W x 12"L. Junction boxes can be used with either 15 amp or 20 amp single gang outlets.

Linear Power / Data Pole Kits

LINEAR PROFILE POWER / DATA POLE KITS

H	W	Model Number	List	Grade C Pole Paint	Grade C Topcap Paint	H	W	Model Number	List	Grade C Pole Paint	Grade C Topcap Paint
34	24	A-PPML3424	1,329	+15	+10	66	24	A-PPML6624	861	+15	+10
34	30	A-PPML3430	1,339	+15	+10	66	30	A-PPML6630	870	+15	+10
34	36	A-PPML3436	1,352	+15	+10	66	36	A-PPML6636	887	+15	+10
34	42	A-PPML3442	1,365	+15	+10	66	42	A-PPML6642	900	+15	+10
34	48	A-PPML3448	1,387	+15	+10	66	48	A-PPML6648	909	+15	+10
42	24	A-PPML4224	1,265	+15	+10	74	24	A-PPML7424	799	+15	+10
42	30	A-PPML4230	1,281	+15	+10	74	30	A-PPML7430	816	+15	+10
42	36	A-PPML4236	1,290	+15	+10	74	36	A-PPML7436	830	+15	+10
42	42	A-PPML4242	1,301	+15	+10	74	42	A-PPML7442	838	+15	+10
42	48	A-PPML4248	1,316	+15	+10	74	48	A-PPML7448	852	+15	+10
50	24	A-PPML5024	1,239	+15	+10	82	24	A-PPML8224	861	+15	+10
50	30	A-PPML5030	1,251	+15	+10	82	30	A-PPML8230	870	+15	+10
50	36	A-PPML5036	1,261	+15	+10	82	36	A-PPML8236	887	+15	+10
50	42	A-PPML5042	1,274	+15	+10	82	42	A-PPML8242	901	+15	+10
50	48	A-PPML5048	1,284	+15	+10	82	48	A-PPML8248	909	+15	+10
58	24	A-PPML5824	1,137	+15	+10						
58	30	A-PPML5830	1,169	+15	+10						
58	36	A-PPML5836	1,234	+15	+10						
58	42	A-PPML5842	1,244	+15	+10						
58	48	A-PPML5848	1,272	+15	+10						



Specify

- Paint Selection for Power Pole
- Finish Style for Topcap - Painted Metal
- Paint Selection for Topcap (if applicable)


Notes

Power/Data Pole Kits provide a sealed vertical channel for running ceiling feeds and/or data cables from a suspended ceiling. Poles mount to any Matrix frame or stack-on frame and are designed to finish at a height of 136". Each frame can accommodate two poles mounted approximately 4" from panel end. Order ceiling infeeds separately. Pole can be divided into one, two or three sections for separation of low voltage and high voltage. Specify pole that corresponds to panel height and panel width.

Powerway Assemblies and Data Plate Kits

SINGLE POWERWAY ASSEMBLIES

W	Model Number	List
24	E-MXEK24	315
30	E-MXEK30	330
36	E-MXEK36	352
42	E-MXEK42	367
48	E-MXEK48	384




Notes

Single Powerway Assemblies occupy one position of one electrical location in a Matrix frame. Assembly mounts to inside of frame with screws. Assembly can accommodate four duplex outlets total.

DOUBLE POWERWAY ASSEMBLIES

W	Model Number	List
24	E-MXEL24	785
30	E-MXEL30	822
36	E-MXEL36	856
42	E-MXEL42	891
48	E-MXEL48	926




Notes

Double Powerway Assemblies occupy two positions of one electrical location in a Matrix frame. Assembly mounts to inside of frame with screws. Assembly can accommodate eight duplex outlets total. Assembly includes a double powerway vertical jumper.

DATA PLATE KITS

Item	Model Number	List
6 Port Data Gang Plate	E-HDP6B-SM	37
CAT 5e Jack	E-HRJ45-SM	132
CAT 6 Data Jack	E-HXJ6BK-SM	144
Hole Blank (Pk 10)	E-SFBB10-SM	89



Notes


Data Plate Kits has six ports for modular jacks. Bezel screws directly to Matrix electrical access tiles in pre-drilled and tapped hole pattern. RJ-45 jack can be used in place of RJ-11 jacks.

Note: Certain areas of Chicago prohibit the use of modular electrical systems and require all electrical components to be hardwired. All electrical components need to be supplied by the electrician.

Electrical Tiles and Data Cable Support Troughs

DUAL ELECTRICAL TILES

H	W	Model Number	List	C.O.M Fabric	Grade C Fabric	Grade D Fabric	Grade C Tile Paint	Grade C Retainer Paint
8	24	P-M2TED0824	106	+20	+31	+44	+5	+5
8	30	P-M2TED0830	118	+20	+31	+44	+5	+5
8	36	P-M2TED0836	126	+20	+31	+44	+5	+5
8	42	P-M2TED0842	135	+20	+31	+44	+5	+5
8	48	P-M2TED0848	161	+20	+31	+44	+5	+5



Specify


- Paint Selection for Tile Retainer, Access Hole Cover and Tile (if applicable)
- Fabric Selection for Tile (if applicable)

Notes

Dual Electrical Tiles contain two access holes at the lower position for duplex outlets or data devices. Available in painted steel or fabric covered steel. Access holes are standard electrical single gang interface which will accommodate any manufacturer's single gang data device plates or bezels screwed directly to the tile. Includes: one mid-tile retainer, two tile retainer clips, and one access hole cover. If only one access hole is used, order an additional access hole cover separately. Tile is "front" removable/replaceable. Use when specifying electrical powerway assemblies separately. Specify jumpers and outlets separately. 24" wide tile has only one access hole. Access Hole has dimensions of 2"H x 2.875"W.

QUAD ELECTRICAL TILES

H	W	Model Number	List	C.O.M Fabric	Grade B Fabric	Grade C Fabric	Grade D Fabric	Grade C Tile Paint	Grade C Retainer Paint
8	24	P-M2TEQ0824	116	+20	+20	+31	+44	+5	+5
8	30	P-M2TEQ0830	127	+20	+20	+31	+44	+5	+5
8	36	P-M2TEQ0836	139	+20	+20	+31	+44	+5	+5
8	42	P-M2TEQ0842	149	+20	+20	+31	+44	+5	+5
8	48	P-M2TEQ0848	164	+20	+20	+31	+44	+5	+5



Specify


- Paint Selection for Tile Retainer, Access Hole Cover and Tile (if applicable)
- Fabric Selection for Tile (if applicable)

Notes

Quad Electrical Tiles contain four access holes (two in the top location and two in the bottom location) for duplex outlets or data devices. Available in painted steel or fabric covered steel. Access holes are standard single gang interface which will accommodate any manufacturer's single gang data device plates or bezels screwed directly to the tile. Includes: one mid-tile retainer, two tile retainer clips, and two access hole covers. If less than two access holes are used, order additional access hole covers separately. Tile is "front" removable/replaceable. Use when specifying electrical powerway assemblies separately. Specify jumpers and outlets separately. 24" wide tile has only two access holes. Access Hole has dimensions of 2"H x 2.875"W.

DATA CABLE SUPPORT TROUGHS

W	Model Number	List
24	E-MXSTKIT24	234
30	E-MXSTKIT30	250
36	E-MXSTKIT36	257
42	E-MXSTKIT42	279
48	E-MXSTKIT48	336



Notes


Data Cable Support Troughs screw to inside of Matrix frame at any height and provide shielded channel via snap on cover.

Tile Availability

**Product Detail 1
Tile Availability**


All Matrix tiles (excluding off-modular mid and top tiles) include one mid-tile retainer and one set of mid-tile retainer clips. Off-modular tiles (mid or top) include one off-modular tile retainer rail (mid or top).

Tackable Acoustical




Available Heights*: 8", 16", 24", 32", 40", 48", 56", 64"
Available Widths: 24", 30", 36", 42", 48"

Standard Steel




Available Heights: 8", 16", 24"
Available Widths: 24", 30", 36", 42", 48"

Embossed Steel




Available Heights: 16", 24"
Available Widths: 24", 30", 36", 42", 48"

Perforated Steel




Available Heights: 16", 24"
Available Widths: 24", 30", 36", 42", 48"

Laminate




Available Heights: 8", 16"
Available Widths: 24", 30", 36", 42", 48"

Standard Front Glass (Linear Profile)




Available Heights: 16", 24"
Available Widths: 24", 30", 36", 42", 48"

Standard Back Glass (Linear Profile)




Available Heights: 16", 24"
Available Widths: 24", 30", 36", 42", 48"

Bottom Front Glass (Linear Profile)



Available Heights: 16", 24"
Available Widths: 24", 30", 36", 42", 48"

Bottom Back Glass (Linear Profile)




Available Heights: 16", 24"
Available Widths: 24", 30", 36", 42", 48"

*Tile Sizes 40"H - 64"H include four mid-grip brackets which prevent larger tiles from bowing and keep them in place.


Product Detail 2
Tile Availability (Cont.)

Standard Open Frame (Linear Profile)




Available Heights: 16", 24"
Available Widths: 24", 30", 36", 42", 48"

Bottom Open Frame (Linear Profile)




Available Heights: 16", 24"
Available Widths: 24", 30", 36", 42", 48"

White Board (Non-Magnetic)**




Available Heights: 16", 24"
Available Widths: 24", 30", 36", 42", 48"

Utility Tile




Available Heights: 8"
Available Widths: 24", 30", 36", 42", 48"

Off-Modular Mid-Tile



Available Heights*: 8", 16", 24", 32", 40", 48", 56", 64"
Available Widths: 24", 30", 36", 42", 48"



Off-Modular Top-Tile



Available Heights*: 8", 16", 24", 32", 40", 48", 56", 64"
Available Widths: 24", 30", 36", 42", 48"

*Tile Sizes 40"H - 64"H include four mid-grip brackets which prevent larger tiles from bowing and keep them in place.
**Marker Tray for white board specified separately and available in all standard white board widths.



Product Detail 3
Wall Tile Basic Rail Setup



Tackable Acoustical Tiles

TACKABLE ACOUSTICAL TILES

H	W	Model Number	List	C.O.M Fabric	Grade C Fabric	Grade D Fabric	Grade C Paint	H	W	Model Number	List	C.O.M Fabric	Grade C Fabric	Grade D Fabric	Grade C Paint
8	24	P-M2TTK0824	76	-7	+11	+22	+5	40	24	P-M2TTK4024	157	-25	+42	+84	+5
8	30	P-M2TTK0830	80	-7	+11	+22	+5	40	30	P-M2TTK4030	169	-25	+42	+84	+5
8	36	P-M2TTK0836	91	-7	+11	+22	+5	40	36	P-M2TTK4036	230	-25	+42	+84	+5
8	42	P-M2TTK0842	98	-7	+11	+22	+5	40	42	P-M2TTK4042	246	-25	+42	+84	+5
8	48	P-M2TTK0848	103	-7	+11	+22	+5	40	48	P-M2TTK4048	267	-25	+42	+84	+5
16	24	P-M2TTK1624	106	-12	+19	+38	+5	48	24	P-M2TTK4824	186	-30	+49	+98	+5
16	30	P-M2TTK1630	114	-12	+19	+38	+5	48	30	P-M2TTK4830	210	-30	+49	+98	+5
16	36	P-M2TTK1636	140	-12	+19	+38	+5	48	36	P-M2TTK4836	268	-30	+49	+98	+5
16	42	P-M2TTK1642	142	-12	+19	+38	+5	48	42	P-M2TTK4842	293	-30	+49	+98	+5
16	48	P-M2TTK1648	153	-12	+19	+38	+5	48	48	P-M2TTK4848	312	-30	+49	+98	+5
24	24	P-M2TTK2424	110	-16	+27	+54	+5	56	24	P-M2TTK5624	206	-35	+56	+112	+5
24	30	P-M2TTK2430	116	-16	+27	+54	+5	56	30	P-M2TTK5630	224	-35	+56	+112	+5
24	36	P-M2TTK2436	156	-16	+27	+54	+5	56	36	P-M2TTK5636	306	-35	+56	+112	+5
24	42	P-M2TTK2442	166	-16	+27	+54	+5	56	42	P-M2TTK5642	327	-35	+56	+112	+5
24	48	P-M2TTK2448	183	-16	+27	+54	+5	56	48	P-M2TTK5648	356	-35	+56	+112	+5
32	24	P-M2TTK3224	132	-20	+34	+68	+5	64	24	P-M2TTK6424	230	-40	+63	+126	+5
32	30	P-M2TTK3230	144	-20	+34	+68	+5	64	30	P-M2TTK6430	265	-40	+63	+126	+5
32	36	P-M2TTK3236	196	-20	+34	+68	+5	64	36	P-M2TTK6436	343	-40	+63	+126	+5
32	42	P-M2TTK3242	209	-20	+34	+68	+5	64	42	P-M2TTK6442	397	-40	+63	+126	+5
32	48	P-M2TTK3248	225	-20	+34	+68	+5	64	48	P-M2TTK6448	428	-40	+63	+126	+5



Mid-Grip Bracket

Specify

- Paint Selection for Tile Retainer
- Fabric Selection for Tile


Notes

- Tackable Acoustical Tiles include one mid-tile retainer and one set of mid-tile retainer clips.
- Tackable acoustical tiles are available fabric covered only.
- Tile sizes 16”H - 32”H include two mid-grip brackets. Tile sizes 40”H - 64”H include four mid-grip brackets.
- Tile is front removable for easy replacement and access to frame interior.

Steel Tiles


8" HIGH STANDARD STEEL TILES

H	W	Model Number	List	Grade C Tile Paint	Grade C Retainer Paint
8	24	P-M2TMR0824	77	+5	+5
8	30	P-M2TMR0830	84	+5	+5
8	36	P-M2TMR0836	97	+5	+5
8	42	P-M2TMR0842	105	+5	+5
8	48	P-M2TMR0848	126	+5	+5




16" HIGH STANDARD STEEL TILES

H	W	Model Number	List	Grade C Tile Paint	Grade C Retainer Paint
16	24	P-M2TMR1624	221	+5	+5
16	30	P-M2TMR1630	238	+5	+5
16	36	P-M2TMR1636	264	+5	+5
16	42	P-M2TMR1642	302	+5	+5
16	48	P-M2TMR1648	355	+5	+5



24" HIGH STANDARD STEEL TILES

H	W	Model Number	List	Grade C Tile Paint	Grade C Retainer Paint
24	24	P-M2TMR2424	293	+5	+5
24	30	P-M2TMR2430	327	+5	+5
24	36	P-M2TMR2436	367	+5	+5
24	42	P-M2TMR2442	428	+5	+5
24	48	P-M2TMR2448	495	+5	+5



Specify



Notes

- Paint Selection for Tile Retainer and Tile
- Standard Steel Tiles include one mid-tile retainer and one set of mid-tile retainer clips.
- Tile is front removable for easy replacement and access to frame interior.
- 8"H standard steel tiles are often used at the base of a Matrix panel frame next to electrical tiles to give the appearance of a base cover.

Embossed and Perforated Steel Tiles

EMBOSSED STEEL TILES					
H	W	Model Number	List	Grade C Tile Paint	Grade C Retainer Paint
16	24	P-M2TDS1624	225	+5	+5
16	30	P-M2TDS1630	264	+5	+5
16	36	P-M2TDS1636	278	+5	+5
16	42	P-M2TDS1642	314	+5	+5
16	48	P-M2TDS1648	332	+5	+5
24	24	P-M2TDS2424	300	+5	+5
24	30	P-M2TDS2430	347	+5	+5
24	36	P-M2TDS2436	355	+5	+5
24	42	P-M2TDS2442	387	+5	+5
24	48	P-M2TDS2448	409	+5	+5

PERFORATED STEEL TILES					
H	W	Model Number	List	Grade C Tile Paint	Grade C Retainer Paint
16	24	P-M2TPM1624	258	+5	+5
16	30	P-M2TPM1630	316	+5	+5
16	36	P-M2TPM1636	323	+5	+5
16	42	P-M2TPM1642	342	+5	+5
16	48	P-M2TPM1648	410	+5	+5
24	24	P-M2TPM2424	341	+5	+5
24	30	P-M2TPM2430	459	+5	+5
24	36	P-M2TPM2436	510	+5	+5
24	42	P-M2TPM2442	569	+5	+5
24	48	P-M2TPM2448	533	+5	+5



Specify
 • Paint Selection for Tile Retainer and Tile

Notes
 • Embossed Steel Tiles include one mid-tile retainer and one set of mid-tile retainer clips.
 • Tile is front removable for easy replacement and access to frame interior.


Specify
 • Paint Selection for Tile Retainer and Tile

Notes
 • Perforated Steel Tiles include one mid-tile retainer and one set of mid-tile retainer clips.
 • Tile is front removable for easy replacement and access to frame interior.
 • Perforated steel tiles are used primarily for air flow under worksurfaces or for aesthetics.

White Board and Laminate Tiles

WHITE BOARD TILES


H	W	Model Number	List	Grade C Retainer Paint
16	24	P-M2TWB1624	230	+5
16	30	P-M2TWB1630	272	+5
16	36	P-M2TWB1636	314	+5
16	42	P-M2TWB1642	354	+5
16	48	P-M2TWB1648	395	+5
24	24	P-M2TWB2424	303	+5
24	30	P-M2TWB2430	359	+5
24	36	P-M2TWB2436	418	+5
24	42	P-M2TWB2442	479	+5
24	48	P-M2TWB2448	537	+5



- | | |
|--|---|
| Specify | Notes |
| <ul style="list-style-type: none"> • Paint Selection for Tile Retainer and Tile | <ul style="list-style-type: none"> • White Board Tiles include one mid-tile retainer and one set of mid-tile retainer clips. • Tile is front removable for easy replacement and access to frame interior. • Marker Tray sits on top of mid-tile retainer and is held in place by the white board tile. Tile slides into groove in back of marker tray. • For use with dry erase markers only. |

LAMINATE TILES


H	W	Model Number	List	Grade C Retainer Paint
8	24	P-M2TLM0824	186	+5
8	30	P-M2TLM0830	208	+5
8	36	P-M2TLM0836	248	+5
8	42	P-M2TLM0842	274	+5
8	48	P-M2TLM0848	305	+5
16	24	P-M2TLM1624	231	+5
16	30	P-M2TLM1630	279	+5
16	36	P-M2TLM1636	318	+5
16	42	P-M2TLM1642	360	+5
16	48	P-M2TLM1648	408	+5



- | | |
|--|--|
| Specify | Notes |
| <ul style="list-style-type: none"> • Paint Selection for Tile Retainer • Laminate Selection for Tile | <ul style="list-style-type: none"> • Laminate Tiles include one mid-tile retainer and one set of mid-tile retainer clips. • Tile is front removable for easy replacement and access to frame interior. • Grain direction runs vertical. |

WHITE BOARD MARKER TRAYS

W	Model Number	List
24	A-M2WBMT24	115
30	A-M2WBMT30	119
36	A-M2WBMT36	126
42	A-M2WBMT42	135
48	A-M2WBMT48	140




- Notes**
- Marker Tray sits on top of mid-tile retainer and is held in place by the white board tile.
 - White board marker tray is available in black only and ordered separately.

Laminate Tiles and Double Sided MX Monolithic Kit

LAMINATE TILES				
H	W	Model Number	List	Grade C Retainer Paint
24	24	P-M2TLMSS2424	366	+5
24	30	P-M2TLMSS2430	443	+5
24	36	P-M2TLMSS2436	503	+5
24	42	P-M2TLMSS2442	574	+5
24	48	P-M2TLMSS2448	655	+5
32	24	P-M2TLMSS3224	455	+5
32	30	P-M2TLMSS3230	544	+5
32	36	P-M2TLMSS3236	625	+5
32	42	P-M2TLMSS3242	707	+5
32	48	P-M2TLMSS3248	803	+5
40	24	P-M2TLMSS4024	634	+5
40	30	P-M2TLMSS4030	749	+5
40	36	P-M2TLMSS4036	867	+5
40	42	P-M2TLMSS4042	975	+5
40	48	P-M2TLMSS4048	1,100	+5
48	24	P-M2TLMSS4824	678	+5
48	30	P-M2TLMSS4830	815	+5
48	36	P-M2TLMSS4836	935	+5
48	42	P-M2TLMSS4842	1,060	+5
48	48	P-M2TLMSS4848	1,203	+5


LAMINATE TILES				
H	W	Model Number	List	Grade C Retainer Paint
56	24	P-M2TLMSS5624	906	+5
56	30	P-M2TLMSS5630	1,087	+5
56	36	P-M2TLMSS5636	1,248	+5
56	42	P-M2TLMSS5642	1,413	+5
56	48	P-M2TLMSS5648	1,603	+5
64	24	P-M2TLMSS6424	906	+5
64	30	P-M2TLMSS6430	1,087	+5
64	36	P-M2TLMSS6436	1,248	+5
64	42	P-M2TLMSS6442	1,413	+5
64	48	P-M2TLMSS6448	1,603	+5
80	24	P-M2TLMSS8024	1,132	+5
80	30	P-M2TLMSS8030	1,358	+5
80	36	P-M2TLMSS8036	1,558	+5
80	42	P-M2TLMSS8042	1,765	+5
80	48	P-M2TLMSS8048	2,004	+5



Specify	Notes
<ul style="list-style-type: none"> Laminate Selection for Tiles Paint Selection for Mid-Tile Retainer 	<ul style="list-style-type: none"> Mid-tile retainer and clips included. Tile is front removable for easy replacement and access to frame interior. Grain directions runs vertical.

DOUBLE SIDED MX MONOLITHIC KIT

Model Number	List
P-MXMTKIT	50




Height	Width				
	24"	30"	36"	42"	48"
32"	12	12	12	12	12
40"	12	12	12	12	12
48"	16	16	16	16	16
56"	20	20	20	20	20
64"	20	20	20	20	20
80"	28	28	28	28	28
# Qty of Brackets Required per Tile					

Notes
<ul style="list-style-type: none"> Kit required for monolithic tiles on Matrix where a double sided application is desired. Each kit comes with 16 brackets. Order the quantity of kits needed to satisfy the requirement needed per Tile. Refer to the chart to the right for the quantities needed per Tile size.

Linear Profile Standard Front Glass Tiles


LINEAR PROFILE STANDARD FRONT GLASS TILES

H	W	Model Number	List	Grade C Tile Paint	Grade C Retainer Paint
16	24	P-MLTGF1624	257	+5	+5
16	30	P-MLTGF1630	302	+5	+5
16	36	P-MLTGF1636	345	+5	+5
16	42	P-MLTGF1642	390	+5	+5
16	48	P-MLTGF1648	431	+5	+5
24	24	P-MLTGF2424	356	+5	+5
24	30	P-MLTGF2430	420	+5	+5
24	36	P-MLTGF2436	485	+5	+5
24	42	P-MLTGF2442	547	+5	+5
24	48	P-MLTGF2448	615	+5	+5



LINEAR PROFILE STANDARD BACK GLASS TILES

H	W	Model Number	List	Grade C Tile Paint	Grade C Retainer Paint
16	24	P-MLTGB1624	166	+5	+5
16	30	P-MLTGB1630	194	+5	+5
16	36	P-MLTGB1636	219	+5	+5
16	42	P-MLTGB1642	240	+5	+5
16	48	P-MLTGB1648	259	+5	+5
24	24	P-MLTGB2424	214	+5	+5
24	30	P-MLTGB2430	242	+5	+5
24	36	P-MLTGB2436	279	+5	+5
24	42	P-MLTGB2442	309	+5	+5
24	48	P-MLTGB2448	341	+5	+5



Specify

- Paint Selection for Tile Retainer and Tile
- Style Selection for Glass Insert

Notes

- Standard Front Glass Tiles include one mid-tile retainer, one set of mid-tile retainer clips, one tempered glass insert, and insert mounting hardware.
- Tile is front removable for easy replacement and access to frame interior.
- Must be paired with standard back glass tiles (ordered separately) on opposite side of frame to complete a glass tile situation.

Specify

- Paint Selection for Tile Retainer and Tile


Notes

- Standard Back Glass Tiles include one mid-tile retainer and one set of mid-tile retainer clips.
- Standard back glass tiles do not include glass inserts or mounting hardware.
- Tile is front removable for easy replacement and access to frame interior.
- Must be paired with standard front glass tiles (ordered separately) on opposite side of frame to complete a glass tile situation.

Linear Profile Standard Bottom Glass Tiles


LINEAR PROFILE BOTTOM FRONT GLASS TILES

H	W	Model Number	List	Grade C Tile Paint	Grade C Retainer Paint
16	24	P-MLTGY1624	195	+5	+5
16	30	P-MLTGY1630	306	+5	+5
16	36	P-MLTGY1636	343	+5	+5
16	42	P-MLTGY1642	390	+5	+5
16	48	P-MLTGY1648	429	+5	+5
24	24	P-MLTGY2424	264	+5	+5
24	30	P-MLTGY2430	420	+5	+5
24	36	P-MLTGY2436	479	+5	+5
24	42	P-MLTGY2442	542	+5	+5
24	48	P-MLTGY2448	608	+5	+5



LINEAR PROFILE BOTTOM BACK GLASS TILES

H	W	Model Number	List	Grade C Tile Paint	Grade C Retainer Paint
16	24	P-MLTGZ1624	166	+5	+5
16	30	P-MLTGZ1630	194	+5	+5
16	36	P-MLTGZ1636	219	+5	+5
16	42	P-MLTGZ1642	240	+5	+5
16	48	P-MLTGZ1648	259	+5	+5
24	24	P-MLTGZ2424	188	+5	+5
24	30	P-MLTGZ2430	210	+5	+5
24	36	P-MLTGZ2436	232	+5	+5
24	42	P-MLTGZ2442	256	+5	+5
24	48	P-MLTGZ2448	283	+5	+5



Specify

- Paint Selection for Tile Retainer and Tile
- Style Selection for Glass Insert

Notes

- Bottom Front Glass Tiles include one mid-tile retainer, one set of mid-tile retainer clips, one tempered glass insert, and insert mounting hardware.
- Tile is front removable for easy replacement and access to frame interior.
- Must be paired with bottom back glass tiles (ordered separately) on opposite side of frame to complete a glass tile situation.

Specify

- Paint Selection for Tile Retainer and Tile


Notes

- Bottom Back Glass Tiles include one mid-tile retainer and one set of mid-tile retainer clips.
- Bottom back glass tiles do not include glass inserts or mounting hardware.
- Tile is front removable for easy replacement and access to frame interior.
- Must be paired with bottom front glass tiles (ordered separately) on opposite side of frame to complete a glass tile situation.

Linear Profile Open Frame Tiles

LINEAR PROFILE STANDARD OPEN FRAME TILES

H	W	Model Number	List	Grade C Tile Paint	Grade C Retainer Paint
16	24	P-MLTOF1624	166	+5	+5
16	30	P-MLTOF1630	194	+5	+5
16	36	P-MLTOF1636	219	+5	+5
16	42	P-MLTOF1642	240	+5	+5
16	48	P-MLTOF1648	259	+5	+5
24	24	P-MLTOF2424	214	+5	+5
24	30	P-MLTOF2430	242	+5	+5
24	36	P-MLTOF2436	279	+5	+5
24	42	P-MLTOF2442	309	+5	+5
24	48	P-MLTOF2448	341	+5	+5



Specify


- Paint Selection for Tile

Notes

- Standard Open Frame Tiles include one mid-tile retainer and one set of mid-tile retainer clips.
- Tile is front removable for easy replacement and access to frame interior.
- Must always be paired with a second standard open frame tile (ordered separately) on opposite side of frame to complete an open frame situation.

LINEAR PROFILE BOTTOM OPEN FRAME TILES

H	W	Model Number	List	Grade C Tile Paint	Grade C Retainer Paint
16	24	P-MLTOB1624	166	+5	+5
16	30	P-MLTOB1630	194	+5	+5
16	36	P-MLTOB1636	219	+5	+5
16	42	P-MLTOB1642	240	+5	+5
16	48	P-MLTOB1648	259	+5	+5
24	24	P-MLTOB2424	188	+5	+5
24	30	P-MLTOB2430	210	+5	+5
24	36	P-MLTOB2436	232	+5	+5
24	42	P-MLTOB2442	256	+5	+5
24	48	P-MLTOB2448	283	+5	+5



Specify

- Paint Selection for Tile


Notes

- Bottom Open Frame Tiles include one mid-tile retainer and one set of mid-tile retainer clips.
- Tile is front removable for easy replacement and access to frame interior.
- Must always be paired with a second bottom open frame tile (ordered separately) on opposite side of frame to complete an open frame situation.


Open Frame Infeed Tiles and Utility Tiles

LINEAR PROFILE 16" HIGH OPEN FRAME TILE INFEED KIT

W	With Hole		Without Hole		List	Grade C Paint	Grade C Retainer
	Model Number	Model Number	Model Number	Model Number			
24	P-MLTOBINH1624	P-MLTOBINB1624	423	+5	+5		
30	P-MLTOBINH1630	P-MLTOBINB1630	430	+5	+5		
36	P-MLTOBINH1636	P-MLTOBINB1636	448	+5	+5		
42	P-MLTOBINH1642	P-MLTOBINB1642	484	+5	+5		
48	P-MLTOBINH1648	P-MLTOBINB1648	491	+5	+5		



With Hole



Without Hole

Specify


- Paint Selection

Notes

- Open Frame Infeed Tiles allow for the use of a side-mounted infeed with Matrix product, when using an open frame tile at the bottom of the frame.
- Open frame tiles should be used back to back in a Matrix frame, with one tile containing a knockout hole and the other without.
- Must use side mounted infeed with open frame infeed tiles.

UTILITY TILES

H	W	Model Number	List	Grade C Tile Paint	Grade C Retainer Paint
8	24	P-MLTTB0824	157	+5	+5
8	30	P-MLTTB0830	192	+5	+5
8	36	P-MLTTB0836	224	+5	+5
8	42	P-MLTTB0842	251	+5	+5
8	48	P-MLTTB0848	286	+5	+5



Specify


- Paint Selection for Tile Retainer and Tile

Notes

- Utility Tiles include one mid-tile retainer (linear profile) and one set of mid-tile retainer clips. Tile is front removable for easy replacement and access to frame interior.
- Utility tiles are designed to receive various paper flow elements.
- Utility tiles are available in 8"H only. For taller utility tile situations, place additional tile above or below as needed.
- Tiles are designed to blend with tile retainers to give a uniform look.
- See Accessories for compatible paper flow elements.

STAND ALONE INFEED TILES

H	W	With Hole		Without Hole	
		Model Number	Model Number	List	Grade C Paint
16	6	P-M2TBIFH0616	P-M2TBIFB0616	254	+25





Notes

- Order with adjacent tile separate.


Tackable Acoustical Off-Modular Mid-Tiles

TACKABLE ACOUSTICAL OFF-MODULAR MID-TILES

H	W	Model Number	List	C.O.M Fabric	Grade C Fabric	Grade D Fabric	Grade C Paint	H	W	Model Number	List	C.O.M Fabric	Grade C Fabric	Grade D Fabric	Grade C Paint
8	24	P-M2TTKOM0824	125	-7	+11	+22	+5	40	24	P-M2TTKOM4024	205	-25	+42	+84	+5
8	30	P-M2TTKOM0830	129	-7	+11	+22	+5	40	30	P-M2TTKOM4030	219	-25	+42	+84	+5
8	36	P-M2TTKOM0836	150	-7	+11	+22	+5	40	36	P-M2TTKOM4036	300	-25	+42	+84	+5
8	42	P-M2TTKOM0842	151	-7	+11	+22	+5	40	42	P-M2TTKOM4042	343	-25	+42	+84	+5
8	48	P-M2TTKOM0848	155	-7	+11	+22	+5	40	48	P-M2TTKOM4048	343	-25	+42	+84	+5
16	24	P-M2TTKOM1624	158	-12	+19	+38	+5	48	24	P-M2TTKOM4824	231	-30	+49	+98	+5
16	30	P-M2TTKOM1630	166	-12	+19	+38	+5	48	30	P-M2TTKOM4830	242	-30	+49	+98	+5
16	36	P-M2TTKOM1636	198	-12	+19	+38	+5	48	36	P-M2TTKOM4836	314	-30	+49	+98	+5
16	42	P-M2TTKOM1642	199	-12	+19	+38	+5	48	42	P-M2TTKOM4842	343	-30	+49	+98	+5
16	48	P-M2TTKOM1648	209	-12	+19	+38	+5	48	48	P-M2TTKOM4848	394	-30	+49	+98	+5
24	24	P-M2TTKOM2424	163	-16	+27	+54	+5	56	24	P-M2TTKOM5624	272	-35	+56	+112	+5
24	30	P-M2TTKOM2430	169	-16	+27	+54	+5	56	30	P-M2TTKOM5630	292	-35	+56	+112	+5
24	36	P-M2TTKOM2436	216	-16	+27	+54	+5	56	36	P-M2TTKOM5636	384	-35	+56	+112	+5
24	42	P-M2TTKOM2442	230	-16	+27	+54	+5	56	42	P-M2TTKOM5642	417	-35	+56	+112	+5
24	48	P-M2TTKOM2448	242	-16	+27	+54	+5	56	48	P-M2TTKOM5648	473	-35	+56	+112	+5
32	24	P-M2TTKOM3224	192	-20	+34	+68	+5	64	24	P-M2TTKOM6424	270	-40	+63	+126	+5
32	30	P-M2TTKOM3230	202	-20	+34	+68	+5	64	30	P-M2TTKOM6430	290	-40	+63	+126	+5
32	36	P-M2TTKOM3236	278	-20	+34	+68	+5	64	36	P-M2TTKOM6436	383	-40	+63	+126	+5
32	42	P-M2TTKOM3242	296	-20	+34	+68	+5	64	42	P-M2TTKOM6442	422	-40	+63	+126	+5
32	48	P-M2TTKOM3248	277	-20	+34	+68	+5	64	48	P-M2TTKOM6448	457	-40	+63	+126	+5



Mid-Grip Bracket



Off-Modular Mid-Rail
Radius Profile Only (works with Linear)

Specify

- Paint Selection for Tile Rail (Radius Profile only)
- Fabric Selection for Tile


Notes

- Off-Modular Mid-Tiles - Tackable Acoustical include one off-modular mid-tile rail and mounting hardware.
- Off-modular mid-tiles are made smaller in height to accommodate off-modular rails.
- Use rails in conjunction with off-modular frame connectors and off-modular overhead elements. Tile sizes 16”H - 32”H include two mid-grip brackets.
- Tile sizes 40”H - 64”H include four mid-grip brackets.
- Tile is front removable for easy replacement and access to frame interior.

Linear Profile Tile Retainer Kits

LINEAR PROFILE TOP TILE RETAINER KIT

W	Model Number	List	Grade C Paint
24	P-MLTTR24	65	+5
30	P-MLTTR30	73	+5
36	P-MLTTR36	82	+5
42	P-MLTTR42	92	+5
48	P-MLTTR48	99	+5



Side View


Specify

Notes

- Paint Selection
- Top Tile Retainer Kit includes mounting hardware.
- Order when dressing wall tile rails.
- Top tile retainers automatically come with all AIS Matrix frames.
- Order only when extra are needed.

LINEAR PROFILE BOTTOM TILE RETAINER KIT

W	Model Number	List	Grade C Paint
24	P-MLBTR24	33	+5
30	P-MLBTR30	36	+5
36	P-MLBTR36	39	+5
42	P-MLBTR42	43	+5
48	P-MLBTR48	47	+5



Side View


Specify

Notes

- Paint Selection
- Bottom Tile Retainer Kit includes mounting hardware.
- Order when dressing wall tile rails.
- Bottom tile retainers automatically come with all AIS Matrix frames.
- Order only when extra are needed.

LINEAR PROFILE MID-TILE RETAINER KIT

W	Model Number	List	Grade C Paint
24	P-MLMTR24	29	+5
30	P-MLMTR30	33	+5
36	P-MLMTR36	34	+5
42	P-MLMTR42	37	+5
48	P-MLMTR48	39	+5



Side View

Specify

Notes

- Paint Selection
- Mid-Tile Retainer Kit includes one set of tile retainer clips.
- All AIS Matrix tiles automatically come with mid tile retainers.
- Order only when extra are needed.

SINGLE WALL TILE RAILS

H	Model Number	List
34	A-M2WTRS34	151
42	A-M2WTRS42	165
50	A-M2WTRS50	186
58	A-M2WTRS58	202
66	A-M2WTRS66	220
74	A-M2WTRS74	235
82	A-M2WTRS82	258



Notes

- Single Wall Tile Rails are used at the edge of tiles where there are no adjacent tiles.
- Wall tile rails are structural and will support worksurfaces and overheads where appropriate wall hardware is used.
- Available in black only.
- Tiles and tile retainers ordered separately.

SHARED WALL TILE RAILS

H	Model Number	List
34	A-M2WTRSH34	151
42	A-M2WTRSH42	165
50	A-M2WTRSH50	186
58	A-M2WTRSH58	202
66	A-M2WTRSH66	220
74	A-M2WTRSH74	235
82	A-M2WTRSH82	258



Notes

- Shared Wall Tile Rails are used for sharing tiles between tiles.
- Wall tile rails are structural and will support worksurfaces and overheads where appropriate wall hardware is used.
- Available in black only.
- Tiles and tile retainers ordered separately.

SINGLE STACK WALL TILE RAILS

H	Model Number	List
8	A-M2WTRS08	98
16	A-M2WTRS16	115
24	A-M2WTRS24	132



Notes

- Single Stack Wall Tile Rails are used to stack above longer rails for taller walls.
- Wall tile rails are structural and will support worksurfaces and overheads where appropriate wall hardware is used.
- Available in black only.
- Tiles and tile retainers ordered separately.

SHARED STACK WALL TILE RAILS

H	Model Number	List
8	A-M2WTRSH08	97
16	A-M2WTRSH16	115
24	A-M2WTRSH24	132



Notes

- Shared Stack Wall Tile Rails are used to stack above shared rails for taller walls.
- Wall tile rails are structural and will support worksurfaces and overheads where appropriate wall hardware is used.
- Available in black only.
- Tile and tile retainers ordered separately.

Wall Tile Corner Filler Strips

WALL TILE CORNER FILLER STRIPS

H	Model Number	List
34	P-M2WTRCFS34	34
42	P-M2WTRCFS42	39
50	P-M2WTRCFS50	44
58	P-M2WTRCFS58	50
66	P-M2WTRCFS66	54
74	P-M2WTRCFS74	60
82	P-M2WTRCFS82	64
90	P-M2WTRCFS90	70
98	P-M2WTRCFS98	76
103	P-M2WTRCFS106	79
114	P-M2WTRCFS114	82
122	P-M2WTRCFS122	86
130	P-M2WTRCFS130	97




Notes

- Wall Tile Corner Filler Strips are a 1” square foam which is used to fill the gap created in a corner when using wall tile rails.
- Available in black.
- Tiles and tile retainers ordered separately.

Cantilevers and Support Brackets

STANDARD CANTILEVERS


Surface Depth	Actual Depth	Hand	Model Number	List	Grade C Paint
24	18	Left	WPS-UNCT24L	101	+10
24	18	Right	WPS-UNCT24R	101	+10
24	18	Pair	WPS-UNCT24P	195	+20
30	25.5	Left	WPS-UNCT30L	195	+10
30	25.5	Right	WPS-UNCT30R	195	+10
30	25.5	Pair	WPS-UNCT30P	387	+20



Specify	Notes
<ul style="list-style-type: none"> • Paint Selection for Cantilevers 	<ul style="list-style-type: none"> • Standard Cantilevers provide cantilevered work-surface support from panel or wall track at either the left or right hand side of a worksurface. • All worksurface support components fasten directly to worksurfaces with screws. • Standard cantilevers may also be used as a center support. • Specify cantilever that corresponds to worksurface depth. • It is highly recommended that flat plates are specified in conjunction with support cantilevers to splice two worksurfaces together at the front edge. • Painted black as standard, all other trim colors are Grade C upcharged.

SHARED CANTILEVERS


Surface Depth	Actual Depth	Hand	Model Number	List	Grade C Paint
24	18	Single	WPS-UNCT24S	145	+10
24	18	Pair	WPS-UNCT24SP	286	+20
30	25.5	Single	WPS-UNCT30S	286	+10
30	25.5	Pair	WPS-UNCT30SP	572	+20



Specify	Notes
<ul style="list-style-type: none"> • Paint Selection for Cantilevers 	<ul style="list-style-type: none"> • Shared Cantilevers provide cantilevered support from panel or wall track at seam between two worksurfaces. • All worksurface support components fasten directly to worksurfaces with screws. • Specify cantilever that corresponds to worksurface depth. • It is highly recommended that flat plates are specified in conjunction with support cantilevers to splice two worksurfaces together at the front edge. • Painted black as standard, all other trim colors are Grade C upcharged.

PANEL MOUNTED SHELF CANTILEVERS


Surface Depth	Actual Depth	Hand	Model Number	List	Grade C Paint
12	10	Left	WPS-CT10L	183	+10
12	10	Right	WPS-CT10R	183	+10
12	10	Pair	WPS-CT10P	347	+20



Specify	Notes
<ul style="list-style-type: none"> • Paint Selection 	<ul style="list-style-type: none"> • Panel Mounted Shelf Cantilevers are 10”d and designed to work in conjunction with 12”d worksurfaces to create additional desk top shelving. • Available for all AIS panel systems (Matrix, Divi and MWall). • For use with 12” to 16” worksurfaces only.

SIDE SUPPORT / REAR BRACKETS

Hand	Model Number	List	Grade C Paint
Left	WPS-SSSAL	75	+10
Right	WPS-SSSAR	75	+10
Pair	WPS-SSSA	142	+20




Specify	Notes
<ul style="list-style-type: none"> • Paint Selection for Side Support / Rear Bracket 	<ul style="list-style-type: none"> • Side Support/Rear Brackets provide direct support from panel or wall track along short side of rectangular worksurface or at rear of corner worksurface. • All worksurface support components fasten directly to worksurfaces with screws. • Painted black as a standard. All other trim colors are Grade C upcharged.

End Panels and Pedestal-to-Panel Attachment Brackets

STANDARD END PANELS


D	Model Number	List	Grade C Laminate
12	WFS-EPMX12	342	+20
18	WFS-EPMX18	402	+24
24	WFS-EPMX24	456	+27
30	WFS-EPMX30	504	+30
36	WFS-EPMX36	573	+34



Specify	Notes
<ul style="list-style-type: none"> Laminate Selection for End Panel 2mm Edge Selection for End Panel 	<ul style="list-style-type: none"> Standard End Panels have laminated vertical surfaces and a 2mm PVC vertical front edge. Standard end panels provide direct support from floor at left or right side of a worksurface, and engage and lock to panels with provided mounting brackets. A If worksurface support components fasten directly to worksurfaces with screws. Specify end panel that corresponds to worksurface depth.

CLEAR ACCESS END PANELS

D	Model Number	List	Grade C Laminate
24	WFS-EPCAMX24	476	+29
30	WFS-EPCAMX30	533	+32



Specify	Notes
<ul style="list-style-type: none"> Laminate Selection for End Panel 2mm Edge Selection for End Panel 	<ul style="list-style-type: none"> Clear Access End Panels have laminated vertical surfaces and a 2mm vertical front edge. Clear access end panels provide direct support from floor at left or right side of a worksurface, and engage and lock to panels with provided mounting brackets. All worksurface support components fasten directly to worksurfaces with screws.

PEDESTAL-TO-PANEL ATTACHMENT BRACKET

Model Number	List	Grade C Laminate
S-MXPMPB	221	+25




Specify	Notes
<ul style="list-style-type: none"> Paint Selection 	<ul style="list-style-type: none"> Pedestal-to-Panel Attachment Brackets attach structural pedestals to panels. T These brackets serve as a space filler and as a way to add stability to panels. Pedestal to panel attachment brackets may only be used when the nominal surface depth matches the nominal pedestal depth (24" Deep surface & 24" deep pedestal or 30" deep surface and 30" deep pedestal).


Matrix Panel Mounted A-Legs

MATRIX PANEL MOUNTED A-LEGS					
		Left Hand	Right Hand		
H	D	Model Number	Model Number	List	
27	12	WFS-ALW2712MXL	WFS-ALW2712MXR	412	
27	24	WFS-ALW2724MXL	WFS-ALW2724MXR	471	
27	30	WFS-ALW2730MXL	WFS-ALW2730MXR	500	


SHARED MATRIX PANEL MOUNTED A-LEGS					
		Left Hand Shared	Right Hand Shared		
H	D	Model Number	Model Number	List	
27	12	WFS-ALW2712MXLS	WFS-ALW2712MXRS	445	
27	24	WFS-ALW2724MXLS	WFS-ALW2724MXRS	500	
27	30	WFS-ALW2730MXLS	WFS-ALW2730MXRS	532	




Left Hand



Right Hand



Left Hand Shared




Right Hand Shared

Specify


- Paint Selection (+25 for Grade C)

Notes


- **Important:** A-Legs cannot be used as freestanding table support. One side must be anchored to a storage element or panel.
- A-Legs are constructed from 1 x 2 painted steel.
- Legs have 1 1/2" leveling glides.
- A-Leg welded construction allows for attachment to the worksurface.
- Ships installed with panel attachment brackets. Panel locking bracket for panel attachment situations ships separate.




EXAMPLE 1 - UNSTABLE
32"H Structural Wing




EXAMPLE 2 - UNSTABLE
32"H Panel with Cantilever




EXAMPLE 3 - UNSTABLE
32"H Panel with Cantilevers



EXAMPLE 1 - STABLE
Standard Structural Wing



EXAMPLE 2 - STABLE
32"H Panel with Floor Support




EXAMPLE 3 - STABLE
32"H Panel with Panel Mounted A-Legs


Matrix Panel Mounted O-Legs

MATRIX PANEL MOUNTED O-LEGS				
		Left Hand	Right Hand	
H	D	Model Number	Model Number	List
27	12	WFS-OLW2712MXL	WFS-OLW2712MXR	546
27	18	WFS-OLW2718MXL	WFS-OLW2718MXR	582
27	24	WFS-OLW2724MXL	WFS-OLW2724MXR	622
27	30	WFS-OLW2730MXL	WFS-OLW2730MXR	662

SHARED MATRIX PANEL MOUNTED O-LEGS				
H	D	Model Number		List
27	12	WFS-OLW2712MXLS		587
27	18	WFS-OLW2718MXLS		622
27	24	WFS-OLW2724MXLS		662
27	30	WFS-OLW2730MXLS		702



Left Hand




Specify


- Paint Selection (+25 for Grade C)

Notes


- **Important:** O-Legs cannot be used as freestanding table support. One side must be anchored to a storage element or panel.
- O-Legs are constructed from 1 x 2 painted steel.
- Legs have 1 1/2" leveling glides.
- O-Leg welded construction allows for attachment to the worksurface.
- Ships installed with panel attachment brackets. Panel locking bracket for panel attachment situations ships separate.




EXAMPLE 1 - UNSTABLE
32"H Structural Wing




EXAMPLE 2 - UNSTABLE
32"H Panel with Cantilever




EXAMPLE 3 - UNSTABLE
32"H Panel with Cantilevers



EXAMPLE 1 - STABLE
Standard Structural Wing



EXAMPLE 2 - STABLE
32"H Panel with Floor Support




EXAMPLE 3 - STABLE
32"H Panel with Panel Mounted O-Legs

Worksurface Kits, Support Brackets and Attachment Brackets

LINEAR PROFILE TRANSACTION TOP WORKSURFACE KITS

D	Model Number	List	Grade C Laminate
24	P-MLCTT24	456	+5
30	P-MLCTT30	476	+5
36	P-MLCTT36	500	+5
42	P-MLCTT42	526	+5
48	P-MLCTT48	553	+5



Specify


- Paint Selection for Tiles Retainer and Topcap (if applicable)

Notes

- Transaction Top Worksurface Kit supports a panel top worksurface.
- Panel top worksurface kits are specified by panel width. If spanning two panels, order a panel top worksurface kit for each panel.
- Kit includes one topcap, two panel top worksurface brackets, two countertop splice plates, and hardware.
- When specifying for wood veneer trim, a new topcap is not required as it is for a painted metal topcap.
- Order panel top worksurfaces separately.

OPEN FRAME WORKSURFACE KITS

Model Number	List
P-MXCTP	588




Notes

- Open Frame Worksurface Kit supports an open frame worksurface.
- Kit includes two open frame mounting brackets and mounting hardware.
- Specify open frame worksurface and open frame tiles separately.

WING PANEL SUPPORT BRACKET

Model Number	List
P-MXWPSK	105




Notes

- Wing Panel Support Bracket acts as a wing panel stabilizer, connecting a worksurface to a wing panel that matches the worksurface depth.
- Bracket can also be used on the back of a worksurface behind a structural pedestal to keep a panel tight to a worksurface back.


Mid-Height Shelf Units

MID-HEIGHT SHELF UNITS						
H	W	D	Model Number	List	Grade C Paint	
7.75	24	12	S-SHFMX24	307	+12	
7.75	30	12	S-SHFMX30	318	+12	
7.75	36	12	S-SHFMX36	329	+12	
7.75	42	12	S-SHFMX42	348	+12	
7.75	48	12	S-SHFMX48	385	+12	
7.75	60	12	S-SHFMX60	405	+12	




Specify	Notes
<ul style="list-style-type: none"> • Paint Selection 	<ul style="list-style-type: none"> • Mid-Height Shelf Units provide low profile overhead storage. • Shelf ends have locking swing cams to prevent dislodgement. • Shelf bottom will receive tasklights. • Unit includes two mid-height shelf ends, one shelf pan, and mounting hardware. • Order shelf unit that corresponds to panel width. • Metal shelves have a weight capacity of 1.5 lbs per linear inch of width.

LINEAR MID-HEIGHT SHELF UNITS						
H	W	D	Model Number	List	Grade C Paint	
7.75	24	12	S-SHFLMX24	302	+12	
7.75	30	12	S-SHFLMX30	315	+12	
7.75	36	12	S-SHFLMX36	326	+12	
7.75	42	12	S-SHFLMX42	342	+12	
7.75	48	12	S-SHFLMX48	379	+12	
7.75	60	12	S-SHFLMX60	402	+12	



Specify	Notes
<ul style="list-style-type: none"> • Paint Selection 	<ul style="list-style-type: none"> • Linear Mid-Height Shelf Units provide low profile overhead storage. • Shelf ends have locking swing cams to prevent dislodgement. • Shelf bottom will receive tasklights. • Unit includes two Linear Mid-height shelf ends, one shelf pan, and mounting hardware. • Order shelf unit that corresponds to panel width. • Metal shelves have a weight capacity of 1.5 lbs per linear inch of width.

SHELF DIVIDER			
Model Number	List	Grade C Paint	
S-SHFDIV12	150	+10	




Specify	Notes
<ul style="list-style-type: none"> • Paint Selection 	<ul style="list-style-type: none"> • Shelf Divider mounts to mid-height shelf decks and may also be used inside of complete flipper bins. • No hardware necessary. • Divider snaps into place. • Divider is 5 5/8" tall and designed to finish at the same height as a mid-height shelf end.

Mid-Height Corner Shelf Units

MID-HEIGHT CORNER SHELF UNITS

H	W	Center D	Wing D	Model Number	List	Grade C Paint
7.75	36	30.5	12	S-SHFCEMX36	1,269	+25
7.75	42	30.5	12	S-SHFCEMX42	1,405	+25
7.75	48	30.5	12	S-SHFCEMX48	1,714	+25




Specify **Notes**

- Paint Selection
- Mid-Height Corner Shelf Units provide low profile overhead storage in corner above corner worksurfaces.
- Shelf ends have locking swing cams to prevent dislodgement.
- Shelf has lateral strength bar welded parallel to front edge which will receive a 36" or smaller tasklight parallel to front edge.
- All shelves 33 5/8" across front edge and are 30 1/2" deep front to back corner.
- Back corner has 3 1/2" x 3 1/2" cutout to facilitate cable management.
- 42" and 48" units have 6" and 12" wings respectively.
- Unit includes two mid-height shelf ends, one bottom shelf pan, two corner shelf back mounting brackets, and mounting hardware.
- Order shelf unit that corresponds to panel width.
- Metal shelves have a weight capacity of 1.5 lbs per linear inch of width.

LINEAR MID-HEIGHT CORNER SHELF UNITS

H	W	Center D	Wing D	Model Number	List	Grade C Paint
7.75	36	30.5	12	S-SHFLECMX36	1,278	+25
7.75	42	30.5	12	S-SHFLECMX42	1,362	+25
7.75	48	30.5	12	S-SHFLECMX48	1,914	+25




Specify **Notes**

- Paint Selection
- Linear Mid-Height Corner Shelf Units provide low profile overhead storage in corner above corner worksurfaces.
- Shelf ends have locking swing cams to prevent dislodgement.
- Shelf has lateral strength bar welded parallel to front edge which will receive a 36" or smaller tasklight parallel to front edge.
- All shelves 33 5/8" across front edge and are 30 1/2" deep front to back corner.
- Back corner has 3 1/2" x 3 1/2" cutout to facilitate cable management.
- 42" and 48" units have 6" and 12" wings respectively.
- Unit includes two Linear Mid-height shelf ends, one bottom shelf pan, two corner shelf back mounting brackets, and mounting hardware.
- Order shelf unit that corresponds to panel width.
- Metal shelves have a weight capacity of 1.5 lbs per linear inch of width.

SHELF DIVIDER

Model Number	List	Grade C Paint
S-SHFDDIV12	150	+10



Specify **Notes**

- Paint Selection
- Shelf Divider mounts to mid-height shelf decks and may also be used inside of complete flipper bins.
- No hardware necessary. Divider snaps into place.
- Divider is 5 5/8" tall and designed to finish at the same height as a mid-height shelf end.

OFF-MODULAR FLIPPER DOOR CONVERSION KIT

Model Number	List	Grade C Paint
S-M2OMMKIT	274	+10



Specify **Notes**

- Paint Selection
- Off-Modular Flipper Door Conversion Kit allows you to convert Type C and Type D flipper door units into an off-modular flipper door unit.
- Order flipper door units separately.

Type C Flipper Door Units

METAL / FABRIC DOOR FRONT TYPE C FLIPPER DOOR UNITS



Interior H	W	Interior D	Model Number	List	Grade C Paint	C.O.M Fabric	Grade C Fabric	Grade D Fabric	Easy Down
14.25	24	12	S-FDUMX24	794	+20	-5	+13	+24	+232
14.25	30	12	S-FDUMX30	809	+20	-5	+13	+24	+232
14.25	36	12	S-FDUMX36	835	+20	-5	+13	+24	+232
14.25	42	12	S-FDUMX42	851	+20	-5	+13	+24	+232
14.25	48	12	S-FDUMX48	907	+20	-5	+13	+24	+232
14.25	60	12	S-FDUMX60	1,100	+20	-5	+13	+24	+232



Easy Down Mechanism (Optional)

LAMINATE DOOR FRONT TYPE C FLIPPER DOOR UNITS

Interior H	W	Interior D	Model Number	List	Grade C Paint	Grade C Laminate	Grade C Edge	Easy Down
14.25	24	12	S-FDUMX24L	982	+20	+17	+16	+232
14.25	30	12	S-FDUMX30L	1,001	+20	+18	+18	+232
14.25	36	12	S-FDUMX36L	1,022	+20	+19	+20	+232
14.25	42	12	S-FDUMX42L	1,046	+20	+20	+22	+232
14.25	48	12	S-FDUMX48L	1,162	+20	+21	+24	+232
14.25	60	12	S-FDUMX60L	1,289	+20	+22	+28	+232



Easy Down Mechanism (Optional)

Specify

Notes



- Paint Selection
- Paint or Fabric for Flipper Door Style (for metal/fabric units only)
- Fabric Selection for Flipper Selection (for fabric units only)
- Laminate Selection for Flipper Door (for laminate units only)
- Edge Selection for Flipper Door (for laminate units only)
- Easy Down Mechanism (optional)

- Type C Flipper Door Unit provides binder height, lockable overhead storage.
- Door opens and stores above top cover pan.
- Flipper unit has an open back.
- Shelf ends have locking swing cams to prevent dislodgement.
- Shelf bottom will receive tasklights.
- Easy Down Mechanisms are optional for all sizes and recommended on 60" wide units.
- All flipper doors are lockable with two supplied keys.
- Lock cores are removable with removal keys and master keys are available.
- Extra lock cores are available for keying flipper doors alike, but flipper doors may not be ordered without locks.
- Keying flippers alike requires removal of pre-installed lock cores and installation of keyed alike cores in the field.
- Order flipper unit that corresponds to panel width.
- See "Accessories" for ordering replacement keys, master keys, core removal keys, additional keys cores for keying alike or replacement uses.
- Metal shelves have a weight capacity of 1.5 lbs per linear inch of width.

Type C Raised Flipper Door Units

METAL / FABRIC DOOR FRONT TYPE C RAISED FLIPPER DOOR UNITS



Interior H	W	Interior D	Model Number	List	Grade C Paint	C.O.M Fabric	Grade C Fabric	Grade D Fabric	Perf Back	Easy Down
14.25	24	12	S-FDURFMX24	1,640	+20	-5	+13	+24	+35	+232
14.25	30	12	S-FDURFMX30	1,677	+20	-5	+13	+24	+35	+232
14.25	36	12	S-FDURFMX36	1,718	+20	-5	+13	+24	+35	+232
14.25	42	12	S-FDURFMX42	1,768	+20	-5	+13	+24	+35	+232
14.25	48	12	S-FDURFMX48	1,861	+20	-5	+13	+24	+35	+232
14.25	60	12	S-FDURFMX60	2,102	+20	-5	+13	+24	+35	+232



Easy Down Mechanism (Optional)

LAMINATE DOOR FRONT TYPE C RAISED FLIPPER DOOR UNITS

Interior H	W	Interior D	Model Number	List	Grade C Paint	Grade C Laminate	Grade C Edge	Perf Back	Easy Down
14.25	24	12	S-FDURFMX24L	1,836	+20	+17	+16	+35	+232
14.25	30	12	S-FDURFMX30L	1,873	+20	+18	+18	+35	+232
14.25	36	12	S-FDURFMX36L	1,909	+20	+19	+20	+35	+232
14.25	42	12	S-FDURFMX42L	1,964	+20	+20	+22	+35	+232
14.25	48	12	S-FDURFMX48L	2,124	+20	+21	+24	+35	+232
14.25	60	12	S-FDURFMX60L	2,303	+20	+22	+28	+35	+232



Easy Down Mechanism (Optional)

Specify

Notes



- Paint Selection
- Paint or Fabric for Flipper Door Style (for metal/fabric units only)
- Fabric Selection for Flipper Selection (for fabric units only)
- Laminate Selection for Flipper Door (for laminate units only)
- Edge Selection for Flipper Door (for laminate units only)
- Metal or Perforated Back Panel Style
- Easy Down Mechanism (optional)

- Type C Raised Flipper Door Unit provides binder height, lockable overhead storage.
- When mounted on 50" high panels, unit rests level with a standard flipper door unit mounted at the top of a 66" high panel.
- Door opens and stores above top cover pan.
- Backside of unit is completely enclosed providing added security.
- Shelf ends have locking swing cams to prevent dislodgement.
- Shelf bottom will receive tasklights.
- Easy Down Mechanisms are optional for all sizes and recommended on 60" wide units.
- All flipper doors are lockable with two supplied keys.
- Lock cores are removable with removal keys and master keys are available.
- Extra lock cores are available for keying flipper doors alike, but flipper doors may not be ordered without locks.
- Keying flippers alike requires removal of pre-installed lock cores and installation of keyed alike cores in the field.
- Order flipper unit that corresponds to panel width.
- See "Accessories" for ordering replacement keys, master keys, core removal keys, additional key cores for keying alike or replacement uses.
- Metal shelves have a weight capacity of 1.5 lbs per linear inch of width.

Type D Flipper Door Units

SOLID METAL DOOR FRONT TYPE D FLIPPER DOOR UNITS



Interior H	W	Interior D	Model Number	List	Grade C Paint	Easy Down
14.25	24	12	S-FDDSMX24	964	+20	+232
14.25	30	12	S-FDDSMX30	986	+20	+232
14.25	36	12	S-FDDSMX36	1,007	+20	+232
14.25	42	12	S-FDDSMX42	1,026	+20	+232
14.25	48	12	S-FDDSMX48	1,079	+20	+232



Easy Down Mechanism (Optional)

SOLID METAL DOOR FRONT TYPE D RAISED FLIPPER DOOR UNITS

Interior H	W	Interior D	Model Number	List	Grade C Paint	Perf Back	Easy Down
14.25	24	12	S-FDDRMX24	1,817	+20	+35	+232
14.25	30	12	S-FDDRMX30	1,856	+20	+35	+232
14.25	36	12	S-FDDRMX36	1,898	+20	+35	+232
14.25	42	12	S-FDDRMX42	1,946	+20	+35	+232
14.25	48	12	S-FDDRMX48	2,041	+20	+35	+232



Easy Down Mechanism (Optional)

Specify	Notes
<ul style="list-style-type: none"> • Paint Selection • Metal or Perforated Back Panel Style (for raised flipper door units only) • Easy Down Mechanism (optional) 	<ul style="list-style-type: none"> • Type D Flipper Door Unit provides binder height, lockable overhead storage. • When raised flipper door units are mounted on 50" high panels, unit rests level with a standard flipper door unit mounted at the top of a 66" high panel • Door opens and stores above top cover pan. • Flipper unit has an open back. • Shelf ends have locking swing cams to prevent dislodgement. • Shelf bottom will receive tasklights. • Easy Down Mechanisms are optional for all sizes and recommended on 60" wide units. • All flipper doors are lockable with two supplied keys. • Lock cores are removable with removal keys and master keys are available. • Extra lock cores are available for keying flipper doors alike, but flipper doors may not be ordered without locks. • Keying flippers alike requires removal of pre-installed lock cores and installation of keyed alike cores in the field. • Order flipper unit that corresponds to panel width. • See "Accessories" for ordering replacement keys, master keys, core removal keys, additional key cores for keying alike or replacement uses. • Metal shelves have a weight capacity of 1.5 lbs per linear inch of width.



Sliding Door Units

METAL DOOR FRONT SLIDING DOOR UNIT

H	W	D	Model Number	List	Grade C Paint
14.25	30	12	S-MS2DOMX30	988	+20
14.25	36	12	S-MS2DOMX36	1,013	+20
14.25	42	12	S-MS2DOMX42	1,034	+20
14.25	48	12	S-MS2DOMX48	1,089	+20
14.25	60	12	S-MS2DOMX60	1,279	+20

LAMINATE DOOR FRONT SLIDING DOOR UNIT

H	W	D	Model Number	List	Grade C Paint	Grade C Laminate
14.25	30	12	S-MS2DOMX30L	1,180	+20	+18
14.25	36	12	S-MS2DOMX36L	1,204	+20	+19
14.25	42	12	S-MS2DOMX42L	1,224	+20	+20
14.25	48	12	S-MS2DOMX48L	1,344	+20	+21
14.25	60	12	S-MS2DOMX60L	1,470	+20	+22



Specify

Notes

- Paint Selection
- Laminate Selection for Sliding Door (for laminate units only)
- Edge Selection for Sliding Door (for laminate units only)

- Sliding Door Unit provides binder height, lockable overhead storage.
- Door slides open side to side.
- Sliding door unit has an open back.
- Shelf ends have locking swing cams to prevent dislodgement.
- Shelf bottom will receive tasklights.
- All sliding doors are lockable with (2) keys supplied.
- Lock cores are removable with removal keys and master keys are available.
- Extra lock cores are available for keying sliding doors alike, but sliding doors may not be ordered without locks.
- Keying sliding doors alike requires removal of pre-installed lock cores and installation of keyed alike cores in the field.
- See "Accessories" for shelf, flipper and key accessories.
- Metal shelves have a weight capacity of 1.5 lbs per linear inch of width.



Raised Sliding Door Units

METAL DOOR FRONT RAISED SLIDING DOOR UNIT

H	W	D	Model Number	List	Grade C Paint	Perforated Back
14.25	30	12	S-RMS2DOMX30	1,857	+20	+35
14.25	36	12	S-RMS2DOMX36	1,900	+20	+35
14.25	42	12	S-RMS2DOMX42	1,947	+20	+35
14.25	48	12	S-RMS2DOMX48	2,042	+20	+35
14.25	60	12	S-RMS2DOMX60	2,280	+20	+35

LAMINATE DOOR FRONT RAISED SLIDING DOOR UNIT

H	W	D	Model Number	List	Grade C Paint	Grade C Laminate	Perforated Back
14.25	30	12	S-RMS2DOMX30L	2,048	+20	+18	+35
14.25	36	12	S-RMS2DOMX36L	2,089	+20	+19	+35
14.25	42	12	S-RMS2DOMX42L	2,140	+20	+20	+35
14.25	48	12	S-RMS2DOMX48L	2,305	+20	+21	+35
14.25	60	12	S-RMS2DOMX60L	2,479	+20	+22	+35



Specify

- Paint Selection
- Laminate Selection for Sliding Door (for laminate units only)
- Edge Selection for Sliding Door (for laminate units only)

Notes

- Type C Raised Sliding Door Unit provides binder height, lockable overhead storage.
- When mounted on 50" high panels, unit rests level with a standard flipper door unit mounted at the top of a 66" high panel.
- Door slides open side to side.
- Backside of unit is completely enclosed providing added security.
- Shelf ends have locking swing cams to prevent dislodgement.
- Shelf bottom will receive tasklights.
- All sliding doors are lockable with (2) keys supplied.
- Lock cores are removable with removal keys and master keys are available.
- Extra lock cores are available for keying sliding doors alike, but sliding doors may not be ordered without locks.
- Keying sliding doors alike requires removal of pre-installed lock cores and installation of keyed alike cores in the field.
- See "Accessories" for shelf, flipper and key accessories.
- Metal shelves have a weight capacity of 1.5 lbs per linear inch of width.



Cabinet Door Units

METAL DOOR FRONT CABINET DOOR UNIT

H	W	D	Model Number	List	Grade C Paint
14.25	24	12	S-VDOMX24	1,310	+20
14.25	30	12	S-VDOMX30	1,329	+20
14.25	36	12	S-VDOMX36	1,351	+20
14.25	42	12	S-VDOMX42	1,371	+20
14.25	48	12	S-VDOMX48	1,427	+20

LAMINATE DOOR FRONT CABINET DOOR UNIT

H	W	D	Model Number	List	Grade C Paint	Perforated Back
14.25	24	12	S-VDOMX24L	1,500	+20	+17
14.25	30	12	S-VDOMX30L	1,523	+20	+18
14.25	36	12	S-VDOMX36L	1,539	+20	+19
14.25	42	12	S-VDOMX42L	1,566	+20	+20
14.25	48	12	S-VDOMX48L	1,682	+20	+21



Specify

Notes

- Paint Selection
- Laminate Selection for Cabinet Door (for laminate units only)
- Edge Selection for Cabinet Door (for laminate units only)

- Cabinet Door Unit provides binder height, lockable overhead storage.
- Doors swing open.
- Cabinet door unit has an open back.
- Shelf ends have locking swing cams to prevent dislodgement.
- Shelf bottom will receive tasklights.
- Units are lockable with (2) keys supplied.
- Lock cores are removable with removal keys and master keys are available.
- Extra lock cores are available for keying sliding doors alike, but sliding doors may not be ordered without locks.
- Keying sliding doors alike requires removal of pre-installed lock cores and installation of keyed alike cores in the field.
- See "Accessories" for shelf, flipper and key accessories.
- Metal shelves have a weight capacity of 1.5 lbs per linear inch of width.



Raised Cabinet Door Units

METAL DOOR FRONT RAISED CABINET DOOR UNIT

H	W	D	Model Number	List	Grade C Paint	Perforated Back
14.25	24	12	S-RVDOMX24	2,102	+20	+35
14.25	30	12	S-RVDOMX30	2,138	+20	+35
14.25	36	12	S-RVDOMX36	2,178	+20	+35
14.25	42	12	S-RVDOMX42	2,225	+20	+35
14.25	48	12	S-RVDOMX48	2,314	+20	+35

LAMINATE DOOR FRONT RAISED CABINET DOOR UNIT

H	W	D	Model Number	List	Grade C Paint	Grade C Laminate	Perforated Back
14.25	24	12	S-RVDOMX24L	2,289	+20	+17	+35
14.25	30	12	S-RVDOMX30L	2,322	+20	+18	+35
14.25	36	12	S-RVDOMX36L	2,364	+20	+19	+35
14.25	42	12	S-RVDOMX42L	2,458	+20	+20	+35
14.25	48	12	S-RVDOMX48L	2,570	+20	+21	+35



Specify

Notes


- Paint Selection
- Laminate Selection for Cabinet Door (for laminate units only)
- Edge Selection for Cabinet Door (for laminate units only)

- Raised Cabinet Door Unit provides binder height, lockable overhead storage.
- Doors swing open.
- Cabinet door unit has an open back.
- Shelf ends have locking swing cams to prevent dislodgement.
- Shelf bottom will receive tasklights.
- Units are lockable with (2) keys supplied.
- Lock cores are removable with removal keys and master keys are available.
- Extra lock cores are available for keying sliding doors alike, but sliding doors may not be ordered without locks.
- Keying sliding doors alike requires removal of pre-installed lock cores and installation of keyed alike cores in the field.
- See "Accessories" for shelf, flipper and key accessories.
- Metal shelves have a weight capacity of 1.5 lbs per linear inch of width.

Coat Hooks

LINEAR PANEL TOP COAT HOOK


Model Number	List	Grade C Paint
A-CHML	75	+5



Specify	Notes
<ul style="list-style-type: none"> • Paint Selection 	<ul style="list-style-type: none"> • Linear Panel Top Coat Hook mounts over top of panel frame (linear profile trim) and is available in all standard paint colors.

MATRIX COAT HOOK

Model Number	List
A-MTXCH	65



Specify	Notes
<ul style="list-style-type: none"> • Paint Selection 	<ul style="list-style-type: none"> • Coat hook installs under topcap prior to tile installation. • Can only be used on fabric or laminate tile.


Frameless Glass Mounting Kits

SINGLE FRAME FRAMELESS GLASS MOUNTING KITS


Frames	W	Model Number	List	Grade C Paint	3/8th" Glass Clamps
24	24	P-MLFGTC24	448	+10	+50
30	30	P-MLFGTC30	452	+10	+50
36	36	P-MLFGTC36	456	+10	+50
42	42	P-MLFGTC42	459	+10	+50
48	48	P-MLFGTC48	463	+10	+50

MULTIPLE FRAME FRAMELESS GLASS MOUNTING KITS


Frames	W	Model Number	List	Grade C Paint	3/8th" Glass Clamps
24, 24	48	P-MLFGTC224	786	+20	+100
24, 30	54	P-MLFGTC2430	793	+20	+100
24, 36	60	P-MLFGTC2436	798	+20	+100
24, 42	66	P-MLFGTC2442	802	+20	+100
24, 48	72	P-MLFGTC2448	805	+20	+100
30, 30	60	P-MLFGTC230	798	+20	+100
30, 36	66	P-MLFGTC3036	802	+20	+100
30, 42	72	P-MLFGTC3042	805	+20	+100
36, 36	72	P-MLFGTC236	805	+20	+100
24, 24, 24	72	P-MLFGTC324	1,130	+20	+150



36" Frameless Glass



72" Frameless Glass
(36, 36)



72" Frameless Glass
(24, 48)

Specify

- Finish Selection for Topcap


Notes

- Frameless Glass Mounting Kits - Matrix include topcaps with pre-drilled holes, mounting brackets and under topcap stabilizers for the glass.
- Frameless glass mounting kits are specified for the panel width, or in the case of multiple panels, the panel configuration.
- Glass is ordered separately.
- Glass should match frame width (no off-modular glass).
- For use with Linear Frames only.
- Frame Glass Mounting Kits inhibit using the top channel for cables.


Frameless Recessed Glass Mounting Kits

SINGLE FRAME RECESSED GLASS MOUNTING KITS V2

Frames	W	Model Number	List	Grade C Paint
24	24	P-MLSFRG24	446	+10
30	30	P-MLSFRG30	451	+10
36	36	P-MLSFRG36	455	+10
42	42	P-MLSFRG42	458	+10
48	48	P-MLSFRG48	462	+10




36" Frameless Glass



Screen Mounting Kit

MULTIPLE FRAME RECESSED GLASS MOUNTING KITS V2

Frames	W	Model Number	List	Grade C Paint
24, 24	48	P-MLDFRG2424	785	+10
24, 30	54	P-MLDFRG2430	792	+10
24, 36	60	P-MLDFRG2436	802	+10
24, 42	66	P-MLDFRG2442	802	+10
24, 48	72	P-MLDFRG2448	805	+10
30, 30	60	P-MLDFRG3030	802	+10
30, 36	66	P-MLDFRG3036	802	+10
30, 42	72	P-MLDFRG3042	805	+10
30, 48	78	P-MLDFRG3048	809	+10
36, 36	72	P-MLDFRG3636	802	+10
36, 42	78	P-MLDFRG3642	809	+10
36, 48	84	P-MLDFRG3648	813	+10
42, 42	84	P-MLDFRG4242	813	+10
42, 48	90	P-MLDFRG4248	816	+10
48, 48	96	P-MLDFRG4848	816	+10
24, 24, 24	72	P-MLTFRG242424	1,205	+10
24, 24, 30	78	P-MLTFRG242430	1,209	+10
24, 24, 36	84	P-MLTFRG242436	1,212	+10
24, 24, 42	90	P-MLTFRG242442	1,217	+10
24, 24, 48	96	P-MLTFRG242448	1,221	+10
30, 24, 30	84	P-MLTFRG302430	1,212	+10
30, 24, 36	90	P-MLTFRG302436	1,217	+10
30, 24, 42	96	P-MLTFRG302442	1,221	+10
30, 30, 36	96	P-MLTFRG303036	1,221	+10
36, 24, 36	96	P-MLTFRG362436	1,221	+10



72" Frameless Glass

Specify

- Paint Selection



Notes

- Recessed Frameless Mounting Kits - Matrix include mounting brackets and all required screws.
- The mounting brackets double as the top caps once installed.
- Screen is ordered separately. Screen must match frame width (no off-modular screens).
- For use with Linear Frames only.
- Frameless Screen Mounting Kits inhibit using the top channel for cables.
- **Recessed frameless up-mounted Screens MUST be ordered with these kits.**

Recessed Glass for Linear Power Pole Situations

RECESSED GLASS FOR LINEAR POWER POLE SITUATIONS

H	W	Model Number	List Clear	Frosted	Gray	Bronze
8	24	P-MLPPRG0824	760	+30	+15	+15
8	30	P-MLPPRG0830	795	+60	+30	+30
8	36	P-MLPPRG0836	839	+60	+30	+30
8	42	P-MLPPRG0842	880	+60	+30	+30
8	48	P-MLPPRG0848	939	+90	+45	+45
12	24	P-MLPPRG1224	793	+60	+30	+30
12	30	P-MLPPRG1230	868	+60	+30	+30
12	36	P-MLPPRG1236	943	+90	+45	+45
12	42	P-MLPPRG1242	1,018	+90	+45	+45
12	48	P-MLPPRG1248	1,098	+120	+60	+60
16	24	P-MLPPRG1624	875	+60	+30	+30
16	30	P-MLPPRG1630	943	+90	+45	+45
16	36	P-MLPPRG1636	1,034	+120	+60	+60
16	42	P-MLPPRG1642	1,149	+120	+60	+60
16	48	P-MLPPRG1648	1,225	+150	+75	+75
20	24	P-MLPPRG2024	955	+60	+30	+30
20	30	P-MLPPRG2030	1,017	+90	+45	+45
20	36	P-MLPPRG2036	1,124	+120	+60	+60
20	42	P-MLPPRG2042	1,279	+150	+75	+75
20	48	P-MLPPRG2048	1,349	+180	+90	+90



Specify



Notes

- | | |
|---|---|
| <ul style="list-style-type: none"> • Paint Selection for Top Cap (Grade C +10) • Finish Selection for Glass | <ul style="list-style-type: none"> • Order when installing recessed glass on top of a panel that requires a power pole installation. • Includes glass and complete top cap kit. • Power poles are ordered separately. • Order size that corresponds to the overall panel width. |
|---|---|


Frameless Up-Mounted Glass

FRAMELESS UP-MOUNTED GLASS							
H	W	Model Number	1/4th" Clear	1/4th" Tinted	1/4th" Frosted	3/8th" Clear	3/8th" Frosted
8	24	A-FG0824	221	+33	+68	+92	+136
8	30	A-FG0830	225	+41	+85	+112	+170
8	36	A-FG0836	243	+49	+102	+132	+204
8	42	A-FG0842	252	+57	+119	+152	+232
8	48	A-FG0848	284	+65	+135	+172	+270
8	54	A-FG0854	321	+73	+152	+192	+304
8	60	A-FG0860	367	+81	+169	+212	+338
8	66	A-FG0866	381	+89	+186	+232	+372
8	72	A-FG0872	412	+97	+203	+252	+406
12	24	A-FG1224	216	+38	+79	+120	+158
12	30	A-FG1230	259	+47	+99	+146	+198
12	36	A-FG1236	303	+57	+119	+171	+238
12	42	A-FG1242	347	+66	+138	+196	+276
12	48	A-FG1248	390	+76	+158	+222	+316
12	54	A-FG1254	433	+85	+178	+247	+356
12	60	A-FG1260	480	+94	+197	+273	+394
12	66	A-FG1266	521	+104	+217	+298	+434
12	72	A-FG1272	564	+113	+237	+323	+474

FRAMELESS UP-MOUNTED GLASS							
H	W	Model Number	1/4th" Clear	1/4th" Tinted	1/4th" Frosted	3/8th" Clear	3/8th" Frosted
16	24	A-FG1624	264	+43	+90	+148	+180
16	30	A-FG1630	296	+54	+113	+179	+226
16	36	A-FG1636	347	+65	+135	+210	+270
16	42	A-FG1642	425	+76	+158	+241	+316
16	48	A-FG1648	461	+86	+180	+272	+360
16	54	A-FG1654	511	+97	+203	+302	+406
16	60	A-FG1660	588	+108	+225	+333	+450
16	66	A-FG1666	645	+119	+248	+364	+494
16	72	A-FG1672	695	+129	+270	+395	+540



1/4" Glass



3/8" Glass

Specify

- Finish Selection for Glass



Notes

- Frameless Up-Mounted Glass are sheets of glass to be used with up-mounted kits.
- Tempered glass is available in clear, grey tint, bronze tint, and frosted.
- Glass Mounting Kit ordered separately.
- Glass used in HiLo situations has a different width. See "HiLo Frameless Up-Mounted Glass" when in a HiLo situation.
- Glass should match frame width (no off-modular glass).
- For use with Linear Frames only.

Recessed Frameless Glass

RECESSED FRAMELESS GLASS V2						
H	W	Model Number	List Clear	Frosted	Gray	Bronze
8	24	P-MLRGF0824	420	+42	+42	+42
8	30	P-MLRGF0830	461	+61	+61	+61
8	36	P-MLRGF0836	514	+77	+77	+77
8	42	P-MLRGF0842	563	+86	+86	+86
8	48	P-MLRGF0848	636	+106	+106	+106
8	54	P-MLRGF0854	711	+124	+124	+124
8	60	P-MLRGF0860	801	+138	+138	+138
8	66	P-MLRGF0866	855	+155	+155	+155
8	72	P-MLRGF0872	925	+171	+171	+171
8	78	P-MLRGF0878	1,001	+185	+185	+185
8	84	P-MLRGF0884	1,080	+199	+199	+199
8	90	P-MLRGF0890	1,166	+215	+215	+215
8	96	P-MLRGF0896	1,258	+233	+233	+233
12	24	P-MLRGF1224	463	+44	+44	+44
12	30	P-MLRGF1230	560	+64	+64	+64
12	36	P-MLRGF1236	652	+83	+83	+83
12	42	P-MLRGF1242	748	+99	+99	+99
12	48	P-MLRGF1248	849	+116	+116	+116
12	54	P-MLRGF1254	942	+136	+136	+136
12	60	P-MLRGF1260	1,037	+153	+153	+153
12	66	P-MLRGF1266	1,136	+169	+169	+169
12	72	P-MLRGF1272	1,234	+185	+185	+185
12	78	P-MLRGF1278	1,333	+200	+200	+200
12	84	P-MLRGF1284	1,438	+216	+216	+216
12	90	P-MLRGF1290	1,552	+233	+233	+233
12	96	P-MLRGF1296	1,677	+252	+252	+252

RECESSED FRAMELESS GLASS V2						
H	W	Model Number	List Clear	Frosted	Gray	Bronze
16	24	P-MLRGF1624	571	+49	+49	+49
16	30	P-MLRGF1630	659	+72	+72	+72
16	36	P-MLRGF1636	773	+89	+89	+89
16	42	P-MLRGF1642	920	+110	+110	+110
16	48	P-MLRGF1648	1,015	+129	+129	+129
16	54	P-MLRGF1654	1,130	+153	+153	+153
16	60	P-MLRGF1660	1,274	+172	+172	+172
16	66	P-MLRGF1666	1,389	+194	+194	+194
16	72	P-MLRGF1672	1,516	+206	+206	+206
16	78	P-MLRGF1678	1,634	+222	+222	+222
16	84	P-MLRGF1684	1,768	+240	+240	+240
16	90	P-MLRGF1690	1,908	+260	+260	+260
16	96	P-MLRGF1696	2,060	+280	+280	+280
20	24	P-MLRGF2024	677	+54	+54	+54
20	30	P-MLRGF2030	755	+80	+80	+80
20	36	P-MLRGF2036	894	+95	+95	+95
20	42	P-MLRGF2042	1,094	+121	+121	+121
20	48	P-MLRGF2048	1,180	+142	+142	+142
20	54	P-MLRGF2054	1,319	+170	+170	+170
20	60	P-MLRGF2060	1,512	+191	+191	+191
20	66	P-MLRGF2066	1,642	+219	+219	+219
20	72	P-MLRGF2072	1,797	+227	+227	+227
20	78	P-MLRGF2078	1,940	+244	+244	+244
20	84	P-MLRGF2084	2,096	+264	+264	+264
20	90	P-MLRGF2090	2,265	+287	+287	+287
20	96	P-MLRGF2096	2,444	+308	+308	+308



3/8" Glass

Specify

• Finish Selection for Glass

Notes

- Recessed Frameless Glass are sheets of glass screens to be used with up-mounted kits.
- Tempered glass is available in clear, frosted, aqua and blue.
- Glass is 3/8" thick.
- Frames receiving recessed glass should be specified with top cap option.
- Glass height is nominal, not including the glass inside of the frame.
- Glass must match frame width (no off-modular screens).


Single HiLo Situation Up-Mounted Glass

SINGLE HILO SITUATION UP-MOUNTED GLASS


H	W	Model Number	1/4th" Clear	1/4th" Tinted	1/4th" Frosted	3/8th" Clear	3/8th" Frosted
8	24	A-FGMXH10824	208	+33	+68	+92	+136
8	30	A-FGMXH10830	212	+41	+85	+112	+170
8	36	A-FGMXH10836	229	+49	+102	+132	+204
8	42	A-FGMXH10842	235	+57	+119	+152	+232
8	48	A-FGMXH10848	265	+65	+135	+172	+270
8	54	A-FGMXH10854	298	+73	+152	+192	+304
8	60	A-FGMXH10860	341	+81	+169	+212	+338
8	66	A-FGMXH10866	357	+89	+186	+232	+372
8	72	A-FGMXH10872	387	+97	+203	+252	+406
12	24	A-FGMXH11224	202	+38	+79	+120	+158
12	30	A-FGMXH11230	242	+47	+99	+146	+198
12	36	A-FGMXH11236	285	+57	+119	+171	+238
12	42	A-FGMXH11242	323	+66	+138	+196	+276
12	48	A-FGMXH11248	366	+76	+158	+222	+316
12	54	A-FGMXH11254	407	+85	+178	+247	+356
12	60	A-FGMXH11260	451	+94	+197	+273	+394
12	66	A-FGMXH11266	487	+104	+217	+298	+434
12	72	A-FGMXH11272	527	+113	+237	+323	+474

SINGLE HILO SITUATION UP-MOUNTED GLASS


H	W	Model Number	1/4th" Clear	1/4th" Tinted	1/4th" Frosted	3/8th" Clear	3/8th" Frosted
16	24	A-FGMXH11624	246	+43	+90	+148	+180
16	30	A-FGMXH11630	279	+54	+113	+179	+226
16	36	A-FGMXH11636	323	+65	+135	+210	+270
16	42	A-FGMXH11642	398	+76	+158	+241	+316
16	48	A-FGMXH11648	429	+86	+180	+272	+360
16	54	A-FGMXH11654	479	+97	+203	+302	+406
16	60	A-FGMXH11660	551	+108	+225	+333	+450
16	66	A-FGMXH11666	600	+119	+248	+364	+494
16	72	A-FGMXH11672	649	+129	+270	+395	+540



Single HiLo Situation



1/4" Glass



3/8" Glass

Specify

- Finish Selection for Glass

Notes

- Single HiLo Situation Up-Mounted Glass are sheets of glass to be used with up-mounted kits in HiLo locations.
- In order to accommodate one HiLo location, the glass must be 1/2" smaller horizontally.
- Tempered glass is available in clear, grey tint, bronze tint, and frosted.
- Mounting Kit Ordered Separately.
- Glass should match frame width (no off-modular glass).
- For use with Linear Frames only


Single HiLo Situation Recessed Frameless Glass

SINGLE HILO SITUATION RECESSED FRAMELESS GLASS V2


H	W	Model Number	List Clear	Frosted	Gray	Bronze
8	24	P-MLRGFSH-0824	420	+42	+42	+42
8	30	P-MLRGFSH-0830	461	+61	+61	+61
8	36	P-MLRGFSH-0836	514	+77	+77	+77
8	42	P-MLRGFSH-0842	563	+86	+86	+86
8	48	P-MLRGFSH-0848	636	+106	+106	+106
8	54	P-MLRGFSH-0854	711	+124	+124	+124
8	60	P-MLRGFSH-0860	801	+138	+138	+138
8	66	P-MLRGFSH-0866	855	+155	+155	+155
8	72	P-MLRGFSH-0872	925	+171	+171	+171
8	78	P-MLRGFSH-0878	1,001	+185	+185	+185
8	84	P-MLRGFSH-0884	1,080	+199	+199	+199
8	90	P-MLRGFSH-0890	1,166	+215	+215	+215
8	96	P-MLRGFSH-0896	1,258	+233	+233	+233
12	24	P-MLRGFSH-1224	463	+44	+44	+44
12	30	P-MLRGFSH-1230	560	+64	+64	+64
12	36	P-MLRGFSH-1236	652	+83	+83	+83
12	42	P-MLRGFSH-1242	748	+99	+99	+99
12	48	P-MLRGFSH-1248	849	+116	+116	+116
12	54	P-MLRGFSH-1254	942	+136	+136	+136
12	60	P-MLRGFSH-1260	1,037	+153	+153	+153
12	66	P-MLRGFSH-1266	1,136	+169	+169	+169
12	72	P-MLRGFSH-1272	1,234	+185	+185	+185
12	78	P-MLRGFSH-1278	1,333	+200	+200	+200
12	84	P-MLRGFSH-1284	1,438	+216	+216	+216
12	90	P-MLRGFSH-1290	1,552	+233	+233	+233
12	96	P-MLRGFSH-1296	1,677	+252	+252	+252

SINGLE HILO SITUATION RECESSED FRAMELESS GLASS V2

H	W	Model Number	List Clear	Frosted	Gray	Bronze
16	24	P-MLRGFSH-1624	571	+49	+49	+49
16	30	P-MLRGFSH-1630	659	+72	+72	+72
16	36	P-MLRGFSH-1636	773	+89	+89	+89
16	42	P-MLRGFSH-1642	920	+110	+110	+110
16	48	P-MLRGFSH-1648	1,015	+129	+129	+129
16	54	P-MLRGFSH-1654	1,130	+153	+153	+153
16	60	P-MLRGFSH-1660	1,274	+172	+172	+172
16	66	P-MLRGFSH-1666	1,389	+194	+194	+194
16	72	P-MLRGFSH-1672	1,516	+206	+206	+206
16	78	P-MLRGFSH-1678	1,634	+222	+222	+222
16	84	P-MLRGFSH-1684	1,768	+240	+240	+240
16	90	P-MLRGFSH-1690	1,908	+260	+260	+260
16	96	P-MLRGFSH-1696	2,060	+280	+280	+280
20	24	P-MLRGFSH-2024	677	+54	+54	+54
20	30	P-MLRGFSH-2030	755	+80	+80	+80
20	36	P-MLRGFSH-2036	894	+95	+95	+95
20	42	P-MLRGFSH-2042	1,094	+121	+121	+121
20	48	P-MLRGFSH-2048	1,180	+142	+142	+142
20	54	P-MLRGFSH-2054	1,319	+170	+170	+170
20	60	P-MLRGFSH-2060	1,512	+191	+191	+191
20	66	P-MLRGFSH-2066	1,642	+219	+219	+219
20	72	P-MLRGFSH-2072	1,797	+227	+227	+227
20	78	P-MLRGFSH-2078	1,940	+244	+244	+244
20	84	P-MLRGFSH-2084	2,096	+264	+264	+264
20	90	P-MLRGFSH-2090	2,265	+287	+287	+287
20	96	P-MLRGFSH-2096	2,444	+308	+308	+308



Recessed Single HiLo Situation



3/8" Glass

Specify

- Finish Selection for Glass


Notes

- Single HiLo Situation Recessed Frameless Glass are sheets of glass to be used with up-mounted kits in HiLo locations.
- In order to accommodate one HiLo location, the glass must be 1/2" smaller horizontally.
- Tempered glass is available in clear, grey tint, bronze tint, and frosted.
- Tempered glass is 3/8" thick.
- Mounting Kit Ordered Separately.
- Glass should match frame width (no off-modular glass).
- For use with Linear Frames only.


Double HiLo Situation Up-Mounted Glass

DOUBLE HILO SITUATION UP-MOUNTED GLASS							
H	W	Model Number	1/4th" Clear	1/4th" Tinted	1/4th" Frosted	3/8th" Clear	3/8th" Frosted
8	24	A-FGMXH20824	208	+33	+68	+92	+136
8	30	A-FGMXH20830	212	+41	+85	+112	+170
8	36	A-FGMXH20836	229	+49	+102	+132	+204
8	42	A-FGMXH20842	235	+57	+119	+152	+232
8	48	A-FGMXH20848	265	+65	+135	+172	+270
8	54	A-FGMXH20854	298	+73	+152	+192	+304
8	60	A-FGMXH20860	341	+81	+169	+212	+338
8	66	A-FGMXH20866	357	+89	+186	+232	+372
8	72	A-FGMXH20872	387	+97	+203	+252	+406
12	24	A-FGMXH21224	202	+38	+79	+120	+158
12	30	A-FGMXH21230	242	+47	+99	+146	+198
12	36	A-FGMXH21236	285	+57	+119	+171	+238
12	42	A-FGMXH21242	323	+66	+138	+196	+276
12	48	A-FGMXH21248	366	+76	+158	+222	+316
12	54	A-FGMXH21254	407	+85	+178	+247	+356
12	60	A-FGMXH21260	451	+94	+197	+273	+394
12	66	A-FGMXH21266	487	+104	+217	+298	+434
12	72	A-FGMXH21272	527	+113	+237	+323	+474


DOUBLE HILO SITUATION UP-MOUNTED GLASS							
H	W	Model Number	1/4th" Clear	1/4th" Tinted	1/4th" Frosted	3/8th" Clear	3/8th" Frosted
16	24	A-FGMXH21624	246	+43	+90	+148	+180
16	30	A-FGMXH21630	279	+54	+113	+179	+226
16	36	A-FGMXH21636	323	+65	+135	+210	+270
16	42	A-FGMXH21642	398	+76	+158	+241	+316
16	48	A-FGMXH21648	429	+86	+180	+272	+360
16	54	A-FGMXH21654	479	+97	+203	+302	+406
16	60	A-FGMXH21660	551	+108	+225	+333	+450
16	66	A-FGMXH21666	600	+119	+248	+364	+494
16	72	A-FGMXH21672	649	+129	+270	+395	+540



Double HiLo Situation



1/4" Glass



3/8" Glass

Specify

- Finish Selection for Glass

Notes

- Double HiLo Situation Up-Mounted glass are sheets of glass to be used with up-mounted kits in HiLo locations.
- In order to accommodate one HiLo location, the glass must be 1" smaller horizontally.
- Tempered glass is available in clear, grey tint, bronze tint, and frosted.
- Mounting Kit Ordered Separately.
- Glass should match frame width (no off-modular glass).
- For use with Linear Frames only.


Double HiLo Situation Recessed Frameless Glass

DOUBLE HILO SITUATION RECESSED FRAMELESS GLASS V2


H	W	Model Number	List Clear	Frosted	Gray	Bronze
8	24	P-MLRGFDH-0824	420	+42	+42	+42
8	30	P-MLRGFDH-0830	461	+61	+61	+61
8	36	P-MLRGFDH-0836	514	+77	+77	+77
8	42	P-MLRGFDH-0842	563	+86	+86	+86
8	48	P-MLRGFDH-0848	636	+106	+106	+106
8	54	P-MLRGFDH-0854	711	+124	+124	+124
8	60	P-MLRGFDH-0860	801	+138	+138	+138
8	66	P-MLRGFDH-0866	855	+155	+155	+155
8	72	P-MLRGFDH-0872	925	+171	+171	+171
8	78	P-MLRGFDH-0878	1,001	+185	+185	+185
8	84	P-MLRGFDH-0884	1,080	+199	+199	+199
8	90	P-MLRGFDH-0890	1,166	+215	+215	+215
8	96	P-MLRGFDH-0896	1,258	+233	+233	+233
12	24	P-MLRGFDH-1224	463	+44	+44	+44
12	30	P-MLRGFDH-1230	560	+64	+64	+64
12	36	P-MLRGFDH-1236	652	+83	+83	+83
12	42	P-MLRGFDH-1242	748	+99	+99	+99
12	48	P-MLRGFDH-1248	849	+116	+116	+116
12	54	P-MLRGFDH-1254	942	+136	+136	+136
12	60	P-MLRGFDH-1260	1,037	+153	+153	+153
12	66	P-MLRGFDH-1266	1,136	+169	+169	+169
12	72	P-MLRGFDH-1272	1,234	+185	+185	+185
12	78	P-MLRGFDH-1278	1,333	+200	+200	+200
12	84	P-MLRGFDH-1284	1,438	+216	+216	+216
12	90	P-MLRGFDH-1290	1,552	+233	+233	+233
12	96	P-MLRGFDH-1296	1,677	+252	+252	+252

DOUBLE HILO SITUATION RECESSED FRAMELESS GLASS V2

H	W	Model Number	List Clear	Frosted	Gray	Bronze
16	24	P-MLRGFDH-1624	571	+49	+49	+49
16	30	P-MLRGFDH-1630	659	+72	+72	+72
16	36	P-MLRGFDH-1636	773	+89	+89	+89
16	42	P-MLRGFDH-1642	920	+110	+110	+110
16	48	P-MLRGFDH-1648	1,015	+129	+129	+129
16	54	P-MLRGFDH-1654	1,130	+153	+153	+153
16	60	P-MLRGFDH-1660	1,274	+172	+172	+172
16	66	P-MLRGFDH-1666	1,389	+194	+194	+194
16	72	P-MLRGFDH-1672	1,516	+206	+206	+206
16	78	P-MLRGFDH-1678	1,634	+222	+222	+222
16	84	P-MLRGFDH-1684	1,768	+240	+240	+240
16	90	P-MLRGFDH-1690	1,908	+260	+260	+260
16	96	P-MLRGFDH-1696	2,060	+280	+280	+280
20	24	P-MLRGFDH-2024	677	+54	+54	+54
20	30	P-MLRGFDH-2030	755	+80	+80	+80
20	36	P-MLRGFDH-2036	894	+95	+95	+95
20	42	P-MLRGFDH-2042	1,094	+121	+121	+121
20	48	P-MLRGFDH-2048	1,180	+142	+142	+142
20	54	P-MLRGFDH-2054	1,319	+170	+170	+170
20	60	P-MLRGFDH-2060	1,512	+191	+191	+191
20	66	P-MLRGFDH-2066	1,642	+219	+219	+219
20	72	P-MLRGFDH-2072	1,797	+227	+227	+227
20	78	P-MLRGFDH-2078	1,940	+244	+244	+244
20	84	P-MLRGFDH-2084	2,096	+264	+264	+264
20	90	P-MLRGFDH-2090	2,265	+287	+287	+287
20	96	P-MLRGFDH-2096	2,444	+308	+308	+308



Double HiLo Situation



3/8" Glass

Specify

• Finish Selection for Glass



Notes

- Double HiLo Situation Up-Mounted glass are sheets of glass to be used with up-mounted kits in HiLo locations.
- In order to accommodate one HiLo location, the glass must be 1" smaller horizontally.
- Tempered glass is available in clear, grey tint, bronze tint, and frosted.
- Tempered glass is 3/8" thick.
- Mounting Kit Ordered Separately.
- Glass should match frame width (no off-modular glass).
- For use with Linear Frames only.

Recessed Frameless Lexan

RECESSED FRAMELESS LEXAN			
H	W	Model Number	List
8	24	P-YMLRGF0824	213
8	30	P-YMLRGF0830	264
8	36	P-YMLRGF0836	317
8	42	P-YMLRGF0842	371
8	48	P-YMLRGF0848	423
8	54	P-YMLRGF0854	476
8	60	P-YMLRGF0860	528
8	66	P-YMLRGF0866	582
8	72	P-YMLRGF0872	635
8	78	P-YMLRGF0878	685
8	84	P-YMLRGF0884	740
8	90	P-YMLRGF0890	789
8	96	P-YMLRGF0896	845
12	24	P-YMLRGF1224	305
12	30	P-YMLRGF1230	382
12	36	P-YMLRGF1236	458
12	42	P-YMLRGF1242	533
12	48	P-YMLRGF1248	608
12	54	P-YMLRGF1254	685
12	60	P-YMLRGF1260	761
12	66	P-YMLRGF1266	838
12	72	P-YMLRGF1272	915
12	78	P-YMLRGF1278	991
12	84	P-YMLRGF1284	1,067
12	90	P-YMLRGF1290	1,143
12	96	P-YMLRGF1296	1,218

RECESSED FRAMELESS LEXAN			
H	W	Model Number	List
16	24	P-YMLRGF1624	398
16	30	P-YMLRGF1630	498
16	36	P-YMLRGF1636	596
16	42	P-YMLRGF1642	695
16	48	P-YMLRGF1648	796
16	54	P-YMLRGF1654	896
16	60	P-YMLRGF1660	994
16	66	P-YMLRGF1666	1,094
16	72	P-YMLRGF1672	1,193
16	78	P-YMLRGF1678	1,293
16	84	P-YMLRGF1684	1,392
16	90	P-YMLRGF1690	1,492
16	96	P-YMLRGF1696	1,590
20	24	P-YMLRGF2024	490
20	30	P-YMLRGF2030	613
20	36	P-YMLRGF2036	736
20	42	P-YMLRGF2042	858
20	48	P-YMLRGF2048	983
20	54	P-YMLRGF2054	1,105
20	60	P-YMLRGF2060	1,227
20	66	P-YMLRGF2066	1,351
20	72	P-YMLRGF2072	1,472
20	78	P-YMLRGF2078	1,597
20	84	P-YMLRGF2084	1,719
20	90	P-YMLRGF2090	1,841
20	96	P-YMLRGF2096	1,965



3/8" Clear Lexan

Specify

Notes

- Recessed Frameless Lexan are sheets of clear lexan screens to be used with up-mounted kits.
- Available in clear only.
- Screens are 3/8" thick.
- Screen mounting kit ordered separately.
- Lexan height is nominal, not including the lexan inside of the frame.
- Screen must match frame width (no off-modular screens).


Single HiLo Situation Recessed Frameless Lexan

SINGLE HILO SITUATION RECESSED FRAMELESS LEXAN


H	W	Model Number	List
8	24	P-YMLRGFSH-0824	209
8	30	P-YMLRGFSH-0830	259
8	36	P-YMLRGFSH-0836	314
8	42	P-YMLRGFSH-0842	367
8	48	P-YMLRGFSH-0848	419
8	54	P-YMLRGFSH-0854	472
8	60	P-YMLRGFSH-0860	524
8	66	P-YMLRGFSH-0866	575
8	72	P-YMLRGFSH-0872	631
8	78	P-YMLRGFSH-0878	681
8	84	P-YMLRGFSH-0884	735
8	90	P-YMLRGFSH-0890	786
8	96	P-YMLRGFSH-0896	841
12	24	P-YMLRGFSH-1224	299
12	30	P-YMLRGFSH-1230	375
12	36	P-YMLRGFSH-1236	453
12	42	P-YMLRGFSH-1242	527
12	48	P-YMLRGFSH-1248	602
12	54	P-YMLRGFSH-1254	678
12	60	P-YMLRGFSH-1260	755
12	66	P-YMLRGFSH-1266	832
12	72	P-YMLRGFSH-1272	908
12	78	P-YMLRGFSH-1278	984
12	84	P-YMLRGFSH-1284	1,060
12	90	P-YMLRGFSH-1290	1,135
12	96	P-YMLRGFSH-1296	1,211

SINGLE HILO SITUATION RECESSED FRAMELESS LEXAN

H	W	Model Number	List
16	24	P-YMLRGFSH-1624	390
16	30	P-YMLRGFSH-1630	489
16	36	P-YMLRGFSH-1636	588
16	42	P-YMLRGFSH-1642	689
16	48	P-YMLRGFSH-1648	786
16	54	P-YMLRGFSH-1654	887
16	60	P-YMLRGFSH-1660	987
16	66	P-YMLRGFSH-1666	1,088
16	72	P-YMLRGFSH-1672	1,185
16	78	P-YMLRGFSH-1678	1,285
16	84	P-YMLRGFSH-1684	1,384
16	90	P-YMLRGFSH-1690	1,483
16	96	P-YMLRGFSH-1696	1,584
20	24	P-YMLRGFSH-2024	480
20	30	P-YMLRGFSH-2030	602
20	36	P-YMLRGFSH-2036	727
20	42	P-YMLRGFSH-2042	848
20	48	P-YMLRGFSH-2048	972
20	54	P-YMLRGFSH-2054	1,094
20	60	P-YMLRGFSH-2060	1,217
20	66	P-YMLRGFSH-2066	1,341
20	72	P-YMLRGFSH-2072	1,463
20	78	P-YMLRGFSH-2078	1,586
20	84	P-YMLRGFSH-2084	1,709
20	90	P-YMLRGFSH-2090	1,830
20	96	P-YMLRGFSH-2096	1,954



Single HiLo Situation



3/8" Clear Lexan

Specify

Notes

- Single HiLo Situation Recessed Frameless Lexan are sheets of lexan to be used with up-mounted kits in HiLo locations.
- In order to accommodate one HiLo location, the lexan must be 1/2" smaller horizontally.
- Available in clear only.
- Lexan is 3/8" thick.
- Mounting Kit Ordered Separately.
- Lexan should match frame width (no off-modular screens).
- For use with Linear Frames only.


Double HiLo Situation Recessed Frameless Lexan

DOUBLE HILO SITUATION RECESSED FRAMELESS LEXAN


H	W	Model Number	List
8	24	P-YMLRGFDH-0824	205
8	30	P-YMLRGFDH-0830	256
8	36	P-YMLRGFDH-0836	311
8	42	P-YMLRGFDH-0842	361
8	48	P-YMLRGFDH-0848	412
8	54	P-YMLRGFDH-0854	467
8	60	P-YMLRGFDH-0860	518
8	66	P-YMLRGFDH-0866	572
8	72	P-YMLRGFDH-0872	625
8	78	P-YMLRGFDH-0878	677
8	84	P-YMLRGFDH-0884	731
8	90	P-YMLRGFDH-0890	781
8	96	P-YMLRGFDH-0896	835
12	24	P-YMLRGFDH-1224	293
12	30	P-YMLRGFDH-1230	369
12	36	P-YMLRGFDH-1236	444
12	42	P-YMLRGFDH-1242	519
12	48	P-YMLRGFDH-1248	596
12	54	P-YMLRGFDH-1254	672
12	60	P-YMLRGFDH-1260	748
12	66	P-YMLRGFDH-1266	824
12	72	P-YMLRGFDH-1272	902
12	78	P-YMLRGFDH-1278	976
12	84	P-YMLRGFDH-1284	1,051
12	90	P-YMLRGFDH-1290	1,127
12	96	P-YMLRGFDH-1296	1,205

DOUBLE HILO SITUATION RECESSED FRAMELESS LEXAN

H	W	Model Number	List
16	24	P-YMLRGFDH-1624	382
16	30	P-YMLRGFDH-1630	480
16	36	P-YMLRGFDH-1636	581
16	42	P-YMLRGFDH-1642	678
16	48	P-YMLRGFDH-1648	778
16	54	P-YMLRGFDH-1654	877
16	60	P-YMLRGFDH-1660	977
16	66	P-YMLRGFDH-1666	1,078
16	72	P-YMLRGFDH-1672	1,178
16	78	P-YMLRGFDH-1678	1,277
16	84	P-YMLRGFDH-1684	1,376
16	90	P-YMLRGFDH-1690	1,473
16	96	P-YMLRGFDH-1696	1,574
20	24	P-YMLRGFDH-2024	472
20	30	P-YMLRGFDH-2030	593
20	36	P-YMLRGFDH-2036	717
20	42	P-YMLRGFDH-2042	839
20	48	P-YMLRGFDH-2048	961
20	54	P-YMLRGFDH-2054	1,084
20	60	P-YMLRGFDH-2060	1,208
20	66	P-YMLRGFDH-2066	1,330
20	72	P-YMLRGFDH-2072	1,454
20	78	P-YMLRGFDH-2078	1,575
20	84	P-YMLRGFDH-2084	1,699
20	90	P-YMLRGFDH-2090	1,822
20	96	P-YMLRGFDH-2096	1,945



Double HiLo Situation



3/8" Clear Lexan

Specify

Notes

- Double HiLo Situation Recessed Frameless Lexan are sheets of lexan to be used with up-mounted kits in HiLo locations.
- In order to accommodate one HiLo location, the lexan must be 1" smaller horizontally.
- Available in clear only.
- Lexan is 3/8" thick.
- Mounting Kit Ordered Separately.
- Lexan should match frame width (no off-modular screens).
- For use with Linear Frames only.



National Showrooms:

Leominster

AIS Headquarters
25 Tucker Drive
Leominster, MA 01453

Chicago

The Merchandise Mart
Suite 391
Chicago, Illinois 60654

New York

AIS New York
257 Park Avenue South
New York, New York 10010

Washington, D.C.

AIS Washington, D.C.
1501 M St, NW, STE 230
Washington, D.C. 20005

GSA Sales

GSA Contract 47QSM20D08Q4
Multiple Award Schedule (MAS)
Large Category: Furniture & Furnishings
Subcategories: Office Furniture, Packaged
Office Furniture and Furniture Services

For additional information on AIS:

Dealer Showrooms, Representative
Directory, Project Case Studies, Online
Catalog & Product Showcase
Visit: www.ais-inc.com