

# DIVI<sup>®</sup> PANEL SYSTEM

January 2026 Price List

**AIS**

**PRODUCT INFORMATION**

Divi Statement of Line. . . . . 4  
 Divi Finish Options . . . . . 9

**PRODUCT DETAILS**

Divi Laminate Storage Details. . . . . 12

**MONOLITHIC PANELS**

Divi Monolithic Panel Product Details. . . . . 15  
 Divi Linear Hard Surface Permanent Monolithic Panels . . . . . 27  
 Divi Linear Tackable Surface Permanent Monolithic Panels . . . . . 29  
 Divi Linear Quarter Glass Permanent Monolithic Panels . . . . . 31  
 Divi Linear Air Flow / Wall Access Permanent Monolithic Panels . . . . . 33  
 Divi Linear Half Glass Permanent Monolithic Panels . . . . . 34  
 Divi Linear Full Glass Monolithic Panels . . . . . 35  
 Divi Linear Hard Surface ADA Panels . . . . . 36  
 Divi Linear Fabric and Glass Stack-On Kits for Permanent Monolithic Panels . . . . . 37  
 Divi Linear ADA Door Panels and Door Panel Shrouds . . . . . 38  
 Divi Linear Sliding Privacy Screens . . . . . 39  
 Divi Linear Sliding Privacy Screen Handles and Brackets . . . . . 40  
 Divi Linear Single End Gallery Panels . . . . . 41  
 Divi Linear Single End for Wing Gallery Panels . . . . . 43  
 Divi Linear Single End for Wing Facing Forward Gallery Panels . . . . . 44  
 Divi Linear Single End for Double Wing Gallery Panels . . . . . 45  
 Divi Linear Single Spine Gallery Panels . . . . . 46  
 Divi Linear Single Spine for Wing Gallery Panels . . . . . 48  
 Divi Linear Single Spine for Double Wing Gallery Panels . . . . . 49  
 Divi Linear Double End Gallery Panels . . . . . 50  
 Divi Linear Double Spine Gallery Panels . . . . . 51  
 Divi Linear Mid Mount End Gallery Panels . . . . . 52  
 Divi Linear Mid Mount End for Wing Gallery Panels . . . . . 54  
 Divi Linear Mid Mount End for Wing Facing Front Gallery Panels . . . . . 55  
 Divi Linear Mid Mount End for Double Wing Gallery Panels . . . . . 56  
 Divi Linear Mid Mount Spine Gallery Panels . . . . . 57  
 Divi Linear Mid Mount Spine for Wing Gallery Panels . . . . . 59  
 Divi Linear Mid Mount Spine for Double Wing Gallery Panels . . . . . 60  
 Divi Linear Wing Gallery Panels . . . . . 61  
 Divi Linear Gallery Panel HiLo Kits . . . . . 62  
 Brackets for Gallery Panels . . . . . 63  
 Wall Mounted Gallery Panels . . . . . 64  
 Wall Mounted Gallery Panel for Wings . . . . . 66

**INSERT PANELS**

Divi Insert Panel Product Details . . . . . 67  
 Divi Linear Monolithic Front/Back Inserts . . . . . 73  
 Divi Linear Monolithic Front/Segmented Back Inserts . . . . . 75  
 Divi Linear Segmented Front/Back Inserts . . . . . 77  
 Divi Linear Monolithic Front/Back Quarter Glass Inserts . . . . . 79  
 Divi Linear Monolithic Front/Segmented Back Quarter Glass Inserts . . . . . 80  
 Divi Linear Segmented Front/Back Quarter Glass Inserts . . . . . 81  
 Divi Linear Monolithic Front/Back Half Glass Inserts . . . . . 82  
 Divi Linear Monolithic Front/Segmented Back Half Glass Inserts . . . . . 83  
 Divi Linear Segmented Front/Back Half Glass Inserts . . . . . 84  
 Divi Linear Fabric and Glass Stack-On Kits for Insert Panels . . . . . 85  
 Replacement Fabric Inserts . . . . . 86

Replacement Laminate Inserts . . . . . 87

Fabric and Laminate Insert Upcharges . . . . . 88

**CONNECTORS**

Divi Connector Product Details . . . . . 90

Divi Linear Base Raceway Shrouds . . . . . 91

Wall Mount Kits and Wall Tracks . . . . . 92

Divi Linear Post Filler Kits . . . . . 93

Divi Linear Spacers, Retrofit Kits . . . . . 94

**ELECTRICAL**

Divi Electrical Product Details. . . . . 95

Panel-to-Panel and Lateral Pass Through Jumpers . . . . . 97

Duplex Outlets . . . . . 98

Infeeds . . . . . 100

Single Circuit Infeeds with Plug . . . . . 101

In-Line Power/Data Pole Combination Kits . . . . . 102

Retrofit Kits and In-Line Power/Data Pole Dividers and Extenders. . . . . 103

Retrofit Kits and Double Channel Power/Data Pole Kits . . . . . 104

Hubbell Premise Kits and Hardwire Junction Boxes . . . . . 105

**SUPPORT**

Cantilevers and Side Support/Rear Brackets . . . . . 106

End Panels . . . . . 107

Brackets, Divi Wing Panel Support Kit, Carpet Grippers . . . . . 108

Divi Panel Mounted A-Legs . . . . . 109

Divi Panel Mounted O-Legs. . . . . 110

**STORAGE**

Linear Mid-Height Shelf and Corner Shelf Units . . . . . 111

Type C Flipper Door Units. . . . . 112

Type C Raised Flipper Door Units . . . . . 113

Type D Flipper and Raised Flipper Door Units . . . . . 114

Sliding Door Units. . . . . 115

Raised Sliding Door Units. . . . . 116

Cabinet Door Units . . . . . 117

Raised Cabinet Door Units . . . . . 118

Divi Height BF Wardrobe Towers . . . . . 119

Divi Height BBF Wardrobe Towers . . . . . 121

Divi Height FF Wardrobe Towers . . . . . 123

Divi Height BF Pedestal Towers. . . . . 125

Divi Height BBF Pedestal Towers. . . . . 127

Divi Height FF Pedestal Towers. . . . . 129

Divi Height Single Door Towers . . . . . 131

**ACCESSORIES**

Tackboards, Tool Rail Kits and Panel Coat Hooks . . . . . 132

Pre-Drilled Topcaps, Soft Close Mechanism for Hinged Door . . . . . 133

Whiteboards. . . . . 134

Locks and Keys. . . . . 135

**WARRANTY & TERMS AND CONDITIONS**

For Warranty & Terms and Conditions please visit:  
<https://www.ais-inc.com>

**Note:** Please see Screens Price Lists for Divi specific screens.

Divi Statement of Line


MONOLITHIC PANELS



Hard Surface Permanent Monolithic Panels  
Powered or Non-Powered



Tackable Surface Permanent Monolithic Panels  
Powered or Non-Powered




Quarter Glass Permanent Monolithic Panels  
Powered or Non-Powered




Half Glass Permanent Monolithic Panels  
Powered or Non-Powered




Air Flow / Wall Access Permanent Monolithic Panels  
Powered or Non-Powered



Full Glass Monolithic Non-Powered Panels



Hard Surface ADA Panels



Stack-On Kits for Permanent Monolithic Panels



ADA Door Panels  
With or Without Glass,  
Left or Right Hand  
Left Hand Door Shown




Shrouds for Divi Doors  
2-Way or 3-Way  
2-Way Shroud Shown



66" High Divi Linear Sliding Privacy Screen




82" High Divi Linear Sliding Privacy Screen




Sliding Door Handle Kit




Single End Gallery Panels  
Left or Right Hand  
Left Hand Shown



Single End for Wing Gallery Panels  
Left or Right Hand  
Left Hand Shown




Single End for Wing Facing Forward Gallery Panels  
Left or Right Hand  
Left Hand Shown




Single End for Double Wing Gallery Panels  
Left or Right Hand  
Left Hand Shown




Single Spine Gallery Panels




Single Spine for Wing Gallery Panels  
Left or Right Hand  
Left Hand Shown



Single Spine for Double Wing Gallery Panels  
Left or Right Hand  
Left Hand Shown




Double End Gallery Panels




Double Spine Gallery Panels




Mid Mount End Gallery Panels  
Left or Right Hand  
Left Hand Shown




Mid Mount End for Wing Gallery Panels  
Left or Right Hand  
Left Hand Shown




Mid Mount End for Wing Facing Front Gallery Panels  
Left or Right Hand  
Left Hand Shown



Mid Mount End for Double Wing Gallery Panels  
Left or Right Hand  
Left Hand Shown




Mid Mount Spine Gallery Panels




Mid Mount Spine for Wing Gallery Panels  
Left or Right Hand  
Left Hand Shown




Wing Gallery Panel



Gallery Panel HiLo Kits




Wall Mounted Gallery Panel




Wall Mounted Gallery Panel for Wing


**INSERT PANELS**



Monolithic Front / Monolithic Back Insert Panels  
Powered or Non-Powered




Monolithic Front / Segmented Back Insert Panels  
Powered or Non-Powered




Segmented Front / Segmented Back Insert Panels  
Powered or Non-Powered




Monolithic Front / Monolithic Back Quarter Glass Insert Panels  
Powered or Non-Powered




Monolithic Front / Segmented Back Quarter Glass Insert Panels  
Powered or Non-Powered




Segmented Front / Segmented Back Quarter Insert Panels  
Powered or Non-Powered




Monolithic Front / Monolithic Back Half Glass Insert Panels  
Powered or Non-Powered




Monolithic Front / Segmented Back Half Glass Insert Panels  
Powered or Non-Powered




Segmented Front / Segmented Back Half Glass Insert Panels  
Powered or Non-Powered




Fabric Stack-On Kits for Insert Panels




Glass Stack-On Kits for Insert Panels



Replacement Fabric Inserts



Replacement Laminate Inserts




Replacement Embossed Steel Inserts

**CONNECTORS**




90° 2-Way Base Raceway Shroud




120° / 60° 2-Way Base Raceway Shroud



135° / 45° 2-Way Base Raceway Shroud




90° 3-Way Base Raceway Shroud



End Base Raceway Shroud



Wall Mount Kits



Stack Panel Wall Mount Kit



Wall Tracks



2-Way Post Filler



3-Way Post Filler




4-Way Post Filler




End of Run Post Filler



Divi Linear Spacer 180




Divi Top Cap Retrofit Kit




Divi 4-Way Data Septum

**Divi Statement of Line**


**ELECTRICAL**




Panel-to-Panel Jumpers




Lateral Pass Through Jumpers




I-Connectors




Duplex Outlets




USB Outlets



Duplex Outlet Hole Covers




Side Mounted Base Infeed




Receptacle Mount Base Infeed



Ceiling Infeeds



Single Circuit Side Infeed with Plug



Single Circuit Receptacle Infeed with Plug



In-Line Power / Data Pole Combination Kits




In-Line Power / Data Pole Retrofit Kits



In-Line Power / Data Pole Divider




In-Line Power/Data Pole Extenders




Electrical Retrofit Kit



Double Channel Power / Data Pole Kit




Data Plate Kits




Hardwire Junction Box


**SUPPORT**




Standard Cantilevers




Shared Cantilevers




Side / Support Rear Brackets




Panel Mounted Shelf Cantilevers




Divi Wing Panel Support Kit



Carpet Grippers




Standard End Panels




Clear Access End Panels



Pedestal-to-Pedestal Attachment Brackets




Countertop Brackets




Panel Mounted A-Legs  
Left Hand, Right Hand  
or Freestanding  
*Freestanding Legs Shown*


**STORAGE**




Linear Mid-Height Shelf Units




Linear Mid-Height Corner Shelf Unit




Type C Flipper Door Unit  
Metal/Fabric or Laminate Front  
Metal/Fabric Door Front Shown




Type C Raised Flipper Door Unit  
Metal/Fabric or Laminate Front  
Metal/Fabric Door Front Shown




Type D Flipper Door Unit




Type D Raised Flipper Door Unit




Sliding Door Unit  
Metal/Fabric or Laminate Front  
Metal/Fabric Door Front Shown




Raised Sliding Door Unit  
Metal/Fabric or Laminate Front  
Metal/Fabric Door Front Shown




Cabinet Door Unit  
Metal/Fabric or Laminate Front  
Metal/Fabric Door Front Shown




Raised Cabinet Door Unit  
Metal/Fabric or Laminate Front  
Metal/Fabric Door Front Shown




Divi Height BF Wardrobe Tower w/ Open Front  
50, 58, 66 and 82 High, 24 Deep  
Right or Left Hand  
On Glides or Feet  
Wardrobe Right in 50 High on Glides Shown




Divi Height BF Wardrobe Tower w/ Open Side  
50, 58, 66 and 82 High, 24 Deep  
Right or Left Hand  
On Glides or Feet  
Wardrobe Right in 50 High on Glides Shown




Divi Height BF Wardrobe Tower with Cupboard  
50, 58, 66 and 82 High, 24 Deep  
Right or Left Hand  
On Glides or Feet  
Wardrobe Right in 50 High on Glides Shown




Divi Height BBF Wardrobe Tower w/ Open Front  
50, 58, 66 and 82 High, 24 Deep  
Right or Left Hand  
On Glides or Feet  
BBF Left, Door Right in 50 High on Glides Shown




Divi Height BBF Wardrobe Tower w/ Open Side  
50, 58, 66 and 82 High, 24 Deep  
Right or Left Hand  
On Glides or Feet  
BBF Left, Door Right in 50 High Shown on Glides Shown




Divi Height BBF Wardrobe Tower w/ Cupboard  
50, 58, 66 and 82 High, 24 Deep  
Right or Left Hand  
On Glides or Feet  
BBF Left, Door Right in 50 High Shown on Glides Shown




Divi Height FF Wardrobe Tower w/ Open Front  
50, 58, 66 and 82 High, 24 Deep  
Right or Left Hand,  
On Glides or Feet  
FF Left, Door Right in 50 High on Glides Shown




Divi Height FF Wardrobe Tower w/ Open Side  
50, 58, 66 and 82 High, 24 Deep  
Right or Left Hand,  
On Glides or Feet  
FF Left, Door Right in 50 High on Glides Shown




Divi Height FF Wardrobe Tower w/ Cupboard  
50, 58, 66 and 82 High, 24 Deep  
Right or Left Hand, On Glides or Feet  
FF Left, Door Right in 50 High on Glides Shown




Divi Height BF Pedestal Tower w/ Open Front  
50, 58, 66 and 82 High, 24 Deep  
On Glides or Feet  
50 High on Glides Shown



Divi Height BF Pedestal Tower w/ Open Side  
50, 58, 66 and 85 High, 24 Deep  
Open Left or Open Right  
On Glides or Feet  
Open Left in 50 High on Glides Shown




Divi Height BF Pedestal Tower w/ Cupboard  
50, 58, 66 and 85 High, 24 Deep  
Left or Right Hinge, On Glides or Feet  
Right-Hinge in 50 High on Glides Shown




Divi Height BBF Pedestal Tower w/ Open Front  
50, 58, 66 and 82 High, 24 Deep  
On Glides or Feet  
50 High on Glides Shown

**Divi Statement of Line**


**STORAGE**




**Divi Height BBF Pedestal Tower w/  
Open Side**  
50, 58, 66 and 85 High, 24 Deep  
Open Left or Open Right,  
On Glides or Feet  
*Open Left in 50 High on Glides Shown*




**Divi Height BBF Pedestal Tower w/  
Cupboard**  
50, 58, 66 and 85 High, 24 Deep  
Left or Right Hinge, On Glides or Feet  
*Right-Hinge in 66 High on Glides Shown*



**Divi Height FF Pedestal Tower w/  
Open Front**  
50, 58, 66 and 82 High, 24 Deep  
On Glides or Feet  
*50 High on Glides Shown*



**Divi Height FF Pedestal Tower w/  
Open Side**  
50, 58, 66 and 85 High, 24 Deep  
Open Left or Open Right  
On Glides or Feet  
*Open Left in 50 High on Glides Shown*




**Divi Height FF Pedestal Tower w/  
Cupboard**  
50, 58, 66 and 85 High, 24 Deep  
Left or Right Hinge, On Glides or Feet  
*Right Hinge in 50 High on Glides Shown*




**Divi Height Single  
Door Towers**  
42, 50, 58 and 66 High, 18 - 36 Depths  
Open Left or Open Right  
On Glides or Feet  
*Open Left in 50 High on Glides Shown*


**ACCESSORIES**




Tackboards




Tool Rail Kits




Tool Rail Kits



Divi Linear Pre-Drilled Topcaps  
for Clip Screens



White Board w/ Marker Tray  
Frameless



Soft Close Mechanism for  
Hinged Door



**VERTICAL SURFACE FABRICS**

Name	Grade
Amaze	A
Avenue	A
Cape Cod	A
Engage	A
Mirador	A
New England	A
Rainfall	A
Simplicity	A
Theory	A
Twizzle	A
Lido	B
Marin	B
Nature	B
Off the Grid	B
Purpose	B
Spinel	B
Sprite	B

**Note:** 66" & 72" wide screens – if applying directional fabrics they will need to be railroaded for application. If using a COM fabric that is 54" wide, any screen over 48" wide would need to have the fabric railroaded as well.

**C.O.M. Fabric Policy**

- It is mandatory that you work directly with your AIS Customer Service Representative for all COM related testing and orders. They will provide all necessary forms to you, as well as work with you with regard to sending in correct yardage and where to send it, along with necessary RA# or #s. Please note an RA must be submitted along with the fabric for testing, as well as an RA created for an actual order.
- **Please Note:** A three to five yard sample is required for testing and approval for use on all monolithic panel systems. A one yard sample is required for testing and approval on Divi Insert Tiles, Matrix Tiles, flipper doors and tackboards. We may be able to test upholstery fabrics with a swatch, your Customer Service Representative will advise based on the fabric being tested; otherwise a 1 yard sample must be submitted for testing. Results take 48 - 72 hours.
- Customer Service must be advised as to the width of the fabric rolls being supplied (54"W or 60"W). Customer Service must also be advised if the fabric has a backer.
- Yardage required for the job must be calculated by an AIS Customer Service Rep.
- Once AIS has approved the COM fabric, a fabric sample needs to be marked by the dealer with "Front", "Top", and "Bottom", to be sure fabric is applied correctly. The fabric sample then needs to be attached to a COM Fabric Dealer Form and forwarded to AIS Customer Service. The COM Fabric Dealer Form may be downloaded or printed here.
- Fabrics may be discontinued or obsolete without notice.
- Contact AIS Customer Service with any questions regarding fabric availability.
- All directional fabric will be railroaded.

At AIS, we take great pride in offering a diverse selection of high-quality materials including but not limited to textiles, laminates, PET, mesh, etc. However, AIS cannot guarantee uniformity in dye lots across different production runs. As such, AIS is not liable for any variations in dye lots or color discrepancies in any of our products that may occur between orders. We encourage customers to review samples for color and texture matching prior to purchase. We are committed to providing exceptional products and are confident that our selection of textiles will meet your expectations for both aesthetic appeal and durability.

**Paint and Edgeband Options**

**DIVI PAINT OPTIONS**

Name	Color Code	Divi Panel Grade	Divi Base Grade
Black	BK	A	A
Chalk	CK	A	-
Dark Tone	DT	A	-
Grey Value 1	GV1	A	A
Innertone	HT	A	-
Light Tone	LT	A	A
Medium Tone	MT	A	A
Metallic Silver	MS	A	-
Satin White	SW	A	A
Warm Brown	WB	A	A
Champagne Metallic	CHM	B	-
Dark Grey Metallic	DGM	B	-
Flint Grey Metallic	FGM	B	-
Light Grey	LG	B	-
Tan Value 1	TV1	B	-
Antique Gold	AG	C	-
Graphite Sky	GS	C	-
Burnt Orange	BO	C	-
Brown	BR	C	-
Steel Blue	SB	C	-
Baltic Blue	BB	C	-
Ruby Red	RB	C	-
Kelly Green	KG	C	-

**Custom Paints**

**Special Paint Match Process & Ordering Instructions**

To initiate a special paint match, please provide **three physical match samples** to your Customer Service Representative (CSR). These samples will be sent to our paint suppliers for evaluation and matching.

**Match Process & Fees:**

- A **non-refundable \$450 net match fee** is required to begin the process.
- Once viable matches are developed (pending vendor capability), we'll send the samples to the dealer for final approval.

**Pricing:**

- Pricing begins at the **Grade C paint tier**.
- If the custom color incurs additional costs beyond Grade C pricing, we will advise of any upcharges before order placement.
- A **minimum order of \$100,000 List** is required for special paint orders.
- The **\$450 match fee will be waived** if the order is **\$150,000 List or more** (and placed using the approved color).

**Ordering Instructions (after color approval):**

1. Dealer submits the **Purchase Order (PO)** and **Bill of Materials (BOM)** for the product requiring special paint.
2. The PO must clearly state:  
**"SPECIAL PAINT REQUIRED ON THIS ORDER"**  
 – either in the header or special instructions section.
3. When selecting finishes:  
 – Choose the **Grade C Paint option**.  
 – **Do not select a final paint color**.  
 – **Leave the paint code blank** and use the skip option.

**DIVI BASE COLOR OPTIONS**

Name
Black
Grey Value 1
Light Tone
Medium Tone
Satin White
Warm Brown 1

**EDGEBOARD OPTIONS**

Name	Color Code	Grade
Absolute Acajou	AA	A
Aimtoo Savatre	AS	A
Black	BK	A
Brazilwood	BZ	A
Chalk	CK	A
Corporate Walnut	CT	A
Dark Rum Cherry	DR	A
Dark Tone	DT	A
Field Elm	FE	A
Grand Cherry	GC	A
Grey Elm	GE	A
Grey Value 1	GV1	A
Landmark	LM	A
Leave Likatre	LV	A
Light Tone	LT	A
Linen	LN	A
Looks Likatre	LK	A
Maritime Dune	MD	A
Medium Tone	MT	A
Midwest Maple	MM	A
Neo Walnut	NW	A
Phantom Ecrú	PE	A
Phantom Pearl	PP	A
Satin White / True White	SW / TW	A
Storm	ST	A
Summer Drops	SD	A
Trytoo Savatre	TS	A
White Chocolate	WC	A

**Custom Edgeband Options**

- Custom match non-standard edgebands must be submitted as a special. Pricing varies based on edge thickness and finish.
- Minimum order size for any custom color is \$75,000.00 list. Extended lead-time will apply.

**Laminate and Tempered Glass Options**

**DIVI INSERTS LAMINATE OPTIONS**

Name	Grade
Absolute Acajou	B
Aimtoo Savatre	B
Black	B
Brazilwood	B
Chalk	B
Corporate Walnut	B
Dark Rum Cherry	B
Field Elm	B
Grand Cherry	B
Grey Elm	B
Landmark	B
Leave Likatre	B
Linen	B
Looks Likatre	B
Maritime Dune	B
Midwest Maple	B
Neo Walnut	B
Phantom Ecu	B
Phantom Pearl	B
Storm	B
Summer Drops	B
Titanium EV	B
True White	B
Trytoo Savatre	B
White Chocolate	B

**TEMPERED GLASS OPTIONS**

Name	Panels/Frame/Tiles/ Screens	1/4" Thick Frameless Glass	3/8" Thick Frameless Glass
Clear	Y	Y	Y
Frosted	Y	Y	Y
Bronze Tint	Y	Y	N
Grey Tint	Y	Y	N

All glass is tempered. The etched side of Frosted is always on Side A of the Frame or Panel. Side B of this glass options are smooth. Please see specific price list pages on each type of glass for list pricing and upcharges.

**Warranty:**

All glass in AIS' product lines is tempered glass. By tempering the glass, the result is a stronger material that, if broken, fractures into smaller, less dangerous pieces. Tempered glass is commonly referred to as 'safety glass' due to this breakage feature. While the glass is stronger through tempering, it is critical to still handle with extreme care and caution and avoid impact that could result in damage. While uncommon, small impurities in the glass introduced during the tempering process, or damages to the edges resulting from handling or use, can cause unpredictable and spontaneous glass breakage, which is excluded from the AIS warranty.

## **Divi Laminate Storage Details**

### **General Construction Details**

- Laminate drawer and door faces are 3/4" thick.
- Leveling feet are adjustable up to 1" for all floor supported components.
- Units are finished all over, including the backs.
- Shelves will match body selection
- Laminate patterns such as grain or geometric shapes do not "match" face to face. However this is not noticeable on most laminate options with the exception of natural looking woods where cathedrals appear. AIS cannot guarantee that the woodgrain will match up on the different parts of the same surface.
- AIS recommends the use of mouse pads to protect longevity and integrity of worksurfaces.

### **Handle Options**

- Five handle options are available:
  1. Bar Pull\*
  2. Loop Pull\*
  3. Rectangular Pull\*
  4. L Pull\*
  5. Slim Pull\*\*
- All handles are available in any graded paint selection.
- The bar pull and rectangle pull are available in brushed nickel; the loop pull is available in bright metal. The slim and L Pull are only available with painted options.
- Laminate hinged doors may be configured with touch-to-open mechanism and no handles (not applicable to framed glass doors).
- Sliding doors include an option of no handle.
- Please see Product Detail: Drawer and Handles Guide for handle examples.

\*Symbols default with the Bar Pull but can be adjusted while applying your finishes.  
 The handle hole spread for Bar, Loop, Rectangular and L Pulls is 5" if you wish to supply your own handles.  
 \*\*The handle hole spread for the Slim Pull is specific to the drawer front size.

### **Assembly Details**

- Adjustable shelves are adjustable in 32mm increments.
- Easy assembly using CAM and PIN construction allows ease of disassembly.

### **Storage**

- AIS offers a wide variety of storage options and configurations that will work with your office needs. For more details please see below.
- Full depth units come with counterweights except for units with cut-outs.
- Partial depth units do not have counterweights. These units should be specified in a manner in which they are secured by a worksurface or ganged together with another storage unit using the Calibrate surface to support bracket.
- Framed doors are a silver vinyl wrapping with frosted acrylic.
- 18" deep towers and pull-out towers include a coat hook.
- 24" deep towers include a coat rod for hangers.
- Filing offered is side-to-side as standard for pencil lateral and file laterals that are 24" deep as well as partial depth laterals (22" deep and 29" deep).
- Front to back filing is an option that can be purchased as an accessory and will ship separately.
- All storage symbols will show the bar pull, however in worksheet you can swap the handle out as an option to one of the other standard offerings.
- 18" deep pedestals have 12" deep x 12" wide box drawers. Please see Product Detail: Pedestal and Lateral Dimensions for example.
- 24" deep pedestals have 20" deep x 12" wide box drawers. Please see Product Detail: Pedestal and Lateral Dimensions for example.
- 30" deep pedestals have 20" deep x 12" wide box drawers. Please see Product Detail: Pedestal and Lateral Dimensions for example.
- Pencil trays are included in the BBF and BF pedestals.
- Shelving counts: 42" high units have 2 shelves; 50" and 66" high units have 3 shelves; 74" and 82" high units have 4 shelves.
- Feet on storage are silver.

### **Overheads and Hutches**

- Available as wall mounted or as a surface mounted hutch.
- Tackboards are specified separately, they do not come with the hutches.
- Installation details: Hutches will be secured to the top of the desk shell with cam and bolts or with double sided tape and screws to the wall and the side units when available. Hutch Wall Brackets (C-XHWP) are required when hutch is offset from wall or when not ganged to an adjacent tower unit.
- Wall mounted items are secured using cleat mounts. Security screws need to run through the wall cleat to assure that overhead cannot dislodge.

**Divi Laminate Storage Details****Locks**

- Box/Box/Files (BBF) pedestals will only lock the file and the middle box drawer, not the top box.
- File/File (FF) pedestal locks will secure both drawers.
- For all lateral files, wardrobe and storage units the locks will secure the drawers/door for the entire unit.
- All drawers lock on 3, 4 and 5 drawer laterals.
- Units will come with 2 keys per lock.
- Key-alike options are available per storage unit, additional lock cores may be ordered (for an additional charge) to key-alike an entire office.
- Items with 2 or more locks per unit will be keyed alike.

**Lock Guide**

Five lock options are offered:

- A - No lock required
- B - Black Lock
- C - Silver Lock
- D - No lock w/ black T-ring for keyed-alike or Digital Lock\*
- E - No lock w/ silver T-ring for keyed alike or Digital Lock\*

Lock cores and trim rings do not ship installed.

\*Keyed alike lock cores must be ordered separately.

**Tackboards**

- Tackboards are designed to work with your stations need, with or without storage.
- Tackboard fabric direction is vertical on 24" to 48" wide units and will run horizontally for 54" to 96" wide pieces.
- Please see Product Detail for examples of tackboard fabric direction.

**Divi Laminate Storage Details**

**Drawer Handles Guide**

Five handle options are available:

- Bar
- Rectangular
- Loop
- L Pull
- Slim Pull\*

**Door Handles Guide**


Five handle options are available:

- Bar
- Rectangular
- Loop
- L Pull
- Touch to Open\*\*
- No Handle\*\*\*


\*The Slim Pull option incurs an upcharge of \$75 list per unit.

\*\*Available on laminate hinged doors only; not available on framed glass doors or sliding doors. Incurs an upcharge of \$50 per unit.


\*\*\*Available on sliding doors.




Bar




Rectangular



Loop



L Pull




Slim Pull

**Divi Monolithic Panel Product Details**

**Permanent Monolithic Panel Availability**


**Fabric Covered - Hard Surface - Powered/Non-Powered:**



**Nominal Heights:**  
 42", 50", 58", 66", 82" (Actual Min. Height = Nominal - 1/16") - 1 1/2" Leveling Glide Range

**Widths:**  
 24", 30", 36", 42", 48", 60", 72"\* (Actual Width = Nominal + 1/8")  
 \*72" wide available in 42", 50" and 58" high only


**Fabric Covered - Tackable Surface - Powered/Non-Powered:**



**Nominal Heights:**  
 50", 58", 66", 82" (Actual Min. Height = Nominal - 1/16") - 1 1/2" Leveling Glide Range

**Widths:**  
 24", 30", 36", 42", 48", 60", 72"\* (Actual Width = Nominal + 1/8")  
 \*72" wide available in 50" high only

**Quarter Glass - Fabric Covered Hard Surface - Powered/Non-Powered:**




**Nominal Heights:**  
 50", 58", 66", 82" (Actual Min. Height = Nominal - 1/16") - 1 1/2" Leveling Glide Range

**Widths:**  
 24", 30", 36", 42", 48", 60", 72"\* (Actual Width = Nominal + 1/8")  
 \*72" wide available in 50", 58" and 66" high only

**Note:** Glass section on all quarter-glass panels are 14.5" high.

**Half Glass - Fabric Covered Hard Surface - Powered/Non-Powered:**



**Nominal Heights:**  
 58", 66", 82" (Actual Min. Height = Nominal - 1/16") - 1 1/2" Leveling Glide Range

**Widths:**  
 24", 30", 36", 42", 48", 60", 72"\* (Actual Width = Nominal + 1/8")  
 \*72" wide available in 58" high only

**Note:** Glass sections on 58"H panels are 24" high; glass sections on 66" and 82"H panels are 32"H.

**ADA Door Panels:**




**Nominal Heights:**  
 82" (Actual Min. Height = Nominal - 1/16") - 1 1/2" Leveling Glide Range


**Widths:**  
 48" (Actual Width = Nominal + 1/8")

## Divi Monolithic Panel Product Details


### Permanent Monolithic Panel Profile



Hanger frame has a slot pattern on a 1" standard increment for hang on components. Slots are 3/4" tall x approximately 1/8" wide. Hanger frame is factory installed and removal is not required for panel installation.




Hanger frame face is factory finished and requires no endcap or HiLo trim after panel installation.




Hanger frame topcap is field installed and remains easily removable to facilitate panel installation and reconfiguration.

Panel topcap is factory installed. Topcaps on permanent monolithic panels are fixed.



Panel polypropylene hinge inserts into hinge channels built into every hanger frame in order to connect panels together. A 21" length is inserted to the bottom and then an additional length for each panel height needed.




Alignment plate holds panels in vertical alignment and prevents panel shear.

8 wire 4 circuit powerway is included with every powered panel and is factory installed.


Raceway glides are adjustable up to 1 3/4" for installation on unlevel floors and include carpet grippers.

Outlets are located 10" on center from end of panel to center of outlet hole on all width panels.



Metal raceway divider (optional) separates low voltage data cables and high voltage electrical cables if desired. Divider attaches to raceway glides and is retrofitable on installed panels.

Base cover assembly ships separate as one piece and installs by sliding under panel after panel installation, hinging up and snapping to the underside of the panel. Non-powered or powered base covers are shipped with non-powered or powered panels, respectively. Base covers have a small "mud flap" for data cable egress.




Duplex outlets are ordered separately. Two outlets can be used per side, four total per panel. Outlets utilize top base cover holes.

Duplex outlet covers hide unused duplex outlet or data locations. Six are shipped with every panel. A 24"W gets three duplex outlet covers. Order extra as needed.

Snap-in data jack housing (order separately) accommodates six Hubbell or compatible data/voice jacks. Snap-in housings may not be used back to back on a spine wall.

Duplex Outlet Hole Dimensions:  
1.860"H x 3.012"W




Data cable raceway cavity is approximately 2" wide by 3" tall and can accommodate between 32 and 40 Cat 6 data cables, depending on how tightly they are packed.

Cat 5 and 6 data jacks extend beyond center line of raceway, preventing jack housings to be used back to back on a spine. Plan on using "cross corners" on panel to eliminate this issue.




**Divi Monolithic Panel Product Details**

**Panel Frame Creep Dimensions**



**Rules for Panel Stability without Components**



The guidelines outlined below should be followed when designing AIS Divi panels without components to ensure panel stability. Change in height will not effect panel stability.



## Divi Monolithic Panel Product Details

### Rules for Panel Stability with Components without Floor Support

Fully panel supported workstations are stations without floor support elements. The panels support the load from shelves and worksurfaces alone. The guidelines outlined below should be followed when designing AIS Divi panels in panel supported workstations to ensure panel stability. 90 Degree connections require corner connection brackets (included with panels).



#### Guide Details:


Calibrate laminate overheads cannot be stacked two high.  
Maximum shelf load is 125lb.  
Maximum cantilevered worksurface load is 200lb.

Raised Flipper Door Units are not allowed on 66"h and 82"h panels.  
90 Degree connections require corner connection brackets (included with panels).  
Carpet grippers to be installed on wing panels.

**Divi Monolithic Panel Product Details**

**Rules for Panel Stability with Components and Floor Support**

Partially panel supported workstations are stations where the worksurfaces are supported from structural lats, peds, A-legs, end panels, etc. in addition to panel supports. The panels support the loads from the overheads but share the load on the surfaces. The guidelines outlined below should be followed when designing AIS Divi panels in partially panel supported stations to ensure panel stability. 90 Degree connections require corner connection brackets (included with panels).



<p>Unbalanced Load Partially Panel Supported</p> <p>Spine Height: 42" Min. Wing Height: 42"</p>	<p>Unbalanced Load Partially Panel Supported</p> <p>Spine Height: 50" Min. Wing Height: 42"</p>	<p>Unbalanced Load Partially Panel Supported</p> <p>Spine Height: 66" Min. Wing Height: 42"</p>	<p>Unbalanced Load Partially Panel Supported</p> <p>Spine Height: 82" Min. Wing Height: 50"</p>
<p>Unbalanced Load Partially Panel Supported Raised Overheads</p> <p>Spine Height: 50" Min. Wing Height: 50"</p>	<p>Balanced Load Partially Panel Supported</p> <p>Spine Height: 42" Min. Wing Height: 42"</p>	<p>Balanced Load Partially Panel Supported</p> <p>Spine Height: 50" Min. Wing Height: 42"</p>	<p>Balanced Load Partially Panel Supported</p> <p>Spine Height: 66" Min. Wing Height: 42"</p>
<p>Balanced Load Partially Panel Supported</p> <p>Spine Height: 82" Min. Wing Height: 50"</p>	<p>Balanced Load Partially Panel Supported Raised Overheads</p> <p>Spine Height: 50" Min. Wing Height: 50"</p>	<p>Balanced Load Fully Panel Supported</p> <p>Spine Height: 82" Min. Wing Height: 82"</p>	<p>Balanced Load Fully Panel Supported</p> <p>Spine Height: 82" Min. Wing Height: 82"</p>

**Guide Details:**










Panel Mounted A-Legs, end panels, lateral files and pedestals are the only support types acceptable for fully floor supported Divi panel configurations. Calibrate laminate overheads cannot be stacked two high. Maximum shelf load is 125lb.

Maximum cantilevered worksurface load is 200lb. Raised Flipper Door Units are not allowed on 66 inch and 82 inch panels. 90 Degree connections require corner connection brackets (included with panels). Carpet grippers to be installed on wing panels.

**Divi Monolithic Panel Product Details**

**Rules for Panel Stability with Components with only Floor Storage**

Fully floor supported workstations are stations where the worksurfaces are supported from structural pedestals with panel attachment brackets, A-legs, or standard end panels. The panels support the loads from the overheads but share the load on the surfaces. The guidelines outlined below should be followed when designing AIS Divi panels in fully floor supported stations to ensure panel stability. 90 Degree connections require corner connection brackets (included with panels).



**Guide Details:**

Panel Mounted A-Legs, end panels, lateral files and pedestals are the only support types acceptable for fully floor supported Divi panel configurations. Calibrate laminate overheads cannot be stacked two high. Maximum shelf load is 125lb.


Maximum cantilevered worksurface load is 200lb. Raised Flipper Door Units are not allowed on 66" h and 82" h panels. 90 Degree connections require corner connection brackets (included with panels). Carpet grippers to be installed on wing panels.

**Divi Monolithic Panel Product Details**

**Rules for Panel Stability with Components**


24" Deep Worksurfaces:

Use standard 24" deep cantilevers  
Install corner connection bracket (details below)




30" Deep Worksurfaces:

Use standard 30" deep cantilevers  
Use side support / rear bracket at the front of the surface  
Install corner connection bracket (details below)




Corner connection brackets must be installed on 90 degree corners. Corner connection brackets are included with the panels and do not need to be specified separately.




## Divi Monolithic Panel Product Details

### 72" Wide Panel Product Details


Only 24" depths can be fully cantilevered



Peds can be used on 24" - 30" depths



Side support brackets can be used on 24" and 30" depths




#### Notes:

1. Can not be used with suspended storage.
2. U-Channels are required.
3. Max weight: 150lbs.

**Divi Monolithic Panel Product Details**

**Directional Fabric Application Guidelines**

For aesthetic reasons, consider having fabric run in same direction on all panels. Note that 72" wide panels can only have horizontal direction, 82" high panels can only have vertical direction. In designs calling for mixing 72" wide and 82" high panels, consider using a non-directional fabric.




54" WIDE FABRIC ROLLS							
HEIGHT	WIDTH						
	24W	30W	36W	42W	48W	60W	72W
<b>16H (Stack)</b>	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Horizontal	Horizontal
<b>24H (Stack)</b>	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Horizontal	Horizontal
<b>42H</b>	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Horizontal	Horizontal
<b>50H</b>	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Horizontal	Horizontal
<b>58H</b>	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Horizontal	Horizontal
<b>66H</b>	Vertical	Vertical	Vertical	Vertical	Vertical	N/A	N/A
<b>82H</b>	Vertical	Vertical	Vertical	Vertical	Vertical	N/A	N/A

66" WIDE FABRIC ROLLS							
HEIGHT	WIDTH						
	24W	30W	36W	42W	48W	60W	72W
<b>16H (Stack)</b>	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Horizontal
<b>24H (Stack)</b>	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Horizontal
<b>42H</b>	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Horizontal
<b>50H</b>	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Horizontal
<b>58H</b>	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Horizontal
<b>66H</b>	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	N/A
<b>82H</b>	Vertical	Vertical	Vertical	Vertical	Vertical	N/A	N/A


**Divi Monolithic Panel Product Details**

**Gallery Panel Examples**


**Single End**  
24" - 90" Wide\*  
Left or Right  
*\*Over 66" Wide needs support*




**Single End for Wing**  
48" - 90" Wide  
Left or Right




**Single End for Wing Facing Forward**  
48" - 90" Wide  
Left or Right




**Single End for Wing Front and Back**  
48" - 90" Wide  
Left or Right




**Single Spine**  
24" - 90" Wide\*  
Non-Handed  
*\*Over 66" Wide needs support*




**Single Spine for Wing**  
48" - 90" Wide  
Left or Right




**Single Spine for Wings Front and Back**  
48" - 90" Wide  
Non-Handed




**Double End**  
48" - 90" Wide



**Double Spine**  
48" - 90" Wide  
Non-Handed



**Mid Mount End**  
24" - 90" Wide\*  
Left or Right  
*\*Over 66" Wide needs support*







Divi Monolithic Panel Product Details

Gallery Panel Examples


Mid Mount End for Wing  
48" - 90" Wide  
Left or Right




Mid Mount End for Wing Facing Front  
48" - 90" Wide  
Left or Right




Mid Mount End for Wings Front and Back  
48" - 90" Wide  
Left or Right




Mid Mount Spine  
24" - 90" Wide\*  
Non-Handed  
*\*Over 66" Wide needs support*



Mid Mount Spine for Wing  
60" - 90" Wide  
Left or Right



Mid Mount Spine for Wings Front and Back  
48" - 90" Wide  
Non-Handed



**Divi Monolithic Panel Product Details**

<b>SINGLE END AND SINGLE SPINE LEFT AND RIGHT GRAIN DIRECTIONS</b>												
<b>HEIGHT</b>	<b>WIDTH</b>											
	<b>24</b>	<b>30</b>	<b>36</b>	<b>42</b>	<b>48</b>	<b>54</b>	<b>60</b>	<b>66</b>	<b>72</b>	<b>78</b>	<b>84</b>	<b>90</b>
<b>42</b>	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal
<b>50</b>	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal
<b>58</b>	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal
<b>66</b>	Vertical	Vertical	Vertical	Vertical	Vertical	Vertical	N/A	N/A	N/A	N/A	N/A	N/A

<b>DOUBLE END AND DOUBLE SPINE GRAIN DIRECTIONS</b>									
<b>HEIGHT</b>	<b>WIDTH</b>								
	<b>48</b>	<b>54</b>	<b>60</b>	<b>66</b>	<b>72</b>	<b>78</b>	<b>84</b>	<b>90</b>	
<b>42</b>	Vert./Horz.	Vert./Horz.	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal	
<b>50</b>	Vert./Horz.	Vert./Horz.	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal	
<b>58</b>	Vert./Horz.	Vert./Horz.	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal	
<b>66</b>	Vertical	Vertical	N/A	N/A	N/A	N/A	N/A	N/A	

<b>MID MOUNT END AND MID MOUNT SPINE LEFT AND RIGHT GRAIN DIRECTIONS</b>												
<b>HEIGHT</b>	<b>WIDTH</b>											
	<b>24</b>	<b>30</b>	<b>36</b>	<b>42</b>	<b>48</b>	<b>54</b>	<b>60</b>	<b>66</b>	<b>72</b>	<b>78</b>	<b>84</b>	<b>90</b>
<b>42</b>	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal
<b>50</b>	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal
<b>58</b>	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal
<b>66</b>	Vertical	Vertical	Vertical	Vertical	Vertical	Vertical	N/A	N/A	N/A	N/A	N/A	N/A

<b>WING PANEL LEFT AND RIGHT GRAIN DIRECTIONS</b>			
<b>HEIGHT</b>	<b>WIDTH</b>		
	<b>18</b>	<b>24</b>	<b>30</b>
<b>42</b>	Vert./Horz.	Vert./Horz.	Vert./Horz.
<b>50</b>	Vert./Horz.	Vert./Horz.	Vert./Horz.
<b>58</b>	Vert./Horz.	Vert./Horz.	Vert./Horz.
<b>66</b>	Vertical	Vertical	Vertical


**Divi Linear Hard Surface Permanent Monolithic Panels**

**DIVI LINEAR HARD SURFACE PERMANENT MONOLITHIC NON-POWERED PANELS**


H	W	Model Number	List	C.O.M Fabric	Grade C Fabric	Grade D Fabric
42	24	P-DLFRPM4224	751	-46	+28	+60
42	30	P-DLFRPM4230	813	-46	+28	+60
42	36	P-DLFRPM4236	868	-46	+56	+118
42	42	P-DLFRPM4242	921	-46	+56	+118
42	48	P-DLFRPM4248	975	-46	+56	+118
42	60	P-DLFRPM4260	1,166	-46	+56	+118
42	72	P-DLFRPM4272	1,353	-46	+56	+118
50	24	P-DLFRPM5024	806	-56	+34	+74
50	30	P-DLFRPM5030	896	-56	+34	+74
50	36	P-DLFRPM5036	980	-56	+68	+146
50	42	P-DLFRPM5042	1,070	-56	+68	+146
50	48	P-DLFRPM5048	1,165	-56	+68	+146
50	60	P-DLFRPM5060	1,385	-56	+68	+146
50	72	P-DLFRPM5072	1,600	-56	+68	+146
58	24	P-DLFRPM5824	993	-56	+46	+100
58	30	P-DLFRPM5830	1,074	-56	+46	+100
58	36	P-DLFRPM5836	1,097	-56	+92	+200
58	42	P-DLFRPM5842	1,161	-56	+92	+200
58	48	P-DLFRPM5848	1,440	-56	+92	+200
58	60	P-DLFRPM5860	1,561	-56	+92	+200
58	72	P-DLFRPM5872	1,708	-56	+92	+200

**DIVI LINEAR HARD SURFACE PERMANENT MONOLITHIC POWERED PANELS**

H	W	Model Number	List	C.O.M Fabric	Grade C Fabric	Grade D Fabric
42	24	P-DLFPPM4224	1,154	-46	+28	+60
42	30	P-DLFPPM4230	1,213	-46	+28	+60
42	36	P-DLFPPM4236	1,263	-46	+56	+118
42	42	P-DLFPPM4242	1,312	-46	+56	+118
42	48	P-DLFPPM4248	1,370	-46	+56	+118
42	60	P-DLFPPM4260	1,554	-46	+56	+118
42	72	P-DLFPPM4272	1,731	-46	+56	+118
50	24	P-DLFPPM5024	1,210	-56	+34	+74
50	30	P-DLFPPM5030	1,291	-56	+34	+74
50	36	P-DLFPPM5036	1,374	-56	+68	+146
50	42	P-DLFPPM5042	1,463	-56	+68	+146
50	48	P-DLFPPM5048	1,554	-56	+68	+146
50	60	P-DLFPPM5060	1,767	-56	+68	+146
50	72	P-DLFPPM5072	1,981	-56	+68	+146
58	24	P-DLFPPM5824	1,356	-56	+46	+100
58	30	P-DLFPPM5830	1,450	-56	+46	+100
58	36	P-DLFPPM5836	1,495	-56	+92	+200
58	42	P-DLFPPM5842	1,525	-56	+92	+200
58	48	P-DLFPPM5848	1,805	-56	+92	+200
58	60	P-DLFPPM5860	1,853	-56	+92	+200
58	72	P-DLFPPM5872	2,082	-56	+92	+200



Divi Linear Trim



Divi Linear Trim

**Specify**

**Notes**

- Fabric Selection for Side A and B
  - Fabric Direction
  - Paint Selection for Panel Trim (Grade C +28)
  - Color Selection for Base Cover
  - Raceway Divider Option (+50)
  - Data Access Option (+15)
- Permanent Monolithic Non-Powered Panels are fabric covered hard surface panels.
  - Panels may be ordered with power/data access base covers and/or raceway divider.
  - Each panel includes all connection hinges needed for each panel.
  - 72" wide panels will always have a horizontal fabric direction. For aesthetic reasons specify adjacent panels horizontal to match.
  - 82" high panels will always have a vertical fabric direction.
  - Features Divi Linear trim.

**Specify**

**Notes**

- Fabric Selection for Side A and B
  - Fabric Direction
  - Paint Selection for Panel Trim (Grade C +28)
  - Color Selection for Base Cover
  - Raceway Divider Option (+50)
- Permanent Monolithic Powered Panel are fabric covered hard surface panels.
  - Includes 8 wire 4 circuit powerway and power/data access base covers.
  - Panels may be ordered with a raceway divider.
  - Includes six duplex outlet hole covers; 24"W panels only include three duplex outlet hole covers.
  - Each panel includes all connection hinges needed for each panel.
  - Duplex outlets and electrical jumpers are specified separately. See "Electrical".
  - 72" wide panels will always have a horizontal fabric direction. For aesthetic reasons specify adjacent panels horizontal to match.
  - 82" high panels will always have a vertical fabric direction.
  - Features Divi Linear trim.


## Divi Linear Hard Surface Permanent Monolithic Panels

### DIVI LINEAR HARD SURFACE PERMANENT MONOLITHIC NON-POWERED PANELS


H	W	Model Number	List	C.O.M Fabric	Grade C Fabric	Grade D Fabric
66	24	P-DLFRPM6624	927	-56	+46	+100
66	30	P-DLFRPM6630	1,025	-56	+46	+100
66	36	P-DLFRPM6636	1,113	-56	+92	+200
66	42	P-DLFRPM6642	1,208	-56	+92	+200
66	48	P-DLFRPM6648	1,300	-56	+92	+200
66	60	P-DLFRPM6660	1,556	-56	+92	+200
82	24	P-DLFRPM8224	1,053	-94	+60	+128
82	30	P-DLFRPM8230	1,161	-94	+60	+128
82	36	P-DLFRPM8236	1,275	-94	+118	+254
82	42	P-DLFRPM8242	1,374	-94	+118	+254
82	48	P-DLFRPM8248	1,506	-94	+118	+254

### DIVI LINEAR HARD SURFACE PERMANENT MONOLITHIC POWERED PANELS

H	W	Model Number	List	C.O.M Fabric	Grade C Fabric	Grade D Fabric
66	24	P-DLFPPM6624	1,321	-56	+46	+100
66	30	P-DLFPPM6630	1,416	-56	+46	+100
66	36	P-DLFPPM6636	1,517	-56	+92	+200
66	42	P-DLFPPM6642	1,598	-56	+92	+200
66	48	P-DLFPPM6648	1,691	-56	+92	+200
66	60	P-DLFPPM6660	1,936	-56	+92	+200
82	24	P-DLFPPM8224	1,450	-94	+60	+128
82	30	P-DLFPPM8230	1,554	-94	+60	+128
82	36	P-DLFPPM8236	1,656	-94	+118	+254
82	42	P-DLFPPM8242	1,761	-94	+118	+254
82	48	P-DLFPPM8248	1,865	-94	+118	+254



Divi Linear Trim



Divi Linear Trim

#### Specify

#### Notes

- Fabric Selection for Side A and B
  - Fabric Direction
  - Paint Selection for Panel Trim (Grade C +28)
  - Color Selection for Base Cover
  - Raceway Divider Option (+50)
  - Data Access Option (+15)
- Permanent Monolithic Non-Powered Panels are fabric covered hard surface panels.
  - Panels may be ordered with power/data access base covers and/or raceway divider.
  - Each panel includes all connection hinges needed for each panel.
  - 72" wide panels will always have a horizontal fabric direction. For aesthetic reasons specify adjacent panels horizontal to match.
  - 82" high panels will always have a vertical fabric direction.
  - Features Divi Linear trim.

#### Specify

#### Notes

- Fabric Selection for Side A and B
  - Fabric Direction
  - Paint Selection for Panel Trim (Grade C +28)
  - Color Selection for Base Cover
  - Raceway Divider Option (+50)
- Permanent Monolithic Powered Panel are fabric covered hard surface panels.
  - Includes 8 wire 4 circuit powerway and power/data access base covers.
  - Panels may be ordered with a raceway divider.
  - Includes six duplex outlet hole covers; 24"W panels only include three duplex outlet hole covers.
  - Each panel includes all connection hinges needed for each panel.
  - Duplex outlets and electrical jumpers are specified separately. See "Electrical".
  - 72" wide panels will always have a horizontal fabric direction. For aesthetic reasons specify adjacent panels horizontal to match.
  - 82" high panels will always have a vertical fabric direction.
  - Features Divi Linear trim.


**Divi Linear Tackable Surface Permanent Monolithic Panels**

**DIVI LINEAR TACKABLE SURFACE PERMANENT MONOLITHIC NON-POWERED PANELS**


H	W	Model Number	List	C.O.M Fabric	Grade C Fabric	Grade D Fabric
50	24	P-DLTRPM5024	980	-56	+34	+74
50	30	P-DLTRPM5030	1,005	-56	+34	+74
50	36	P-DLTRPM5036	1,123	-56	+68	+146
50	42	P-DLTRPM5042	1,199	-56	+68	+146
50	48	P-DLTRPM5048	1,276	-56	+68	+146
50	60	P-DLTRPM5060	1,520	-56	+68	+146
50	72	P-DLTRPM5072	1,761	-56	+68	+146
58	24	P-DLTRPM5824	1,044	-56	+46	+100
58	30	P-DLTRPM5830	1,093	-56	+46	+100
58	36	P-DLTRPM5836	1,212	-56	+92	+200
58	42	P-DLTRPM5842	1,285	-56	+92	+200
58	48	P-DLTRPM5848	1,365	-56	+92	+200
58	60	P-DLTRPM5860	1,602	-56	+92	+200

**DIVI LINEAR TACKABLE SURFACE PERMANENT MONOLITHIC POWERED PANELS**

H	W	Model Number	List	C.O.M Fabric	Grade C Fabric	Grade D Fabric
50	24	P-DLTPPM5024	1,416	-56	+34	+74
50	30	P-DLTPPM5030	1,478	-56	+34	+74
50	36	P-DLTPPM5036	1,554	-56	+68	+146
50	42	P-DLTPPM5042	1,635	-56	+68	+146
50	48	P-DLTPPM5048	1,706	-56	+68	+146
50	60	P-DLTPPM5060	1,956	-56	+68	+146
50	72	P-DLTPPM5072	2,203	-56	+68	+146
58	24	P-DLTPPM5824	1,468	-56	+46	+100
58	30	P-DLTPPM5830	1,528	-56	+46	+100
58	36	P-DLTPPM5836	1,672	-56	+92	+200
58	42	P-DLTPPM5842	1,709	-56	+92	+200
58	48	P-DLTPPM5848	1,749	-56	+92	+200
58	60	P-DLTPPM5860	2,025	-56	+92	+200



Divi Linear Trim



Divi Linear Trim

Specify	Notes
• Fabric Selection for Side A and B	<ul style="list-style-type: none"> <li>Permanent Monolithic Non-Powered Panels - Tackable Surface are fabric covered, sound absorbing tackable panels.</li> <li>Panels may be ordered with power/data access base covers and/or raceway divider.</li> <li>Each panel includes all connection hinges needed for each panel.</li> <li>72" wide panels will always have a horizontal fabric direction. For aesthetic reasons specify adjacent panels horizontal to match.</li> <li>82" high panels will always have a vertical fabric direction.</li> <li>Features Divi Linear trim.</li> </ul>
• Fabric Direction	
• Paint Selection for Panel Trim	
• Color Selection for Base Cover	
• Raceway Divider Option (+50)	
• Data Access Option (+15)	

Specify	Notes
• Fabric Selection for Side A and B	<ul style="list-style-type: none"> <li>Permanent Monolithic Powered Panels - Tackable Surface are fabric covered, sound absorbing tackable panels.</li> <li>Includes 8 wire 4 circuit powerway and power/data access base covers.</li> <li>Panels may be ordered with a raceway divider.</li> <li>Includes six duplex outlet hole covers; 24"W panels only include three duplex outlet hole covers.</li> <li>Each panel includes all connection hinges needed for each panel.</li> <li>Duplex outlets and electrical jumpers are specified separately. See "Electrical".</li> <li>72" wide panels will always have a horizontal fabric direction. For aesthetic reasons specify adjacent panels horizontal to match.</li> <li>82" high panels will always have a vertical fabric direction.</li> <li>Features Divi Linear trim.</li> </ul>
• Fabric Direction	
• Paint Selection for Panel Trim	
• Color Selection for Base Cover	
• Raceway Divider Option (+50)	


## Divi Linear Tackable Surface Permanent Monolithic Panels

### DIVI LINEAR TACKABLE SURFACE PERMANENT MONOLITHIC NON-POWERED PANELS


H	W	Model Number	List	C.O.M Fabric	Grade C Fabric	Grade D Fabric
66	24	P-DLTRPM6624	1,106	-56	+46	+100
66	30	P-DLTRPM6630	1,183	-56	+46	+100
66	36	P-DLTRPM6636	1,269	-56	+92	+200
66	42	P-DLTRPM6642	1,350	-56	+92	+200
66	48	P-DLTRPM6648	1,431	-56	+92	+200
66	60	P-DLTRPM6660	1,681	-56	+92	+200
82	24	P-DLTRPM8224	1,232	-94	+60	+128
82	30	P-DLTRPM8230	1,333	-94	+60	+128
82	36	P-DLTRPM8236	1,461	-94	+118	+254
82	42	P-DLTRPM8242	1,585	-94	+118	+254
82	48	P-DLTRPM8248	1,679	-94	+118	+254

### DIVI LINEAR TACKABLE SURFACE PERMANENT MONOLITHIC POWERED PANELS

H	W	Model Number	List	C.O.M Fabric	Grade C Fabric	Grade D Fabric
66	24	P-DLTPPM6624	1,522	-56	+46	+100
66	30	P-DLTPPM6630	1,601	-56	+46	+100
66	36	P-DLTPPM6636	1,681	-56	+92	+200
66	42	P-DLTPPM6642	1,762	-56	+92	+200
66	48	P-DLTPPM6648	1,844	-56	+92	+200
66	60	P-DLTPPM6660	2,092	-56	+92	+200
82	24	P-DLTPPM8224	1,645	-94	+60	+128
82	30	P-DLTPPM8230	1,746	-94	+60	+128
82	36	P-DLTPPM8236	1,875	-94	+118	+254
82	42	P-DLTPPM8242	1,963	-94	+118	+254
82	48	P-DLTPPM8248	2,051	-94	+118	+254



Divi Linear Trim



Divi Linear Trim

Specify	Notes
• Fabric Selection for Side A and B	• Permanent Monolithic Non-Powered Panels - Tackable Surface are fabric covered, sound absorbing tackable panels.
• Fabric Direction	
• Paint Selection for Panel Trim	• Panels may be ordered with power/data access base covers and/or raceway divider.
• Color Selection for Base Cover	• Each panel includes all connection hinges needed for each panel.
• Raceway Divider Option (+50)	• 72" wide panels will always have a horizontal fabric direction. For aesthetic reasons specify adjacent panels horizontal to match.
• Data Access Option (+15)	• 82" high panels will always have a vertical fabric direction.
	• Features Divi Linear trim.

Specify	Notes
• Fabric Selection for Side A and B	• Permanent Monolithic Powered Panels - Tackable Surface are fabric covered, sound absorbing tackable panels.
• Fabric Direction	
• Paint Selection for Panel Trim	• Includes 8 wire 4 circuit powerway and power/data access base covers.
• Color Selection for Base Cover	• Panels may be ordered with a raceway divider.
• Raceway Divider Option (+50)	• Includes six duplex outlet hole covers; 24"W panels only include three duplex outlet hole covers.
	• Each panel includes all connection hinges needed for each panel.
	• Duplex outlets and electrical jumpers are specified separately. See "Electrical".
	• 72" wide panels will always have a horizontal fabric direction. For aesthetic reasons specify adjacent panels horizontal to match.
	• 82" high panels will always have a vertical fabric direction.
	• Features Divi Linear trim.



**Divi Linear Quarter Glass Permanent Monolithic Panels**

**DIVI LINEAR QUARTER GLASS PERMANENT MONOLITHIC NON-POWERED PANELS**



H	W	Model Number	List	C.O.M Fabric	Grade C Fabric	Grade D Fabric
50	24	P-DLQGWPRM5024	1,562	-32	+22	+46
50	30	P-DLQGWPRM5030	1,711	-32	+22	+46
50	36	P-DLQGWPRM5036	1,866	-32	+42	+92
50	42	P-DLQGWPRM5042	2,018	-32	+42	+92
50	48	P-DLQGWPRM5048	2,166	-32	+42	+92
50	60	P-DLQGWPRM5060	2,455	-32	+42	+92
50	72	P-DLQGWPRM5072	2,747	-32	+42	+92
58	24	P-DLQGWPRM5824	1,681	-56	+34	+74
58	30	P-DLQGWPRM5830	1,780	-56	+34	+74
58	36	P-DLQGWPRM5836	2,022	-56	+68	+146
58	42	P-DLQGWPRM5842	2,194	-56	+68	+146
58	48	P-DLQGWPRM5848	2,359	-56	+68	+146
58	60	P-DLQGWPRM5860	2,592	-56	+68	+146
58	72	P-DLQGWPRM5872	2,914	-56	+68	+146

**DIVI LINEAR QUARTER GLASS PERMANENT MONOLITHIC POWERED PANELS**

H	W	Model Number	List	C.O.M Fabric	Grade C Fabric	Grade D Fabric
50	24	P-DLQGWPPM5024	1,887	-32	+22	+46
50	30	P-DLQGWPPM5030	2,051	-32	+22	+46
50	36	P-DLQGWPPM5036	2,208	-32	+42	+92
50	42	P-DLQGWPPM5042	2,359	-32	+42	+92
50	48	P-DLQGWPPM5048	2,513	-32	+42	+92
50	60	P-DLQGWPPM5060	2,818	-32	+42	+92
50	72	P-DLQGWPPM5072	3,125	-32	+42	+92
58	24	P-DLQGWPPM5824	2,196	-56	+34	+74
58	30	P-DLQGWPPM5830	2,483	-56	+34	+74
58	36	P-DLQGWPPM5836	2,543	-56	+68	+146
58	42	P-DLQGWPPM5842	2,857	-56	+68	+146
58	48	P-DLQGWPPM5848	3,233	-56	+68	+146
58	60	P-DLQGWPPM5860	3,064	-56	+68	+146
58	72	P-DLQGWPPM5872	3,408	-56	+68	+146



Divi Linear Trim



Divi Linear Trim

**Specify Notes**

- Style Selection for Glass Insert
  - Fabric Selection for Side A and B
  - Fabric Direction
  - Paint Selection for Panel Trim (Grade C +28)
  - Color Selection for Base Cover
  - Raceway Divider Option (+50)
  - Data Access Option (+15)
- Permanent Monolithic Non-Powered Quarter Glass Panels are fabric covered hard surface panels with an aluminum wrapped glass insert at the top section of the panel.
  - Panels may be ordered with power/data access base covers and/or raceway divider.
  - Each panel includes all connection hinges needed for each panel. 33" fabric height for 50" high panels, 49" fabric height for 66" high panels, 65" fabric height for 82" high panels.
  - 72" wide panels will always have a horizontal fabric direction. For aesthetic reasons specify adjacent panels horizontal to match.
  - 82" high panels will always have a vertical fabric direction.
  - Features Divi Linear trim.

**Specify Notes**

- Style Selection for Glass Insert
  - Fabric Selection for Side A and B
  - Fabric Direction
  - Paint Selection for Panel Trim (Grade C +28)
  - Color Selection for Base Cover
  - Raceway Divider Option (+50)
- Permanent Monolithic Quarter Glass Powered Panels are fabric covered hard surface panels with an aluminum wrapped glass insert at the top section of the panel.
  - Includes 8 wire 4 circuit powerway and power/data access base covers.
  - Panels may be ordered with a raceway divider.
  - Includes six duplex outlet hole covers; 24"W panels only include three duplex outlet hole covers.
  - Each panel includes all connection hinges needed for each panel.
  - Duplex outlets and electrical jumpers are specified separately. See "Electrical".
  - 33" fabric height for 50" high panels, 49" fabric height for 66" high panels, 65" fabric height for 82" high panels.
  - 72" wide panels will always have a horizontal fabric direction. For aesthetic reasons specify adjacent panels horizontal to match.
  - 82" high panels will always have a vertical fabric direction.
  - Features Divi Linear trim.



## Divi Linear Quarter Glass Permanent Monolithic Panels

### DIVI LINEAR QUARTER GLASS PERMANENT MONOLITHIC NON-POWERED PANELS



H	W	Model Number	List	C.O.M Fabric	Grade C Fabric	Grade D Fabric
66	24	P-DLQGWPRM6624	1,799	-56	+34	+74
66	30	P-DLQGWPRM6630	1,989	-56	+34	+74
66	36	P-DLQGWPRM6636	2,178	-56	+68	+146
66	42	P-DLQGWPRM6642	2,368	-56	+68	+146
66	48	P-DLQGWPRM6648	2,554	-56	+68	+146
66	60	P-DLQGWPRM6660	2,929	-56	+68	+146
66	72	P-DLQGWPRM6672	3,304	-56	+68	+146
82	24	P-DLQGWPRM8224	2,045	-56	+46	+100
82	30	P-DLQGWPRM8230	2,273	-56	+46	+100
82	36	P-DLQGWPRM8236	2,497	-56	+92	+200
82	42	P-DLQGWPRM8242	2,722	-56	+92	+200
82	48	P-DLQGWPRM8248	2,952	-56	+92	+200

### DIVI LINEAR QUARTER GLASS PERMANENT MONOLITHIC POWERED PANELS

H	W	Model Number	List	C.O.M Fabric	Grade C Fabric	Grade D Fabric
66	24	P-DLQGWPPM6624	2,144	-56	+34	+74
66	30	P-DLQGWPPM6630	2,341	-56	+34	+74
66	36	P-DLQGWPPM6636	2,530	-56	+68	+146
66	42	P-DLQGWPPM6642	2,726	-56	+68	+146
66	48	P-DLQGWPPM6648	2,920	-56	+68	+146
66	60	P-DLQGWPPM6660	3,305	-56	+68	+146
66	72	P-DLQGWPPM6672	3,694	-56	+68	+146
82	24	P-DLQGWPPM8224	2,397	-56	+46	+100
82	30	P-DLQGWPPM8230	2,628	-56	+46	+100
82	36	P-DLQGWPPM8236	2,855	-56	+92	+200
82	42	P-DLQGWPPM8242	3,089	-56	+92	+200
82	48	P-DLQGWPPM8248	3,326	-56	+92	+200



Divi Linear Trim



Divi Linear Trim

#### Specify

#### Notes

- Style Selection for Glass Insert
  - Fabric Selection for Side A and B
  - Fabric Direction
  - Paint Selection for Panel Trim (Grade C +28)
  - Color Selection for Base Cover
  - Raceway Divider Option (+50)
  - Data Access Option (+15)
- Permanent Monolithic Non-Powered Quarter Glass Panels are fabric covered hard surface panels with an aluminum wrapped glass insert at the top section of the panel.
  - Panels may be ordered with power/data access base covers and/or raceway divider.
  - Each panel includes all connection hinges needed for each panel. 33" fabric height for 50" high panels, 49" fabric height for 66" high panels, 65" fabric height for 82" high panels.
  - 72" wide panels will always have a horizontal fabric direction. For aesthetic reasons specify adjacent panels horizontal to match.
  - 82" high panels will always have a vertical fabric direction.
  - Features Divi Linear trim.

#### Specify

#### Notes

- Style Selection for Glass Insert
  - Fabric Selection for Side A and B
  - Fabric Direction
  - Paint Selection for Panel Trim (Grade C +28)
  - Color Selection for Base Cover
  - Raceway Divider Option (+50)
- Permanent Monolithic Quarter Glass Powered Panels are fabric covered hard surface panels with an aluminum wrapped glass insert at the top section of the panel.
  - Includes 8 wire 4 circuit powerway and power/data access base covers.
  - Panels may be ordered with a raceway divider.
  - Includes six duplex outlet hole covers; 24"W panels only include three duplex outlet hole covers.
  - Each panel includes all connection hinges needed for each panel.
  - Duplex outlets and electrical jumpers are specified separately. See "Electrical".
  - 33" fabric height for 50" high panels, 49" fabric height for 66" high panels, 65" fabric height for 82" high panels.
  - 72" wide panels will always have a horizontal fabric direction. For aesthetic reasons specify adjacent panels horizontal to match.
  - 82" high panels will always have a vertical fabric direction.
  - Features Divi Linear trim.




**Divi Linear Air Flow / Wall Access Permanent Monolithic Panels**

**DIVI LINEAR AIR FLOW / WALL ACCESS PERMANENT MONOLITHIC NON-POWERED PANELS**


H	W	Model Number	List	Grade C Paint	C.O.M Fabric	Grade C Fabric	Grade D Fabric
42	24	P-DLFROB4224	1,200	+28	-46	+28	+60
42	30	P-DLFROB4230	1,285	+28	-46	+28	+60
42	36	P-DLFROB4236	1,382	+28	-46	+56	+118
42	42	P-DLFROB4242	1,456	+28	-46	+56	+118
42	48	P-DLFROB4248	1,557	+28	-46	+56	+118
42	60	P-DLFROB4260	1,865	+28	-46	+56	+118
50	24	P-DLFROB5024	1,277	+28	-56	+34	+74
50	30	P-DLFROB5030	1,431	+28	-56	+34	+74
50	36	P-DLFROB5036	1,573	+28	-56	+68	+146
50	42	P-DLFROB5042	1,711	+28	-56	+68	+146
50	48	P-DLFROB5048	1,842	+28	-56	+68	+146
50	60	P-DLFROB5060	2,194	+28	-56	+68	+146
66	24	P-DLFROB6624	1,488	+28	-56	+46	+100
66	30	P-DLFROB6630	1,644	+28	-56	+46	+100
66	36	P-DLFROB6636	1,785	+28	-56	+92	+200
66	42	P-DLFROB6642	1,940	+28	-56	+92	+200
66	48	P-DLFROB6648	2,081	+28	-56	+92	+200
66	60	P-DLFROB6660	2,489	+28	-56	+92	+200
82	24	P-DLFROB8224	1,692	+28	-94	+60	+128
82	30	P-DLFROB8230	1,863	+28	-94	+60	+128
82	36	P-DLFROB8236	2,044	+28	-94	+118	+254
82	42	P-DLFROB8242	2,205	+28	-94	+118	+254
82	48	P-DLFROB8248	2,395	+28	-94	+118	+254

**DIVI LINEAR AIR FLOW / WALL ACCESS PERMANENT MONOLITHIC POWERED PANELS**

H	W	Model Number	List	Grade C Paint	C.O.M Fabric	Grade C Fabric	Grade D Fabric
42	24	P-DLFPOB4224	1,832	+28	-46	+28	+60
42	30	P-DLFPOB4230	1,921	+28	-46	+28	+60
42	36	P-DLFPOB4236	2,020	+28	-46	+56	+118
42	42	P-DLFPOB4242	2,086	+28	-46	+56	+118
42	48	P-DLFPOB4248	2,175	+28	-46	+56	+118
42	60	P-DLFPOB4260	2,465	+28	-46	+56	+118
50	24	P-DLFPOB5024	1,916	+28	-56	+34	+74
50	30	P-DLFPOB5030	2,068	+28	-56	+34	+74
50	36	P-DLFPOB5036	2,205	+28	-56	+68	+146
50	42	P-DLFPOB5042	2,324	+28	-56	+68	+146
50	48	P-DLFPOB5048	2,487	+28	-56	+68	+146
50	60	P-DLFPOB5060	2,808	+28	-56	+68	+146
66	24	P-DLFPOB6624	2,096	+28	-56	+46	+100
66	30	P-DLFPOB6630	2,248	+28	-56	+46	+100
66	36	P-DLFPOB6636	2,430	+28	-56	+92	+200
66	42	P-DLFPOB6642	2,530	+28	-56	+92	+200
66	48	P-DLFPOB6648	2,704	+28	-56	+92	+200
66	60	P-DLFPOB6660	3,075	+28	-56	+92	+200
82	24	P-DLFPOB8224	2,299	+28	-94	+60	+128
82	30	P-DLFPOB8230	2,465	+28	-94	+60	+128
82	36	P-DLFPOB8236	2,635	+28	-94	+118	+254
82	42	P-DLFPOB8242	2,791	+28	-94	+118	+254
82	48	P-DLFPOB8248	2,956	+28	-94	+118	+254



Divi Linear Trim



Divi Linear Trim

**Specify**

**Notes**

- Fabric Selection for Side A and B
- Paint Selection for Panel Trim
- Color Selection for Base Cover
- Raceway Divider Option (+50)
- Data Access Option (+15)
- Permanent Monolithic Non-Powered Panels - Air Flow / Wall Access are fabric covered hard surface panels.
- Panels may be ordered with power/data access base covers and/or raceway divider.
- Each panel includes all connection hinges needed for each panel.
- Features Divi Linear trim.

**Specify**

**Notes**

- Fabric Selection for Side A and B
- Paint Selection for Panel Trim
- Color Selection for Base Cover
- Raceway Divider Option (+50)
- Fabric covered hard surface panels.
- Includes 8 wire 4 circuit powerway and power/data access base covers.
- Panels may be ordered with a raceway divider.
- Includes six duplex outlet hole covers; 24"W panels only include three duplex outlet hole covers.
- Each panel includes all connection hinges needed for each panel.
- Duplex outlets and electrical jumpers are specified separately. See "Electrical".
- Air Flow / Wall Access Panels have a 3" fabric border around the opening that allows for air flow. The height of the opening is 16".
- Features Divi Linear trim.



## Divi Linear Half Glass Permanent Monolithic Panels

### DIVI LINEAR HALF GLASS PERMANENT MONOLITHIC NON-POWERED PANELS


H	W	Model Number	List	C.O.M Fabric	Grade C Fabric	Grade D Fabric
58	24	P-DLHGWRPM5824	1,678	-32	+22	+46
58	30	P-DLHGWRPM5830	1,847	-32	+22	+46
58	36	P-DLHGWRPM5836	2,019	-32	+42	+92
58	42	P-DLHGWRPM5842	2,194	-32	+42	+92
58	48	P-DLHGWRPM5848	2,403	-32	+42	+92
58	60	P-DLHGWRPM5860	2,777	-32	+42	+92
58	72	P-DLHGWRPM5872	3,150	-32	+42	+92
66	24	P-DLHGWRPM6624	1,799	-32	+22	+46
66	30	P-DLHGWRPM6630	1,989	-32	+22	+46
66	36	P-DLHGWRPM6636	2,178	-32	+42	+92
66	42	P-DLHGWRPM6642	2,368	-32	+42	+92
66	48	P-DLHGWRPM6648	2,554	-32	+42	+92
66	60	P-DLHGWRPM6660	2,929	-32	+42	+92
82	24	P-DLHGWRPM8224	2,045	-56	+34	+74
82	30	P-DLHGWRPM8230	2,273	-56	+34	+74
82	36	P-DLHGWRPM8236	2,497	-56	+68	+146
82	42	P-DLHGWRPM8242	2,722	-56	+68	+146
82	48	P-DLHGWRPM8248	2,952	-56	+68	+146

### DIVI LINEAR HALF GLASS PERMANENT MONOLITHIC POWERED PANELS

H	W	Model Number	List	C.O.M Fabric	Grade C Fabric	Grade D Fabric
58	24	P-DLHGWPPM5824	2,313	-32	+22	+46
58	30	P-DLHGWPPM5830	2,428	-32	+22	+46
58	36	P-DLHGWPPM5836	2,369	-32	+42	+92
58	42	P-DLHGWPPM5842	2,544	-32	+42	+92
58	48	P-DLHGWPPM5848	2,733	-32	+42	+92
58	60	P-DLHGWPPM5860	3,072	-32	+42	+92
58	72	P-DLHGWPPM5872	3,410	-32	+42	+92
66	24	P-DLHGWPPM6624	2,341	-32	+22	+46
66	30	P-DLHGWPPM6630	2,487	-32	+22	+46
66	36	P-DLHGWPPM6636	2,530	-32	+42	+92
66	42	P-DLHGWPPM6642	2,726	-32	+42	+92
66	48	P-DLHGWPPM6648	2,920	-32	+42	+92
66	60	P-DLHGWPPM6660	3,305	-32	+42	+92
82	24	P-DLHGWPPM8224	2,397	-56	+34	+74
82	30	P-DLHGWPPM8230	2,602	-56	+34	+74
82	36	P-DLHGWPPM8236	2,855	-56	+68	+146
82	42	P-DLHGWPPM8242	3,089	-56	+68	+146
82	48	P-DLHGWPPM8248	3,292	-56	+68	+146



Divi Linear Trim



Divi Linear Trim


Specify	Notes
• Style Selection for Glass Insert	• Permanent Monolithic Non-Powered Half Glass Panels are fabric covered hard surface panels with an aluminum wrapped glass insert at the top section of the panel.
• Fabric Selection for Side A and B	• Panels may be ordered with power/data access base covers and/or raceway divider.
• Fabric Direction	• Each panel includes all connection hinges needed for each panel.
• Paint Selection for Panel Trim (Grade C +28)	• 33" fabric height for 66" high panels, 49" fabric height for 82" high panels.
• Color Selection for Base Cover	• 82" high panels will always have a vertical fabric direction.
• Raceway Divider Option (+50)	• Features Divi Linear trim.
• Data Access Option (+15)	

Specify	Notes
• Style Selection for Glass Insert	• Permanent Monolithic Half Glass Powered Panels are fabric covered hard surface panels with an aluminum wrapped glass insert at the top section of the panel.
• Fabric Selection for Side A and B	• Includes 8 wire 4 circuit powerway and power/data access base covers.
• Fabric Direction	• Panels may be ordered with a raceway divider.
• Paint Selection for Panel Trim (Grade C +28)	• Includes six duplex outlet hole covers; 24"W panels only include three duplex outlet hole covers.
• Color Selection for Base Cover	• Each panel includes all connection hinges needed for each panel.
• Raceway Divider Option (+50)	• Duplex outlets and electrical jumpers are specified separately. See "Electrical".
	• 33" fabric height for 66" high panels, 49" fabric height for 82" high panels.
	• 82" high panels will always have a vertical fabric direction.
	• Features Divi Linear trim.

**Divi Linear Full Glass Monolithic Panels**

**DIVI LINEAR FULL GLASS MONOLITHIC NON-POWERED PANELS**

<b>H</b>	<b>W</b>	<b>Model Number</b>	<b>Clear</b>	<b>Frosted</b>
42	24	P-DLFG4224	2,260	+276
42	30	P-DLFG4230	2,403	+344
42	36	P-DLFG4236	2,551	+413
50	24	P-DLFG5024	2,403	+341
50	30	P-DLFG5030	2,551	+425
50	36	P-DLFG5036	2,696	+510
66	24	P-DLFG6624	2,551	+470
66	30	P-DLFG6630	2,696	+587



Divi Linear Trim

**Specify**

**Notes**

- |  |   |
|--|---|
| <ul style="list-style-type: none"> <li>• Style Selection for Glass Insert</li> <li>• Paint Selection for Panel Trim</li> <li>• Color Selection for Base Color</li> </ul> | <ul style="list-style-type: none"> <li>• Full Glass Monolithic Non-Powered Panels feature aluminum wrapped full glass inserts at the top section of the panel.</li> <li>• Panels may be ordered with power/data access base covers and/or raceway divider.</li> <li>• Each panel includes all connection hinges needed for each panel.</li> <li>• Features Divi Linear trim.</li> </ul> |
|--|---|



**Divi Linear Hard Surface ADA Panels**

**DIVI LINEAR HARD SURFACE ADA NON-POWERED PANELS**



H	W	Model Number	List	Grade B Paint	Grade B Base	C.O.M Fabric	Grade B Fabric	Grade C Fabric
32	24	P-DLFRPM3224	666	+28	+20	-46	+28	+60
32	30	P-DLFRPM3230	723	+28	+20	-46	+28	+60
32	36	P-DLFRPM3236	771	+28	+20	-46	+56	+118
32	42	P-DLFRPM3242	820	+28	+20	-46	+56	+118
32	48	P-DLFRPM3248	874	+28	+20	-46	+56	+118
32	60	P-DLFRPM3260	1,066	+28	+20	-46	+56	+118

**DIVI LINEAR HARD SURFACE ADA POWERED PANELS**

H	W	Model Number	List	Grade B Paint	Grade B Base	C.O.M Fabric	Grade B Fabric	Grade C Fabric
32	24	P-DLFPPM3224	1,041	+28	+20	-46	+28	+60
32	30	P-DLFPPM3230	1,095	+28	+20	-46	+28	+60
32	36	P-DLFPPM3236	1,142	+28	+20	-46	+56	+118
32	42	P-DLFPPM3242	1,191	+28	+20	-46	+56	+118
32	48	P-DLFPPM3248	1,228	+28	+20	-46	+56	+118
32	60	P-DLFPPM3260	1,413	+28	+20	-46	+56	+118



Divi Linear Trim



Divi Linear Trim

**Specify**

**Notes**

- Fabric Selection for Side A and B
  - Paint Selection for Panel Trim
  - Color Selection for Base Cover
  - Raceway Divider Option (+50)
  - Data Access Option (+15)
- ADA Non-Powered Panels - Hard Surface are fabric covered hard surface panels.
  - Panels may be ordered with power/data access base covers and/or raceway divider.
  - Each panel includes all connection hinges needed for each panel.
  - Features Divi Linear trim.


**Specify**

**Notes**


- Fabric Selection for Side A and B
  - Paint Selection for Panel Trim
  - Color Selection for Base Cover
  - Raceway Divider Option (+50)
- ADA Powered Panels - Hard Surface are fabric covered hard surface panels.
  - Includes 8 wire 4 circuit powerway and power/data access base covers.
  - Panels may be ordered with a raceway divider. Includes six duplex outlet hole covers;
  - 24"W panels only include three duplex outlet hole covers.
  - Duplex outlets and electrical jumpers are specified separately, see "Electrical".
  - Each panel includes all connection hinges needed for each panel.
  - Duplex outlet hole dimensions are 1.860"H x 3.012"W.
  - Features Divi Linear trim.

**ADA Panel Stability Notes**


- ADA Panels may not be used as structural wing panels (see Rules for Panel Stability) (example 1)
- ADA Panels may not be used with cantilevers. (example 2)
- ADA Panels may be used with Side Support / Rear Brackets, Panel Mounted A Legs or storage elements for surface support. (example 3)




**EXAMPLE 1 - UNSTABLE**  
32"H Structural Wing




**EXAMPLE 2 - UNSTABLE**  
32"H Panel with Cantilever




**EXAMPLE 3 - UNSTABLE**  
32"H Panel with Cantilevers



**EXAMPLE 1 - STABLE**  
Standard Structural Wing



**EXAMPLE 2 - STABLE**  
32"H Panel with Floor Support



**EXAMPLE 3 - STABLE**  
32"H Panel with Panel Mounted A-Legs



**Divi Linear Fabric and Glass Stack-On Kits for Permanent Monolithic Panels**

**DIVI LINEAR FABRIC STACK-ON KITS FOR PERMANENT MONOLITHIC PANELS**



H	W	Model Number	List	Grade C Fabric	Grade D Fabric	Grade C Paint	Grade C Retainer
16	24	P-DLSOFM1624	452	+7	+14	+5	+5
16	30	P-DLSOFM1630	491	+7	+14	+5	+5
16	36	P-DLSOFM1636	524	+13	+27	+5	+5
16	42	P-DLSOFM1642	562	+13	+27	+5	+5
16	48	P-DLSOFM1648	601	+13	+27	+5	+5
16	60	P-DLSOFM1660	679	+13	+27	+5	+5
16	72	P-DLSOFM1672	760	+13	+27	+5	+5
24	24	P-DLSOFM2424	543	+7	+14	+5	+5
24	30	P-DLSOFM2430	587	+7	+14	+5	+5
24	36	P-DLSOFM2436	628	+13	+27	+5	+5
24	42	P-DLSOFM2442	674	+13	+27	+5	+5
24	48	P-DLSOFM2448	724	+13	+27	+5	+5
24	60	P-DLSOFM2460	816	+13	+27	+5	+5
24	72	P-DLSOFM2472	910	+13	+27	+5	+5

**DIVI LINEAR GLASS STACK-ON KITS FOR PERMANENT MONOLITHIC PANELS**

H	W	Model Number	List	Grade C Paint
16	24	P-DLSOGW1624	966	+5
16	30	P-DLSOGW1630	1,088	+5
16	36	P-DLSOGW1636	1,125	+5
16	42	P-DLSOGW1642	1,242	+5
16	48	P-DLSOGW1648	1,343	+5
16	60	P-DLSOGW1660	1,534	+5
16	72	P-DLSOGW1672	1,726	+5
24	24	P-DLSOGW2424	1,311	+5
24	30	P-DLSOGW2430	1,447	+5
24	36	P-DLSOGW2436	1,599	+5
24	42	P-DLSOGW2442	2,031	+5
24	48	P-DLSOGW2448	2,181	+5
24	60	P-DLSOGW2460	2,426	+5



Divi Linear Trim



Divi Linear Trim

**Specify**

**Notes**

- Fabric Selection for Side A and B
- Paint Selection for Panel Trim

- Fabric Stack-On Kits for Permanent Monolithic Panels are a solid stack panel that can be retrofitted to any installed or un-installed DiVi permanent monolithic panel for the purpose of increasing panel height for visual/sound privacy.
- Stack-on kits are not load bearing and add exactly 16" to panel height (i.e. making a 50" tall panel equal to a 66" tall panel).
- Kits include alignment hardware, mounting brackets, and connection hinges.
- Stack-on kits may not be stacked on top of another stack-on kit.
- Features Divi Linear trim.

**Specify**

**Notes**

- Style Selection for Glass Insert
- Paint Selection for Panel Trim

- Glass Stack-On Kits for Permanent Monolithic Panels are a solid glass stack panel that can be retrofitted to any installed or un-installed DiVi permanent monolithic panel for the purpose of increasing panel height for visual/sound privacy.
- Stack-on kits are not load bearing and add exactly 16" to panel height (i.e. making a 50" tall panel equal to a 66" tall panel).
- Kits include alignment hardware, mounting brackets, and connection hinges.
- Stack-on kits may not be stacked on top of another stack-on kit.
- Features Divi Linear Trim.

**Divi Linear ADA Door Panels and Door Panel Shrouds**

**DIVI LINEAR ADA DOOR PANELS**


H	W	Type	Model Number	List	Grade C Panel Trim	Grade C Door Paint
82	48	Left	P-DL8248	4,316	+10	+5
82	48	Right	P-DL8248R	4,316	+10	+5



Left Hand



Right Hand



Divi Linear Trim

**Specify**

**Notes**

- Paint Selection for Door and Door Frame
- Style Selection for Tempered Glass Insert
- ADA Door Panels use a steel tube frame with hollow core door, stainless steel threshold, locking ADA door handle and full height transparent window.
- Includes one panel, one locking ADA lockset, and two keys.
- Lockset is field installed.
- Features Divi Linear trim.

**DIVI LINEAR ADA GLASS WINDOW DOOR PANELS**


H	W	Type	Model Number	List	Grade C Panel Trim	Grade C Door Paint
82	48	Left	P-DLGL8248	6,646	+10	+100
82	48	Right	P-DLGR8248	6,646	+10	+100



Left Hand



Right Hand



Divi Linear Trim


**Specify**

**Notes**

- Paint Selection for Door and Door Frame
- Style Selection for Tempered Glass Insert
- ADA Glass Window Door Panels use a steel tube frame with hollow core door, stainless steel threshold, locking ADA door handle and full height transparent window.
- Includes one panel, one locking ADA lockset, and two keys.
- Lockset is field installed.
- Door has a 5" wood painted border around the glass.
- Metallic paints not available on actual door.
- Features Divi Linear trim.
- Glass doors must be placed next to 90° return panel or wall mount, can not be used in middle of run.

**2-WAY AND 3-WAY SHROUDS FOR DIVI DOORS**

Usage	Model Number	List	Grade C Paint
2-Way Left Hand	P-DVBSL90	92	+5
2 Way Right Hand	P-DVBSR90	92	+5
3-Way	P-DVBS3W	92	+5



2-Way (Left Hand Shown)



3-Way

**Specify**

**Notes**

- Paint Selection
- 2-Way and 3-Way Shrouds for Divi Doors are painted metal shrouds for use only with Divi doors where standard plastic shrouds will not work.
- Important: Door shrouds do not have a finished top, order post fillers separately to complete the configuration.

Divi Linear Sliding Privacy Screens

DIVI LINEAR SLIDING PRIVACY SCREEN


Panel H	Doorway W	Adjacent Panel W	Left Hand		Right Hand		Grade C Paint
			Model Number	Model Number	List		
66	36	36	P-DVLR6636L	P-DVLR6636R	3,748	+25	
66	36	42	P-DVLR663642L	P-DVLR663642R	3,834	+25	
66	36	48	P-DVLR663648L	P-DVLR663648R	3,917	+25	
66	42	42	P-DVLR6642L	P-DVLR6642R	3,756	+25	
66	42	48	P-DVLR664248L	P-DVLR664248R	3,840	+25	
66	48	48	P-DVLR6648L	P-DVLR6648R	3,993	+25	
82	36	36	P-DVLR8236L	P-DVLR8236R	3,909	+25	
82	36	42	P-DVLR823642L	P-DVLR823642R	3,993	+25	
82	36	48	P-DVLR823648L	P-DVLR823648R	4,082	+25	
82	42	42	P-DVLR8242L	P-DVLR8242R	3,925	+25	
82	42	48	P-DVLR824248L	P-DVLR824248R	4,013	+25	
82	48	48	P-DVLR8248L	P-DVLR8248R	4,056	+25	

DIVI LINEAR LOCKING SLIDING PRIVACY SCREEN

Panel H	Doorway W	Adjacent Panel W	Left Hand		Right Hand		Grade C Paint
			Model Number	Model Number	List		
66	36	36	P-DVLR6636LL	P-DVLR6636RL	3,974	+25	
66	36	42	P-DVLR663642LL	P-DVLR663642RL	4,058	+25	
66	36	48	P-DVLR663648LL	P-DVLR663648RL	4,143	+25	
66	42	42	P-DVLR6642LL	P-DVLR6642RL	3,979	+25	
66	42	48	P-DVLR664248LL	P-DVLR664248RL	4,063	+25	
66	48	48	P-DVLR6648LL	P-DVLR6648RL	4,220	+25	
82	36	36	P-DVLR8236LL	P-DVLR8236RL	4,134	+25	
82	36	42	P-DVLR823642LL	P-DVLR823642RL	4,220	+25	
82	36	48	P-DVLR823648LL	P-DVLR823648RL	4,305	+25	
82	42	42	P-DVLR8242LL	P-DVLR8242RL	4,149	+25	
82	42	48	P-DVLR824248LL	P-DVLR824248RL	4,236	+25	
82	48	48	P-DVLR8248LL	P-DVLR8248RL	4,279	+25	



Right Hand with Optional Handle Shown



Right Hand with Optional Handle Shown



Right Hand with Lock and Handle Shown



Right Hand with Lock and Handle Shown

Specify

- Paint Selection for Sliding Door Frame


Notes

- The Linear Sliding Privacy Screen attaches to frame face at either left or right, outside or inside of an opening.
- Select a Sliding Privacy Screen based upon the dimensions of the opening it will cover and the adjacent panel that it will be installed to.
- Linear Sliding Privacy Screens are available to accommodate 36", 42" or 48" wide by 66" or 82" high openings and adjacent panels.
- All doors come with a top track bar kit for added stability; only 82" high units extend over the doorway.
- Lightweight, aluminum frame, painted as specified, with a ribbed Lexan insert.
- The sliding door extends 6" into opening when fully open, and stands a total of 2-1/2" off panel face. These dimensions should be taken into consideration when planning for ADA door openings and aisle dimensional requirements if door is mounted on outside of office.
- Actual door thickness is 5/8". Actual door width is opening size +6".
- Only mount externally.
- Doors can only be locked from the outside, when user is out of office.
- Optional handles and wall termination brackets are available separately

**Divi Linear Sliding Privacy Screen Handles and Brackets**

**DIVI LINEAR SLIDING PRIVACY SCREEN HANDLE KIT**


Model Number	List
P-UNSLDHK	94



**Specify** \_\_\_\_\_ **Notes**

**DIVI LINEAR SLIDING PRIVACY SCREEN WALL BRACKET KIT**

Model Number	List	Grade C Paint
A-RPSLWATB	88	+25



**Specify** \_\_\_\_\_ **Notes**

- Use this bracket where the top guide rail of the Linear Sliding Privacy Screen extends over the doorway and terminates against a wall instead of a panel.
- Fasteners for top rail included, fasteners for wall are not included.




**Divi Linear Single End Gallery Panels**

**DIVI LINEAR SINGLE END GALLERY PANELS**


H	W	Grain	Left	Right	List
			Model Number	Model Number	
42	24	Horizontal	P-DLGPESEL4224H	P-DLGPSE4224H	640
42	30	Horizontal	P-DLGPESEL4230H	P-DLGPSE4230H	692
42	36	Horizontal	P-DLGPESEL4236H	P-DLGPSE4236H	737
42	42	Horizontal	P-DLGPESEL4242H	P-DLGPSE4242H	782
42	48	Horizontal	P-DLGPESEL4248H	P-DLGPSE4248H	829
42	54	Horizontal	P-DLGPESEL4254H	P-DLGPSE4254H	873
42	60	Horizontal	P-DLGPESEL4260	P-DLGPSE4260	991
42	66	Horizontal	P-DLGPESEL4266	P-DLGPSE4266	1,066
42	72	Horizontal	P-DLGPESEL4272	P-DLGPSE4272	1,109
42	78	Horizontal	P-DLGPESEL4278	P-DLGPSE4278	1,155
42	84	Horizontal	P-DLGPESEL4284	P-DLGPSE4284	1,198
42	90	Horizontal	P-DLGPESEL4290	P-DLGPSE4290	1,242
42	24	Vertical	P-DLGPESEL4224	P-DLGPSE4224	640
42	30	Vertical	P-DLGPESEL4230	P-DLGPSE4230	692
42	36	Vertical	P-DLGPESEL4236	P-DLGPSE4236	737
42	42	Vertical	P-DLGPESEL4242	P-DLGPSE4242	782
42	48	Vertical	P-DLGPESEL4248	P-DLGPSE4248	829
42	54	Vertical	P-DLGPESEL4254	P-DLGPSE4254	873

**DIVI LINEAR SINGLE END GALLERY PANELS**

H	W	Grain	Left	Right	List
			Model Number	Model Number	
50	24	Horizontal	P-DLGPESEL5024H	P-DLGPSE5024H	686
50	30	Horizontal	P-DLGPESEL5030H	P-DLGPSE5030H	760
50	36	Horizontal	P-DLGPESEL5036H	P-DLGPSE5036H	833
50	42	Horizontal	P-DLGPESEL5042H	P-DLGPSE5042H	910
50	48	Horizontal	P-DLGPESEL5048H	P-DLGPSE5048H	990
50	54	Horizontal	P-DLGPESEL5054H	P-DLGPSE5054H	1,071
50	60	Horizontal	P-DLGPESEL5060	P-DLGPSE5060	1,178
50	66	Horizontal	P-DLGPESEL5066	P-DLGPSE5066	1,281
50	72	Horizontal	P-DLGPESEL5072	P-DLGPSE5072	1,541
50	78	Horizontal	P-DLGPESEL5078	P-DLGPSE5078	1,344
50	84	Horizontal	P-DLGPESEL5084	P-DLGPSE5084	1,376
50	90	Horizontal	P-DLGPESEL5090	P-DLGPSE5090	1,406
50	24	Vertical	P-DLGPESEL5024	P-DLGPSE5024	686
50	30	Vertical	P-DLGPESEL5030	P-DLGPSE5030	760
50	36	Vertical	P-DLGPESEL5036	P-DLGPSE5036	833
50	42	Vertical	P-DLGPESEL5042	P-DLGPSE5042	910
50	48	Vertical	P-DLGPESEL5048	P-DLGPSE5048	990
50	54	Vertical	P-DLGPESEL5054	P-DLGPSE5054	1,071




Left Hand Shown



Left Hand Shown



Left Hand Shown



Left Hand Shown

**Specify**


- Laminate with matching edge

**Notes**


- Single End Gallery Panels mount to frames in place of wing panels for structural support.
- Gallery Panels add 1" to panel run. See panel creep description pages.
- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Single End Gallery Panels over 66" wide must be attached to storage units for support.
- HiLo kits are required if gallery panel is lower than standard panels.

**Divi Linear Single End Gallery Panels**

<b>DIVI LINEAR SINGLE END GALLERY PANELS</b>					
<b>H</b>	<b>W</b>	<b>Grain</b>	<b>Left</b>	<b>Right</b>	<b>List</b>
			<b>Model Number</b>	<b>Model Number</b>	
58	24	Horizontal	P-DLGPSEL5824H	P-DLGPSE5824H	769
58	30	Horizontal	P-DLGPSEL5830H	P-DLGPSE5830H	844
58	36	Horizontal	P-DLGPSEL5836H	P-DLGPSE5836H	914
58	42	Horizontal	P-DLGPSEL5842H	P-DLGPSE5842H	989
58	48	Horizontal	P-DLGPSEL5848H	P-DLGPSE5848H	1,044
58	54	Horizontal	P-DLGPSEL5854H	P-DLGPSE5854H	1,101
58	60	Horizontal	P-DLGPSEL5860	P-DLGPSE5860	1,204
58	66	Horizontal	P-DLGPSEL5866	P-DLGPSE5866	1,305
58	72	Horizontal	P-DLGPSEL5872	P-DLGPSE5872	1,404
58	78	Horizontal	P-DLGPSEL5878	P-DLGPSE5878	1,506
58	84	Horizontal	P-DLGPSEL5884	P-DLGPSE5884	1,609
58	90	Horizontal	P-DLGPSEL5890	P-DLGPSE5890	1,709
58	24	Vertical	P-DLGPSEL5824	P-DLGPSE5824	769
58	30	Vertical	P-DLGPSEL5830	P-DLGPSE5830	844
58	36	Vertical	P-DLGPSEL5836	P-DLGPSE5836	914
58	42	Vertical	P-DLGPSEL5842	P-DLGPSE5842	989
58	48	Vertical	P-DLGPSEL5848	P-DLGPSE5848	1,044
58	54	Vertical	P-DLGPSEL5854	P-DLGPSE5854	1,101
66	24	Vertical	P-DLGPSEL6624	P-DLGPSE6624	790
66	30	Vertical	P-DLGPSEL6630	P-DLGPSE6630	872
66	36	Vertical	P-DLGPSEL6636	P-DLGPSE6636	948
66	42	Vertical	P-DLGPSEL6642	P-DLGPSE6642	1,026
66	48	Vertical	P-DLGPSEL6648	P-DLGPSE6648	1,104
66	54	Vertical	P-DLGPSEL6654	P-DLGPSE6654	1,181



Left Hand Shown



Left Hand Shown

**Specify**

- Laminated with matching edge

**Notes**

- Single End Gallery Panels mount to frames in place of wing panels for structural support.
- Gallery Panels add 1" to panel run. See panel creep description pages.
- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Single End Gallery Panels over 66" wide must be attached to storage units for support.
- HiLo kits are required if gallery panel is lower than standard panels.


**Divi Linear Single End for Wing Gallery Panels**

**DIVI LINEAR SINGLE END FOR WING GALLERY PANEL**


H	W	Grain	Left	Right	List
			Model Number	Model Number	
42	48	Horizontal	P-DLGSEWL4248H	P-DLGSEWR4248H	864
42	54	Horizontal	P-DLGSEWL4254H	P-DLGSEWR4254H	909
42	60	Horizontal	P-DLGSEWL4260	P-DLGSEWR4260	1,025
42	66	Horizontal	P-DLGSEWL4266	P-DLGSEWR4266	1,101
42	72	Horizontal	P-DLGSEWL4272	P-DLGSEWR4272	1,145
42	78	Horizontal	P-DLGSEWL4278	P-DLGSEWR4278	1,191
42	84	Horizontal	P-DLGSEWL4284	P-DLGSEWR4284	1,234
42	90	Horizontal	P-DLGSEWL4290	P-DLGSEWR4290	1,277
42	48	Vertical	P-DLGSEWL4248	P-DLGSEWR4248	864
42	54	Vertical	P-DLGSEWL4254	P-DLGSEWR4254	909
50	48	Horizontal	P-DLGSEWL5048H	P-DLGSEWR5048H	1,024
50	54	Horizontal	P-DLGSEWL5054H	P-DLGSEWR5054H	1,105
50	60	Horizontal	P-DLGSEWL5060	P-DLGSEWR5060	1,212
50	66	Horizontal	P-DLGSEWL5066	P-DLGSEWR5066	1,318
50	72	Horizontal	P-DLGSEWL5072	P-DLGSEWR5072	1,350
50	78	Horizontal	P-DLGSEWL5078	P-DLGSEWR5078	1,381
50	84	Horizontal	P-DLGSEWL5084	P-DLGSEWR5084	1,412
50	90	Horizontal	P-DLGSEWL5090	P-DLGSEWR5090	1,441
50	48	Vertical	P-DLGSEWL5048	P-DLGSEWR5048	1,024
50	54	Vertical	P-DLGSEWL5054	P-DLGSEWR5054	1,105

**DIVI LINEAR SINGLE END FOR WING GALLERY PANEL**


H	W	Grain	Left	Right	List
			Model Number	Model Number	
58	48	Horizontal	P-DLGSEWL5848H	P-DLGSEWR5848H	1,078
58	54	Horizontal	P-DLGSEWL5854H	P-DLGSEWR5854H	1,136
58	60	Horizontal	P-DLGSEWL5860	P-DLGSEWR5860	1,239
58	66	Horizontal	P-DLGSEWL5866	P-DLGSEWR5866	1,340
58	72	Horizontal	P-DLGSEWL5872	P-DLGSEWR5872	1,440
58	78	Horizontal	P-DLGSEWL5878	P-DLGSEWR5878	1,541
58	84	Horizontal	P-DLGSEWL5884	P-DLGSEWR5884	1,644
58	90	Horizontal	P-DLGSEWL5890	P-DLGSEWR5890	1,743
58	48	Vertical	P-DLGSEWL5848	P-DLGSEWR5848	1,078
58	54	Vertical	P-DLGSEWL5854	P-DLGSEWR5854	1,136
66	48	Vertical	P-DLGSEWL6648	P-DLGSEWR6648	1,139
66	54	Vertical	P-DLGSEWL6654	P-DLGSEWR6654	1,215




Left Hand Shown



Left Hand Shown



Left Hand Shown



Left Hand Shown

**Specify**

- Laminate with matching edge


**Notes**

- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Electrical and data cables can be snaked through spine gallery panels.
- Wing panels sold separately.


**Divi Linear Single End for Wing Facing Forward Gallery Panels**

DIVI LINEAR SINGLE END FOR WING FACING FORWARD GALLERY PANELS					
H	W	Grain	Left	Right	List
			Model Number	Model Number	
42	48	Vertical	P-DGSEWFL4248	P-DGSEWFR4248	864
42	54	Vertical	P-DGSEWFL4254	P-DGSEWFR4254	909
42	48	Horizontal	P-DGSEWFL4248H	P-DGSEWFR4248H	864
42	54	Horizontal	P-DGSEWFL4254H	P-DGSEWFR4254H	909
42	60	Horizontal	P-DGSEWFL4260	P-DGSEWFR4260	1,025
42	66	Horizontal	P-DGSEWFL4266	P-DGSEWFR4266	1,101
42	72	Horizontal	P-DGSEWFL4272	P-DGSEWFR4272	1,145
42	78	Horizontal	P-DGSEWFL4278	P-DGSEWFR4278	1,191
42	84	Horizontal	P-DGSEWFL4284	P-DGSEWFR4284	1,234
42	90	Horizontal	P-DGSEWFL4290	P-DGSEWFR4290	1,277
50	48	Vertical	P-DGSEWFL5048	P-DGSEWFR5048	1,024
50	54	Vertical	P-DGSEWFL5054	P-DGSEWFR5054	1,105
50	48	Horizontal	P-DGSEWFL5048H	P-DGSEWFR5048H	1,024
50	54	Horizontal	P-DGSEWFL5054H	P-DGSEWFR5054H	1,105
50	60	Horizontal	P-DGSEWFL5060	P-DGSEWFR5060	1,212
50	66	Horizontal	P-DGSEWFL5066	P-DGSEWFR5066	1,318
50	72	Horizontal	P-DGSEWFL5072	P-DGSEWFR5072	1,350
50	78	Horizontal	P-DGSEWFL5078	P-DGSEWFR5078	1,381
50	84	Horizontal	P-DGSEWFL5084	P-DGSEWFR5084	1,412
50	90	Horizontal	P-DGSEWFL5090	P-DGSEWFR5090	1,441


DIVI LINEAR SINGLE END FOR WING FACING FORWARD GALLERY PANELS					
H	W	Grain	Left	Right	List
			Model Number	Model Number	
58	48	Vertical	P-DGSEWFL5848	P-DGSEWFR5848	1,078
58	54	Vertical	P-DGSEWFL5854	P-DGSEWFR5854	1,136
58	48	Horizontal	P-DGSEWFL5848H	P-DGSEWFR5848H	1,078
58	54	Horizontal	P-DGSEWFL5854H	P-DGSEWFR5854H	1,136
58	60	Horizontal	P-DGSEWFL5860	P-DGSEWFR5860	1,239
58	66	Horizontal	P-DGSEWFL5866	P-DGSEWFR5866	1,340
58	72	Horizontal	P-DGSEWFL5872	P-DGSEWFR5872	1,440
58	78	Horizontal	P-DGSEWFL5878	P-DGSEWFR5878	1,541
58	84	Horizontal	P-DGSEWFL5884	P-DGSEWFR5884	1,644
58	90	Horizontal	P-DGSEWFL5890	P-DGSEWFR5890	1,743
66	48	Vertical	P-DGSEWFL6648	P-DGSEWFR6648	1,139
66	54	Vertical	P-DGSEWFL6654	P-DGSEWFR6654	1,215



Left Hand Shown



Left Hand Shown



Right Hand Shown

**Specify**

- Laminate with matching edge

**Notes**

- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Electrical and data cables can be snaked through spine gallery panels.
- Wing panels sold separately.


**Divi Linear Single End for Double Wing Gallery Panels**

**DIVI LINEAR SINGLE END FOR DOUBLE WING GALLERY PANELS**

H	W	Grain	Left	Right	List
			Model Number	Model Number	
42	48	Vertical	P-DGSEWDL4248	P-DGSEWDR4248	899
42	54	Vertical	P-DGSEWDL4254	P-DGSEWDR4254	944
42	48	Horizontal	P-DGSEWDL4248H	P-DGSEWDR4248H	899
42	54	Horizontal	P-DGSEWDL4254H	P-DGSEWDR4254H	944
42	60	Horizontal	P-DGSEWDL4260	P-DGSEWDR4260	1,061
42	66	Horizontal	P-DGSEWDL4266	P-DGSEWDR4266	1,136
42	72	Horizontal	P-DGSEWDL4272	P-DGSEWDR4272	1,180
42	78	Horizontal	P-DGSEWDL4278	P-DGSEWDR4278	1,224
42	84	Horizontal	P-DGSEWDL4284	P-DGSEWDR4284	1,269
42	90	Horizontal	P-DGSEWDL4290	P-DGSEWDR4290	1,312
50	48	Vertical	P-DGSEWDL5048	P-DGSEWDR5048	1,060
50	54	Vertical	P-DGSEWDL5054	P-DGSEWDR5054	1,140
50	48	Horizontal	P-DGSEWDL5048H	P-DGSEWDR5048H	1,060
50	54	Horizontal	P-DGSEWDL5054H	P-DGSEWDR5054H	1,140
50	60	Horizontal	P-DGSEWDL5060	P-DGSEWDR5060	1,247
50	66	Horizontal	P-DGSEWDL5066	P-DGSEWDR5066	1,353
50	72	Horizontal	P-DGSEWDL5072	P-DGSEWDR5072	1,385
50	78	Horizontal	P-DGSEWDL5078	P-DGSEWDR5078	1,415
50	84	Horizontal	P-DGSEWDL5084	P-DGSEWDR5084	1,446
50	90	Horizontal	P-DGSEWDL5090	P-DGSEWDR5090	1,476

**DIVI LINEAR SINGLE END FOR DOUBLE WING GALLERY PANELS**

H	W	Grain	Left	Right	List
			Model Number	Model Number	
58	48	Vertical	P-DGSEWDL5848	P-DGSEWDR5848	1,113
58	54	Vertical	P-DGSEWDL5854	P-DGSEWDR5854	1,170
58	48	Horizontal	P-DGSEWDL5848H	P-DGSEWDR5848H	1,113
58	54	Horizontal	P-DGSEWDL5854H	P-DGSEWDR5854H	1,170
58	60	Horizontal	P-DGSEWDL5860	P-DGSEWDR5860	1,274
58	66	Horizontal	P-DGSEWDL5866	P-DGSEWDR5866	1,374
58	72	Horizontal	P-DGSEWDL5872	P-DGSEWDR5872	1,475
58	78	Horizontal	P-DGSEWDL5878	P-DGSEWDR5878	1,575
58	84	Horizontal	P-DGSEWDL5884	P-DGSEWDR5884	1,679
58	90	Horizontal	P-DGSEWDL5890	P-DGSEWDR5890	1,777
66	48	Vertical	P-DGSEWDL6648	P-DGSEWDR6648	1,176
66	54	Vertical	P-DGSEWDL6654	P-DGSEWDR6654	1,250



Left Hand Shown



**Specify**

- Laminate with matching edge




**Notes**

- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Electrical and data cables can be snaked through spine gallery panels.
- Wing panels sold separately.

**Divi Linear Single Spine Gallery Panels**

DIVI LINEAR SINGLE SPINE GALLERY PANELS				
H	W	Grain	Model Number	List
42	24	Horizontal	P-DLGPSS4224H	675
42	30	Horizontal	P-DLGPSS4230H	726
42	36	Horizontal	P-DLGPSS4236H	773
42	42	Horizontal	P-DLGPSS4242H	818
42	48	Horizontal	P-DLGPSS4248H	864
42	54	Horizontal	P-DLGPSS4254H	909
42	60	Horizontal	P-DLGPSS4260	1,025
42	66	Horizontal	P-DLGPSS4266	1,101
42	72	Horizontal	P-DLGPSS4272	1,145
42	78	Horizontal	P-DLGPSS4278	1,191
42	84	Horizontal	P-DLGPSS4284	1,234
42	90	Horizontal	P-DLGPSS4290	1,277
42	24	Vertical	P-DLGPSS4224	675
42	30	Vertical	P-DLGPSS4230	726
42	36	Vertical	P-DLGPSS4236	773
42	42	Vertical	P-DLGPSS4242	818
42	48	Vertical	P-DLGPSS4248	864
42	54	Vertical	P-DLGPSS4254	909

DIVI LINEAR SINGLE SPINE GALLERY PANELS				
H	W	Grain	Model Number	List
50	24	Horizontal	P-DLGPSS5024H	722
50	30	Horizontal	P-DLGPSS5030H	794
50	36	Horizontal	P-DLGPSS5036H	868
50	42	Horizontal	P-DLGPSS5042H	945
50	48	Horizontal	P-DLGPSS5048H	1,024
50	54	Horizontal	P-DLGPSS5054H	1,105
50	60	Horizontal	P-DLGPSS5060	1,212
50	66	Horizontal	P-DLGPSS5066	1,318
50	72	Horizontal	P-DLGPSS5072	1,350
50	78	Horizontal	P-DLGPSS5078	1,381
50	84	Horizontal	P-DLGPSS5084	1,412
50	90	Horizontal	P-DLGPSS5090	1,441
50	24	Vertical	P-DLGPSS5024	722
50	30	Vertical	P-DLGPSS5030	794
50	36	Vertical	P-DLGPSS5036	868
50	42	Vertical	P-DLGPSS5042	945
50	48	Vertical	P-DLGPSS5048	1,024
50	54	Vertical	P-DLGPSS5054	1,105



**Specify**

- Laminate with matching edge


**Notes**

- Single Spine Gallery Panels mount to frames in place of wing panels for structural support.
- Gallery Panels add 1" to panel run. See panel creep description pages.
- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Electrical and data cables can be snaked through spine gallery panels.
- HiLo kits are required if gallery panel is lower than standard panels.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.

**Divi Linear Single Spine Gallery Panels**

**DIVI LINEAR SINGLE SPINE GALLERY PANELS**

H	W	Grain	Model Number	List
58	24	Horizontal	P-DLGPSS5824H	804
58	30	Horizontal	P-DLGPSS5830H	880
58	36	Horizontal	P-DLGPSS5836H	949
58	42	Horizontal	P-DLGPSS5842H	1,023
58	48	Horizontal	P-DLGPSS5848H	1,078
58	54	Horizontal	P-DLGPSS5854H	1,136
58	60	Horizontal	P-DLGPSS5860	1,239
58	66	Horizontal	P-DLGPSS5866	1,340
58	72	Horizontal	P-DLGPSS5872	1,440
58	78	Horizontal	P-DLGPSS5878	1,541
58	84	Horizontal	P-DLGPSS5884	1,644
58	90	Horizontal	P-DLGPSS5890	1,743
58	24	Vertical	P-DLGPSS5824	804
58	30	Vertical	P-DLGPSS5830	880
58	36	Vertical	P-DLGPSS5836	949
58	42	Vertical	P-DLGPSS5842	1,023
58	48	Vertical	P-DLGPSS5848	1,078
58	54	Vertical	P-DLGPSS5854	1,136
66	24	Vertical	P-DLGPSS6624	825
66	30	Vertical	P-DLGPSS6630	907
66	36	Vertical	P-DLGPSS6636	982
66	42	Vertical	P-DLGPSS6642	1,062
66	48	Vertical	P-DLGPSS6648	1,139
66	54	Vertical	P-DLGPSS6654	1,215



**Specify**

- Laminate with matching edge


**Notes**

- Single Spine Gallery Panels mount to frames in place of wing panels for structural support.
- Gallery Panels add 1" to panel run. See panel creep description pages.
- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Electrical and data cables can be snaked through spine gallery panels.
- HiLo kits are required if gallery panel is lower than standard panels.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.


**Divi Linear Single Spine for Wing Gallery Panels**

DIVI LINEAR SINGLE SPINE FOR WING GALLERY PANEL						
H	W	Grain	Left	Right	List	
			Model Number	Model Number		
42	48	Horizontal	P-DLGSSWL4248H	P-DLGSSWR4248H	899	
42	54	Horizontal	P-DLGSSWL4254H	P-DLGSSWR4254H	944	
42	60	Horizontal	P-DLGSSWL4260	P-DLGSSWR4260	1,061	
42	66	Horizontal	P-DLGSSWL4266	P-DLGSSWR4266	1,136	
42	72	Horizontal	P-DLGSSWL4272	P-DLGSSWR4272	1,180	
42	78	Horizontal	P-DLGSSWL4278	P-DLGSSWR4278	1,224	
42	84	Horizontal	P-DLGSSWL4284	P-DLGSSWR4284	1,269	
42	90	Horizontal	P-DLGSSWL4290	P-DLGSSWR4290	1,312	
42	48	Vertical	P-DLGSSWL4248	P-DLGSSWR4248	899	
42	54	Vertical	P-DLGSSWL4254	P-DLGSSWR4254	944	
50	48	Horizontal	P-DLGSSWL5048H	P-DLGSSWR5048H	1,060	
50	54	Horizontal	P-DLGSSWL5054H	P-DLGSSWR5054H	1,140	
50	60	Horizontal	P-DLGSSWL5060	P-DLGSSWR5060	1,247	
50	66	Horizontal	P-DLGSSWL5066	P-DLGSSWR5066	1,353	
50	72	Horizontal	P-DLGSSWL5072	P-DLGSSWR5072	1,385	
50	78	Horizontal	P-DLGSSWL5078	P-DLGSSWR5078	1,415	
50	84	Horizontal	P-DLGSSWL5084	P-DLGSSWR5084	1,446	
50	90	Horizontal	P-DLGSSWL5090	P-DLGSSWR5090	1,476	
50	48	Vertical	P-DLGSSWL5048	P-DLGSSWR5048	1,060	
50	54	Vertical	P-DLGSSWL5054	P-DLGSSWR5054	1,140	


DIVI LINEAR SINGLE SPINE FOR WING GALLERY PANEL						
H	W	Grain	Left	Right	List	
			Model Number	Model Number		
58	48	Horizontal	P-DLGSSWL5848H	P-DLGSSWR5848H	1,113	
58	54	Horizontal	P-DLGSSWL5854H	P-DLGSSWR5854H	1,170	
58	60	Horizontal	P-DLGSSWL5860	P-DLGSSWR5860	1,274	
58	66	Horizontal	P-DLGSSWL5866	P-DLGSSWR5869	1,374	
58	72	Horizontal	P-DLGSSWL5872	P-DLGSSWR5872	1,475	
58	78	Horizontal	P-DLGSSWL5878	P-DLGSSWR5878	1,575	
58	84	Horizontal	P-DLGSSWL5884	P-DLGSSWR5884	1,679	
58	90	Horizontal	P-DLGSSWL5890	P-DLGSSWR5890	1,777	
58	48	Vertical	P-DLGSSWL5848	P-DLGSSWR5848	1,113	
58	54	Vertical	P-DLGSSWL5854	P-DLGSSWR5854	1,170	
66	48	Vertical	P-DLGSSWL6648	P-DLGSSWR6648	1,176	
66	54	Vertical	P-DLGSSWL6654	P-DLGSSWR6654	1,250	



Left Hand Shown



Left Hand Shown



Left Hand Shown



Left Hand Shown

**Specify**

- Laminate with matching edge

**Notes**

- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Electrical and data cables can be snaked through spine gallery panels.
- Wing panels sold separately.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.





**Divi Linear Single Spine for Double Wing Gallery Panels**

**DIVI LINEAR SINGLE SPINE FOR DOUBLE WING GALLERY PANELS**

H	W	Grain	Model Number	List
42	48	Vertical	P-DGSDW4248	934
42	54	Vertical	P-DGSDW4254	979
42	48	Horizontal	P-DGSDW4248H	934
42	54	Horizontal	P-DGSDW4254H	979
42	60	Horizontal	P-DGSDW4260	1,097
42	66	Horizontal	P-DGSDW4266	1,170
42	72	Horizontal	P-DGSDW4272	1,214
42	76	Horizontal	P-DGSDW4278	1,260
42	84	Horizontal	P-DGSDW4284	1,304
42	90	Horizontal	P-DGSDW4290	1,348
50	48	Vertical	P-DGSDW5048	1,095
50	54	Vertical	P-DGSDW5054	1,177
50	48	Horizontal	P-DGSDW5048H	1,095
50	54	Horizontal	P-DGSDW5054H	1,177
50	60	Horizontal	P-DGSDW5060	1,281
50	66	Horizontal	P-DGSDW5066	1,387
50	72	Horizontal	P-DGSDW5072	1,420
50	78	Horizontal	P-DGSDW5078	1,450
50	84	Horizontal	P-DGSDW5084	1,480
50	90	Horizontal	P-DGSDW5090	1,510

**DIVI LINEAR SINGLE SPINE FOR DOUBLE WING GALLERY PANELS**

H	W	Grain	Model Number	List
58	48	Vertical	P-DGSDW5848	1,149
58	54	Vertical	P-DGSDW5854	1,207
58	48	Horizontal	P-DGSDW5848H	1,149
58	54	Horizontal	P-DGSDW5854H	1,207
58	60	Horizontal	P-DGSDW5860	1,308
58	66	Horizontal	P-DGSDW5866	1,411
58	72	Horizontal	P-DGSDW5872	1,509
58	78	Horizontal	P-DGSDW5878	1,612
58	84	Horizontal	P-DGSDW5884	1,713
58	90	Horizontal	P-DGSDW5890	1,813
66	48	Vertical	P-DGSDW6648	1,210
66	54	Vertical	P-DGSDW6654	1,286



**Specify**

- Laminate with matching edge





**Notes**

- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Electrical and data cables can be snaked through spine gallery panels.
- Wing panels sold separately.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.

**Divi Linear Double End Gallery Panels**

DIVI LINEAR DOUBLE END GALLERY PANELS				
H	W	Grain	Model Number	List
42	48	Vertical	P-DLGPDE4248	829
42	54	Vertical	P-DLGPDE4254	873
42	48	Horizontal	P-DLGPDE4248H	829
42	54	Horizontal	P-DLGPDE4254H	873
42	60	Horizontal	P-DLGPDE4260	991
42	66	Horizontal	P-DLGPDE4266	1,066
42	72	Horizontal	P-DLGPDE4272	1,109
42	76	Horizontal	P-DLGPDE4278	1,155
42	84	Horizontal	P-DLGPDE4284	1,198
42	90	Horizontal	P-DLGPDE4290	1,242
50	48	Vertical	P-DLGPDE5048	990
50	54	Vertical	P-DLGPDE5054	1,071
50	48	Horizontal	P-DLGPDE5048H	990
50	54	Horizontal	P-DLGPDE5054H	1,071
50	60	Horizontal	P-DLGPDE5060	1,178
50	66	Horizontal	P-DLGPDE5066	1,281
50	72	Horizontal	P-DLGPDE5072	1,315
50	78	Horizontal	P-DLGPDE5078	1,344
50	84	Horizontal	P-DLGPDE5084	1,376
50	90	Horizontal	P-DLGPDE5090	1,406

DIVI LINEAR DOUBLE END GALLERY PANELS				
H	W	Grain	Model Number	List
58	48	Vertical	P-DLGPDE5848	1,044
58	54	Vertical	P-DLGPDE5854	1,101
58	48	Horizontal	P-DLGPDE5848H	1,044
58	54	Horizontal	P-DLGPDE5854H	1,101
58	60	Horizontal	P-DLGPDE5860	1,204
58	66	Horizontal	P-DLGPDE5866	1,305
58	72	Horizontal	P-DLGPDE5872	1,404
58	78	Horizontal	P-DLGPDE5878	1,506
58	84	Horizontal	P-DLGPDE5884	1,609
58	90	Horizontal	P-DLGPDE5890	1,709
66	48	Vertical	P-DLGPDE6648	1,104
66	54	Vertical	P-DLGPDE6654	1,181



**Specify**

- Laminate with matching edge

**Notes**

- Double End Gallery Panels mount to frames in place of wing panels for structural support.
- Gallery Panels add 1" to panel run. See panel creep description pages.
- Double End Gallery Panels are connected to the spine in the center of the gallery panel.
- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Electrical and data cables can be snaked through spine gallery panels.




**Divi Linear Double Spine Gallery Panels**

**DIVI LINEAR DOUBLE SPINE GALLERY PANELS**

H	W	Grain	Model Number	List
42	48	Vertical	P-DLGPSD4248	864
42	54	Vertical	P-DLGPSD4254	909
42	48	Horizontal	P-DLGPSD4248H	864
42	54	Horizontal	P-DLGPSD4254H	909
42	60	Horizontal	P-DLGPSD4260	1,025
42	66	Horizontal	P-DLGPSD4266	1,101
42	72	Horizontal	P-DLGPSD4272	1,145
42	78	Horizontal	P-DLGPSD4278	1,191
42	84	Horizontal	P-DLGPSD4284	1,234
42	90	Horizontal	P-DLGPSD4290	1,277
50	48	Vertical	P-DLGPSD5048	1,024
50	54	Vertical	P-DLGPSD5054	1,105
50	48	Horizontal	P-DLGPSD5048H	1,024
50	54	Horizontal	P-DLGPSD5054H	1,105
50	60	Horizontal	P-DLGPSD5060	1,212
50	66	Horizontal	P-DLGPSD5066	1,318
50	72	Horizontal	P-DLGPSD5072	1,350
50	78	Horizontal	P-DLGPSD5078	1,381
50	84	Horizontal	P-DLGPSD5084	1,412
50	90	Horizontal	P-DLGPSD5090	1,441

**DIVI LINEAR DOUBLE SPINE GALLERY PANELS**

H	W	Grain	Model Number	List
58	48	Vertical	P-DLGPSD5848	1,078
58	54	Vertical	P-DLGPSD5854	1,136
58	48	Horizontal	P-DLGPSD5848H	1,078
58	54	Horizontal	P-DLGPSD5854H	1,136
58	60	Horizontal	P-DLGPSD5860	1,239
58	66	Horizontal	P-DLGPSD5866	1,340
58	72	Horizontal	P-DLGPSD5872	1,440
58	78	Horizontal	P-DLGPSD5878	1,541
58	84	Horizontal	P-DLGPSD5884	1,644
58	90	Horizontal	P-DLGPSD5890	1,743
66	48	Vertical	P-DLGPSD6648	1,139
66	54	Vertical	P-DLGPSD6654	1,215



**Specify**

• Laminate with matching edge


**Notes**

- Double Spine Gallery Panels mount to frames in place of wing panels for structural support.
- Gallery Panels add 1” to panel run. See panel creep description pages.
- Double End Gallery Panels are connected to the spine in the center of the gallery panel.
- Gallery Panels are 1 1/8” thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Electrical and data cables can be snaked through spine gallery panels.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.



**Divi Linear Mid Mount End Gallery Panels**

DIVI LINEAR MID MOUNT END GALLERY PANELS					
H	W	Grain	Left	Right	List
			Model Number	Model Number	
42	24	Vertical	P-DLGPMMML4224	P-DLGPMMR4224	640
42	30	Vertical	P-DLGPMMML4230	P-DLGPMMR4230	692
42	36	Vertical	P-DLGPMMML4236	P-DLGPMMR4236	737
42	42	Vertical	P-DLGPMMML4242	P-DLGPMMR4242	782
42	48	Vertical	P-DLGPMMML4248	P-DLGPMMR4248	829
42	54	Vertical	P-DLGPMMML4254	P-DLGPMMR4254	873
42	24	Horizontal	P-DLGPMMML4224H	P-DLGPMMR4224H	640
42	30	Horizontal	P-DLGPMMML4230H	P-DLGPMMR4230H	692
42	36	Horizontal	P-DLGPMMML4236H	P-DLGPMMR4236H	737
42	42	Horizontal	P-DLGPMMML4242H	P-DLGPMMR4242H	782
42	48	Horizontal	P-DLGPMMML4248H	P-DLGPMMR4248H	829
42	54	Horizontal	P-DLGPMMML4254H	P-DLGPMMR4254H	873
42	60	Horizontal	P-DLGPMMML4260	P-DLGPMMR4260	991
42	66	Horizontal	P-DLGPMMML4266	P-DLGPMMR4266	1,066
42	72	Horizontal	P-DLGPMMML4272	P-DLGPMMR4272	1,109
42	78	Horizontal	P-DLGPMMML4278	P-DLGPMMR4278	1,155
42	84	Horizontal	P-DLGPMMML4284	P-DLGPMMR4284	1,198
42	90	Horizontal	P-DLGPMMML4290	P-DLGPMMR4290	1,242


DIVI LINEAR MID MOUNT END GALLERY PANELS					
H	W	Grain	Left	Right	List
			Model Number	Model Number	
50	24	Vertical	P-DLGPMMML5024	P-DLGPMMR5024	686
50	30	Vertical	P-DLGPMMML5030	P-DLGPMMR5030	760
50	36	Vertical	P-DLGPMMML5036	P-DLGPMMR5036	833
50	42	Vertical	P-DLGPMMML5042	P-DLGPMMR5042	910
50	48	Vertical	P-DLGPMMML5048	P-DLGPMMR5048	990
50	54	Vertical	P-DLGPMMML5054	P-DLGPMMR5054	1,071
50	24	Horizontal	P-DLGPMMML5024H	P-DLGPMMR5024H	686
50	30	Horizontal	P-DLGPMMML5030H	P-DLGPMMR5030H	760
50	36	Horizontal	P-DLGPMMML5036H	P-DLGPMMR5036H	833
50	42	Horizontal	P-DLGPMMML5042H	P-DLGPMMR5042H	910
50	48	Horizontal	P-DLGPMMML5048H	P-DLGPMMR5048H	990
50	54	Horizontal	P-DLGPMMML5054H	P-DLGPMMR5054H	1,071
50	60	Horizontal	P-DLGPMMML5060	P-DLGPMMR5060	1,178
50	66	Horizontal	P-DLGPMMML5066	P-DLGPMMR5066	1,281
50	72	Horizontal	P-DLGPMMML5072	P-DLGPMMR5072	1,315
50	78	Horizontal	P-DLGPMMML5078	P-DLGPMMR5078	1,344
50	84	Horizontal	P-DLGPMMML5084	P-DLGPMMR5084	1,376
50	90	Horizontal	P-DLGPMMML5090	P-DLGPMMR5090	1,406



Left Hand Shown



Left Hand Shown



**Specify**

- Laminate with matching edge


**Notes**

- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.


**Divi Linear Mid Mount End Gallery Panels**

**DIVI LINEAR MID MOUNT END GALLERY PANELS**


H	W	Grain	Left	Right	List
			Model Number	Model Number	
58	24	Vertical	P-DLGPMMML5824	P-DLGPMMR5824	769
58	30	Vertical	P-DLGPMMML5830	P-DLGPMMR5830	844
58	36	Vertical	P-DLGPMMML5836	P-DLGPMMR5836	914
58	42	Vertical	P-DLGPMMML5842	P-DLGPMMR5842	989
58	48	Vertical	P-DLGPMMML5848	P-DLGPMMR5848	1,044
58	54	Vertical	P-DLGPMMML5854	P-DLGPMMR5854	1,101
58	24	Horizontal	P-DLGPMMML5824H	P-DLGPMMR5824H	769
58	30	Horizontal	P-DLGPMMML5830H	P-DLGPMMR5830H	844
58	36	Horizontal	P-DLGPMMML5836H	P-DLGPMMR5836H	914
58	42	Horizontal	P-DLGPMMML5842H	P-DLGPMMR5842H	989
58	48	Horizontal	P-DLGPMMML5848H	P-DLGPMMR5848H	1,044
58	54	Horizontal	P-DLGPMMML5854H	P-DLGPMMR5854H	1,101
58	60	Horizontal	P-DLGPMMML5860	P-DLGPMMR5860	1,204
58	66	Horizontal	P-DLGPMMML5866	P-DLGPMMR5866	1,305
58	72	Horizontal	P-DLGPMMML5872	P-DLGPMMR5872	1,404
58	78	Horizontal	P-DLGPMMML5878	P-DLGPMMR5878	1,506
58	84	Horizontal	P-DLGPMMML5884	P-DLGPMMR5884	1,609
58	90	Horizontal	P-DLGPMMML5890	P-DLGPMMR5890	1,709
66	24	Vertical	P-DLGPMMML6624	P-DLGPMMR6624	790
66	30	Vertical	P-DLGPMMML6630	P-DLGPMMR6630	872
66	36	Vertical	P-DLGPMMML6636	P-DLGPMMR6636	948
66	42	Vertical	P-DLGPMMML6642	P-DLGPMMR6642	1,026
66	48	Vertical	P-DLGPMMML6648	P-DLGPMMR6648	1,104
66	54	Vertical	P-DLGPMMML6654	P-DLGPMMR6654	1,181



Left Hand Shown



Left Hand Shown



**Specify**

**Notes**

• Laminate with matching edge

• Gallery Panels are 1 1/8" thick with matching 2mm edgeband.

• Cannot be used freestanding, must be attached to a panel.


**Divi Linear Mid Mount End for Wing Gallery Panels**

**DIVI LINEAR MID MOUNT END FOR WING GALLERY PANELS**


H	W	Grain	Left	Right	List
			Model Number	Model Number	
42	48	Vertical	P-DLGMMWL4248	P-DLGMMWR4248	864
42	54	Vertical	P-DLGMMWL4254	P-DLGMMWR4254	909
42	48	Horizontal	P-DLGMMWL4248H	P-DLGMMWR4248H	864
42	54	Horizontal	P-DLGMMWL4254H	P-DLGMMWR4254H	909
42	60	Horizontal	P-DLGMMWL4260	P-DLGMMWR4260	1,025
42	66	Horizontal	P-DLGMMWL4266	P-DLGMMWR4266	1,101
42	72	Horizontal	P-DLGMMWL4272	P-DLGMMWR4272	1,145
42	78	Horizontal	P-DLGMMWL4278	P-DLGMMWR4278	1,191
42	84	Horizontal	P-DLGMMWL4284	P-DLGMMWR4284	1,234
42	90	Horizontal	P-DLGMMWL4290	P-DLGMMWR4290	1,277
50	48	Vertical	P-DLGMMWL5048	P-DLGMMWR5048	1,024
50	54	Vertical	P-DLGMMWL5054	P-DLGMMWR5054	1,105
50	48	Horizontal	P-DLGMMWL5048H	P-DLGMMWR5048H	1,024
50	54	Horizontal	P-DLGMMWL5054H	P-DLGMMWR5054H	1,105
50	60	Horizontal	P-DLGMMWL5060	P-DLGMMWR5060	1,212
50	66	Horizontal	P-DLGMMWL5066	P-DLGMMWR5066	1,318
50	72	Horizontal	P-DLGMMWL5072	P-DLGMMWR5072	1,350
50	78	Horizontal	P-DLGMMWL5078	P-DLGMMWR5078	1,381
50	84	Horizontal	P-DLGMMWL5084	P-DLGMMWR5084	1,412
50	90	Horizontal	P-DLGMMWL5090	P-DLGMMWR5090	1,441

**DIVI LINEAR MID MOUNT END FOR WING GALLERY PANELS**

H	W	Grain	Left	Right	List
			Model Number	Model Number	
58	48	Vertical	P-DLGMMWL5848	P-DLGMMWR5848	1,078
58	54	Vertical	P-DLGMMWL5854	P-DLGMMWR5854	1,136
58	48	Horizontal	P-DLGMMWL5848H	P-DLGMMWR5848H	1,078
58	54	Horizontal	P-DLGMMWL5854H	P-DLGMMWR5854H	1,136
58	60	Horizontal	P-DLGMMWL5860	P-DLGMMWR5860	1,239
58	66	Horizontal	P-DLGMMWL5866	P-DLGMMWR5866	1,340
58	72	Horizontal	P-DLGMMWL5872	P-DLGMMWR5872	1,440
58	78	Horizontal	P-DLGMMWL5878	P-DLGMMWR5878	1,541
58	84	Horizontal	P-DLGMMWL5884	P-DLGMMWR5884	1,644
58	90	Horizontal	P-DLGMMWL5890	P-DLGMMWR5890	1,743
66	48	Vertical	P-DLGMMWL6648	P-DLGMMWR6648	1,139
66	54	Vertical	P-DLGMMWL6654	P-DLGMMWR6654	1,215



Left Hand Shown



**Specify**

- Laminate with matching edge

**Notes**

- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Electrical and data cables can be snaked through spine gallery panels.
- Wing panels sold separately.


Divi Linear Mid Mount End for Wing Facing Front Gallery Panels

DIVI LINEAR MID MOUNT END FOR WING FACING FRONT GALLERY PANELS


H	W	Grain	Left	Right	List
			Model Number	Model Number	
42	48	Vertical	P-DGMMWFL4248	P-DGMMWFR4248	899
42	54	Vertical	P-DGMMWFL4254	P-DGMMWFR4254	944
42	48	Horizontal	P-DGMMWFL4248H	P-DGMMWFR4248H	899
42	54	Horizontal	P-DGMMWFL4254H	P-DGMMWFR4254H	944
42	60	Horizontal	P-DGMMWFL4260	P-DGMMWFR4260	1,061
42	66	Horizontal	P-DGMMWFL4266	P-DGMMWFR4266	1,136
42	72	Horizontal	P-DGMMWFL4272	P-DGMMWFR4272	1,180
42	78	Horizontal	P-DGMMWFL4278	P-DGMMWFR4278	1,224
42	84	Horizontal	P-DGMMWFL4284	P-DGMMWFR4284	1,269
42	90	Horizontal	P-DGMMWFL4290	P-DGMMWFR4290	1,312
50	48	Vertical	P-DGMMWFL5048	P-DGMMWFR5048	1,060
50	54	Vertical	P-DGMMWFL5054	P-DGMMWFR5054	1,140
50	48	Horizontal	P-DGMMWFL5048H	P-DGMMWFR5048H	1,060
50	54	Horizontal	P-DGMMWFL5054H	P-DGMMWFR5054H	1,140
50	60	Horizontal	P-DGMMWFL5060	P-DGMMWFR5060	1,247
50	66	Horizontal	P-DGMMWFL5066	P-DGMMWFR5066	1,353
50	72	Horizontal	P-DGMMWFL5072	P-DGMMWFR5072	1,385
50	78	Horizontal	P-DGMMWFL5078	P-DGMMWFR5078	1,415
50	84	Horizontal	P-DGMMWFL5084	P-DGMMWFR5084	1,446
50	90	Horizontal	P-DGMMWFL5090	P-DGMMWFR5090	1,476

DIVI LINEAR MID MOUNT END FOR WING FACING FRONT GALLERY PANELS

H	W	Grain	Left	Right	List
			Model Number	Model Number	
58	48	Vertical	P-DGMMWFL5848	P-DGMMWFR5848	1,113
58	54	Vertical	P-DGMMWFL5854	P-DGMMWFR5854	1,170
58	48	Horizontal	P-DGMMWFL5848H	P-DGMMWFR5848H	1,113
58	54	Horizontal	P-DGMMWFL5854H	P-DGMMWFR5854H	1,170
58	60	Horizontal	P-DGMMWFL5860	P-DGMMWFR5860	1,274
58	66	Horizontal	P-DGMMWFL5866	P-DGMMWFR5866	1,374
58	72	Horizontal	P-DGMMWFL5872	P-DGMMWFR5872	1,475
58	78	Horizontal	P-DGMMWFL5878	P-DGMMWFR5878	1,575
58	84	Horizontal	P-DGMMWFL5884	P-DGMMWFR5884	1,679
58	90	Horizontal	P-DGMMWFL5890	P-DGMMWFR5890	1,777
66	48	Vertical	P-DGMMWFL6648	P-DGMMWFR6648	1,176
66	54	Vertical	P-DGMMWFL6654	P-DGMMWFR6654	1,250



Left Hand Shown



Specify

- Laminate with matching edge

Notes

- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Electrical and data cables can be snaked through spine gallery panels.
- Wing panels sold separately.


**Divi Linear Mid Mount End for Double Wing Gallery Panels**

**DIVI LINEAR MID MOUNT END FOR DOUBLE WING GALLERY PANELS**


H	W	Grain	Left	Right	List
			Model Number	Model Number	
42	48	Vertical	P-DGMMWDL4248	P-DGMMWDR4248	899
42	54	Vertical	P-DGMMWDL4254	P-DGMMWDR4254	944
42	48	Horizontal	P-DGMMWDL4248H	P-DGMMWDR4248H	899
42	54	Horizontal	P-DGMMWDL4254H	P-DGMMWDR4254H	944
42	60	Horizontal	P-DGMMWDL4260	P-DGMMWDR4260	1,061
42	66	Horizontal	P-DGMMWDL4266	P-DGMMWDR4266	1,136
42	72	Horizontal	P-DGMMWDL4272	P-DGMMWDR4272	1,180
42	78	Horizontal	P-DGMMWDL4278	P-DGMMWDR4278	1,224
42	84	Horizontal	P-DGMMWDL4284	P-DGMMWDR4284	1,269
42	90	Horizontal	P-DGMMWDL4290	P-DGMMWDR4290	1,312
50	48	Vertical	P-DGMMWDL5048	P-DGMMWDR5048	1,060
50	54	Vertical	P-DGMMWDL5054	P-DGMMWDR5054	1,140
50	48	Horizontal	P-DGMMWDL5048H	P-DGMMWDR5048H	1,060
50	54	Horizontal	P-DGMMWDL5054H	P-DGMMWDR5054H	1,140
50	60	Horizontal	P-DGMMWDL5060	P-DGMMWDR5060	1,247
50	66	Horizontal	P-DGMMWDL5066	P-DGMMWDR5066	1,353
50	72	Horizontal	P-DGMMWDL5072	P-DGMMWDR5072	1,385
50	78	Horizontal	P-DGMMWDL5078	P-DGMMWDR5078	1,415
50	84	Horizontal	P-DGMMWDL5084	P-DGMMWDR5084	1,446
50	90	Horizontal	P-DGMMWDL5090	P-DGMMWDR5090	1,476

**DIVI LINEAR MID MOUNT END FOR DOUBLE WING GALLERY PANELS**

H	W	Grain	Left	Right	List
			Model Number	Model Number	
58	48	Vertical	P-DGMMWDL5848	P-DGMMWDR5848	1,113
58	54	Vertical	P-DGMMWDL5854	P-DGMMWDR5854	1,170
58	48	Horizontal	P-DGMMWDL5848H	P-DGMMWDR5848H	1,113
58	54	Horizontal	P-DGMMWDL5854H	P-DGMMWDR5854H	1,170
58	60	Horizontal	P-DGMMWDL5860	P-DGMMWDR5860	1,274
58	66	Horizontal	P-DGMMWDL5866	P-DGMMWDR5866	1,374
58	72	Horizontal	P-DGMMWDL5872	P-DGMMWDR5872	1,475
58	78	Horizontal	P-DGMMWDL5878	P-DGMMWDR5878	1,575
58	84	Horizontal	P-DGMMWDL5884	P-DGMMWDR5884	1,679
58	90	Horizontal	P-DGMMWDL5890	P-DGMMWDR5890	1,777
66	48	Vertical	P-DGMMWDL6648	P-DGMMWDR6648	1,176
66	54	Vertical	P-DGMMWDL6654	P-DGMMWDR6654	1,250



Left Hand Shown



**Specify**

- Laminate with matching edge

**Notes**

- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Electrical and data cables can be snaked through spine gallery panels.
- Wing panels sold separately.




**Divi Linear Mid Mount Spine Gallery Panels**

**DIVI LINEAR MID MOUNT SPINE GALLERY PANELS**

H	W	Grain	Model Number	List
42	24	Vertical	P-DLGPMMMS4224	675
42	30	Vertical	P-DLGPMMMS4230	726
42	36	Vertical	P-DLGPMMMS4236	773
42	42	Vertical	P-DLGPMMMS4242	818
42	48	Vertical	P-DLGPMMMS4248	864
42	54	Vertical	P-DLGPMMMS4254	909
42	24	Horizontal	P-DLGPMMMS4224H	675
42	30	Horizontal	P-DLGPMMMS4230H	726
42	36	Horizontal	P-DLGPMMMS4236H	773
42	42	Horizontal	P-DLGPMMMS4242H	818
42	48	Horizontal	P-DLGPMMMS4248H	864
42	54	Horizontal	P-DLGPMMMS4254H	909
42	60	Horizontal	P-DLGPMMMS4260	1,025
42	66	Horizontal	P-DLGPMMMS4266	1,101
42	72	Horizontal	P-DLGPMMMS4272	1,145
42	78	Horizontal	P-DLGPMMMS4278	1,191
42	84	Horizontal	P-DLGPMMMS4284	1,234
42	90	Horizontal	P-DLGPMMMS4290	1,277

**DIVI LINEAR MID MOUNT SPINE GALLERY PANELS**

H	W	Grain	Model Number	List
50	24	Vertical	P-DLGPMMMS5024	722
50	30	Vertical	P-DLGPMMMS5030	794
50	36	Vertical	P-DLGPMMMS5036	868
50	42	Vertical	P-DLGPMMMS5042	945
50	48	Vertical	P-DLGPMMMS5048	1,024
50	54	Vertical	P-DLGPMMMS5054	1,105
50	24	Horizontal	P-DLGPMMMS5024H	722
50	30	Horizontal	P-DLGPMMMS5030H	794
50	36	Horizontal	P-DLGPMMMS5036H	868
50	42	Horizontal	P-DLGPMMMS5042H	945
50	48	Horizontal	P-DLGPMMMS5048H	1,024
50	54	Horizontal	P-DLGPMMMS5054H	1,105
50	60	Horizontal	P-DLGPMMMS5060	1,212
50	66	Horizontal	P-DLGPMMMS5066	1,318
50	72	Horizontal	P-DLGPMMMS5072	1,350
50	78	Horizontal	P-DLGPMMMS5078	1,381
50	84	Horizontal	P-DLGPMMMS5084	1,412
50	90	Horizontal	P-DLGPMMMS5090	1,441



**Specify**

- Laminate with matching edge


**Notes**

- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Electrical and data cables can be snaked through spine gallery panels.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.

**Divi Linear Mid Mount Spine Gallery Panels**

**DIVI LINEAR MID MOUNT SPINE GALLERY PANELS**

H	W	Grain	Model Number	List
58	24	Vertical	P-DLGPMMMS5824	804
58	30	Vertical	P-DLGPMMMS5830	880
58	36	Vertical	P-DLGPMMMS5836	949
58	42	Vertical	P-DLGPMMMS5842	1,023
58	48	Vertical	P-DLGPMMMS5848	1,078
58	54	Vertical	P-DLGPMMMS5854	1,136
58	24	Horizontal	P-DLGPMMMS5824H	804
58	30	Horizontal	P-DLGPMMMS5830H	880
58	36	Horizontal	P-DLGPMMMS5836H	949
58	42	Horizontal	P-DLGPMMMS5842H	1,023
58	48	Horizontal	P-DLGPMMMS5848H	1,078
58	54	Horizontal	P-DLGPMMMS5854H	1,136
58	60	Horizontal	P-DLGPMMMS5860	1,239
58	66	Horizontal	P-DLGPMMMS5866	1,340
58	72	Horizontal	P-DLGPMMMS5872	1,440
58	78	Horizontal	P-DLGPMMMS5878	1,541
58	84	Horizontal	P-DLGPMMMS5884	1,644
58	90	Horizontal	P-DLGPMMMS5890	1,743
66	24	Vertical	P-DLGPMMMS6624	825
66	30	Vertical	P-DLGPMMMS6630	907
66	36	Vertical	P-DLGPMMMS6636	982
66	42	Vertical	P-DLGPMMMS6642	1,062
66	48	Vertical	P-DLGPMMMS6648	1,139
66	54	Vertical	P-DLGPMMMS6654	1,215



**Specify**

- Laminate with matching edge


**Notes**

- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Electrical and data cables can be snaked through spine gallery panels.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.


**Divi Linear Mid Mount Spine for Wing Gallery Panels**

DIVI LINEAR MID MOUNT SPINE FOR WING GALLERY PANELS					
H	W	Grain	Left	Right	List
			Model Number	Model Number	
42	48	Vertical	P-DLGMWWSL4248	P-DLGMWWSR4248	899
42	54	Vertical	P-DLGMWWSL4254	P-DLGMWWSR4254	944
42	48	Horizontal	P-DLGMWWSL4248H	P-DLGMWWSR4248H	899
42	54	Horizontal	P-DLGMWWSL4254H	P-DLGMWWSR4254H	944
42	60	Horizontal	P-DLGMWWSL4260	P-DLGMWWSR4260	1,061
42	66	Horizontal	P-DLGMWWSL4266	P-DLGMWWSR4266	1,136
42	72	Horizontal	P-DLGMWWSL4272	P-DLGMWWSR4272	1,180
42	78	Horizontal	P-DLGMWWSL4278	P-DLGMWWSR4278	1,224
42	84	Horizontal	P-DLGMWWSL4284	P-DLGMWWSR4284	1,269
42	90	Horizontal	P-DLGMWWSL4290	P-DLGMWWSR4290	1,312
50	48	Vertical	P-DLGMWWSL5048	P-DLGMWWSR5048	1,060
50	54	Vertical	P-DLGMWWSL5054	P-DLGMWWSR5054	1,140
50	48	Horizontal	P-DLGMWWSL5048H	P-DLGMWWSR5048H	1,060
50	54	Horizontal	P-DLGMWWSL5054H	P-DLGMWWSR5054H	1,140
50	60	Horizontal	P-DLGMWWSL5060	P-DLGMWWSR5060	1,247
50	66	Horizontal	P-DLGMWWSL5066	P-DLGMWWSR5066	1,353
50	72	Horizontal	P-DLGMWWSL5072	P-DLGMWWSR5072	1,385
50	78	Horizontal	P-DLGMWWSL5078	P-DLGMWWSR5078	1,415
50	84	Horizontal	P-DLGMWWSL5084	P-DLGMWWSR5084	1,446
50	90	Horizontal	P-DLGMWWSL5090	P-DLGMWWSR5090	1,476

DIVI LINEAR MID MOUNT SPINE FOR WING GALLERY PANELS					
H	W	Grain	Left	Right	List
			Model Number	Model Number	
58	48	Vertical	P-DLGMWWSL5848	P-DLGMWWSR5848	1,113
58	54	Vertical	P-DLGMWWSL5854	P-DLGMWWSR5854	1,170
58	48	Horizontal	P-DLGMWWSL5848H	P-DLGMWWSR5848H	1,113
58	54	Horizontal	P-DLGMWWSL5854H	P-DLGMWWSR5854H	1,170
58	60	Horizontal	P-DLGMWWSL5860	P-DLGMWWSR5860	1,274
58	66	Horizontal	P-DLGMWWSL5866	P-DLGMWWSR5866	1,374
58	72	Horizontal	P-DLGMWWSL5872	P-DLGMWWSR5872	1,475
58	78	Horizontal	P-DLGMWWSL5878	P-DLGMWWSR5878	1,575
58	84	Horizontal	P-DLGMWWSL5884	P-DLGMWWSR5884	1,679
58	90	Horizontal	P-DLGMWWSL5890	P-DLGMWWSR5890	1,777
66	48	Vertical	P-DLGMWWSL6648	P-DLGMWWSR6648	1,176
66	54	Vertical	P-DLGMWWSL6654	P-DLGMWWSR6654	1,250



Left Hand Shown



**Specify**

- Laminate with matching edge

**Notes**

- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Electrical and data cables can be snaked through spine gallery panels.
- Wing panels sold separately.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.



**Divi Linear Mid Mount Spine for Double Wing Gallery Panels**

**DIVI LINEAR MID MOUNT SPINE FOR DOUBLE WING GALLERY PANELS**

H	W	Grain	Model Number	List
42	48	Vertical	P-DGSMMDW4248	934
42	54	Vertical	P-DGSMMDW4254	979
42	48	Horizontal	P-DGSMMDW4248H	934
42	54	Horizontal	P-DGSMMDW4254H	979
42	60	Horizontal	P-DGSMMDW4260	1,097
42	66	Horizontal	P-DGSMMDW4266	1,170
42	72	Horizontal	P-DGSMMDW4272	1,214
42	76	Horizontal	P-DGSMMDW4278	1,260
42	84	Horizontal	P-DGSMMDW4284	1,304
42	90	Horizontal	P-DGSMMDW4290	1,348
50	48	Vertical	P-DGSMMDW5048	1,095
50	54	Vertical	P-DGSMMDW5054	1,177
50	48	Horizontal	P-DGSMMDW5048H	1,095
50	54	Horizontal	P-DGSMMDW5054H	1,177
50	60	Horizontal	P-DGSMMDW5060	1,281
50	66	Horizontal	P-DGSMMDW5066	1,387
50	72	Horizontal	P-DGSMMDW5072	1,420
50	78	Horizontal	P-DGSMMDW5078	1,450
50	84	Horizontal	P-DGSMMDW5084	1,480
50	90	Horizontal	P-DGSMMDW5090	1,510

**DIVI LINEAR MID MOUNT SPINE FOR DOUBLE WING GALLERY PANELS**

H	W	Grain	Model Number	List
58	48	Vertical	P-DGSMMDW5848	1,149
58	54	Vertical	P-DGSMMDW5854	1,207
58	48	Horizontal	P-DGSMMDW5848H	1,149
58	54	Horizontal	P-DGSMMDW5854H	1,207
58	60	Horizontal	P-DGSMMDW5860	1,308
58	66	Horizontal	P-DGSMMDW5866	1,411
58	72	Horizontal	P-DGSMMDW5872	1,509
58	78	Horizontal	P-DGSMMDW5878	1,612
58	84	Horizontal	P-DGSMMDW5884	1,713
58	90	Horizontal	P-DGSMMDW5890	1,813
66	48	Vertical	P-DGSMMDW6648	1,210
66	54	Vertical	P-DGSMMDW6654	1,286



**Specify**

- Laminate with matching edge

**Notes**


- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Electrical and data cables can be snaked through spine gallery panels.
- Wing panels sold separately.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.

**DIVI LINEAR WING GALLERY PANEL**

H	W	Grain	Left	Right	List
			Model Number	Model Number	
42	18	Vertical	P-DLGWPL4218	P-DLGWPR4218	586
42	24	Vertical	P-DLGWPL4224	P-DLGWPR4224	640
42	30	Vertical	P-DLGWPL4230	P-DLGWPR4230	692
42	18	Horizontal	P-DLGWPL4218H	P-DLGWPR4218H	586
42	24	Horizontal	P-DLGWPL4224H	P-DLGWPR4224H	640
42	30	Horizontal	P-DLGWPL4230H	P-DLGWPR4230H	692
50	18	Vertical	P-DLGWPL5018	P-DLGWPR5018	610
50	24	Vertical	P-DLGWPL5024	P-DLGWPR5024	686
50	30	Vertical	P-DLGWPL5030	P-DLGWPR5030	760
50	18	Horizontal	P-DLGWPL5018H	P-DLGWPR5018H	610
50	24	Horizontal	P-DLGWPL5024H	P-DLGWPR5024H	686
50	30	Horizontal	P-DLGWPL5030H	P-DLGWPR5030H	760
58	18	Vertical	P-DLGWPL5818	P-DLGWPR5818	693
58	24	Vertical	P-DLGWPL5824	P-DLGWPR5824	769
58	30	Vertical	P-DLGWPL5830	P-DLGWPR5830	844
58	18	Horizontal	P-DLGWPL5818H	P-DLGWPR5818H	693
58	24	Horizontal	P-DLGWPL5824H	P-DLGWPR5824H	769
58	30	Horizontal	P-DLGWPL5830H	P-DLGWPR5830H	844
66	18	Vertical	P-DLGWPL6618	P-DLGWPR6618	705
66	24	Vertical	P-DLGWPL6624	P-DLGWPR6624	790
66	30	Vertical	P-DLGWPL6630	P-DLGWPR6630	872



Left Hand Shown



Left Hand Shown

**Specify**

- Laminate with matching edge


**Notes**

- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.

**Divi Linear Gallery Panel HiLo Kits**

**DIVI GALLERY PANEL HILO KITS**

Panel H	Model Number	List
8	P-DLGPHILO08	134
16	P-DLGPHILO16	152
24	P-DLGPHILO24	157
32	P-DLGPHILO32	165
40	P-DLGPHILO40	169



**Specify**


**Notes**

• Paint Selection

- To be used on non-equal height gallery panels.
- Includes trim kit and hilo bracket.
- Order kit that corresponds to difference between high and low panel.
- Hilo kit bracket replaces bracket that comes with gallery panels.
- Order gallery panels separately.

**WORKSURFACE SUPPORT BRACKET**

<b>Model Number</b>	<b>List</b>
O-WSLB	59
O-WSLBP	69



<b>Specify</b>	<b>Notes</b>
<ul style="list-style-type: none"> <li>• Paint Selection</li> </ul>	<ul style="list-style-type: none"> <li>• Model number includes two brackets.</li> <li>• Order Worksurface Support Bracket when mounting worksurfaces to Gallery Panels.</li> <li>• Brackets measure 5.5" x 1" x 1".</li> <li>• O-WSLB available in black only.</li> <li>• O-WSLBP available in any paint finish.</li> </ul>



**Wall Mounted Gallery Panels**

**WALL MOUNTED GALLERY PANELS – HORIZONTAL**

H	W	Model Number	List
42	24	P-DLWMGP4224	640
42	30	P-DLWMGP4230	692
42	36	P-DLWMGP4236	737
42	42	P-DLWMGP4242	782
42	48	P-DLWMGP4248	829
42	54	P-DLWMGP4254	873
42	60	P-DLWMGP4260	991
42	66	P-DLWMGP4266	1,066
42	72	P-DLWMGP4272	1,109
42	78	P-DLWMGP4278	1,155
42	84	P-DLWMGP4284	1,198
42	90	P-DLWMGP4290	1,242
42	96	P-DLWMGP4296	1,305
50	24	P-DLWMGP5024	686
50	30	P-DLWMGP5030	760
50	36	P-DLWMGP5036	833
50	42	P-DLWMGP5042	910
50	48	P-DLWMGP5048	990
50	54	P-DLWMGP5054	1,071
50	60	P-DLWMGP5060	1,178
50	66	P-DLWMGP5066	1,281
50	72	P-DLWMGP5072	1,315
50	78	P-DLWMGP5078	1,344
50	84	P-DLWMGP5084	1,376
50	90	P-DLWMGP5090	1,406
50	96	P-DLWMGP5096	1,468

**WALL MOUNTED GALLERY PANELS – HORIZONTAL**

H	W	Model Number	List
58	24	P-DLWMGP5824	769
58	30	P-DLWMGP5830	844
58	36	P-DLWMGP5836	914
58	42	P-DLWMGP5842	989
58	48	P-DLWMGP5848	1,044
58	54	P-DLWMGP5854	1,101
58	60	P-DLWMGP5860	1,204
58	66	P-DLWMGP5866	1,305
58	72	P-DLWMGP5872	1,404
58	78	P-DLWMGP5878	1,506
58	84	P-DLWMGP5884	1,609
58	90	P-DLWMGP5890	1,709
58	96	P-DLWMGP5896	1,763



**Specify**

- Laminate selection
- Paint selection for Mounting Brackets

**Notes**

- Gallery panels are 1 1/8" with 2mm edge.
- Cannot be used freestanding, must be attached to a wall.
- Wall mounted gallery panels over 66" wide must be attached to storage units for support.
- Laminate gallery panel has matching edge.





Wall Mounted Gallery Panels

WALL MOUNTED GALLERY PANELS – VERTICAL

H	W	Model Number	List
42	24	P-DLWMGP4224V	640
42	30	P-DLWMGP4230V	692
42	36	P-DLWMGP4236V	737
42	42	P-DLWMGP4242V	782
42	48	P-DLWMGP4248V	829
42	54	P-DLWMGP4254V	873
50	24	P-DLWMGP5024V	686
50	30	P-DLWMGP5030V	760
50	36	P-DLWMGP5036V	833
50	42	P-DLWMGP5042V	910
50	48	P-DLWMGP5048V	990
50	54	P-DLWMGP5054V	1,071

WALL MOUNTED GALLERY PANELS – VERTICAL

H	W	Model Number	List
58	24	P-DLWMGP5824V	769
58	30	P-DLWMGP5830V	844
58	36	P-DLWMGP5836V	914
58	42	P-DLWMGP5842V	989
58	48	P-DLWMGP5848V	1,044
58	54	P-DLWMGP5854V	1,101
66	24	P-DLWMGP6624	790
66	30	P-DLWMGP6630	872
66	36	P-DLWMGP6636	948
66	42	P-DLWMGP6642	1,026
66	48	P-DLWMGP6648	1,104
66	54	P-DLWMGP6654	1,181



Specify

- Laminate selection
- Paint selection for Mounting Brackets


Notes

- Gallery panels are 1 1/8" with 2mm edge.
- Cannot be used freestanding, must be attached to a wall.
- Wall mounted gallery panels over 66" wide must be attached to storage units for support.
- Laminate gallery panel has matching edge.


**Wall Mounted Gallery Panel for Wings**

**WALL MOUNTED GALLERY PANEL FOR WINGS – HORIZONTAL**

H	W	Left	Right	List
		Model Number	Model Number	
42	66	P-DLWMGPWL4266	P-DLWMGPWR4266	1,101
42	72	P-DLWMGPWL4272	P-DLWMGPWR4272	1,145
42	78	P-DLWMGPWL4278	P-DLWMGPWR4278	1,191
42	84	P-DLWMGPWL4284	P-DLWMGPWR4284	1,234
42	90	P-DLWMGPWL4290	P-DLWMGPWR4290	1,277
50	66	P-DLWMGPWL5066	P-DLWMGPWR5066	1,318
50	72	P-DLWMGPWL5072	P-DLWMGPWR5072	1,350
50	78	P-DLWMGPWL5078	P-DLWMGPWR5078	1,381
50	84	P-DLWMGPWL5084	P-DLWMGPWR5084	1,412
50	90	P-DLWMGPWL5090	P-DLWMGPWR5090	1,441
58	66	P-DLWMGPWL5866	P-DLWMGPWR5866	1,340
58	72	P-DLWMGPWL5872	P-DLWMGPWR5872	1,440
58	78	P-DLWMGPWL5878	P-DLWMGPWR5878	1,541
58	84	P-DLWMGPWL5884	P-DLWMGPWR5884	1,644
58	90	P-DLWMGPWL5890	P-DLWMGPWR5890	1,743



Left Hand Shown



Left Hand Shown

**Specify**


- Laminate selection
- Paint selection for Mounting Brackets

**Notes**

- Gallery panels are 1 1/8" with 2mm edge.
- Cannot be used freestanding, must be attached to a wall.
- Laminate gallery panel has matching edge.

**Divi Insert Panel Product Details**

**Possible Insert Panel Side Elevations**



Insert Panel Monolithic Elevation



Insert Panel Segmented Elevation

Quarter Glass Monolithic Elevation

Quarter Glass Segmented Elevation

Half Glass Monolithic Elevation

Half Glass Segmented Elevation






**X**

**X**

**X**





**X**






**X**

**X**

**X**




**X**



## Divi Insert Panel Product Details

### Insert Panel Availability


#### Monolithic Front/Back Insert Panel - Powered/Non-Powered:



**Heights:**  
42", 50", 58", 66", 82" (Actual Min. Height = Nominal - 1/16") - 1 1/2" Leveling Glide Range

**Widths:**  
24", 30", 36", 42", 48", 60", 72"\* (Actual Width = Nominal + 1/8")  
\*72" wide available in 42" - 58" high only


#### Segmented Front/Segmented Back Insert Panel - Powered/Non-Powered:



**Heights:**  
42", 50", 58", 66", 82" (Actual Min. Height = Nominal - 1/16") - 1 1/2" Leveling Glide Range

**Widths:**  
24", 30", 36", 42", 48", 60", 72"\* (Actual Width = Nominal + 1/8")  
\*72" wide available in 42" - 58" high only


#### Monolithic Front/Segmented Back Quarter Glass Insert - Powered/Non-Powered:



**Heights:**  
66", 82" (Actual Min. Height = Nominal - 1/16") - 1 1/2" Leveling Glide Range

**Widths:**  
24", 30", 36", 42", 48", 60", 72"\* (Actual Width = Nominal + 1/8")  
\*72" wide available in 66" high only


#### Monolithic Front/Segmented Back Insert Panel - Powered/Non-Powered:



**Heights:**  
42", 50", 58", 66", 82" (Actual Min. Height = Nominal - 1/16") - 1 1/2" Leveling Glide Range

**Widths:**  
24", 30", 36", 42", 48", 60", 72"\* (Actual Width = Nominal + 1/8")  
\*72" wide available in 42" - 58" high only


#### Monolithic Front/Back Quarter Glass Insert Panel - Powered/Non-Powered:



**Heights:**  
50", 58", 66", 82" (Actual Min. Height = Nominal - 1/16") - 1 1/2" Leveling Glide Range

**Widths:**  
24", 30", 36", 42", 48", 60", 72"\* (Actual Width = Nominal + 1/8")  
\*72" wide available in 50" 58", and 66" high only

#### Segmented Front/Back Quarter Glass Insert Panel - Powered/Non-Powered:




**Heights:**  
66", 82" (Actual Min. Height = Nominal - 1/16") - 1 1/2" Leveling Glide Range

**Widths:**  
24", 30", 36", 42", 48", 60", 72" (Actual Width = Nominal + 1/8")  
\*72" wide available in 66" high only

Divi Insert Panel Product Details

Insert Panel Availability (Cont.)


Monolithic Front/Back Half Glass Insert Panel - Powered/Non-Powered:



**Heights:**  
 66", 82" (Actual Min. Height = Nominal - 1/16") - 1 1/2" Leveling Glide Range

**Widths:**  
 24", 30", 36", 42", 48", 60" (Actual Width = Nominal + 1/8")  
 \*60" wide available in 66" high only


Monolithic Front/Segmented Back Half Glass Insert Panel - Powered/Non-Powered:



**Heights:**  
 82" (Actual Min. Height = Nominal - 1/16") - 1 1/2" Leveling Glide Range

**Widths:**  
 24", 30", 36", 42", 48" (Actual Width = Nominal + 1/8")


Segmented Front/Back Half Glass Insert Panel - Powered/Non-Powered:




**Heights:**  
 82" (Actual Min. Height = Nominal - 1/16") - 1 1/2" Leveling Glide Range

**Widths:**  
 24", 30", 36", 42", 48" (Actual Width = Nominal + 1/8")


Panel Profile



Hanger frame has a slot pattern on a 1" standard increment for hang on components. Slots are 3/4" tall x approximately 1/8" wide. Hanger frame is factory installed and removal is not required for panel installation.




Hanger frame face is factory finished and requires no endcap or HiLo trim after panel installation.



Hanger frame topcap is field installed and remains easily removable to facilitate panel installation and reconfiguration.


Panel topcap is factory installed. Topcaps on permanent monolithic panels are fixed.



Panel polypropylene hinge inserts into hinge channels built into every hanger frame in order to connect panels together. A 21" length is inserted to the bottom and then an additional length for each panel height needed.

**Divi Insert Panel Product Details**


**Panel Profile (Cont.)**



Alignment plate holds panels in vertical alignment and prevents panel shear.


8 wire 4 circuit powerway is included with every powered panel and is factory installed.

Raceway glides are adjustable up to 1 3/4" for installation on unlevel floors and include carpet grippers.



Metal raceway divider (optional) separates low voltage data cables and high voltage electrical cables if desired. Divider attaches to raceway glides and is retrofitable on installed panels.


Base cover assembly ships separate as one piece and installs by sliding under panel after panel installation, hinging up and snapping to the underside of the panel. Non-powered or powered base covers are shipped with non-powered or powered panels, respectively. Base covers have a small "mud flap" for data cable egress.



Duplex outlets are ordered separately. Two outlets can be used per side, four total per panel. Outlets utilize top base cover holes.


Duplex outlet covers hide unused duplex outlet or data locations. Six are shipped with every panel. A 24"W gets three duplex outlet covers. Order extra as needed.

Snap-in data jack housing (order separately) accommodates six Hubbell or compatible data/voice jacks. Snap-in housings may not be used back to back on a spine wall.




Data cable raceway cavity is approximately 2" wide by 3" tall and can accommodate between 32 and 40 Cat 6 data cables, depending on how tightly they are packed.

Cat 5 and 6 data jacks extend beyond center line of raceway, preventing jack housings to be used back to back on a spine. Plan on using "cross corners" on panel to eliminate this issue.




Insert panel topcaps can be removed to facilitate insert replacement.



Inserts are removable by sliding out from the top of the hanger frame channels.


Insert retainers separate tiles horizontally and may be removed by sliding up and out of the top of the panel.

**Panel Frame Creep Dimensions**



**Insert Panel Specifications**

66" High x 36" Wide Example Panel  
Segmented Front and Back



For instance, a 66" H x 36" W segmented panel has a total of six inserts (three inserts per side). If the three inserts on Side A were to be Grade C fabric, the upcharge for the panel would be \$47.

Side A Position 1, 27" H x 36" W insert Grade C Upcharge = \$21  
 Side A Position 2, 16" H x 36" W insert Grade C Upcharge = \$13  
 Side A Position 3, 16" H x 36" W insert Grade C Upcharge = \$13  
 Total upcharge = \$47 for the panel.

If the Position 1 and Position 2 inserts on Side A were to be Grade C fabric, and the Position 3 insert on Side A were to be Grade D fabric, the upcharge for the panel would be \$61.

Side A Position 1, 27" H x 36" W insert Grade C Upcharge = \$21  
 Side A Position 2, 16" H x 36" W insert Grade C Upcharge = \$13  
 Side A Position 3, 16" H x 36" W insert Grade D Upcharge = \$27  
 Total upcharge = \$61 for the panel.


If all six inserts (three on Side A, three on Side B) were to be Grade C fabric, the Grade C fabric upcharge for the panel would be \$94.

- Side A Position 1, 27" H x 36" W insert Grade C Upcharge = \$21
- Side B Position 1, 27" H x 36" W insert Grade C Upcharge = \$21
- Side A Position 2, 16" H x 36" W insert Grade C Upcharge = \$13
- Side B Position 2, 16" H x 36" W insert Grade C Upcharge = \$13
- Side A Position 3, 16" H x 36" W insert Grade C Upcharge = \$13
- Side B Position 3, 16" H x 36" W insert Grade C Upcharge = \$13
- Total upcharge = \$94 for the panel.

**Divi Insert Panel Product Details**

**Directional Laminate Application Guidelines**

For aesthetic reasons, consider having laminate run in same direction on all panels. Note that 72" wide panels can only have horizontal direction.



INSERT LAMINATE GRAIN DIRECTION							
INSERT HEIGHT	INSERT WIDTH						
	24W	30W	36W	42W	48W	60W	72W
<b>8H (Segmented)</b>	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Horizontal
<b>16H (Segmented)</b>	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Horizontal
<b>24H (Segmented)</b>	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Horizontal
<b>42H</b>	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Horizontal
<b>50H</b>	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Horizontal
<b>58H</b>	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Horizontal
<b>66H</b>	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	N/A	N/A	N/A	N/A
<b>82H</b>	N/A	N/A	N/A	N/A	N/A	N/A	N/A




**Divi Linear Monolithic Front/Back Inserts**

**DIVI LINEAR MONOLITHIC FRONT/BACK INSERTS  
NON-POWERED PANELS**


H	W	Model Number	List	Grade C Paint
42	24	P-DLFRMM4224	879	+28
42	30	P-DLFRMM4230	935	+28
42	36	P-DLFRMM4236	1,071	+28
42	42	P-DLFRMM4242	1,131	+28
42	48	P-DLFRMM4248	1,213	+28
42	60	P-DLFRMM4260	1,390	+28
42	72	P-DLFRMM4272	1,572	+28
50	24	P-DLFRMM5024	945	+28
50	30	P-DLFRMM5030	1,016	+28
50	36	P-DLFRMM5036	1,177	+28
50	42	P-DLFRMM5042	1,232	+28
50	48	P-DLFRMM5048	1,344	+28
50	60	P-DLFRMM5060	1,534	+28
50	72	P-DLFRMM5072	1,725	+28
58	24	P-DLFRMM5824	992	+28
58	30	P-DLFRMM5830	1,066	+28
58	36	P-DLFRMM5836	1,234	+28
58	42	P-DLFRMM5842	1,323	+28
58	48	P-DLFRMM5848	1,413	+28
58	60	P-DLFRMM5860	1,610	+28
58	72	P-DLFRMM5872	1,809	+28

**DIVI LINEAR MONOLITHIC FRONT/BACK INSERTS  
POWERED PANELS**


H	W	Model Number	List	Grade C Paint
42	24	P-DLFPMM4224	1,246	+28
42	30	P-DLFPMM4230	1,348	+28
42	36	P-DLFPMM4236	1,497	+28
42	42	P-DLFPMM4242	1,584	+28
42	48	P-DLFPMM4248	1,695	+28
42	60	P-DLFPMM4260	1,880	+28
42	72	P-DLFPMM4272	2,064	+28
50	24	P-DLFPMM5024	1,315	+28
50	30	P-DLFPMM5030	1,417	+28
50	36	P-DLFPMM5036	1,600	+28
50	42	P-DLFPMM5042	1,679	+28
50	48	P-DLFPMM5048	1,811	+28
50	60	P-DLFPMM5060	2,023	+28
50	72	P-DLFPMM5072	2,236	+28
58	24	P-DLFPMM5824	1,381	+28
58	30	P-DLFPMM5830	1,488	+28
58	36	P-DLFPMM5836	1,679	+28
58	42	P-DLFPMM5842	1,761	+28
58	48	P-DLFPMM5848	1,902	+28
58	60	P-DLFPMM5860	2,046	+28
58	72	P-DLFPMM5872	2,346	+28




Front Back  
42" High




Front Back  
50" High




Front Back  
58" High



Front Back  
66" High



Front Back  
82" High



Divi Linear Trim

**Specify**

- Fabric/Laminate Selection for Side A and B
- Fabric/Laminate Direction
- Paint Selection for Panel Trim
- Color Selection for Base Cover
- Color Selection for Connection Hinges
- Raceway Divider Option (+50)
- Data Access Option (Non-Powered) (+15)

**Notes**

- Monolithic Front/Back Inserts are solid core blank panels with monolithic insert surfaces on both sides.
- Inserts are pre-configured and factory installed. Inserts do not need to be removed for installation. Inserts can be removed for replacement in the field.
- Blank base covers are included with non-powered.
- 8 wire 4 circuit powerway and power/data access base covers are included with powered.
- Powered panels includes six duplex outlet hole covers; 24"W panels only include three duplex outlet hole covers.
- Panels may be ordered with power/data access base covers and/or raceway divider.
- Each panel includes all connection hinges needed for each panel.
- Duplex outlets and electrical jumpers are specified separately. See "Electrical". Non-powered panels shown.
- 72" wide panels will always have a horizontal fabric/laminate direction. For aesthetic reasons specify adjacent panels horizontal to match. 82" high panels will always have a vertical fabric direction.
- See laminate application chart for available grain direction options.
- Features Divi Linear trim.


## Divi Linear Monolithic Front/Back Inserts

### DIVI LINEAR MONOLITHIC FRONT/BACK INSERTS NON-POWERED PANELS


H	W	Model Number	List	Grade C Paint
66	24	P-DLFRMM6624	1,100	+28
66	30	P-DLFRMM6630	1,170	+28
66	36	P-DLFRMM6636	1,379	+28
66	42	P-DLFRMM6642	1,456	+28
66	48	P-DLFRMM6648	1,569	+28
66	60	P-DLFRMM6660	1,767	+28
82	24	P-DLFRMM8224	1,305	+28
82	30	P-DLFRMM8230	1,411	+28
82	36	P-DLFRMM8236	1,602	+28
82	42	P-DLFRMM8242	1,747	+28
82	48	P-DLFRMM8248	1,866	+28

### DIVI LINEAR MONOLITHIC FRONT/BACK INSERTS POWERED PANELS


H	W	Model Number	List	Grade C Paint
66	24	P-DLFPMM6624	1,483	+28
66	30	P-DLFPMM6630	1,574	+28
66	36	P-DLFPMM6636	1,801	+28
66	42	P-DLFPMM6642	1,907	+28
66	48	P-DLFPMM6648	2,037	+28
66	60	P-DLFPMM6660	2,254	+28
82	24	P-DLFPMM8224	1,671	+28
82	30	P-DLFPMM8230	1,797	+28
82	36	P-DLFPMM8236	2,009	+28
82	42	P-DLFPMM8242	2,173	+28
82	48	P-DLFPMM8248	2,311	+28




Front Back  
42" High




Front Back  
50" High




Front Back  
58" High



Front Back  
66" High



Front Back  
82" High



Divi Linear Trim

#### Specify

- Fabric/Laminate Selection for Side A and B
- Fabric/Laminate Direction
- Paint Selection for Panel Trim
- Color Selection for Base Cover
- Color Selection for Connection Hinges
- Raceway Divider Option (+50)
- Data Access Option (Non-Powered) (+15)

#### Notes

- Monolithic Front/Back Inserts are solid core blank panels with monolithic insert surfaces on both sides.
- Inserts are pre-configured and factory installed. Inserts do not need to be removed for installation. Inserts can be removed for replacement in the field.
- Blank base covers are included with non-powered.
- 8 wire 4 circuit powerway and power/data access base covers are included with powered.
- Powered panels includes six duplex outlet hole covers; 24"W panels only include three duplex outlet hole covers.
- Panels may be ordered with power/data access base covers and/or raceway divider.
- Each panel includes all connection hinges needed for each panel.
- Duplex outlets and electrical jumpers are specified separately. See "Electrical". Non-powered panels shown.
- 72" wide panels will always have a horizontal fabric/laminate direction. For aesthetic reasons specify adjacent panels horizontal to match. 82" high panels will always have a vertical fabric direction.
- See laminate application chart for available grain direction options.
- Features Divi Linear trim.


**Divi Linear Monolithic Front/Segmented Back Inserts**

**DIVI LINEAR MONOLITHIC FRONT/SEGMENTED BACK INSERTS  
NON-POWERED PANELS**


H	W	Model Number	List	Grade C Paint
42	24	P-DLFRMS4224	921	+28
42	30	P-DLFRMS4230	980	+28
42	36	P-DLFRMS4236	1,122	+28
42	42	P-DLFRMS4242	1,182	+28
42	48	P-DLFRMS4248	1,275	+28
42	60	P-DLFRMS4260	1,455	+28
42	72	P-DLFRMS4272	1,633	+28
50	24	P-DLFRMS5024	996	+28
50	30	P-DLFRMS5030	1,066	+28
50	36	P-DLFRMS5036	1,228	+28
50	42	P-DLFRMS5042	1,301	+28
50	48	P-DLFRMS5048	1,396	+28
50	60	P-DLFRMS5060	1,576	+28
50	72	P-DLFRMS5072	1,760	+28
58	24	P-DLFRMS5824	1,047	+28
58	30	P-DLFRMS5830	1,119	+28
58	36	P-DLFRMS5836	1,289	+28
58	42	P-DLFRMS5842	1,365	+28
58	48	P-DLFRMS5848	1,466	+28
58	60	P-DLFRMS5860	1,655	+28
58	72	P-DLFRMS5872	1,846	+28

**DIVI LINEAR MONOLITHIC FRONT/SEGMENTED BACK INSERTS  
POWERED PANELS**


H	W	Model Number	List	Grade C Paint
42	24	P-DLFPMS4224	1,322	+28
42	30	P-DLFPMS4230	1,414	+28
42	36	P-DLFPMS4236	1,573	+28
42	42	P-DLFPMS4242	1,660	+28
42	48	P-DLFPMS4248	1,776	+28
42	60	P-DLFPMS4260	1,981	+28
42	72	P-DLFPMS4272	2,186	+28
50	24	P-DLFPMS5024	1,409	+28
50	30	P-DLFPMS5030	1,498	+28
50	36	P-DLFPMS5036	1,690	+28
50	42	P-DLFPMS5042	1,780	+28
50	48	P-DLFPMS5048	1,903	+28
50	60	P-DLFPMS5060	2,123	+28
50	72	P-DLFPMS5072	2,341	+28
58	24	P-DLFPMS5824	1,476	+28
58	30	P-DLFPMS5830	1,573	+28
58	36	P-DLFPMS5836	1,959	+28
58	42	P-DLFPMS5842	1,869	+28
58	48	P-DLFPMS5848	2,031	+28
58	60	P-DLFPMS5860	2,229	+28
58	72	P-DLFPMS5872	2,456	+28




Front Back  
42" High




Front Back  
50" High




Front Back  
58" High



Front Back  
66" High



Front Back  
82" High



Divi Linear Trim

**Specify**

- Fabric/Laminate Selection for Side A Position 1
- Insert Style for Side B Positions 1,2,3,4
- Fabric/Laminate Direction
- Paint Selection for Panel Trim
- Paint Selection for Insert Retainer
- Color Selection for Base Cover
- Color Selection for Connection Hinges
- Raceway Divider Option (+50)
- Data Access Options (Non-Powered) (+15)

**Notes**

- Solid core blank panels with monolithic insert surface on front side and segmented insert surface on back side.
- Inserts are pre-configured and factory installed. Inserts do not need to be removed for installation. Inserts can be removed for replacement in the field.
- Blank base covers are included for non-powered panels. 8 wire 4 circuit powerway and power/data access base covers are included for powered panels. Non-powered panels may be ordered with power/data access base covers and/or raceway divider, powered panels may be ordered with raceway dividers.
- Powered includes six duplex outlet hole covers; 24"W panels only include three duplex outlet hole covers.
- Panels includes all connection hinges needed.
- Duplex outlets and electrical jumpers are specified separately. See "Electrical".
- For fabric see fabric insert upcharge pricing page.
- Non-powered panels shown.
- 72" wide panels will always have a horizontal fabric/laminate direction. For aesthetic reasons specify adjacent panels horizontal to match. 82" high panels will always have a vertical fabric direction.
- See laminate application chart for available grain direction options.
- Features Divi Linear trim.


## Divi Linear Monolithic Front/Segmented Back Inserts

### DIVI LINEAR MONOLITHIC FRONT/SEGMENTED BACK INSERTS NON-POWERED PANELS


H	W	Model Number	List	Grade C Paint
66	24	P-DLFRMS6624	1,194	+28
66	30	P-DLFRMS6630	1,276	+28
66	36	P-DLFRMS6636	1,492	+28
66	42	P-DLFRMS6642	1,563	+28
66	48	P-DLFRMS6648	1,679	+28
66	60	P-DLFRMS6660	1,907	+28
82	24	P-DLFRMS8224	1,501	+28
82	30	P-DLFRMS8230	1,609	+28
82	36	P-DLFRMS8236	1,836	+28
82	42	P-DLFRMS8242	1,951	+28
82	48	P-DLFRMS8248	2,086	+28

### DIVI LINEAR MONOLITHIC FRONT/SEGMENTED BACK INSERTS POWERED PANELS


H	W	Model Number	List	Grade C Paint
66	24	P-DLFPMS6624	1,609	+28
66	30	P-DLFPMS6630	1,711	+28
66	36	P-DLFPMS6636	1,950	+28
66	42	P-DLFPMS6642	2,050	+28
66	48	P-DLFPMS6648	2,186	+28
66	60	P-DLFPMS6660	2,439	+28
82	24	P-DLFPMS8224	1,874	+28
82	30	P-DLFPMS8230	1,998	+28
82	36	P-DLFPMS8236	2,252	+28
82	42	P-DLFPMS8242	2,385	+28
82	48	P-DLFPMS8248	2,537	+28




Front Back  
42" High




Front Back  
50" High




Front Back  
58" High



Front Back  
66" High



Front Back  
82" High



Divi Linear Trim

#### Specify

- Fabric/Laminate Selection for Side A Position 1
- Insert Style for Side B Positions 1,2,3,4
- Fabric/Laminate Direction
- Paint Selection for Panel Trim
- Paint Selection for Insert Retainer
- Color Selection for Base Cover
- Color Selection for Connection Hinges
- Raceway Divider Option (+50)
- Data Access Options (Non-Powered) (+15)

#### Notes

- Solid core blank panels with monolithic insert surface on front side and segmented insert surface on back side.
- Inserts are pre-configured and factory installed. Inserts do not need to be removed for installation. Inserts can be removed for replacement in the field.
- Blank base covers are included for non-powered panels. 8 wire 4 circuit powerway and power/data access base covers are included for powered panels. Non-powered panels may be ordered with power/data access base covers and/or raceway divider, powered panels may be ordered with raceway dividers.
- Powered includes six duplex outlet hole covers; 24"W panels only include three duplex outlet hole covers.
- Panels includes all connection hinges needed.
- Duplex outlets and electrical jumpers are specified separately. See "Electrical".
- For fabric see fabric insert upcharge pricing page.
- Non-powered panels shown.
- 72" wide panels will always have a horizontal fabric/laminate direction. For aesthetic reasons specify adjacent panels horizontal to match. 82" high panels will always have a vertical fabric direction.
- See laminate application chart for available grain direction options.
- Features Divi Linear trim.


**Divi Linear Segmented Front/Back Inserts**

**DIVI LINEAR SEGMENTED FRONT/BACK INSERTS  
NON-POWERED PANELS**


H	W	Model Number	List	Grade C Paint
42	24	P-DLFRSS4224	978	+28
42	30	P-DLFRSS4230	1,047	+28
42	36	P-DLFRSS4236	1,192	+28
42	42	P-DLFRSS4242	1,257	+28
42	48	P-DLFRSS4248	1,350	+28
42	60	P-DLFRSS4260	1,534	+28
42	72	P-DLFRSS4272	1,719	+28
50	24	P-DLFRSS5024	1,065	+28
50	30	P-DLFRSS5030	1,139	+28
50	36	P-DLFRSS5036	1,269	+28
50	42	P-DLFRSS5042	1,379	+28
50	48	P-DLFRSS5048	1,481	+28
50	60	P-DLFRSS5060	1,682	+28
50	72	P-DLFRSS5072	1,880	+28
58	24	P-DLFRSS5824	1,118	+28
58	30	P-DLFRSS5830	1,195	+28
58	36	P-DLFRSS5836	1,331	+28
58	42	P-DLFRSS5842	1,446	+28
58	48	P-DLFRSS5848	1,647	+28
58	60	P-DLFRSS5860	1,765	+28
58	72	P-DLFRSS5872	1,974	+28

**DIVI LINEAR SEGMENTED FRONT/BACK INSERTS  
POWERED PANELS**


H	W	Model Number	List	Grade C Paint
42	24	P-DLFPSS4224	1,366	+28
42	30	P-DLFPSS4230	1,458	+28
42	36	P-DLFPSS4236	1,620	+28
42	42	P-DLFPSS4242	1,711	+28
42	48	P-DLFPSS4248	1,828	+28
42	60	P-DLFPSS4260	2,034	+28
42	72	P-DLFPSS4272	2,240	+28
50	24	P-DLFPSS5024	1,455	+28
50	30	P-DLFPSS5030	1,552	+28
50	36	P-DLFPSS5036	1,746	+28
50	42	P-DLFPSS5042	1,833	+28
50	48	P-DLFPSS5048	1,957	+28
50	60	P-DLFPSS5060	2,164	+28
50	72	P-DLFPSS5072	2,368	+28
58	24	P-DLFPSS5824	1,527	+28
58	30	P-DLFPSS5830	1,627	+28
58	36	P-DLFPSS5836	1,831	+28
58	42	P-DLFPSS5842	1,925	+28
58	48	P-DLFPSS5848	2,055	+28
58	60	P-DLFPSS5860	2,271	+28
58	72	P-DLFPSS5872	2,487	+28




Front Back  
42" High




Front Back  
50" High




Front Back  
58" High



Front Back  
66" High



Front Back  
82" High



Divi Linear Trim

**Specify**

**Notes**

- Insert Style for Side A Positions 1,2,3,4 and Side B Positions 1,2,3,4
- Fabric/Laminate Direction
- Paint Selection for Panel Trim
- Paint Selection for Insert Retainer
- Color Selection for Base Cover
- Color Selection for Connection Hinges
- Raceway Divider Option (+50)
- Data Access Option (Non-Powered) (+15)

- Segmented Front/Back Inserts are solid core blank panels with segmented insert surfaces on both sides.
- Inserts are pre-configured and factory installed. Inserts do not need to be removed for installation. Inserts can be removed for replacement in the field.
- Blank base covers are included with non-powered.
- Non-powered panels may be ordered with power/data access base covers and/or raceway divider. 8 wire 4 circuit powerway and power/data access base covers are included with powered panels.
- Powered panels may be ordered with a raceway divider.
- Powered panels includes six duplex outlet hole covers; 24"W panels only include three duplex outlet hole covers.
- Each panel includes all connection hinges needed for each panel.
- Duplex outlets and electrical jumpers are specified separately. See "Electrical".
- 72" wide panels will always have a horizontal fabric/laminate direction. For aesthetic reasons specify adjacent panels horizontal to match. 82" high panels will always have a vertical fabric direction.
- See laminate application chart for available grain direction options.
- Features Divi Linear trim.


## Divi Linear Segmented Front/Back Inserts

### DIVI LINEAR SEGMENTED FRONT/BACK INSERTS NON-POWERED PANELS


H	W	Model Number	List	Grade C Paint
66	24	P-DLFRSS6624	1,316	+28
66	30	P-DLFRSS6630	1,411	+28
66	36	P-DLFRSS6636	1,627	+28
66	42	P-DLFRSS6642	1,697	+28
66	48	P-DLFRSS6648	1,822	+28
66	60	P-DLFRSS6660	2,062	+28
82	24	P-DLFRSS8224	1,672	+28
82	30	P-DLFRSS8230	1,777	+28
82	36	P-DLFRSS8236	2,047	+28
82	42	P-DLFRSS8242	2,123	+28
82	48	P-DLFRSS8248	2,268	+28

### DIVI LINEAR SEGMENTED FRONT/BACK INSERTS POWERED PANELS


H	W	Model Number	List	Grade C Paint
66	24	P-DLFPSS6624	1,705	+28
66	30	P-DLFPSS6630	1,822	+28
66	36	P-DLFPSS6636	2,061	+28
66	42	P-DLFPSS6642	2,155	+28
66	48	P-DLFPSS6648	2,299	+28
66	60	P-DLFPSS6660	2,565	+28
82	24	P-DLFPSS8224	2,045	+28
82	30	P-DLFPSS8230	2,191	+28
82	36	P-DLFPSS8236	2,478	+28
82	42	P-DLFPSS8242	2,580	+28
82	48	P-DLFPSS8248	2,746	+28




Front Back  
42" High




Front Back  
50" High




Front Back  
58" High



Front Back  
66" High



Front Back  
82" High



Divi Linear Trim

#### Specify

#### Notes

- Insert Style for Side A Positions 1,2,3,4 and Side B Positions 1,2,3,4
- Fabric/Laminate Direction
- Paint Selection for Panel Trim
- Paint Selection for Insert Retainer
- Color Selection for Base Cover
- Color Selection for Connection Hinges
- Raceway Divider Option (+50)
- Data Access Option (Non-Powered) (+15)

- Segmented Front/Back Inserts are solid core blank panels with segmented insert surfaces on both sides.
- Inserts are pre-configured and factory installed. Inserts do not need to be removed for installation. Inserts can be removed for replacement in the field.
- Blank base covers are included with non-powered.
- Non-powered panels may be ordered with power/data access base covers and/or raceway divider. 8 wire 4 circuit powerway and power/data access base covers are included with powered panels.
- Powered panels may be ordered with a raceway divider.
- Powered panels includes six duplex outlet hole covers; 24"W panels only include three duplex outlet hole covers.
- Each panel includes all connection hinges needed for each panel.
- Duplex outlets and electrical jumpers are specified separately. See "Electrical".
- 72" wide panels will always have a horizontal fabric/laminate direction. For aesthetic reasons specify adjacent panels horizontal to match. 82" high panels will always have a vertical fabric direction.
- See laminate application chart for available grain direction options.
- Features Divi Linear trim.






**Divi Linear Monolithic Front/Back Quarter Glass Inserts**

**DIVI LINEAR MONOLITHIC FRONT/BACK QUARTER GLASS INSERTS  
NON-POWERED PANELS**

H	W	Model Number	List	Grade C Paint
50	24	P-DLQGWRMM5024	1,653	+28
50	30	P-DLQGWRMM5030	1,811	+28
50	36	P-DLQGWRMM5036	1,974	+28
50	42	P-DLQGWRMM5042	2,133	+28
50	48	P-DLQGWRMM5048	2,289	+28
50	60	P-DLQGWRMM5060	2,574	+28
50	72	P-DLQGWRMM5072	2,855	+28
58	24	P-DLQGWRMM5824	1,736	+28
58	30	P-DLQGWRMM5830	1,902	+28
58	36	P-DLQGWRMM5836	2,071	+28
58	42	P-DLQGWRMM5842	2,239	+28
58	48	P-DLQGWRMM5848	2,402	+28
58	60	P-DLQGWRMM5860	2,699	+28
58	72	P-DLQGWRMM5872	2,997	+28

**DIVI LINEAR MONOLITHIC FRONT/BACK QUARTER GLASS INSERTS  
POWERED PANELS**

H	W	Model Number	List	Grade C Paint
50	24	P-DLQGWPM5024	2,000	+28
50	30	P-DLQGWPM5030	2,170	+28
50	36	P-DLQGWPM5036	2,335	+28
50	42	P-DLQGWPM5042	2,499	+28
50	48	P-DLQGWPM5048	2,661	+28
50	60	P-DLQGWPM5060	2,982	+28
50	72	P-DLQGWPM5072	3,304	+28
58	24	P-DLQGWPM5824	2,101	+28
58	30	P-DLQGWPM5830	2,278	+28
58	36	P-DLQGWPM5836	2,452	+28
58	42	P-DLQGWPM5842	2,623	+28
58	48	P-DLQGWPM5848	2,791	+28
58	60	P-DLQGWPM5860	3,130	+28
58	72	P-DLQGWPM5872	3,467	+28



**Specify**

- Style Selection for Glass Insert
- Fabric/Laminate Selection for Side A and B
- Fabric/Laminate Direction
- Paint Selection for Panel Trim
- Color Selection for Base Cover
- Color Selection for Connection Hinges
- Raceway Divider Option (+50)
- Data Access Option (Non-Powered) (+15)

**Notes**

- Monolithic Front / Back Quarter Glass Inserts are solid core blank panels with tempered glass window inserts and painted metal trim with monolithic insert surfaces on both sides.
- Inserts are pre-configured and factory installed. Inserts do not need to be removed for installation. Inserts can be removed for replacement in the field.
- Blank base covers are included with non-powered panels.
- Non-powered panels may be ordered with power/data access base covers and/or raceway divider. 8 wire 4 circuit powerway and power/data access base covers are included with powered panels.
- Powered panels may be ordered with a raceway divider.
- Powered panels includes six duplex outlet hole covers; 24"W panels only include three duplex outlet hole covers.
- Each panel includes all connection hinges needed for each panel.
- Duplex outlets and electrical jumpers are specified separately. See "Electrical".
- 72" wide panels will always have a horizontal fabric/laminate direction. For aesthetic reasons specify adjacent panels horizontal to match. 82" high panels will always have a vertical fabric direction.
- See laminate application chart for available grain direction options.
- Non-powered panels shown.
- Features Divi Linear trim.




## Divi Linear Monolithic Front/Segmented Back Quarter Glass Inserts

### DIVI LINEAR MONOLITHIC FRONT/SEGMENTED BACK QUARTER GLASS INSERTS - NON-POWERED PANELS

H	W	Model Number	List	Grade C Paint
66	24	P-DLQGW RMS6624	1,906	+28
66	30	P-DLQGW RMS6630	2,105	+28
66	36	P-DLQGW RMS6636	2,304	+28
66	42	P-DLQGW RMS6642	2,507	+28
66	48	P-DLQGW RMS6648	2,704	+28
66	60	P-DLQGW RMS6660	3,102	+28
66	72	P-DLQGW RMS6672	3,498	+28
82	24	P-DLQGW RMS8224	2,139	+28
82	30	P-DLQGW RMS8230	2,382	+28
82	36	P-DLQGW RMS8236	2,640	+28
82	42	P-DLQGW RMS8242	2,855	+28
82	48	P-DLQGW RMS8248	3,124	+28

### DIVI LINEAR MONOLITHIC FRONT/SEGMENTED BACK QUARTER GLASS INSERTS - POWERED PANELS

H	W	Model Number	List	Grade C Paint
66	24	P-DLQGW PMS6624	2,246	+28
66	30	P-DLQGW PMS6630	2,476	+28
66	36	P-DLQGW PMS6636	2,678	+28
66	42	P-DLQGW PMS6642	2,885	+28
66	48	P-DLQGW PMS6648	3,089	+28
66	60	P-DLQGW PMS6660	3,499	+28
66	72	P-DLQGW PMS6672	3,906	+28
82	24	P-DLQGW PMS8224	2,513	+28
82	30	P-DLQGW PMS8230	2,754	+28
82	36	P-DLQGW PMS8236	3,022	+28
82	42	P-DLQGW PMS8242	3,240	+28
82	48	P-DLQGW PMS8248	3,482	+28



#### Specify

#### Notes

- Style Selection for Glass Insert
- Fabric/Laminate Selection for Side A and B
- Fabric/Laminate Direction
- Paint Selection for Panel Trim
- Color Selection for Base Cover
- Color Selection for Connection Hinges
- Raceway Divider Option (+50)
- Data Access Option (Non-Powered) (+15)

- Monolithic Front / Back Quarter Glass Inserts are solid core blank panels with tempered glass window inserts and painted metal trim with monolithic insert surfaces on both sides.
- Inserts are pre-configured and factory installed. Inserts do not need to be removed for installation. Inserts can be removed for replacement in the field.
- Blank base covers are included with non-powered panels.
- Non-powered panels may be ordered with power/data access base covers and/or raceway divider. 8 wire 4 circuit powerway and power/data access base covers are included with powered panels.
- Powered panels may be ordered with a raceway divider.
- Powered panels includes six duplex outlet hole covers; 24"W panels only include three duplex outlet hole covers.
- Each panel includes all connection hinges needed for each panel.
- Duplex outlets and electrical jumpers are specified separately. See "Electrical".
- 72" wide panels will always have a horizontal fabric/laminate direction. For aesthetic reasons specify adjacent panels horizontal to match. 82" high panels will always have a vertical fabric direction.
- See laminate application chart for available grain direction options.
- Non-powered panels shown.
- Features Divi Linear trim.






**Divi Linear Segmented Front/Back Quarter Glass Inserts**

**DIVI LINEAR SEGMENTED FRONT/BACK QUARTER GLASS INSERTS  
NON-POWERED PANELS**

H	W	Model Number	List	Grade C Paint
66	24	P-DLQGWSS6624	1,906	+28
66	30	P-DLQGWSS6630	2,105	+28
66	36	P-DLQGWSS6636	2,304	+28
66	42	P-DLQGWSS6642	2,507	+28
66	48	P-DLQGWSS6648	2,704	+28
66	60	P-DLQGWSS6660	3,102	+28
66	72	P-DLQGWSS6672	3,498	+28
82	24	P-DLQGWSS8224	2,164	+28
82	30	P-DLQGWSS8230	2,382	+28
82	36	P-DLQGWSS8236	2,615	+28
82	42	P-DLQGWSS8242	2,855	+28
82	48	P-DLQGWSS8248	3,124	+28

**DIVI LINEAR SEGMENTED FRONT/BACK QUARTER GLASS INSERTS  
POWERED PANELS**

H	W	Model Number	List	Grade C Paint
66	24	P-DLQGWSS6624	2,246	+28
66	30	P-DLQGWSS6630	2,450	+28
66	36	P-DLQGWSS6636	2,678	+28
66	42	P-DLQGWSS6642	2,858	+28
66	48	P-DLQGWSS6648	3,089	+28
66	60	P-DLQGWSS6660	3,465	+28
66	72	P-DLQGWSS6672	3,839	+28
82	24	P-DLQGWSS8224	2,537	+28
82	30	P-DLQGWSS8230	2,754	+28
82	36	P-DLQGWSS8236	2,991	+28
82	42	P-DLQGWSS8242	3,240	+28
82	48	P-DLQGWSS8248	3,519	+28



**Specify**

**Notes**

- Style Selection for Glass Insert
- Insert Style for Side A Positions 1,2,3,4 and Side B Positions 1,2,3,4
- Fabric Direction
- Paint Selection for Panel Trim
- Paint Selection for Insert Retainer
- Color Selection for Base Cover
- Color Selection for Connection Hinges
- Raceway Divider Option
- Data Access Option (Non-Powered)

- Segmented Front / Back Quarter Glass Insert are solid core blank panels with tempered glass window insert and painted metal trim with segmented insert surfaces on both sides.
- Inserts are pre-configured and factory installed. Inserts do not need to be removed for installation. Inserts can be removed for replacement in the field.
- Blank base covers are included with non-powered panels.
- Non-powered panels may be ordered with power/data access base covers and/or raceway divider. 8 wire 4 circuit powerway and power/data access base covers are included with powered panels.
- Powered panels may be ordered with a raceway divider.
- Powered panels include six duplex outlet hole covers; 24"W panels only include three duplex outlet hole covers.
- Each panel includes all connection hinges needed for each panel.
- Duplex outlets and electrical jumpers are specified separately. See "Electrical".
- 72" wide panels will always have a horizontal fabric direction. For aesthetic reasons specify adjacent panels horizontal to match.
- 82" high panels will always have a vertical fabric direction. Non-powered panels shown.
- Features Divi Linear trim.





**Divi Linear Monolithic Front/Back Half Glass Inserts**

**DIVI LINEAR MONOLITHIC FRONT/BACK HALF GLASS INSERTS  
NON-POWERED PANELS**

H	W	Model Number	List	Grade C Paint	Data Access	Raceway Divider
58	24	P-DLHGWRMM5824	1,793	+28	+15	+50
58	30	P-DLHGWRMM5830	1,983	+28	+15	+50
58	36	P-DLHGWRMM5836	2,169	+28	+15	+50
58	42	P-DLHGWRMM5842	2,362	+28	+15	+50
58	48	P-DLHGWRMM5848	2,550	+28	+15	+50
58	60	P-DLHGWRMM5860	2,927	+28	+15	+50
58	72	P-DLHGWRMM5872	3,306	+28	+15	+50
66	24	P-DLHGWRMM6624	1,906	+28	+15	+50
66	30	P-DLHGWRMM6630	2,105	+28	+15	+50
66	36	P-DLHGWRMM6636	2,304	+28	+15	+50
66	42	P-DLHGWRMM6642	2,507	+28	+15	+50
66	48	P-DLHGWRMM6648	2,704	+28	+15	+50
66	60	P-DLHGWRMM6660	3,102	+28	+15	+50
82	24	P-DLHGWRMM8224	2,164	+28	+15	+50
82	30	P-DLHGWRMM8230	2,401	+28	+15	+50
82	36	P-DLHGWRMM8236	2,640	+28	+15	+50
82	42	P-DLHGWRMM8242	2,855	+28	+15	+50
82	48	P-DLHGWRMM8248	3,124	+28	+15	+50

**DIVI LINEAR MONOLITHIC FRONT/BACK HALF GLASS INSERTS  
POWERED PANELS**

H	W	Model Number	List	Grade C Paint	Raceway Divider
58	24	P-DLHGWPMM5824	2,133	+28	+50
58	30	P-DLHGWPMM5830	2,325	+28	+50
58	36	P-DLHGWPMM5836	2,543	+28	+50
58	42	P-DLHGWPMM5842	2,716	+28	+50
58	48	P-DLHGWPMM5848	2,911	+28	+50
58	60	P-DLHGWPMM5860	3,291	+28	+50
58	72	P-DLHGWPMM5872	3,674	+28	+50
66	24	P-DLHGWPMM6624	2,246	+28	+50
66	30	P-DLHGWPMM6630	2,450	+28	+50
66	36	P-DLHGWPMM6636	2,678	+28	+50
66	42	P-DLHGWPMM6642	2,858	+28	+50
66	48	P-DLHGWPMM6648	3,066	+28	+50
66	60	P-DLHGWPMM6660	3,465	+28	+50
82	24	P-DLHGWPMM8224	2,513	+28	+50
82	30	P-DLHGWPMM8230	2,754	+28	+50
82	36	P-DLHGWPMM8236	2,991	+28	+50
82	42	P-DLHGWPMM8242	3,240	+28	+50
82	48	P-DLHGWPMM8248	3,482	+28	+50



**Specify**

- Style Selection for Glass Insert
- Fabric/Laminate Selection for Side A and B
- Paint Selection for Panel Trim
- Color Selection for Base Cover
- Color Selection for Connection Hinges
- Raceway Divider Option
- Data Access Option (Non-Powered)

**Notes**

- Monolithic Front / Back Half Glass Inserts are solid core blank panels with tempered glass window insert and painted metal trim with monolithic insert surfaces on both sides.
- Inserts are pre-configured and factory installed. Inserts do not need to be removed for installation. Inserts can be removed for replacement in the field.
- Blank base covers are included with non-powered. Non-powered panels may be ordered with power/data access base covers and/or raceway divider. 8 wire 4 circuit powerway and power/data access base covers are included with powered panels.
- Powered panels may be ordered with a raceway divider.
- Powered panels includes six duplex outlet hole covers; 24"W panels only include three duplex outlet hole covers.
- Each panel includes all connection hinges needed for each panel.
- Duplex outlets and electrical jumpers are specified separately. See "Electrical".
- For fabric see fabric insert upcharge pricing page.
- 72" wide panels will always have a horizontal fabric/laminate direction. For aesthetic reasons specify adjacent panels horizontal to match. 82" high panels will always have a vertical fabric direction.
- See laminate application chart for available grain direction options.
- Non-powered panels shown.
- Features Divi Linear trim.



**Divi Linear Monolithic Front/Segmented Back Half Glass Inserts**

**DIVI LINEAR MONOLITHIC FRONT/SEGMENTED BACK HALF GLASS INSERTS - NON-POWERED PANELS**

H	W	Model Number	List	Grade C Paint	Data Access	Raceway Divider
82	24	P-DLHGWRMS8224	2,164	+28	+15	+50
82	30	P-DLHGWRMS8230	2,382	+28	+15	+50
82	36	P-DLHGWRMS8236	2,640	+28	+15	+50
82	42	P-DLHGWRMS8242	2,855	+28	+15	+50
82	48	P-DLHGWRMS8248	3,090	+28	+15	+50

**DIVI LINEAR MONOLITHIC FRONT/SEGMENTED BACK HALF GLASS INSERTS - POWERED PANELS**

H	W	Model Number	List	Grade C Paint	Raceway Divider
82	24	P-DLHGWPMS8224	2,537	+28	+50
82	30	P-DLHGWPMS8230	2,754	+28	+50
82	36	P-DLHGWPMS8236	2,991	+28	+50
82	42	P-DLHGWPMS8242	3,240	+28	+50
82	48	P-DLHGWPMS8248	3,482	+28	+50



Divi Linear Trim

**Specify**

- Style Selection for Glass Insert
- Fabric Selection for Side A Position 1
- Insert Style for Side B Position 1,2,3,4
- Paint Selection for Panel Trim
- Paint Selection for Insert Retainer
- Color Selection for Base Cover
- Color Selection for Connection Hinges
- Raceway Divider Option
- Data Access Option (Non-Powered)

**Notes**

- Monolithic Front / Segmented Back Half Glass Inserts are solid core blank panels with tempered glass window insert and painted metal trim, with monolithic insert surfaces on front side and segmented insert surfaces on back side.
- Inserts are pre-configured and factory installed. Inserts do not need to be removed for installation. Inserts can be removed for replacement in the field.
- Blank base covers are included with non-powered. Powered panels may be ordered with power/data access base covers and/or raceway divider. 8 wire 4 circuit powerway and power/data access base covers are included with powered panels.
- Powered panels may be ordered with a raceway divider.
- Powered panels includes six duplex outlet hole covers; 24"W panels only include three duplex outlet hole covers.
- Each panel includes all connection hinges needed for each panel.
- Duplex outlets and electrical jumpers are specified separately. See "Electrical".
- For fabric see fabric insert upcharge pricing page.
- Non-powered panels shown.
- Features Divi Linear trim.



**Divi Linear Segmented Front/Back Half Glass Inserts**

**DIVI LINEAR SEGMENTED FRONT/BACK HALF GLASS INSERTS  
NON-POWERED PANELS**

H	W	Model Number	List	Grade C Paint	Data Access	Raceway Divider
82	24	P-DLHGWRSS8224	2,139	+28	+15	+50
82	30	P-DLHGWRSS8230	2,401	+28	+15	+50
82	36	P-DLHGWRSS8236	2,640	+28	+15	+50
82	42	P-DLHGWRSS8242	2,882	+28	+15	+50
82	48	P-DLHGWRSS8248	3,124	+28	+15	+50

**DIVI LINEAR SEGMENTED FRONT/BACK HALF GLASS INSERTS  
POWERED PANELS**

H	W	Model Number	List	Grade C Paint	Raceway Divider
82	24	P-DLHGWPSS8224	2,513	+28	+50
82	30	P-DLHGWPSS8230	2,778	+28	+50
82	36	P-DLHGWPSS8236	2,991	+28	+50
82	42	P-DLHGWPSS8242	3,240	+28	+50
82	48	P-DLHGWPSS8248	3,482	+28	+50



Divi Linear Trim

**Specify**

- Style Selection for Glass Insert
- Insert Style for Side A Positions 1,2,3,4 and Side B Positions 1,2,3,4
- Paint Selection for Panel Trim
- Paint Selection for Insert Retainer
- Color Selection for Base Cover
- Color Selection for Connection Hinges
- Raceway Divider Option
- Data Access Option (Non-Powered)

**Notes**

- Segmented Front / Back Half Glass Powered Inserts are solid core blank panels with tempered glass window insert and painted metal trim with segmented insert surfaces on both sides.
- Inserts are pre-configured and factory installed. Inserts do not need to be removed for installation. Inserts can be removed for replacement in the field.
- Blank base covers are included with non-powered panels. Non-powered panels may be ordered with power/data access base covers and/or raceway divider. 8 wire 4 circuit powerway and power/data access base covers are included with powered panels.
- Powered panels may be ordered with a raceway divider.
- Powered panels include six duplex outlet hole covers; 24"W panels only include three duplex outlet hole covers.
- Each panel includes all connection hinges needed for each panel.
- Duplex outlets and electrical jumpers are specified separately. See "Electrical".
- For fabric see fabric insert upcharge pricing page. Non-powered panels shown.
- Features Divi Linear trim.



**Divi Linear Fabric and Glass Stack-On Kits for Insert Panels**

**DIVI LINEAR FABRIC STACK-ON KITS FOR INSERT PANELS**



H	W	Model Number	List	Grade C Fabric	Grade D Fabric	Grade C Paint	Grade C Retainer
16	24	P-DLSOF1624	436	+7	+14	+5	+5
16	30	P-DLSOF1630	471	+7	+14	+5	+5
16	36	P-DLSOF1636	504	+13	+27	+5	+5
16	42	P-DLSOF1642	543	+13	+27	+5	+5
16	48	P-DLSOF1648	583	+13	+27	+5	+5
16	60	P-DLSOF1660	657	+13	+27	+5	+5
16	72	P-DLSOF1672	731	+13	+27	+5	+5
24	24	P-DLSOF2424	524	+21	+46	+5	+5
24	30	P-DLSOF2430	566	+21	+46	+5	+5
24	36	P-DLSOF2436	607	+21	+46	+5	+5
24	42	P-DLSOF2442	654	+21	+46	+5	+5
24	48	P-DLSOF2448	699	+21	+46	+5	+5
24	60	P-DLSOF2460	788	+21	+46	+5	+5
24	72	P-DLSOF2472	873	+21	+46	+5	+5

**DIVI LINEAR GLASS STACK-ON KITS FOR INSERT PANELS**

H	W	Model Number	List	Grade C Paint
16	24	P-DLSOGW1624	966	+5
16	30	P-DLSOGW1630	1,088	+5
16	36	P-DLSOGW1636	1,125	+5
16	42	P-DLSOGW1642	1,242	+5
16	48	P-DLSOGW1648	1,343	+5
16	60	P-DLSOGW1660	1,534	+5
16	72	P-DLSOGW1672	1,726	+5
24	24	P-DLSOGW2424	1,311	+5
24	30	P-DLSOGW2430	1,447	+5
24	36	P-DLSOGW2436	1,599	+5
24	42	P-DLSOGW2442	2,031	+5
24	48	P-DLSOGW2448	2,181	+5
24	60	P-DLSOGW2460	2,426	+5



Divi Linear Trim



Divi Linear Trim

**Specify**

**Notes**

- Fabric Selection for Side A and B
- Paint Selection for Panel Trim
- Color Selection for Connection Hinges

- Insert Fabric Stack-On Panel Kits are a solid stack panel for insert panels and can be retrofitted to any installed or un-installed Divi insert panel for the purpose of increasing panel height for visual/sound privacy.
- Stack-on kit is not for use on permanent monolithic panels.
- Stack-on kit is non-load bearing and adds exactly 16" to panel height (i.e. making a 50" tall panel equal to a 66" tall panel).
- Kits include alignment hardware, mounting brackets, and connection hinges.
- Stacks-on kits can be placed on solid, quarter glass, or half glass insert panels. Stack-on kits may not be stacked on top of another stack-on kit.
- For fabric see fabric insert upcharge pricing page.
- Topcap on existing panel is reused on top of the stack on panel. No top cap ships with the stack panels.

**Specify**

**Notes**


- Style Selection for Glass Insert
- Paint Selection for Panel Trim
- Color Selection for Connection Hinges

- Insert Glass Stack-On Panel Kits are a solid glass stack panel for insert panels and can be retrofitted to any installed or un-installed Divi insert panel for the purpose of increasing panel height for visual/sound privacy.
- Stack-on kit is not for use on permanent monolithic panels.
- Stack-on kit is non-load bearing and adds exactly 16" to panel height (i.e. making a 50" tall panel equal to a 66" tall panel).
- Kits include alignment hardware, mounting brackets, and connection hinges.
- Stack-on kits can be placed on solid, quarter glass, or half glass insert panels. Stack-on kits may not be stacked on top of another stack-on kit.

**Replacement Fabric Inserts**

**REPLACEMENT FABRIC INSERTS**

H	W	Model Number	List	C.O.M Fabric	Grade C Fabric	Grade D Fabric	H	W	Model Number	List	C.O.M Fabric	Grade C Fabric	Grade D Fabric
8	24	P-DVSFR0824	233	-3	+4	+7	43	24	P-DVSFR4324	313	-28	+23	+50
8	30	P-DVSFR0830	233	-3	+4	+7	43	30	P-DVSFR4330	313	-28	+23	+50
8	36	P-DVSFR0836	251	-3	+7	+14	43	36	P-DVSFR4336	401	-28	+46	+100
8	42	P-DVSFR0842	251	-3	+7	+14	43	42	P-DVSFR4342	401	-28	+46	+100
8	48	P-DVSFR0848	251	-3	+7	+14	43	48	P-DVSFR4348	401	-28	+46	+100
8	60	P-DVSFR0860	251	-3	+7	+14	43	60	P-DVSFR4360	401	-28	+46	+100
16	24	P-DVSFR1624	251	-6	+7	+14	59	24	P-DVSFR5924	336	-28	+23	+50
16	30	P-DVSFR1630	251	-6	+7	+14	59	30	P-DVSFR5930	336	-28	+23	+50
16	36	P-DVSFR1636	273	-6	+13	+27	59	36	P-DVSFR5936	464	-28	+46	+100
16	42	P-DVSFR1642	273	-6	+13	+27	59	42	P-DVSFR5942	464	-28	+46	+100
16	48	P-DVSFR1648	273	-6	+13	+27	59	48	P-DVSFR5948	464	-28	+46	+100
16	60	P-DVSFR1660	273	-6	+13	+27	59	60	P-DVSFR5960	464	-28	+46	+100
27	24	P-DVSFR2724	268	-16	+11	+23	75	24	P-DVSFR7524	387	-47	+30	+64
27	30	P-DVSFR2730	268	-16	+11	+23	75	30	P-DVSFR7530	387	-47	+30	+64
27	36	P-DVSFR2736	321	-16	+21	+46	75	36	P-DVSFR7536	512	-47	+59	+127
27	42	P-DVSFR2742	321	-16	+21	+46	75	42	P-DVSFR7542	512	-47	+59	+127
27	48	P-DVSFR2748	321	-16	+21	+46	75	48	P-DVSFR7548	512	-47	+59	+127
27	60	P-DVSFR2760	321	-16	+21	+46							
35	24	P-DVSFR3524	285	-23	+14	+30							
35	30	P-DVSFR3530	285	-23	+14	+30							
35	36	P-DVSFR3536	370	-23	+28	+59							
35	42	P-DVSFR3542	370	-23	+28	+59							
35	48	P-DVSFR3548	370	-23	+28	+59							
35	60	P-DVSFR3560	370	-23	+28	+59							



**Specify**

**Notes**


• Fabric Selection for Insert

• Replacement Fabric Inserts are specified only when replacing fabric inserts in the field due to damage or a need for aesthetic change.

**Replacement Laminate Inserts**

**REPLACEMENT LAMINATE INSERTS**

<b>H</b>	<b>W</b>	<b>Model Number</b>	<b>List</b>	<b>Grade C Laminate</b>
8	24	P-DVSLR0824	239	+17
8	30	P-DVSLR0830	250	+21
8	36	P-DVSLR0836	277	+25
8	42	P-DVSLR0842	269	+29
8	48	P-DVSLR0848	272	+34
8	60	P-DVSLR0860	274	+40
16	24	P-DVSLR1624	277	+34
16	30	P-DVSLR1630	281	+42
16	36	P-DVSLR1636	308	+50
16	42	P-DVSLR1642	314	+59
16	48	P-DVSLR1648	321	+67
16	60	P-DVSLR1660	328	+76
27	24	P-DVSLR2724	290	+50
27	30	P-DVSLR2730	317	+63
27	36	P-DVSLR2736	371	+75
27	42	P-DVSLR2742	384	+88
27	48	P-DVSLR2748	397	+100
27	60	P-DVSLR2760	411	+112



**Specify**

**Notes**

• Laminate Selection for Insert

- Replacement Laminate Inserts are specified only when replacing laminate inserts in the field due to damage or a need for aesthetic change.
- Grain direction runs vertical.

**Fabric and Laminate Insert Upcharges**

Refer below for upcharges/discounts for all insert panels. Prices are per insert. White board inserts are the same price as Grade A Fabric inserts.

<b>FABRIC AND LAMINATE INSERT UPCHARGES</b>							
<b>Insert Size</b>	<b>C.O.M Fabric</b>	<b>Grade C Fabric</b>	<b>Grade D Fabric</b>	<b>Laminate Insert</b>	<b>Grade C Laminate</b>	<b>Embossed Steel Insert</b>	<b>Grade C Paint</b>
8 x 24	-3	+4	+7	+15	+17	+132	+5
8 x 30	-3	+4	+7	+17	+21	+147	+5
8 x 36	-3	+7	+14	+19	+25	+148	+5
8 x 42	-3	+7	+14	+21	+29	+164	+5
8 x 48	-3	+7	+14	+24	+34	+203	+5
8 x 60	-3	+7	+14	+26	+40	+234	+5
8 x 72	-6	+13	+27	+31	+50	-	-
16 x 24	-6	+7	+14	+19	+34	+180	+5
16 x 30	-6	+7	+14	+24	+42	+206	+5
16 x 36	-6	+13	+27	+28	+50	+217	+5
16 x 42	-6	+13	+27	+34	+59	+227	+5
16 x 48	-6	+13	+27	+41	+67	+309	+5
16 x 60	-6	+13	+27	+47	+76	+366	+5
16 x 72	-28	+17	+37	+57	+92	-	-
27 x 24	-16	+11	+23	+28	+50	+236	+5
27 x 30	-16	+11	+23	+41	+63	+274	+5
27 x 36	-16	+21	+46	+53	+75	+297	+5
27 x 42	-16	+21	+46	+62	+88	+315	+5
27 x 48	-16	+21	+46	+71	+100	+419	+5
27 x 60	-16	+21	+46	+83	+112	+449	+5
27 x 72	-23	+28	+59	+100	+149	-	-
35 x 24	-23	+14	+30	+34	+59	-	-
35 x 30	-23	+14	+30	+42	+76	-	-
35 x 36	-23	+28	+59	+51	+87	-	-
35 x 42	-23	+28	+59	+60	+99	-	-
35 x 48	-23	+28	+59	+69	+119	-	-
35 x 60	-23	+28	+59	+80	+141	-	-
35 x 72	-28	+46	+100	+97	+172	-	-
43 x 24	-28	+17	+37	+42	+71	-	-
43 x 30	-28	+17	+37	+53	+92	-	-
43 x 36	-28	+34	+73	+69	+119	-	-
43 x 42	-28	+34	+73	+84	+149	-	-
43 x 48	-28	+34	+73	+97	+172	-	-
43 x 60	-28	+34	+73	+1010	+198	-	-
43 x 72	-47	+59	+127	+130	+229	-	-
51 x 24	-28	+23	+50	+51	+83	-	-
51 x 30	-28	+23	+50	+66	+116	-	-
51 x 36	-28	+46	+100	+80	+141	-	-
51 x 42	-28	+46	+100	+97	+172	-	-
51 x 48	-28	+46	+100	+112	+203	-	-
51 x 60	-28	+46	+100	+130	+229	-	-
51 x 72	-28	+46	+100	+143	+251	-	-



**Fabric and Laminate Insert Upcharges**

Refer below for upcharges/discounts for all insert panels. Prices are per insert. White board inserts are the same price as Grade A Fabric inserts.

<b>FABRIC AND LAMINATE INSERT UPCHARGES</b>							
<b>Insert Size</b>	<b>C.O.M Fabric</b>	<b>Grade C Fabric</b>	<b>Grade D Fabric</b>	<b>Laminate Insert</b>	<b>Grade C Laminate</b>	<b>Embossed Steel Insert</b>	<b>Grade C Paint</b>
59 x 24	-28	+23	+50	+60	+99	-	-
59 x 30	-28	+23	+50	+75	+112	-	-
59 x 36	-28	+46	+100	+84	+149	-	-
59 x 42	-28	+46	+100	-	-	-	-
59 x 48	-28	+46	+100	-	-	-	-
59 x 60	-28	+46	+100	-	-	-	-
75 x 24	-47	+30	+64	-	-	-	-
75 x 30	-47	+30	+64	-	-	-	-
75 x 36	-47	+59	+127	-	-	-	-
75 x 42	-47	+59	+127	-	-	-	-
75 x 48	-47	+59	+127	-	-	-	-



**Divi Connector Product Details**

**Product Detail 1**  
**Possible Insert Panel Side Elevations**


The panel connection hinge is able to be used in numerous types of panel connections as shown below. No additional panel connection hardware is needed to connect panels. However, base raceway shrouds are required for certain 2-way and 3-way applications to cover electrical and data cables.

Straight / 180° Connection:


Hinge channels in hanger frame form a 90° angle when two panels are aligned in a straight line. The hinge is extruded at this angle and installs easily when panels are started at this angle. After installation of hinge, panels can be rotated to achieve other angles.




2-Way 90° Connection:




2-Way 60°/120° Connection:




2-Way 45°/135° Connection:




3-Way 90° Connection:



3-Way 120° Connection:




4-Way 90° Connection:



**Divi Linear Base Raceway Shrouds**



**DIVI LINEAR 90° 2-WAY BASE RACEWAY SHROUDS**

Model Number	List	Raceway Divider
P-DLBS90	31	+8





**DIVI LINEAR 120°/ 60° 2-WAY BASE RACEWAY SHROUDS**

Model Number	List	Raceway Divider
P-DLBS60	31	+8





**DIVI LINEAR 135°/ 45° 2-WAY BASE RACEWAY SHROUDS**

Model Number	List	Raceway Divider
P-DLBS45	31	+8





**DIVI LINEAR 90° 3-WAY BASE RACEWAY SHROUDS**

Model Number	List	Raceway Divider
P-DLBS3W	31	+8



**DIVI LINEAR END BASE RACEWAY SHROUDS**

Model Number	List
P-DLSEOR	31



**Specify**

- Color Selection for Shroud Cover
- Raceway Divider Option


**Notes**

- Base Raceway Shrouds are required to trim base raceways in order to cover data/electrical cable exposure.
- 90° 2-Way Base Raceway Shrouds are required to trim base raceways at 90° panel connections. 1
- 20°/60° 2-Way Base Raceway Shrouds are required to trim base raceways at 120°/60° panel connections.
- 135°/45° 2-Way Base Raceway Shrouds are required to trim base raceways at 135°/45° panel connections.
- 90° 3-Way Base Raceway Shrouds are required to trim base raceways at 90° 3-way panel connections.
- End Base Raceway Shroud are required to trim base raceways at end of panel runs.

**Wall Mount Kits and Wall Tracks**

**DIVI LINEAR WALL MOUNT KITS**

H	Model Number	List	Grade C Paint
42	P-DLWMKIT42	126	+15
50	P-DLWMKIT50	141	+15
58	P-DLWMKIT58	184	+15
66	P-DLWMKIT66	183	+15
82	P-DLWMKIT82	227	+15




**WALL TRACKS**

H	Model Number	List	Grade C Paint
60	A-WTRK60	208	+5
80	A-WTRK80	251	+5



**DIVI LINEAR STACK PANEL WALL MOUNT KIT**

H	Model Number	List
16	P-DLWMKIT16	120
24	P-DLWMKIT24	118



**Specify**

- Paint Selection

**Notes**

- Wall Track mounts to fixed walls to provide slotted channel for worksurface support brackets, tackboards or shelves.
- Slots are on 1" vertical repeat pattern.
- Wall track mounting holes are 1/4" diameter, repeating 6" on center starting 1/2" from top of track.
- Hardware for mounting wall track to walls is not included. Use hardware appropriate to wall type.
- Wall track may not be shared between shelf units, flipper door units, or tackboards.
- Track sits approximately 5" off floor when leveled with top of panels to accommodate wall cover base.
- Shelving Units and Flipper door units may not share a Wall Track.
- Two sticks of Wall Track are required for each unit being mounted.
- Important: Wall track may be shared with Matrix and AO2 storage. Wall track may not be shared with Divi and MWall storage.

**Specify**

- Paint Selection (Grade C +15)


**Notes**

- Wall Mount Kits mount panel perpendicular to fixed wall. Specify according to the height of the panel to be mounted.
- Wall mount hardware to attach wall mount to wall is not included.
- Includes hinges.

**Divi Linear Post Filler Kits**


**DIVI LINEAR 2-WAY POST FILLER**

Panel H	Model Number	List	Grade C Paint
42	P-DLPF242	398	+10
50	P-DLPF250	405	+10
58	P-DLPF258	416	+10
66	P-DLPF266	425	+10
74	P-DLPF274	490	+10
82	P-DLPF282	501	+10
98	P-DLPF298	576	+10




**DIVI LINEAR 3-WAY POST FILLER**

Panel H	Model Number	List	Grade C Paint
42	P-DLPF342	359	+10
50	P-DLPF350	385	+10
58	P-DLPF358	398	+10
66	P-DLPF366	410	+10
74	P-DLPF374	469	+10
82	P-DLPF382	484	+10
98	P-DLPF398	551	+10




**DIVI LINEAR 4-WAY POST FILLER**

Panel H	Model Number	List	Grade C Paint
42	P-DLPF442	180	+10
50	P-DLPF450	201	+10
58	P-DLPF458	212	+10
66	P-DLPF466	225	+10
74	P-DLPF474	312	+10
82	P-DLPF482	294	+10
98	P-DLPF498	363	+10



**DIVI LINEAR END OF RUN POST FILLER**

Panel H	Model Number	List	Grade C Paint
42	P-DLPFE42	370	+10
50	P-DLPFE50	378	+10
58	P-DLPFE58	396	+10
66	P-DLPFE66	404	+10
74	P-DLPFE74	467	+10
82	P-DLPFE82	471	+10
98	P-DLPFE98	540	+10



**Specify**

- Metal Power/Data Divider
- Paint Selection
- Paint Selection for Trim (Grade C +28)
- Color Selection for Base Shroud

**Notes**

- Post Fillers can be used to cover wires in the vertical cavities created when two or more panels are joined at 90° angles or simply as an aesthetic piece.
- 2-way, 3-way, and end or run fillers include a base shroud.
- Post fillers are not needed for panel connection, stability, or structural integrity.
- Specify the height which corresponds to the tallest panel in the configuration.
- Available painted only.


**Divi Linear Spacers, Retrofit Kits**

<b>DIVI LINEAR SPACER 180</b>			
<b>H</b>	<b>Model Number</b>	<b>List</b>	<b>Grade C Paint</b>
42	P-DLSP18042	431	+10
50	P-DLSP18050	439	+10
58	P-DLSP18058	450	+10
66	P-DLSP18066	458	+10
74	P-DLSP18074	523	+10
82	P-DLSP18082	534	+10
98	P-DLSP18098	610	+10




<b>Specify</b>	<b>Notes</b>
<ul style="list-style-type: none"> <li>• Paint Selection Paint Selection for Trim (Grade C +28)</li> <li>• Color Selection for Base Shroud</li> </ul>	<ul style="list-style-type: none"> <li>• Spacers can be used to fill gaps created by 3-way connectors on the opposing station wall.</li> <li>• Spacers include two base shrouds.</li> <li>• Specify the spacer height which corresponds to the tallest panel in the configuration.</li> <li>• Available painted only.</li> </ul>

<b>DIVI TOP CAP RETROFIT KIT</b>		
<b>Panel H</b>	<b>Model Number</b>	<b>List</b>
P-VLTCECK24	Divi Panel Top/End Cap Retrofit Kit, 24"W	85
P-VLTCECK30	Divi Panel Top/End Cap Retrofit Kit, 30"W	93
P-VLTCECK36	Divi Panel Top/End Cap Retrofit Kit, 36"W	102
P-VLTCECK42	Divi Panel Top/End Cap Retrofit Kit, 42"W	112
P-VLTCECK48	Divi Panel Top/End Cap Retrofit Kit, 48"W	124
P-VLTCECK60	Divi Panel Top/End Cap Retrofit Kit, 60"W	135
P-VLTCECK72	Divi Panel Top/End Cap Retrofit Kit, 72"W	148



<b>Specify</b>	<b>Notes</b>
<ul style="list-style-type: none"> <li>• Paint Selection</li> </ul>	<ul style="list-style-type: none"> <li>• Specify Divi top cap retrofit kits to update existing panels to the most current design.</li> </ul>

<b>DIVI 4-WAY DATA SEPTUM</b>	
<b>Model Number</b>	<b>List</b>
P-DLMDS4W	8



**Notes**



- Specify for 4-way post fillers when a data septum is required.

**Divi Electrical Product Details**

**Product Detail 1  
Electrical Components (8 Wire, 4 Circuit)**



AIS Divi 8 Wire 4 Circuit electrical system contains four circuits. Each circuit is rated at 20 amps/120 volts maximum. Circuit 1, Circuit 2 and Circuit 3 are served by a system neutral and an equipment ground. Circuit 4 is dedicated and is served by its own neutral and ground. Circuit and ground conductors are #12 A.G.W. (gauge). All neutrals are #10 A.G.W. (gauge).

Shown below is a cross section of metal cable used for 8 Wire 4 Circuit jumpers and infeeds. Circuit and ground conductors are #12 A.G.W. (gauge). All neutrals are #10 A.G.W. (gauge).



Powerways provide electrical distribution and access for duplex outlets back to back. 24" wide panels can accept only one duplex outlet per side, two total back to back. All other panels can accept two per side, four total back to back. Powerways "grow" in length with frames of greater width, making panel to panel connections a "standard" configuration and allowing for "pass through" connections. Each powerway has locations for up to four jumpers, two at each end. Powerways are included when ordering powered panels.

Duplex Outlets are designated as circuits 1 through 4. Each duplex outlet contains two single receptacles (places to plug into) of the same circuit and are specified separately from powerways. All duplex outlets have black faces. The lettering on outlets for Circuit 1, 2 and 3 is white. The lettering on outlets for Circuit 4 is orange. Outlets are screw mounted to powerway. Duplex outlets are standard 15 amp outlets. For 20 amp outlets, call AIS Customer Service.




**Common Equipment Amperages:**


Personal Computer .....	2.00 - 4.00
Laser Printer .....	5.00 - 8.00
Desktop Plotter .....	1.50
Fan .....	1.00
Heater .....	8.50 - 12.50
Tasklight .....	1.00
Slide Projector .....	2.00 - 6.00
Coffee Pot .....	15.00
Paper Shredder .....	4.40 - 13.00
Radio .....	0.05
Pencil Sharpener .....	1.00
Calculator .....	0.25
Answering Machine .....	0.08

**Divi Electrical Product Details**


**Product Detail 2  
Power/Data Pole Dimensions and Capacities**




Divi with no feed = 38 CAT 6 cables




Standard pole with no feed = 97 CAT 6 cables




Divi with feed with barrier = 22 CAT 6 cables




Standard pole with feed with center barriers = 64 CAT 6 cables



Divi with feed no barrier = 27 CAT 6 cables



Standard pole with feed with no center barriers = 88 CAT 6 cables




Standard pole with feed with one center barrier = 66 CAT 6 cables



**Panel-to-Panel and Lateral Pass Through Jumpers**

**PANEL-TO-PANEL JUMPERS**

L	Type	Model Number	List
18	Standard	E-MX8W4PTPC18	246
21	Extended	E-MX8W4PTPC21	258




**Notes**

- Panel-to-Panel Jumper connects any two adjacent powered panels connected in a straight line or at an angle.
- Order an Extended Panel-to-Panel Jumper to connect any two powered panels across the gap created by a 3-way or 4-way connection or gallery panel.
- 90°, 120° and 135° corners and straight panel-to-panel connections do not require an extended jumper.

**I-CONNECTOR**

Model Number	List
E-UN8W4ICON	180



**Notes**

- An I-Connector is only required when it is necessary to connect two male end jumpers.

**LATERAL PASS THROUGH JUMPERS**

Panel W	Actual L	Model Number	List
24	43	E-MW8W4PJ24	351
30	48	E-MW8W4PJ30	376
36	55	E-MW8W4PJ36	387
42	61	E-MW8W4PJ42	400
48	67	E-MW8W4PJ48	431
60	79	E-MW8W4PJ60	464
72	93	E-MW8W4PJ72	518




**Notes**

- Lateral Pass Through Jumpers pass through a non-powered panel to connect two powered panels.
- Specify the jumper that corresponds to the width of the panel to be passed through.

**EXTENDED LATERAL PASS THROUGH JUMPERS**

Panel W	Actual L	Model Number	List
24	45	E-MW8W4PJ24E	366
30	51	E-MW8W4PJ30E	384
36	57	E-MW8W4PJ36E	397
42	63	E-MW8W4PJ42E	407
48	69	E-MW8W4PJ48E	442
60	81	E-MW8W4PJ60E	489
72	96	E-MW8W4PJ72E	528




**Notes**

- Extended Lateral Pass Through Jumpers are extended 1 11/16" to pass through a non-powered panel and the additional gap created by a 3-way or 4-way connection to connect two powered panels.
- 90° corners and straight panel-to-panel connections do not require an extended jumper.
- Specify the jumper that corresponds to the width of the panel to be passed through.

**Duplex Outlets**

**DUPLEX OUTLETS**

Line	Color	Model Number	List
1	Black	E-MW8W4DO1	91
2	Black	E-MW8W4DO2	91
3	Black	E-MW8W4DO3	91
4	Black	E-MW8W4DO4	91
1	White	E-MW8W4DO1-W	91
2	White	E-MW8W4DO2-W	91
3	White	E-MW8W4DO3-W	91
4	White	E-MW8W4DO4-W	91




**Notes**

- Duplex Outlets are available at designated circuits 1 through 4.
- Each duplex outlet contains two single receptacles (places to plug into) of the same circuit and are specified separately from powerways.
- Available in black or white. The lettering on outlets for Circuit 1, 2 and 3 is white. The lettering on outlets for Circuit 4 is orange.
- Outlets are screw mounted to powerway.
- Duplex outlets are standard 15 amp outlets.
- Can be used with multi-circuit electrical units.

**CALIFORNIA TITLE 24 CONTROLLED DUPLEX OUTLETS**

Line	Color	Model Number	List
1	Black	E-MW8W4T24DO1	105
2	Black	E-MW8W4T24DO2	105
3	Black	E-MW8W4T24DO3	105
4	Black	E-MW8W4T24DO4	105
1	White	E-MW8W4T24DO1-W	105
2	White	E-MW8W4T24DO2-W	105
3	White	E-MW8W4T24DO3-W	105
4	White	E-MW8W4T24DO4-W	105



**Notes**


- In California, 50 percent of all outlets in a systems panel cluster or benching cluster, for new construction, MUST be controlled outlets, even if there is no task lighting.
- Customers should plan on using circuits 2 and 3 for controlled circuits, and plan general load for all other items on circuits 1 and 4.
- If using 2 + 2 configuration, controlled circuits should be 1 and 2, and general load circuits on 4 and 5.
- Outlets must have the “controlled” symbol for identification purposes.
- Can be used with multi-circuit electrical units.

**Note:** Certain areas of Chicago prohibit the use of modular electrical systems and require all electrical components to be hardwired. All electrical components need to be supplied by the electrician excluding junction boxes, which can be purchased from AIS.

**Duplex Outlets**

**USB OUTLETS**

Line	Color	Model Number	List
1	Black	E-UN8W4USB01	368
2	Black	E-UN8W4USB02	368
3	Black	E-UN8W4USB03	368
4	Black	E-UN8W4USB04	368
1	White	E-UN8W4USB01-W	328
2	White	E-UN8W4USB02-W	328
3	White	E-UN8W4USB03-W	328
4	White	E-UN8W4USB04-W	328




**Notes**

- USB Outlets bring charging options to panel power distribution systems.
- The USB Outlets provide convenient charging power access through dual ports on the face of the receptacle.
- The USB Outlets offer a total of 2 Amps between two USB charging ports.
- The USB Outlets are UL and FCC Part 15A approved.
- Can be used with multi-circuit electrical units.

**DUPLEX OUTLET HOLE COVERS**

Model Number	List
E-UNWC	35



**Specify**

- Paint Selection for Hole Cover


**Notes**

- Duplex Outlet Hole Covers are supplied with each powered panel to cover unused duplex outlet locations (six).
- 24"W panels only include three duplex outlet hole covers.
- Order extra hole covers separately only when required.
- Can be used with multi-circuit electrical units.

**Infeeds**



**SIDE MOUNTED BASE INFEDS**

Length	Model Number	List
72	E-UN8W4BIFS	572



**NEW YORK CITY SIDE MOUNTED BASE INFEDS**

Length	Model Number	List
72	E-HM8W4BIFSNY	1,134




**Notes**

- Side Mounted Base Infeeds provide interface with building power at the base of the panel and mounts to powerway at jumper location.
- Each base feed is 6' in length, encased in "liquid tight".
- New York City code requires the use of a special base feed with an in-line junction box.

**RECEPTACLE MOUNT BASE INFEDS**


Length	Hand	Model Number	List
72	Left	E-UN8W4BIFL	613
72	Right	E-UN8W4BIFR	613




Left-hand infeed shown

**NEW YORK CITY RECEPTACLE MOUNT BASE INFEDS**

Length	Hand	Model Number	List
72	Left	E-HM8W4BIFLNY	1,191
72	Right	E-HM8W4BIFRNY	1,191



Left-hand infeed shown



**Notes**

- Receptacle Mounted Base Infeeds provide interface with building power and mounts to powerway at duplex outlet location.
- Each base infeed is 6' in length, encased in "liquid tight".
- Left hand base infeed shown.

**CEILING INFEDS**

Length	Model Number	List
144	E-UN8W4CIF	668



**Note:** Certain areas of Chicago prohibit the use of modular electrical systems and require all electrical components to be hardwired. All electrical components need to be supplied by the electrician.


**Notes**

- Ceiling Infeeds provide interface with building power from a suspended ceiling through a power pole shell.
- Each ceiling feed is 12' long.
- Power pole shells are ordered separately.

**Single Circuit Infeeds with Plug**

**SINGLE CIRCUIT SIDE INFEEDS WITH PLUG**

Actual Length	Model Number	List
72"	E-UN8W4SIF72	1,257
120"	E-UN8W4SIF120	1,598




**Notes**

- Single Circuit infeeds will only provide power to line 1 outlets.
- Single Circuit Infeeds are terminated with a 20 Amp NEMA plug, a 20 Amp to 15 Amp plug adapter is included.
- Capacity for the circuit is 20 Amps, or 15 Amps if using the adapter.
- Never install more than one infeed to a circuit.

**SINGLE CIRCUIT RECEPTACLE INFEEDS WITH PLUG**

Length	Model Number	List
72	E-UN8W4RIF72	2,484
120	E-UN8W4RIF120	3,996




**Notes**

- Single Circuit infeeds will only provide power to line 1 outlets.
- Single Circuit Infeeds are terminated with a 20 Amp NEMA plug, a 20 Amp to 15 Amp plug adapter is included.
- Capacity for the circuit is 20 Amps, or 15 Amps if using the adapter.
- Never install more than one infeed to a circuit.
- Receptacle Mount is not handed. Handedness may be reversed in the field.

**In-Line Power/Data Pole Combination Kits**


**DIVI LINEAR 2-WAY IN-LINE POWER/DATA POLE COMBINATION KITS**

Panel H	Model Number	List
42	P-DLPFPP242	993
50	P-DLPFPP250	995
58	P-DLPFPP258	997
66	P-DLPFPP266	999
74	P-DLPFPP274	1,002
82	P-DLPFPP282	1,005
98	P-DLPFPP298	1,007




**DIVI LINEAR 3-WAY IN-LINE POWER/DATA POLE COMBINATION KITS**

Panel H	Model Number	List	Grade C Paint
42	P-DLPFPP342	976	+20
50	P-DLPFPP350	978	+20
58	P-DLPFPP358	969	+20
66	P-DLPFPP366	971	+20
74	P-DLPFPP374	974	+20
82	P-DLPFPP382	976	+20
98	P-DLPFPP398	978	+20




**DIVI LINEAR 4-WAY IN-LINE POWER/DATA POLE COMBINATION KITS**

Panel H	Model Number	List	Grade C Paint
42	P-DLPFPP442	800	+20
50	P-DLPFPP450	802	+20
58	P-DLPFPP458	804	+20
66	P-DLPFPP466	806	+20
74	P-DLPFPP474	808	+20
82	P-DLPFPP482	810	+20
98	P-DLPFPP498	813	+20



**DIVI LINEAR END OF RUN IN-LINE POWER/DATA POLE COMBINATION KITS**

Panel H	Model Number	List	Grade C Paint
42	P-DLPFPPE42	993	+20
50	P-DLPFPPE50	995	+20
58	P-DLPFPPE58	997	+20
66	P-DLPFPPE66	999	+20
74	P-DLPFPPE74	1,002	+20
82	P-DLPFPPE82	1,005	+20
98	P-DLPFPPE98	1,007	+20



**Specify**

- Paint Selection
- Paint Selection for Trim (Grade C +28)
- Color Selection for Base Shroud

**Notes**

- In-Line Power/Data Pole Combination Kits (1.619”D x 1.860”W) include one in-line power/data pole kit and one post filler kit. 2-way, 3-way, and end or run kits include a base shroud.
- Specify the height which corresponds to the tallest panel in the configuration.
- Available painted only.
- Designed for an 11’ ceiling.

**Retrofit Kits and In-Line Power/Data Pole Dividers and Extenders**

**DIVI LINEAR IN-LINE POWER/DATA POLE RETROFIT KITS**

Panel H	Model Number	List	Grade C Paint
42	P-DLPFPP42	303	+20
50	P-DLPFPP50	305	+20
58	P-DLPFPP58	307	+20
66	P-DLPFPP66	309	+20
74	P-DLPFPP74	312	+20
82	P-DLPFPP82	314	+20
98	P-DLPFPP98	316	+20



**Specify**

- Paint Selection

**Notes**

- Retrofit Kit (1.619”D x 1.860”W) mounts to the top of post fillers which are already installed at 2-way, 3-way, or 4-way connections.
- Specify the height which corresponds to the tallest panel in the configuration.
- Available painted only.
- Does not include post filler.

**IN-LINE POWER/DATA POLE DIVIDER**

Panel H	Model Number	List
42	P-DVPFPPD42	295
50	P-DVPFPPD50	299
58	P-DVPFPPD58	301
66	P-DVPFPPD66	303
74	P-DVPFPPD74	305
82	P-DVPFPPD82	307
98	P-DVPFPPD98	309



**Specify**

- Paint Selection

**Notes**

- In-Line Power/Data Pole Divider is specified when electrical cables need to be segregated from data cables by a metal barrier.

**DIVI IN-LINE POWER/DATA POLE EXTENDER**

H	Model Number	List
10	P-DLPFPP10X	280
16	P-DLPFPP16X	197
30	P-DLPFPP30X	401
48	P-DLPFPP48X	471



**Specify**


- Paint Selection (Grade C Paint +10)

**Notes**

- Extenders do not come with electrical components.
- Order base infeeds separately.

**POWER / DATA POLE EXTENDERS**

Actual H	Model Number	List	Grade C Paint
28”	A-PPEX28	347	+10
48”	A-PPEX48	501	+10



**Specify**

- Paint Selection


**Notes**

- Power/data pole extender includes one pole section, one cover, one pole coupler and one divider.
- Order ceiling feeds separately.

**Retrofit Kits and Double Channel Power/Data Pole Kits**

**ELECTRICAL RETROFIT KIT**

Length	Model Number	List
24	E-FRKDVP8424	423
30	E-FRKDVP8430	452
36	E-FRKDVP8436	468
42	E-FRKDVP8442	499
48	E-FRKDVP8448	523
60	E-FRKDVP8460	572
72	E-FRKDVP8472	596




**Specify** **Notes**

- |  |  |
|--|--|
| <ul style="list-style-type: none"> <li>• Color Selection for Base Color</li> </ul> | <ul style="list-style-type: none"> <li>• Kits are for field retrofitting existing non-powered DVI panels with 8 wire, 4 circuit electrical.</li> <li>• Kit includes one powerway with mounting clips and screws, one powered base cover assembly and four duplex outlet hole covers.</li> <li>• Duplex outlets, jumpers, extra hole covers or feeds are ordered separately.</li> </ul> |
|--|--|

**DOUBLE CHANNEL POWER/DATA POLE KIT**

Model Number	List	Grade C Paint
A-PPDV	872	+20



**Specify** **Notes**


- |   |  |
|---|--|
| <ul style="list-style-type: none"> <li>• Paint Selection</li> </ul> | <ul style="list-style-type: none"> <li>• Power/Data Pole Kit includes two 68" pole sections, two 68" covers, one pole coupler, two 68" dividers, four pole to panel mounting brackets, one ceiling shroud, one 72" perforated metal strip for attaching pole to ceiling grid, and mounting hardware.</li> <li>• Order ceiling feeds separately.</li> <li>• Designed for an 11' ceiling.</li> <li>• For use at 2-way and 3-way locations only.</li> </ul> |
|---|--|



**Hubbell Premise Kits and Hardwire Junction Boxes**

**DATA PLATE KITS**

Item	Model Number	List
6 Port Data Gang Plate	E-DP6GFPB	42
CAT 5e Jack	E-HRJ45-SM	143
CAT 6 Data Jack	E-HXJ6BK-SM	156
Hole Blank (10PK)	E-SFBB10-SM	97




**Notes**

- Snap-In Data Housing Plate have six ports.
- Housing is black and snaps into standard AIS DiVi duplex outlet holes, which measure 1.86" x 3.012".
- RJ-45 jacks can be used in place of RJ-11 jacks.

**HARDWIRE JUNCTION BOX**

Model Number	List
E-DVJBCH	547




**Notes**

- Hardwire Junction Box allows standard, hard wired, single gang duplex outlets to be used in DiVi panels at each standard, modular duplex outlet location.
- Each outlet will require one junction box, and outlets cannot be placed back to back on a spine.
- Junction boxes do not include electrical connectors.
- Boxes are UL listed.
- Decora faced outlets cannot be used.
- Kit includes all hardware required to attach box to DiVi panel at duplex outlet location.
- Standard DiVi powered base covers are required.
- Order DiVi panels with standard powered base cover option.
- Boxes have standard 0.875" knockouts for electrical connectors.
- Kit includes one low profile metal face plate painted per specification.
- Junction boxes can be used with either 15 amp or 20 amp single gang outlets.
- Box is 3"H x 1.524"W x 7"L.

**Cantilevers and Side Support/Rear Brackets**

**STANDARD CANTILEVERS**


Surface Depth	Actual Depth	Hand	Model Number	List	Grade C Paint
24	18	Left	WPS-UNCT24L	110	+10
24	18	Right	WPS-UNCT24R	110	+10
24	18	Pair	WPS-UNCT24P	211	+20
30	25.5	Left	WPS-UNCT30L	211	+10
30	25.5	Right	WPS-UNCT30R	211	+10
30	25.5	Pair	WPS-UNCT30P	418	+20



Specify	Notes
<ul style="list-style-type: none"> <li>• Paint Selection for Cantilevers</li> </ul>	<ul style="list-style-type: none"> <li>• Provide cantilevered worksurface support from panel or wall track at either the left or right hand side of a worksurface.</li> <li>• All worksurface support components fasten directly to worksurfaces with screws.</li> <li>• May also be used as a center support.</li> <li>• Specify cantilever that corresponds to worksurface depth.</li> <li>• It is highly recommended that flat plates are specified in conjunction with support cantilevers to splice two worksurfaces together at the front edge.</li> <li>• Painted black as standard, all other trim colors are Grade C upcharged.</li> </ul>

**SHARED CANTILEVERS**


Surface Depth	Actual Depth	Hand	Model Number	List	Grade C Paint
24	18	Single	WPS-UNCT24S	157	+10
24	18	Pair	WPS-UNCT24SP	309	+20
30	25.5	Single	WPS-UNCT30S	309	+10
30	25.5	Pair	WPS-UNCT30SP	618	+20



Specify	Notes
<ul style="list-style-type: none"> <li>• Paint Selection for Cantilevers</li> </ul>	<ul style="list-style-type: none"> <li>• Provide cantilevered support from panel or wall track at seam between two worksurfaces.</li> <li>• All worksurface support components fasten directly to worksurfaces with screws.</li> <li>• Specify cantilever that corresponds to worksurface depth.</li> <li>• It is highly recommended that flat plates are specified in conjunction with support cantilevers to splice two worksurfaces together at the front edge.</li> <li>• Painted black as standard, all other trim colors are Grade C upcharged.</li> </ul>

**SIDE SUPPORT / REAR BRACKETS**


Hand	Model Number	List	Grade C Paint
Left	WPS-SSSAL	81	+10
Right	WPS-SSSAR	81	+10
Pair	WPS-SSSA	154	+20



Specify	Notes
<ul style="list-style-type: none"> <li>• Paint Selection for Side Support / Rear Bracket</li> </ul>	<ul style="list-style-type: none"> <li>• Side Support/Rear Brackets provide direct support from panel or wall track along short side of rectangular worksurface or at rear of corner worksurface.</li> <li>• All worksurface support components fasten directly to worksurfaces with screws.</li> <li>• Painted black as a standard. All other trim colors are Grade C upcharged.</li> </ul>

**PANEL MOUNTED SHELF CANTILEVERS**


Surface Depth	Actual Depth	Hand	Model Number	List	Grade C Paint
12	10	Left	WPS-CT10L	198	+10
12	10	Right	WPS-CT10R	198	+10
12	10	Pair	WPS-CT10P	375	+20



Specify	Notes
<ul style="list-style-type: none"> <li>• Paint Selection</li> </ul>	<ul style="list-style-type: none"> <li>• Panel Mounted Shelf Cantilevers are 10"D and designed to work in conjunction with 12"D worksurfaces to create additional desk top shelving.</li> <li>• Available for all AIS panel systems.</li> <li>• For use with 12" to 16" worksurfaces only.</li> </ul>

**STANDARD END PANELS**

<b>D</b>	<b>Model Number</b>	<b>List</b>	<b>Grade C Laminate</b>
12	WFS-EPDV12	418	+20
18	WFS-EPDV18	491	+24
24	WFS-EPDV24	552	+27
30	WFS-EPDV30	616	+30
36	WFS-EPDV36	699	+34



**Specify**


- Laminate Selection for End Panel
- 2mm Edge Selection for End Panel

**Notes**

- Standard End Panels have laminated vertical surfaces and a 2mm PVC vertical front edge.
- Provide direct support from floor at left or right side of a worksurface, and engage and lock to panels with provided mounting brackets.
- All worksurface support components fasten directly to worksurfaces with screws.
- Specify end panel that corresponds to worksurface depth.

**CLEAR ACCESS END PANELS**

<b>D</b>	<b>Model Number</b>	<b>List</b>	<b>Grade C Laminate</b>
24	WFS-EPCADV24	576	+29
30	WFS-EPCADV30	643	+32



**Specify**

- Laminate Selection for End Panel
- 2mm Edge Selection for End Panel

**Notes**

- Clear Access End Panels have laminated vertical surfaces and a 2mm vertical front edge.
- Provide direct support from floor at left or right side of a worksurface, and engage and lock to panels with provided mounting brackets.
- All worksurface support components fasten directly to worksurfaces with screws.

**Brackets, Divi Wing Panel Support Kit, Carpet Grippers**

**PEDESTAL-TO-PANEL ATTACHMENT BRACKET**



Model Number	List	Grade C Laminate
S-DVPMPB	277	+25



Specify	Notes
<ul style="list-style-type: none"> <li>• Paint Selection</li> </ul>	<ul style="list-style-type: none"> <li>• Pedestal-to-Panel Attachment Brackets attach structural pedestals to panels.</li> <li>• These brackets serve as a space filler and as a way to add stability to panels.</li> <li>• Pedestal to panel attachment brackets may only be used when the nominal surface depth matches the nominal pedestal depth (24" Deep surface &amp; 24" deep pedestal or 30" deep surface and 30" deep pedestal).</li> </ul>

**DIVI WING PANEL SUPPORT KIT**


Model Number	List	Grade C Laminate
P-DVWPK	105	+10



Specify	Notes
<ul style="list-style-type: none"> <li>• Paint Selection</li> </ul>	<ul style="list-style-type: none"> <li>• Wing Panel Support Bracket acts as a wing panel stabilizer, connecting a work surface to a wing panel that matches the work surface depth.</li> <li>• Bracket can also be used on the back of a work surface behind a structural pedestal to keep a panel tight to a work surface back.</li> </ul>

**COUNTERTOP BRACKETS**


Hand	Model Number	List	Grade C Paint
Left	WPS-DVCTBKTL	71	+10
Right	WPS-DVCTBKTR	71	+10
Pair	WPS-DVCTBKTPR	137	+20



Specify	Notes
<ul style="list-style-type: none"> <li>• Paint Selection for Counter-top Bracket</li> </ul>	<ul style="list-style-type: none"> <li>• Countertop Brackets provide direct support for 42"H panel for countertop work surfaces.</li> <li>• Specify at least two pair of countertop brackets for every countertop (one pair for front side and one pair for rear).</li> <li>• All work surface support components fasten directly to work surfaces with screws.</li> </ul>

**CARPET GRIPPERS**

Model Number	List
P-CARPETGRIP	5




Notes
<ul style="list-style-type: none"> <li>• Specify carpet grippers when installing Divi panels or Matrix frames on carpet.</li> <li>• One carpet gripper per 4 panels automatically ship with your order.</li> </ul>


Divi Panel Mounted A-Legs

DIVI PANEL MOUNTED A-LEGS					
		Left Hand	Right Hand		
H	D	Model Number	Model Number	List	
27	12	WFS-ALW2712DVL	WFS-ALW2712DVR	504	
27	24	WFS-ALW2724DVL	WFS-ALW2724DVR	574	
27	30	WFS-ALW2730DVL	WFS-ALW2730DVR	612	


SHARED DIVI PANEL MOUNTED A-LEGS					
		Left Hand Shared	Right Hand Shared		
H	D	Model Number	Model Number	List	
27	12	WFS-ALW2712DVLS	WFS-ALW2712DVRS	542	
27	24	WFS-ALW2724DVLS	WFS-ALW2724DVRS	612	
27	30	WFS-ALW2730DVLS	WFS-ALW2730DVRS	650	




Left Hand



Right Hand



Left Hand Shared




Right Hand Shared

Specify


- Paint Selection (+25 for Grade C)

Notes


- **Important:** A-Legs cannot be used as freestanding table support. One side must be anchored to a storage element or panel.
- A-Legs are constructed from 1 x 2 painted steel.
- Legs have 1 1/2" leveling glides.
- A-Leg welded construction allows for attachment to the worksurface.
- Ships installed with panel attachment brackets. Panel locking bracket for panel attachment situations ships separate.




EXAMPLE 1 - UNSTABLE  
32"H Structural Wing




EXAMPLE 2 - UNSTABLE  
32"H Panel with Cantilever




EXAMPLE 3 - UNSTABLE  
32"H Panel with Cantilevers



EXAMPLE 1 - STABLE  
Standard Structural Wing



EXAMPLE 2 - STABLE  
32"H Panel with Floor Support




EXAMPLE 3 - STABLE  
32"H Panel with Panel Mounted A-Legs


Divi Panel Mounted O-Legs

DIVI PANEL MOUNTED O-LEGS				
H	D	Model Number		List
		Left Hand	Right Hand	
27	12	WFS-OLW2712DVL	WFS-OLW2712DVR	654
27	18	WFS-OLW2718DVL	WFS-OLW2718DVR	696
27	24	WFS-OLW2724DVL	WFS-OLW2724DVR	745
27	30	WFS-OLW2730DVL	WFS-OLW2730DVR	791

SHARED DIVI PANEL MOUNTED O-LEGS			
H	D	Model Number	List
27	12	WFS-OLW2712DVLS	701
27	18	WFS-OLW2718DVLS	741
27	24	WFS-OLW2724DVLS	791
27	30	WFS-OLW2730DVLS	841



Left Hand




Specify


- Paint Selection (+25 for Grade C)

Notes


- **Important:** O-Legs cannot be used as freestanding table support. One side must be anchored to a storage element or panel.
- O-Legs are constructed from 1 x 2 painted steel.
- Legs have 1 1/2" leveling glides.
- O-Leg welded construction allows for attachment to the worksurface.
- Ships installed with panel attachment brackets. Panel locking bracket for panel attachment situations ships separate.




EXAMPLE 1 - UNSTABLE  
32"H Structural Wing




EXAMPLE 2 - UNSTABLE  
32"H Panel with Cantilever




EXAMPLE 3 - UNSTABLE  
32"H Panel with Cantilevers



EXAMPLE 1 - STABLE  
Standard Structural Wing



EXAMPLE 2 - STABLE  
32"H Panel with Floor Support




EXAMPLE 3 - STABLE  
32"H Panel with Panel Mounted O-Legs

Linear Mid-Height Shelf and Corner Shelf Units

LINEAR MID-HEIGHT SHELF UNITS

H	W	D	Model Number	List	Grade C Paint
6	24	12	S-SHFLDV24	354	+12
6	30	12	S-SHFLDV30	366	+12
6	36	12	S-SHFLDV36	378	+12
6	42	12	S-SHFLDV42	400	+12
6	48	12	S-SHFLDV48	442	+12
6	60	12	S-SHFLDV60	466	+12




Specify

Notes

- Paint Selection
- Linear Mid-Height Shelf Units provide low profile overhead storage.
- Shelf ends have locking swing cams to prevent dislodgement.
- Shelf bottom will receive tasklights.
- Unit includes two Linear Mid-height shelf ends, one shelf pan, and mounting hardware.
- Order shelf unit that corresponds to panel width.
- Metal shelves have a weight capacity of 1.5 lbs per linear inch of width.

LINEAR MID-HEIGHT CORNER SHELF UNITS

H	W	Center D	Wing D	Model Number	List	Grade C Paint
7.75	36	30.5	12	S-SHFLCDV36	1,492	+25
7.75	42	30.5	12	S-SHFLCDV42	1,585	+25
7.75	48	30.5	12	S-SHFLCDV48	2,231	+25




Specify

Notes

- Paint Selection
- Linear Mid-Height Corner Shelf Units provide low profile overhead storage in corner above corner worksurfaces.
- Shelf ends have locking swing cams to prevent dislodgement.
- Shelf has lateral strength bar welded parallel to front edge which will receive a 36" or smaller tasklight parallel to front edge.
- All shelves 33 5/8" across front edge and are 30 1/2" deep front to back corner.
- Back corner has 3 1/2" x 3 1/2" cutout to facilitate cable management.
- 42" and 48" units have 6" and 12" wings respectively. Unit includes two
- Linear Mid-height shelf ends, one bottom shelf pan, two corner shelf back mounting brackets, and mounting hardware.
- Order shelf unit that corresponds to panel width.
- Metal shelves have a weight capacity of 1.5 lbs per linear inch of width.

SHELF DIVIDER

Model Number	List	Grade C Paint
S-SHFDIV12	162	+10



Specify



Notes

- Paint Selection
- Shelf Divider mounts to mid-height shelf decks and may also be used inside of complete flipper bins.
- No hardware necessary. Divider snaps into place.
- Divider is 5 5/8" tall and designed to finish at the same height as a mid-height shelf end.

**Type C Flipper Door Units**

**METAL / FABRIC DOOR FRONT TYPE C FLIPPER DOOR UNIT**



Interior H	W	Interior D	Model Number	List	Grade C Paint	C.O.M Fabric	Grade C Fabric	Grade D Fabric	Easy Down
14.25	24	12	S-FDUDV24	907	+20	-5	+13	+24	+261
14.25	30	12	S-FDUDV30	927	+20	-5	+13	+24	+261
14.25	36	12	S-FDUDV36	958	+20	-5	+13	+24	+261
14.25	42	12	S-FDUDV42	978	+20	-5	+13	+24	+261
14.25	48	12	S-FDUDV48	1,042	+20	-5	+13	+24	+261
14.25	60	12	S-FDUDV60	1,261	+20	-5	+13	+24	+261



Easy Down Mechanism (Optional)

**LAMINATE DOOR FRONT TYPE C FLIPPER DOOR UNIT**

Interior H	W	Interior D	Model Number	List	Grade C Paint	Grade C Laminate	Easy Down
14.25	24	12	S-FDUDV24L	1,126	+20	+17	+261
14.25	30	12	S-FDUDV30L	1,147	+20	+18	+261
14.25	36	12	S-FDUDV36L	1,177	+20	+19	+261
14.25	42	12	S-FDUDV42L	1,199	+20	+20	+261
14.25	48	12	S-FDUDV48L	1,333	+20	+21	+261
14.25	60	12	S-FDUDV60L	1,480	+20	+22	+261



Easy Down Mechanism (Optional)

**Specify**

- Paint Selection
- Paint or Fabric for Flipper Door Style (for metal/fabric units only)
- Fabric Selection for Flipper Selection (for fabric units only)
- Laminate Selection for Flipper Door (for laminate units only)
- Edge Selection for Flipper Door (for laminate units only)
- Easy Down Mechanism (optional)

**Notes**



- Type C Flipper Door Unit provides binder height, lockable overhead storage.
- Door opens and stores above top cover pan.
- Flipper unit has an open back.
- Shelf ends have locking swing cams to prevent dislodgement.
- Shelf bottom will receive tasklights.
- Easy Down Mechanisms are optional for all sizes and recommended on 60" wide units.
- All flipper doors are lockable with two supplied keys.
- Lock cores are removable with removal keys and master keys are available.
- Extra lock cores are available for keying flipper doors alike, but flipper doors may not be ordered without locks.
- Keying flippers alike requires removal of pre-installed lock cores and installation of keyed alike cores in the field.
- Order flipper unit that corresponds to panel width.
- See "Accessories" for ordering replacement keys, master keys, core removal keys, additional keys cores for keying alike or replacement uses.
- Metal shelves have a weight capacity of 1.5 lbs per linear inch of width.



Type C Raised Flipper Door Units

METAL / FABRIC DOOR FRONT TYPE C RAISED FLIPPER DOOR UNIT



Interior H	W	Interior D	Model Number	List	Grade C Paint	C.O.M Fabric	Grade C Fabric	Grade D Fabric	Perf Back	Easy Down
14.25	24	12	S-FDURFDV24	1,892	+20	-5	+13	+24	+35	+261
14.25	30	12	S-FDURFDV30	1,936	+20	-5	+13	+24	+35	+261
14.25	36	12	S-FDURFDV36	1,984	+20	-5	+13	+24	+35	+261
14.25	42	12	S-FDURFDV42	2,044	+20	-5	+13	+24	+35	+261
14.25	48	12	S-FDURFDV48	2,146	+20	-5	+13	+24	+35	+261
14.25	60	12	S-FDURFDV60	2,369	+20	-5	+13	+24	+35	+261



Easy Down Mechanism (Optional)

LAMINATE DOOR FRONT TYPE C RAISED FLIPPER DOOR UNIT

Interior H	W	Interior D	Model Number	List	Grade C Paint	Grade C Laminate	Perf Back	Easy Down
14.25	24	12	S-FDURFDV24L	2,070	+20	+17	+35	+261
14.25	30	12	S-FDURFDV30L	2,111	+20	+18	+35	+261
14.25	36	12	S-FDURFDV36L	2,151	+20	+19	+35	+261
14.25	42	12	S-FDURFDV42L	2,212	+20	+20	+35	+261
14.25	48	12	S-FDURFDV48L	2,395	+20	+21	+35	+261
14.25	60	12	S-FDURFDV60L	2,594	+20	+22	+35	+261



Easy Down Mechanism (Optional)

Specify

Notes



- Paint Selection
- Paint or Fabric for Flipper Door Style (for metal/fabric units only)
- Fabric Selection for Flipper Selection (for fabric units only)
- Laminate Selection for Flipper Door (for laminate units only)
- Edge Selection for Flipper Door (for laminate units only)
- Metal or Perforated Back Panel Style
- Easy Down Mechanism (optional)

- Type C Raised Flipper Door Unit provides binder height, lockable overhead storage.
- When mounted on 50" high panels, unit rests level with a standard flipper door unit mounted at the top of a 66" high panel.
- Door opens and stores above top cover pan.
- Backside of unit is completely enclosed providing added security.
- Shelf ends have locking swing cams to prevent dislodgement.
- Shelf bottom will receive tasklights.
- Easy Down Mechanisms are optional for all sizes and recommended on 60" wide units.
- All flipper doors are lockable with two supplied keys.
- Lock cores are removable with removal keys and master keys are available.
- Extra lock cores are available for keying flipper doors alike, but flipper doors may not be ordered without locks.
- Keying flippers alike requires removal of pre-installed lock cores and installation of keyed alike cores in the field.
- Order flipper unit that corresponds to panel width.
- See "Accessories" for ordering replacement keys, master keys, core removal keys, additional key cores for keying alike or replacement uses.
- Metal shelves have a weight capacity of 1.5 lbs per linear inch of width.

**Type D Flipper and Raised Flipper Door Units**

**SOLID METAL DOOR FRONT TYPE D FLIPPER DOOR UNIT**



Interior H	W	Interior D	Model Number	List	Grade C Paint	Easy Down
14.25	24	12	S-FDDSDV24	1,105	+20	+261
14.25	30	12	S-FDDSDV30	1,131	+20	+261
14.25	36	12	S-FDDSDV36	1,155	+20	+261
14.25	42	12	S-FDDSDV42	1,180	+20	+261
14.25	48	12	S-FDDSDV48	1,238	+20	+261



Easy Down Mechanism (Optional)

**SOLID METAL DOOR FRONT TYPE D RAISED FLIPPER DOOR UNIT**

Interior H	W	Interior D	Model Number	List	Grade C Paint	Perf Back	Easy Down
14.25	24	12	S-FDDRVDV24	2,050	+20	+35	+261
14.25	30	12	S-FDDRVDV30	2,090	+20	+35	+261
14.25	36	12	S-FDDRVDV36	2,209	+20	+35	+261
14.25	42	12	S-FDDRVDV42	2,194	+20	+35	+261
14.25	48	12	S-FDDRVDV48	2,299	+20	+35	+261



Easy Down Mechanism (Optional)

**Specify**

- Paint Selection
- Metal or Perforated Back Panel Style (for raised flipper door units only)
- Easy Down Mechanism (optional)

**Notes**

- Type D Flipper Door Unit provides binder height, lockable overhead storage.
- When raised flipper door units are mounted on 50" high panels, unit rests level with a standard flipper door unit mounted at the top of a 66" high panel
- Door opens and stores above top cover pan.
- Flipper unit has an open back.
- Shelf ends have locking swing cams to prevent dislodgement.
- Shelf bottom will receive tasklights.
- Easy Down Mechanisms are optional for all sizes and recommended on 60" wide units.
- All flipper doors are lockable with two supplied keys.
- Lock cores are removable with removal keys and master keys are available.
- Extra lock cores are available for keying flipper doors alike, but flipper doors may not be ordered without locks.
- Keying flippers alike requires removal of pre-installed lock cores and installation of keyed alike cores in the field.
- Order flipper unit that corresponds to panel width.
- See "Accessories" for ordering replacement keys, master keys, core removal keys, additional key cores for keying alike or replacement uses.
- Metal shelves have a weight capacity of 1.5 lbs per linear inch of width.



Sliding Door Units

METAL DOOR FRONT SLIDING DOOR UNIT

H	W	D	Model Number	List	Grade C Paint
14.25	30	12	S-MS2DODV30	1,131	+20
14.25	36	12	S-MS2DODV36	1,156	+20
14.25	42	12	S-MS2DODV42	1,181	+20
14.25	48	12	S-MS2DODV48	1,240	+20
14.25	60	12	S-MS2DODV60	1,458	+20

LAMINATE DOOR FRONT SLIDING DOOR UNIT

H	W	D	Model Number	List	Grade C Paint	Grade C Laminate
14.25	30	12	S-MS2DODV30L	1,353	+20	+18
14.25	36	12	S-MS2DODV36L	1,372	+20	+19
14.25	42	12	S-MS2DODV42L	1,401	+20	+20
14.25	48	12	S-MS2DODV48L	1,537	+20	+21
14.25	60	12	S-MS2DODV60L	1,681	+20	+22



Specify

Notes

- Paint Selection
- Laminate Selection for Sliding Door (for laminate units only)
- Edge Selection for Sliding Door (for laminate units only)

- Sliding Door Unit provides binder height, lockable overhead storage.
- Door slides open side to side.
- Sliding door unit has an open back.
- Shelf ends have locking swing cams to prevent dislodgement.
- Shelf bottom will receive tasklights.
- All sliding doors are lockable with (2) keys supplied.
- Lock cores are removable with removal keys and master keys are available.
- Extra lock cores are available for keying sliding doors alike, but sliding doors may not be ordered without locks.
- Keying sliding doors alike requires removal of pre-installed lock cores and installation of keyed alike cores in the field.
- See "Accessories" for shelf, flipper and key accessories.
- Metal shelves have a weight capacity of 1.5 lbs per linear inch of width.



**Raised Sliding Door Units**

**METAL DOOR FRONT RAISED SLIDING DOOR UNIT**

H	W	D	Model Number	List	Grade C Paint	Perforated Back
14.25	30	12	S-RMS2DODV30	2,091	+20	+35
14.25	36	12	S-RMS2DODV36	2,139	+20	+35
14.25	42	12	S-RMS2DODV42	2,195	+20	+35
14.25	48	12	S-RMS2DODV48	2,302	+20	+35
14.25	60	12	S-RMS2DODV60	2,571	+20	+35

**LAMINATE DOOR FRONT RAISED SLIDING DOOR UNIT**

H	W	D	Model Number	List	Grade C Paint	Grade C Laminate	Perforated Back
14.25	30	12	S-RMS2DODV30L	2,310	+20	+18	+35
14.25	36	12	S-RMS2DODV36L	2,355	+20	+19	+35
14.25	42	12	S-RMS2DODV42L	2,412	+20	+20	+35
14.25	48	12	S-RMS2DODV48L	2,599	+20	+21	+35
14.25	60	12	S-RMS2DODV60L	2,791	+20	+22	+35



**Specify**

- Paint Selection
- Laminate Selection for Sliding Door (for laminate units only)
- Edge Selection for Sliding Door (for laminate units only)

**Notes**

- Type C Raised Sliding Door Unit provides binder height, lockable overhead storage.
- When mounted on 50" high panels, unit rests level with a standard flipper door unit mounted at the top of a 66" high panel.
- Door slides open side to side.
- Backside of unit is completely enclosed providing added security.
- Shelf ends have locking swing cams to prevent dislodgement.
- Shelf bottom will receive tasklights.
- All sliding doors are lockable with (2) keys supplied.
- Lock cores are removable with removal keys and master keys are available.
- Extra lock cores are available for keying sliding doors alike, but sliding doors may not be ordered without locks.
- Keying sliding doors alike requires removal of pre-installed lock cores and installation of keyed alike cores in the field.
- See "Accessories" for shelf, flipper and key accessories.
- Metal shelves have a weight capacity of 1.5 lbs per linear inch of width.



Cabinet Door Units

METAL DOOR FRONT CABINET DOOR UNIT

H	W	D	Model Number	List	Grade C Paint
14.25	24	12	S-VDODV24	1,503	+20
14.25	30	12	S-VDODV30	1,527	+20
14.25	36	12	S-VDODV36	1,552	+20
14.25	42	12	S-VDODV42	1,574	+20
14.25	48	12	S-VDODV48	1,639	+20

LAMINATE DOOR FRONT CABINET DOOR UNIT

H	W	D	Model Number	List	Grade C Paint	Perforated Back
14.25	24	12	S-VDODV24L	1,719	+20	+17
14.25	30	12	S-VDODV30L	1,747	+20	+18
14.25	36	12	S-VDODV36L	1,767	+20	+19
14.25	42	12	S-VDODV42L	1,797	+20	+20
14.25	48	12	S-VDODV48L	1,930	+20	+21



Specify

Notes

- Paint Selection
- Laminate Selection for Cabinet Door (for laminate units only)
- Edge Selection for Cabinet Door (for laminate units only)

- Cabinet Door Unit provides binder height, lockable overhead storage.
- Doors swing open.
- Cabinet door unit has an open back.
- Shelf ends have locking swing cams to prevent dislodgement.
- Shelf bottom will receive tasklights. Units are lockable with (2) keys supplied.
- Lock cores are removable with removal keys and master keys are available.
- Extra lock cores are available for keying sliding doors alike, but sliding doors may not be ordered without locks.
- Keying sliding doors alike requires removal of pre-installed lock cores and installation of keyed alike cores in the field.
- See "Accessories" for shelf, flipper and key accessories.
- Metal shelves have a weight capacity of 1.5 lbs per linear inch of width.



**Raised Cabinet Door Units**

**METAL DOOR FRONT RAISED CABINET DOOR UNIT**

H	W	D	Model Number	List	Grade C Paint	Perforated Back
14.25	24	12	S-RVDODV24	2,446	+20	+35
14.25	30	12	S-RVDODV30	2,487	+20	+35
14.25	36	12	S-RVDODV36	2,534	+20	+35
14.25	42	12	S-RVDODV42	2,591	+20	+35
14.25	48	12	S-RVDODV48	2,695	+20	+35

**LAMINATE DOOR FRONT RAISED CABINET DOOR UNIT**

H	W	D	Model Number	List	Grade C Paint	Grade C Laminate	Perforated Back
14.25	24	12	S-RVDODV24L	2,664	+20	+17	+35
14.25	30	12	S-RVDODV30L	2,704	+20	+18	+35
14.25	36	12	S-RVDODV36L	2,750	+20	+19	+35
14.25	42	12	S-RVDODV42L	2,810	+20	+20	+35
14.25	48	12	S-RVDODV48L	2,991	+20	+21	+35



**Specify**

**Notes**

- Paint Selection
- Laminate Selection for Cabinet Door (for laminate units only)
- Edge Selection for Cabinet Door (for laminate units only)

- Raised Cabinet Door Unit provides binder height, lockable overhead storage.
- Doors swing open.
- Cabinet door unit has an open back.
- Shelf ends have locking swing cams to prevent dislodgement.
- Shelf bottom will receive tasklights.
- Units are lockable with (2) keys supplied.
- Lock cores are removable with removal keys and master keys are available.
- Extra lock cores are available for keying sliding doors alike, but sliding doors may not be ordered without locks.
- Keying sliding doors alike requires removal of pre-installed lock cores and installation of keyed alike cores in the field.
- See "Accessories" for shelf, flipper and key accessories.
- Metal shelves have a weight capacity of 1.5 lbs per linear inch of width.

Divi Height BF Wardrobe Towers

⚠ The following towers match the height of Divi Panels only:



⚠ The following towers match the height of Divi Panels only:

BF WARDROBE TOWERS WITH OPEN FRONT

H	W	D	Wardrobe Left	Wardrobe Right	List
			Model Number	Model Number	
50	24	24	X-WTBFOFDL5024	X-WTBFOFDR5024	4,115
58	24	24	X-WTBFOFDL5824	X-WTBFOFDR5824	4,278
66	24	24	X-WTBFOFDL6624	X-WTBFOFDR6624	4,439
82	24	24	X-WTBFOFDL8224	X-WTBFOFDR8224	4,775

BF WARDROBE TOWERS WITH OPEN FRONT ON FEET

H	W	D	Wardrobe Left	Wardrobe Right	List
			Model Number	Model Number	
50	24	24	C-WTBFOFDL5024	C-WTBFOFDR5024	4,198
58	24	24	C-WTBFOFDL5824	C-WTBFOFDR5824	4,363
66	24	24	C-WTBFOFDL6624	C-WTBFOFDR6624	4,519
82	24	24	C-WTBFOFDL8224	C-WTBFOFDR8224	4,855





BF WARDROBE TOWERS WITH OPEN SIDE

H	W	D	Wardrobe Left	Wardrobe Right	List
			Model Number	Model Number	
50	24	24	X-WTBFOSDL5024	X-WTBFOSDR5024	4,204
58	24	24	X-WTBFOSDL5824	X-WTBFOSDR5824	4,378
66	24	24	X-WTBFOSDL6624	X-WTBFOSDR6624	4,552
82	24	24	X-WTBFOSDL8224	X-WTBFOSDR8224	4,900

BF WARDROBE TOWERS WITH OPEN SIDE ON FEET

H	W	D	Wardrobe Left	Wardrobe Right	List
			Model Number	Model Number	
50	24	24	C-WTBFOSDL5024	C-WTBFOSDR5024	4,285
58	24	24	C-WTBFOSDL5824	C-WTBFOSDR5824	4,460
66	24	24	C-WTBFOSDL6624	C-WTBFOSDR6624	4,633
82	24	24	C-WTBFOSDL8224	C-WTBFOSDR8224	4,980



Specify

Notes

- Laminate Selection for Case
- Laminate Selection for Drawer/ Door/Face
- Handle Selection
- Handle Paint Selection
- Lock Selection

- Right-handed wardrobes shown.
- Towers match height of Divi Panels only. Use standard towers for Matrix, Aloft, Oxygen and Calibrate.
- Laminate Storage items follow current Calibrate Series leadtime.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a \$10 upcharge.
- Selection of slim pull for drawers automatically includes touch-to-open mechanisms on cabinet doors.
- Slim pull incurs a \$75 upcharge.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 laminate units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.



**Divi Height BF Wardrobe Towers**

**⚠ The following towers match the height of Divi Panels only:**

**⚠ The following towers match the height of Divi Panels only:**

BF WARDROBE TOWERS WITH CUPBOARD					
H	W	D	Wardrobe Left	Wardrobe Right	List
			Model Number	Model Number	
50	24	24	X-WTBFDL5024	X-WTBFDR5024	4,385
58	24	24	X-WTBFDL5824	X-WTBFDR5824	4,597
66	24	24	X-WTBFDL6624	X-WTBFDR6624	4,813
82	24	24	X-WTBFDL8224	X-WTBFDR8224	5,241

BF WARDROBE TOWERS WITH CUPBOARD ON FEET					
H	W	D	Wardrobe Left	Wardrobe Right	List
			Model Number	Model Number	
50	24	24	C-WTBFDL5024	C-WTBFDR5024	4,465
58	24	24	C-WTBFDL5824	C-WTBFDR5824	4,679
66	24	24	C-WTBFDL6624	C-WTBFDR6624	4,892
82	24	24	C-WTBFDL8224	C-WTBFDR8224	5,322



**Specify**

**Notes**

- Laminate Selection for Case
- Laminate Selection for Drawer/Door/Face
- Handle Selection
- Handle Paint Selection
- Lock Selection

- Right-handed wardrobes shown.
- Towers match height of Divi Panels only. Use standard towers for Matrix, Aloft, Oxygen and Calibrate.
- Laminate Storage items follow current Calibrate Series leadtime.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a \$10 upcharge.
- Selection of slim pull for drawers automatically includes touch-to-open mechanisms on cabinet doors.
- Slim pull incurs a \$75 upcharge.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 laminate units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.



**Divi Height BBF Wardrobe Towers**

**! The following towers match the height of Divi Panels only:**



**! The following towers match the height of Divi Panels only:**

**BBF WARDROBE TOWERS WITH OPEN FRONT**

H	W	D	Wardrobe Left	Wardrobe Right	List
			Model Number	Model Number	
50	24	24	X-WTBBFOFDL5024	X-WTBBFOFDR5024	4,433
58	24	24	X-WTBBFOFDL5824	X-WTBBFOFDR5824	4,615
66	24	24	X-WTBBFOFDL6624	X-WTBBFOFDR6624	4,794
82	24	24	X-WTBBFOFDL8224	X-WTBBFOFDR8224	5,166

**BBF WARDROBE TOWERS WITH OPEN FRONT ON FEET**

H	W	D	Wardrobe Left	Wardrobe Right	List
			Model Number	Model Number	
50	24	24	C-WTBBFOFDL5024	C-WTBBFOFDR5024	4,513
58	24	24	C-WTBBFOFDL5824	C-WTBBFOFDR5824	4,693
66	24	24	C-WTBBFOFDL6624	C-WTBBFOFDR6624	4,877
82	24	24	C-WTBBFOFDL8224	C-WTBBFOFDR8224	5,244





**BBF WARDROBE TOWERS WITH OPEN SIDE**

H	W	D	Wardrobe Left	Wardrobe Right	List
			Model Number	Model Number	
50	24	24	X-WTBBFOSDL5024	X-WTBBFOSDR5024	4,443
58	24	24	X-WTBBFOSDL5824	X-WTBBFOSDR5824	4,620
66	24	24	X-WTBBFOSDL6624	X-WTBBFOSDR6624	4,799
82	24	24	X-WTBBFOSDL8224	X-WTBBFOSDR8224	5,153

**BBF WARDROBE TOWERS WITH OPEN SIDE ON FEET**

H	W	D	Wardrobe Left	Wardrobe Right	List
			Model Number	Model Number	
50	24	24	C-WTBBFOSDL5024	C-WTBBFOSDR5024	4,521
58	24	24	C-WTBBFOSDL5824	C-WTBBFOSDR5824	4,700
66	24	24	C-WTBBFOSDL6624	C-WTBBFOSDR6624	4,880
82	24	24	C-WTBBFOSDL8224	C-WTBBFOSDR8224	5,236



**Specify**

**Notes**

- Laminate Selection for Case
- Laminate Selection for Drawer/ Door/Face
- Handle Selection
- Handle Paint Selection
- Lock Selection

- Right-handed wardrobes shown.
- Towers match height of Divi Panels only. Use standard towers for Matrix, Aloft, Oxygen and Calibrate.
- Laminate Storage items follow current Calibrate Series leadtime.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a \$10 upcharge.
- Selection of slim pull for drawers automatically includes touch-to-open mechanisms on cabinet doors.
- Slim pull incurs a \$75 upcharge.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 laminate units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.



**Divi Height BBF Wardrobe Towers**

**⚠ The following towers match the height of Divi Panels only:**

**⚠ The following towers match the height of Divi Panels only:**

BBF WARDROBE TOWERS WITH CUPBOARD					
H	W	D	Wardrobe Left	Wardrobe Right	List
			Model Number	Model Number	
50	24	24	X-WTBBFDL5024	X-WTBBFDR5024	4,572
58	24	24	X-WTBBFDL5824	X-WTBBFDR5824	4,779
66	24	24	X-WTBBFDL6624	X-WTBBFDR6624	4,992
82	24	24	X-WTBBFDL8224	X-WTBBFDR8224	5,425

BBF WARDROBE TOWERS ON WITH CUPBOARD FEET					
H	W	D	Wardrobe Left	Wardrobe Right	List
			Model Number	Model Number	
50	24	24	C-WTBBFDL5024	C-WTBBFDR5024	4,652
58	24	24	C-WTBBFDL5824	C-WTBBFDR5824	4,862
66	24	24	C-WTBBFDL6624	C-WTBBFDR6624	5,070
82	24	24	C-WTBBFDL8224	C-WTBBFDR8224	5,505



**Specify**

**Notes**

- Laminate Selection for Case
- Laminate Selection for Drawer/Door/Face
- Handle Selection
- Handle Paint Selection
- Lock Selection

- Right-handed wardrobes shown.
- Towers match height of Divi Panels only. Use standard towers for Matrix, Aloft, Oxygen and Calibrate.
- Laminate Storage items follow current Calibrate Series leadtime.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a \$10 upcharge.
- Slim pull not available on doors. Selection of slim pull for drawers automatically includes touch-to-open mechanisms on cabinet doors.
- Slim pull incurs a \$75 upcharge.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 laminate units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.

**Divi Height FF Wardrobe Towers**

**! The following towers match the height of Divi Panels only:**



**! The following towers match the height of Divi Panels only:**

**FF WARDROBE TOWERS WITH OPEN FRONT**

**FF WARDROBE TOWERS WITH OPEN FRONT ON FEET**

H	W	D	Wardrobe Left	Wardrobe Right	List
			Model Number	Model Number	
50	24	24	X-WTFFOFDL5024	X-WTFFOFDR5024	4,323
58	24	24	X-WTFFOFDL5824	X-WTFFOFDR5824	4,500
66	24	24	X-WTFFOFDL6624	X-WTFFOFDR6624	4,677
82	24	24	X-WTFFOFDL8224	X-WTFFOFDR8224	5,039

H	W	D	Wardrobe Left	Wardrobe Right	List
			Model Number	Model Number	
50	24	24	C-WTFFOFDL5024	C-WTFFOFDR5024	4,401
58	24	24	C-WTFFOFDL5824	C-WTFFOFDR5824	4,580
66	24	24	C-WTFFOFDL6624	C-WTFFOFDR6624	4,756
82	24	24	C-WTFFOFDL8224	C-WTFFOFDR8224	5,121





**FF WARDROBE TOWERS WITH OPEN SIDE**

**FF WARDROBE TOWERS WITH OPEN SIDE ON FEET**

H	W	D	Wardrobe Left	Wardrobe Right	List
			Model Number	Model Number	
50	24	24	X-WTFFOSDL5024	X-WTFFOSDR5024	4,319
58	24	24	X-WTFFOSDL5824	X-WTFFOSDR5824	4,492
66	24	24	X-WTFFOSDL6624	X-WTFFOSDR6624	4,666
82	24	24	X-WTFFOSDL8224	X-WTFFOSDR8224	5,016

H	W	D	Wardrobe Left	Wardrobe Right	List
			Model Number	Model Number	
50	24	24	C-WTFFOSDL5024	C-WTFFOSDR5024	4,399
58	24	24	C-WTFFOSDL5824	C-WTFFOSDR5824	4,574
66	24	24	C-WTFFOSDL6624	C-WTFFOSDR6624	4,748
82	24	24	C-WTFFOSDL8224	C-WTFFOSDR8224	5,097



**Specify**

**Notes**

- Laminate Selection for Case
- Laminate Selection for Drawer/Door/Face
- Handle Selection
- Handle Paint Selection
- Lock Selection

- Right-handed wardrobes shown.
- Towers match height of Divi Panels only. Use standard towers for Matrix, Aloft, Oxygen and Calibrate.
- Laminate Storage items follow current Calibrate Series leadtime.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a \$10 upcharge.
- Slim pull not available on doors. Selection of slim pull for drawers automatically includes touch-to-open mechanisms on cabinet doors.
- Slim pull incurs a \$75 upcharge.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 laminate units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.



**Divi Height FF Wardrobe Towers**

**⚠ The following towers match the height of Divi Panels only:**

**⚠ The following towers match the height of Divi Panels only:**

FF WARDROBE TOWERS WITH CUPBOARD					
H	W	D	Wardrobe Left	Wardrobe Right	List
			Model Number	Model Number	
50	24	24	X-WTFFDL5024	X-WTFFDR5024	4,518
58	24	24	X-WTFFDL5824	X-WTFFDR5824	4,633
66	24	24	X-WTFFDL6624	X-WTFFDR6624	4,748
82	24	24	X-WTFFDL8224	X-WTFFDR8224	5,142

FF WARDROBE TOWERS WITH CUPBOARD ON FEET					
H	W	D	Wardrobe Left	Wardrobe Right	List
			Model Number	Model Number	
50	24	24	C-WTFFDL5024	C-WTFFDR5024	4,598
58	24	24	C-WTFFDL5824	C-WTFFDR5824	4,722
66	24	24	C-WTFFDL6624	C-WTFFDR6624	4,844
82	24	24	C-WTFFDL8224	C-WTFFDR8224	5,223



**Specify**

**Notes**

- Laminate Selection for Case
- Laminate Selection for Drawer/ Door/Face
- Handle Selection
- Handle Paint Selection
- Lock Selection

- Right-handed wardrobes shown.
- Towers match height of Divi Panels only. Use standard towers for Matrix, Aloft, Oxygen and Calibrate.
- Laminate Storage items follow current Calibrate Series leadtime.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a \$10 upcharge.
- Slim pull not available on doors. Selection of slim pull for drawers automatically includes touch-to-open mechanisms on cabinet doors.
- Slim pull incurs a \$75 upcharge.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 laminate units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.

**Divi Height BF Pedestal Towers**

**!** The following towers match the height of Divi Panels only:



**!** The following towers match the height of Divi Panels only:

**BF PEDESTAL TOWERS WITH OPEN FRONT**

**BF PEDESTAL TOWERS WITH OPEN FRONT ON FEET**

H	W	D	Model Number	List
50	16	24	X-PTBFofd5024	3,202
58	16	24	X-PTBFofd5824	3,312
66	16	24	X-PTBFofd6624	3,425
82	16	24	X-PTBFofd8224	3,649

H	W	D	Model Number	List
50	16	24	C-PTBFofd5024	3,286
58	16	24	C-PTBFofd5824	3,395
66	16	24	C-PTBFofd6624	3,505





**BF PEDESTAL TOWERS WITH OPEN SIDE**

**BF PEDESTAL TOWERS WITH OPEN SIDE ON FEET**

H	W	D	Open Right, Place Left	Open Left, Place Right	List
			Model Number	Model Number	
50	16	24	X-PTBFOSDL5024	X-PTBFOSDR5024	3,206
58	16	24	X-PTBFOSDL5824	X-PTBFOSDR5824	3,315
66	16	24	X-PTBFOSDL6624	X-PTBFOSDR6624	3,423
82	16	24	X-PTBFOSDL8224	X-PTBFOSDR8224	3,637

H	W	D	Open Right, Place Left	Open Left, Place Right	List
			Model Number	Model Number	
50	16	24	C-PTBFOSDL5024	C-PTBFOSDR5024	3,288
58	16	24	C-PTBFOSDL5824	C-PTBFOSDR5824	3,395
66	16	24	C-PTBFOSDL6624	C-PTBFOSDR6624	3,504



**Specify**

**Notes**

- Laminate Selection for Case
- Laminate Selection for Drawer/Door/Face
- Handle Selection
- Handle Paint Selection
- Lock Selection

- Towers match height of Divi Panels only. Use standard towers for Matrix, Aloft, Oxygen and Calibrate.
- Laminate Storage items follow current Calibrate Series leadtime.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a \$10 upcharge.
- Slim pull not available on doors. Selection of slim pull for drawers automatically includes touch-to-open mechanisms on cabinet doors.
- Slim pull incurs a \$75 upcharge.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 laminate units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.



**Divi Height BF Pedestal Towers**

**⚠ The following towers match the height of Divi Panels only:**

**⚠ The following towers match the height of Divi Panels only:**

BF PEDESTAL TOWERS WITH CUPBOARD					
H	W	D	Left-Hinge	Right-Hinge	List
			Model Number	Model Number	
50	16	24	X-WTBFCDL5024	X-WTBFCDR5024	3,386
58	16	24	X-WTBFCDL5824	X-WTBFCDR5824	3,535
66	16	24	X-WTBFCDL6624	X-WTBFCDR6624	3,683
82	16	24	X-WTBFCDL8224	X-WTBFCDR8224	3,980

BF PEDESTAL TOWERS WITH CUPBOARD ON FEET					
H	W	D	Left-Hinge	Right-Hinge	List
			Model Number	Model Number	
50	16	24	C-WTBFCDL5024	C-WTBFCDR5024	3,466
58	16	24	C-WTBFCDL5824	C-WTBFCDR5824	3,615
66	16	24	C-WTBFCDL6624	C-WTBFCDR6624	3,764



**Specify**

**Notes**

- Laminate Selection for Case
- Laminate Selection for Drawer/Door/Face
- Handle Selection
- Handle Paint Selection
- Lock Selection

- Towers match height of Divi Panels only. Use standard towers for Matrix, Aloft, Oxygen and Calibrate.
- Laminate Storage items follow current Calibrate Series leadtime.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a \$10 upcharge.
- Slim pull not available on doors. Selection of slim pull for drawers automatically includes touch-to-open mechanisms on cabinet doors.
- Slim pull incurs a \$75 upcharge.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 laminate units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.

**Divi Height BBF Pedestal Towers**

**! The following towers match the height of Divi Panels only:**



**! The following towers match the height of Divi Panels only:**

**BBF PEDESTAL TOWERS WITH OPEN FRONT**

**BBF PEDESTAL TOWER WITH OPEN FRONT ON FEET**

H	W	D	Model Number	List
50	16	24	X-PTBBFOFD5024	3,411
58	16	24	X-PTBBFOFD5824	3,522
66	16	24	X-PTBBFOFD6624	3,636
82	16	24	X-PTBBFOFD8224	3,858

H	W	D	Model Number	List
50	16	24	C-PTBBFOFD5024	3,492
58	16	24	C-PTBBFOFD5824	3,604
66	16	24	C-PTBBFOFD6624	3,715





**BBF PEDESTAL TOWERS WITH OPEN SIDE**

**BBF PEDESTAL TOWER WITH OPEN SIDE ON FEET**

H	W	D	Open Right, Place Left	Open Left, Place Right	List
			Model Number	Model Number	
50	16	24	X-PTBBFOSDL5024	X-PTBBFOSDR5024	3,410
58	16	24	X-PTBBFOSDL5824	X-PTBBFOSDR5824	3,520
66	16	24	X-PTBBFOSDL6624	X-PTBBFOSDR6624	3,628
82	16	24	X-PTBBFOSDL8224	X-PTBBFOSDR8224	3,842

H	W	D	Open Right, Place Left	Open Left, Place Right	List
			Model Number	Model Number	
50	16	24	C-PTBBFOSDL5024	C-PTBBFOSDR5024	3,491
58	16	24	C-PTBBFOSDL5824	C-PTBBFOSDR5824	3,600
66	16	24	C-PTBBFOSDL6624	C-PTBBFOSDR6624	3,708



**Specify**

**Notes**

- Laminate Selection for Case
- Laminate Selection for Drawer/Door/Face
- Handle Selection
- Handle Paint Selection
- Lock Selection

- Towers match height of Divi Panels only. Use standard towers for Matrix, Aloft, Oxygen and Calibrate.
- Laminate Storage items follow current Calibrate Series leadtime.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a \$10 upcharge.
- Slim pull not available on doors. Selection of slim pull for drawers automatically includes touch-to-open mechanisms on cabinet doors.
- Slim pull incurs a \$75 upcharge.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 laminate units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.



**Divi Height BBF Pedestal Towers**

**⚠ The following towers match the height of Divi Panels only:**

**⚠ The following towers match the height of Divi Panels only:**

BBF PEDESTAL TOWERS WITH CUPBOARD					
H	W	D	Left-Hinge	Right-Hinge	List
			Model Number	Model Number	
50	16	24	X-WTBBFCDL5024	X-WTBBFCDR5024	3,577
58	16	24	X-WTBBFCDL5824	X-WTBBFCDR5824	3,724
66	16	24	X-WTBBFCDL6624	X-WTBBFCDR6624	3,872
82	16	24	X-WTBBFCDL8224	X-WTBBFCDR8224	4,167

BBF PEDESTAL TOWER WITH CUPBOARD ON FEET					
H	W	D	Left-Hinge	Right-Hinge	List
			Model Number	Model Number	
50	16	24	C-WTBBFCDL5024	C-WTBBFCDR5024	3,658
58	16	24	C-WTBBFCDL5824	C-WTBBFCDR5824	3,805
66	16	24	C-WTBBFCDL6624	C-WTBBFCDR6624	3,952



**Specify**

**Notes**

- Laminate Selection for Case
- Laminate Selection for Drawer/Door/Face
- Handle Selection
- Handle Paint Selection
- Lock Selection

- Towers match height of Divi Panels only. Use standard towers for Matrix, Aloft, Oxygen and Calibrate.
- Laminate Storage items follow current Calibrate Series leadtime.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a \$10 upcharge.
- Slim pull not available on doors. Selection of slim pull for drawers automatically includes touch-to-open mechanisms on cabinet doors.
- Slim pull incurs a \$75 upcharge.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 laminate units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.



**Divi Height FF Pedestal Towers**

**! The following towers match the height of Divi Panels only:**



**! The following towers match the height of Divi Panels only:**

**FF PEDESTAL TOWERS WITH OPEN FRONT**

**FF PEDESTAL TOWERS WITH OPEN FRONT ON FEET**

H	W	D	Model Number	List
50	16	24	X-PTFFOFD5024	3,320
58	16	24	X-PTFFOFD5824	3,432
66	16	24	X-PTFFOFD6624	3,545
82	16	24	X-PTFFOFD8224	3,768

H	W	D	Model Number	List
50	16	24	C-PTFFOFD5024	3,402
58	16	24	C-PTFFOFD5824	3,513
66	16	24	C-PTFFOFD6624	3,627





**FF PEDESTAL TOWERS WITH OPEN SIDE**

**FF PEDESTAL TOWERS WITH OPEN SIDE ON FEET**

H	W	D	Open Right, Place Left	Open Left, Place Right	List
			Model Number	Model Number	
50	16	24	X-PTFFOSDL5024	X-PTFFOSDR5024	3,318
58	16	24	X-PTFFOSDL5824	X-PTFFOSDR5824	3,623
66	16	24	X-PTFFOSDL6624	X-PTFFOSDR6624	3,539
82	16	24	X-PTFFOSDL8224	X-PTFFOSDR8224	3,760

H	W	D	Open Right, Place Left	Open Left, Place Right	List
			Model Number	Model Number	
50	16	24	C-PTFFOSDL5024	C-PTFFOSDR5024	3,400
58	16	24	C-PTFFOSDL5824	C-PTFFOSDR5824	3,429
66	16	24	C-PTFFOSDL6624	C-PTFFOSDR6624	3,618



**Specify**

**Notes**

- Laminate Selection for Case
- Laminate Selection for Drawer/Door/Face
- Handle Selection
- Handle Paint Selection
- Lock Selection

- Towers match height of Divi Panels only. Use standard towers for Matrix, Aloft, Oxygen and Calibrate.
- Laminate Storage items follow current Calibrate Series leadtime.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a \$10 upcharge.
- Slim pull incurs a \$75 upcharge.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 laminate units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.



**Divi Height FF Pedestal Towers**

**⚠ The following towers match the height of Divi Panels only:**

**⚠ The following towers match the height of Divi Panels only:**

FF PEDESTAL TOWERS WITH CUPBOARD					
H	W	D	Left-Hinge	Right-Hinge	List
			Model Number	Model Number	
50	16	24	X-WTFFCDL5024	X-WTFFCDR5024	3,419
58	16	24	X-WTFFCDL5824	X-WTFFCDR5824	3,543
66	16	24	X-WTFFCDL6624	X-WTFFCDR6624	3,669
82	16	24	X-WTFFCDL8224	X-WTFFCDR8224	3,919

FF PEDESTAL TOWERS WITH CUPBOARD ON FEET					
H	W	D	Left-Hinge	Right-Hinge	List
			Model Number	Model Number	
50	16	24	C-WTFFCDL5024	C-WTFFCDR5024	3,500
58	16	24	C-WTFFCDL5824	C-WTFFCDR5824	3,623
66	16	24	C-WTFFCDL6624	C-WTFFCDR6624	3,749



**Specify**

**Notes**

- Laminate Selection for Case
- Laminate Selection for Drawer/Door/Face
- Handle Selection
- Handle Paint Selection
- Lock Selection

- Towers match height of Divi Panels only. Use standard towers for Matrix, Aloft, Oxygen and Calibrate.
- Laminate Storage items follow current Calibrate Series leadtime.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a \$10 upcharge.
- Slim pull not available on doors. Selection of slim pull for drawers automatically includes touch-to-open mechanisms on cabinet doors.
- Slim pull incurs a \$75 upcharge.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 laminate units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.



**Divi Height Single Door Towers**

**⚠ The following towers match the height of Divi Panels only:**

**⚠ The following towers match the height of Divi Panels only:**

<b>SINGLE DOOR TOWERS</b>					
<b>H</b>	<b>W</b>	<b>D</b>	<b>Left-Hinge</b>	<b>Right-Hinge</b>	<b>List</b>
			<b>Model Number</b>	<b>Model Number</b>	
42	12	18	X-SDTDL4218	X-SDTDR4218	2,483
42	12	24	X-SDTDL4224	X-SDTDR4224	2,592
42	12	30	X-SDTDL4230	X-SDTDR4230	2,697
42	12	36	X-SDTDL4236	X-SDTDR4236	2,803
50	12	18	X-SDTDL5018	X-SDTDR5018	2,572
50	12	24	X-SDTDL5024	X-SDTDR5024	2,694
50	12	30	X-SDTDL5030	X-SDTDR5030	2,815
50	12	36	X-SDTDL5036	X-SDTDR5036	2,936
58	12	18	X-SDTDL5818	X-SDTDR5818	2,742
58	12	24	X-SDTDL5824	X-SDTDR5824	2,878
58	12	30	X-SDTDL5830	X-SDTDR5830	3,013
58	12	36	X-SDTDL5836	X-SDTDR5836	3,149
66	12	18	X-SDTDL6618	X-SDTDR6618	2,911
66	12	24	X-SDTDL6624	X-SDTDR6624	3,060
66	12	30	X-SDTDL6630	X-SDTDR6630	3,211
66	12	36	X-SDTDL6636	X-SDTDR6636	3,358

<b>SINGLE DOOR TOWERS ON FEET</b>					
<b>H</b>	<b>W</b>	<b>D</b>	<b>Left-Hinge</b>	<b>Right-Hinge</b>	<b>List</b>
			<b>Model Number</b>	<b>Model Number</b>	
42	12	18	C-SDTDL4218	C-SDTDR4218	2,567
42	12	24	C-SDTDL4224	C-SDTDR4224	2,670
42	12	30	C-SDTDL4230	C-SDTDR4230	2,778
42	12	36	C-SDTDL4236	C-SDTDR4236	2,901
50	12	18	C-SDTDL5018	C-SDTDR5018	2,653
50	12	24	C-SDTDL5024	C-SDTDR5024	2,775
50	12	30	C-SDTDL5030	C-SDTDR5030	2,897
50	12	36	C-SDTDL5036	C-SDTDR5036	3,015
58	12	18	C-SDTDL5818	C-SDTDR5818	2,824
58	12	24	C-SDTDL5824	C-SDTDR5824	2,959
58	12	30	C-SDTDL5830	C-SDTDR5830	3,094
58	12	36	C-SDTDL5836	C-SDTDR5836	3,230
66	12	18	C-SDTDL6618	C-SDTDR6618	2,991
66	12	24	C-SDTDL6624	C-SDTDR6624	3,142
66	12	30	C-SDTDL6630	C-SDTDR6630	3,291
66	12	36	C-SDTDL6636	C-SDTDR6636	3,440



**Specify**

**Notes**


- Laminate Selection for Case
- Laminate Selection for Drawer/ Door/Face
- Handle Selection
- Handle Paint Selection
- Lock Selection

- Left-hinge towers shown.
- Towers must be ganged together with another unit or secured to a wall.
- 18" deep units come equipped with a coat hook. 24", 30" and 36" deep units come equipped with a coat rod.
- Towers match height of Divi Panels only. Use standard towers for Matrix, Aloft, Oxygen and Calibrate.
- Laminate Storage items follow current Calibrate Series leadtime.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a \$10 upcharge.
- Slim pull not available on doors. Touch-to-open handle selection incurs a \$50 upcharge per unit.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 laminate units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.

**Tackboards, Tool Rail Kits and Panel Coat Hooks**

**TACKBOARDS**

H	W	Model Number	List	C.O.M Fabric	Grade C Fabric	Grade D Fabric
12	24	A-TACKDV1224	295	-5	+13	+24
12	30	A-TACKDV1230	314	-5	+13	+24
12	36	A-TACKDV1236	327	-5	+13	+24
12	42	A-TACKDV1242	344	-5	+13	+24
12	48	A-TACKDV1248	367	-5	+13	+24
12	60	A-TACKDV1260	477	-5	+13	+24
15	24	A-TACKDV1524	302	-5	+13	+24
15	30	A-TACKDV1530	321	-5	+13	+24
15	36	A-TACKDV1536	331	-5	+13	+24
15	42	A-TACKDV1542	355	-5	+13	+24
15	48	A-TACKDV1548	373	-5	+13	+24
15	60	A-TACKDV1560	490	-5	+13	+24
19	24	A-TACKDV1924	385	-5	+13	+24
19	30	A-TACKDV1930	411	-5	+13	+24
19	36	A-TACKDV1936	429	-5	+13	+24
19	42	A-TACKDV1942	453	-5	+13	+24
19	48	A-TACKDV1948	477	-5	+13	+24
19	60	A-TACKDV1960	511	-5	+13	+24



**Specify**


- Fabric Selection

**Notes**

- Tackboards are 7/8" thick and mount to a panel or wall track to provide vertical tackable surface for wall track applications and private offices.
- Tackboards are available in three different heights.

**TOOL RAIL KITS**

H	W	Model Number	List	Grade C Paint
3.375	24	A-TBDV24	405	+20
3.375	30	A-TBDV30	443	+20
3.375	36	A-TBDV36	491	+20
3.375	42	A-TBDV42	523	+20
3.375	48	A-TBDV48	549	+20
3.375	60	A-TBDV60	808	+20



**Specify**


- Paint Selection

**Notes**

- Tool Rail Kits mount to wall track or panel and accommodates paper flow elements.
- Tool rail kits are painted black as a standard. All other trim colors are available at a Grade C upcharge.

**PANEL COAT HOOK**

Model Number	List	Grade C Paint
A-CHM	83	+5



**Specify**

- Paint Selection


**Notes**

- Panel Coat Hook mounts over top of panel and is available in all standard panel colors.

**Pre-Drilled Topcaps, Soft Close Mechanism for Hinged Door**

**DIVI LINEAR PRE-DRILLED TOPCAPS FOR CLIP SCREENS**

D	Model Number	List
24	P-DLFGTC224	120
30	P-DLFGTC230	126
36	P-DLFGTC236	132
42	P-DLFGTC242	139
48	P-DLFGTC248	145
60	P-DLFGTC260	154
72	P-DLFGTC272	161



**Specify**


- Paint Selection

**Notes**

- Pre-Drilled Topcaps are pre-drilled for glass clamp screws to facilitate easy installation.
- Order topcaps separately.

**SOFT CLOSE MECHANISM FOR HINGED DOOR**

Part Number	List
X-SOFTHINGE	46



**Notes**

- Mounting method: snaps on to hinge. No tools required.
- Material: steel
- Color/finish: Nickel-plated
- One required for doors up to 30" tall; doors between 31"H and 66"H – order two; doors over 66"H – order three.
- Compatible only with laminate storage; not compatible with L-Series metal storage.

**GANGING KIT FOR CASEGOODS**

Part Number	List
X-GANGKIT	19




**Notes**

- Used for ganging two casegoods together.

**Whiteboards**

**FRAMELESS WHITEBOARD WITH MARKER TRAY**

<b>H</b>	<b>W</b>	<b>Model Number</b>	<b>List</b>
24	24	A-FWBDV2424	468
24	30	A-FWBDV2430	540
24	36	A-FWBDV2436	610
24	42	A-FWBDV2442	678
24	48	A-FWBDV2448	702
24	60	A-FWBDV2460	837
30	24	A-FWBDV3024	505
30	30	A-FWBDV3030	587
30	36	A-FWBDV3036	668
30	42	A-FWBDV3042	751
30	48	A-FWBDV3048	837
30	60	A-FWBDV3060	1,004



**Specify**

**Notes**


• Color Selection for Edgeband

- Frameless White Boards with Marker Tray is a .6" thick laminated white board with 1mm edgeband on all sides.
- Frameless White Boards mount to panels with standard brackets (included).
- Marker Tray is included and available in black only.
- Marker Tray is field installed.

**Locks and Keys**

**SILVER LOCK CORES AND KEYS**

Key Type	Model Number	List
Core with 2 keys	S-W1CORE1	24
Core with 2 keys (set of 2 keyed alike)	S-W1CORE2	37
Core with 2 keys (set of 3 keyed alike)	S-W1CORE3	58
Core with 2 keys (set of 4 keyed alike)	S-W1CORE4	74
Core with 2 keys (set of 5 keyed alike)	S-W1CORE5	92
Core with 2 keys (set of 6 keyed alike)	S-W1CORE6	107
Core with 2 keys (set of 7 keyed alike)	S-W1CORE7	125
Core with 2 keys (set of 8 keyed alike)	S-W1CORE8	144
Core with 2 keys (set of 9 keyed alike)	S-W1CORE9	161
Core with 2 keys (set of 10 keyed alike)	S-W1CORE10	178
Master Key	RS-W1MKEY	18
Core Removal Key	RS-W1CRKEY	18
Replacement Key	RS-WK __ _ (Key Number)	25




**Notes**

- Silver keyed alike lock cores should be specified when ordering Option E in the Lock Choice for Calibrate: No Lock w/ Silver Ring for Keyed Alike.
- Keyed alike lock cores must be installed in the field.
- Keys and Lock Cores are available in #'s 226 through 425.
- A core removal key is needed to remove an existing core from the lock housing in order to replace with a new core.
- Order sets based on quantity of storage items to be keyed alike.

**BLACK LOCK CORES AND KEYS**

Key Type	Model Number	List
Core with 2 keys	S-W1CORE1B	24
Core with 2 keys (set of 2 keyed alike)	S-W1CORE2B	37
Core with 2 keys (set of 3 keyed alike)	S-W1CORE3B	58
Core with 2 keys (set of 4 keyed alike)	S-W1CORE4B	74
Core with 2 keys (set of 5 keyed alike)	S-W1CORE5B	92
Core with 2 keys (set of 6 keyed alike)	S-W1CORE6B	107
Core with 2 keys (set of 7 keyed alike)	S-W1CORE7B	125
Core with 2 keys (set of 8 keyed alike)	S-W1CORE8B	144
Core with 2 keys (set of 9 keyed alike)	S-W1CORE9B	161
Core with 2 keys (set of 10 keyed alike)	S-W1CORE10B	178



**Notes**

- Black keyed alike lock cores should be specified when ordering Option D in the Lock Choice for Calibrate: No Lock w/ Black Ring for Keyed Alike.
- Keyed alike lock cores must be installed in the field.
- Keys and Lock Cores are available in #'s 226 through 425.
- A core removal key is needed to remove an existing core from the lock housing in order to replace with a new core.
- Order sets based on quantity of storage items to be keyed alike.
- Black lock cores not available for L-Series storage.



**National Showrooms:**

**Leominster**

AIS Headquarters  
25 Tucker Drive  
Leominster, MA 01453

---

**Chicago**

The Merchandise Mart  
Suite 391  
Chicago, Illinois 60654

**New York**

AIS New York  
257 Park Avenue South  
New York, New York 10010

**Washington, D.C.**

AIS Washington, D.C.  
1501 M St, NW, STE 230  
Washington, D.C. 20005

**GSA Sales**

GSA Contract 47QSMA20D08Q4  
Multiple Award Schedule (MAS)  
Large Category: Furniture & Furnishings  
Subcategories: Office Furniture, Packaged  
Office Furniture and Furniture Services

**For additional information on AIS:**

Dealer Showrooms, Representative  
Directory, Project Case Studies, Online  
Catalog & Product Showcase  
Visit: [www.ais-inc.com](http://www.ais-inc.com)