

# ENCOUNTER POWERBEAM POWERBENCH

February 2026 Price List

**AIS**

**PRODUCT INFORMATION**

|                                                              |    |
|--------------------------------------------------------------|----|
| PowerBeam Statement of Line . . . . .                        | 4  |
| Finish Options. . . . .                                      | 7  |
| Encounter PowerBeam Typicals . . . . .                       | 9  |
| Encounter PowerBeam Product Details . . . . .                | 13 |
| Encounter PowerBench A La Carte Product Components . . . . . | 16 |
| Encounter PowerBench Typicals . . . . .                      | 17 |
| Encounter PowerBench Product Details . . . . .               | 22 |

**SPINE BEAM KITS**

|                                          |    |
|------------------------------------------|----|
| Powered Spine Beam Kits . . . . .        | 40 |
| Chicago Powered Spine Beam Kits. . . . . | 41 |
| Non-Powered Spine Beam Kits. . . . .     | 42 |

**LEGS**

|                                         |    |
|-----------------------------------------|----|
| Legs for 21" High Spine Beams . . . . . | 43 |
| Legs for 25" High Spine Beams . . . . . | 44 |
| Legs for 29" High Spine Beams . . . . . | 45 |

**H LEG ASSEMBLY**

|                                                                  |    |
|------------------------------------------------------------------|----|
| Encounter PowerBench H Leg . . . . .                             | 46 |
| Encounter PowerBench HAT Enclosed Bases . . . . .                | 47 |
| Encounter PowerBench HAT 2 Leg, Single Sided . . . . .           | 48 |
| Encounter PowerBench HAT Worksurfaces for Double H Leg . . . . . | 49 |
| Encounter PowerBench HAT 120, 3 Leg . . . . .                    | 50 |
| Encounter PowerBench H Leg Single-Sided Kit . . . . .            | 51 |
| Encounter PowerBench H Leg Double-Sided Kit. . . . .             | 52 |
| Encounter PowerBench H Leg 120 Single-Sided Kit . . . . .        | 53 |
| Encounter PowerBench H Leg 120 Double-Sided Kit . . . . .        | 54 |
| Encounter PowerBench H Leg 120 Triple-Sided Kit . . . . .        | 55 |
| Encounter PowerBench Connection Kit . . . . .                    | 56 |

**SPINE BEAM CONNECTORS**

|                                                                                  |    |
|----------------------------------------------------------------------------------|----|
| Endcaps, Supports, Flush Mount Connection Kits and Wall Anchor Brackets. . . . . | 57 |
| 90° and 120° Connection Kits . . . . .                                           | 58 |

**ELECTRICAL AND DATA**

|                                                                         |    |
|-------------------------------------------------------------------------|----|
| Electrical Product Details . . . . .                                    | 59 |
| Duplex Outlets . . . . .                                                | 61 |
| Data Plate Kits and Single Gang Plate Adapter. . . . .                  | 63 |
| Electrical Jumpers . . . . .                                            | 64 |
| Base Infeeds, Ceiling Infeeds, Undermount and End Mount Poles . . . . . | 65 |
| Single Circuit Infeeds with Plug. . . . .                               | 66 |
| Pole Extenders and Power Cord Trays . . . . .                           | 67 |
| Wire Managers and Anti-Fatigue Mats . . . . .                           | 68 |
| Encounter PowerBeam Mini Shelf and Bag Hook . . . . .                   | 69 |

**SPINE SCREENS**

|                                                     |    |
|-----------------------------------------------------|----|
| Glass 1/4" Universal Spine Insert Screens . . . . . | 70 |
| Glass 3/8" Universal Spine Insert Screens . . . . . | 71 |
| PET Universal Spine Insert Screens . . . . .        | 72 |

**GALLERY PANELS**

|                                                                      |     |
|----------------------------------------------------------------------|-----|
| Product Details . . . . .                                            | 73  |
| Laminate Gallery Panels – Beam Mount, Single End . . . . .           | 75  |
| Laminate Gallery Panels – Beam Mount, Double End . . . . .           | 83  |
| Laminate Gallery Panels – Beam Mount for Wing, Single End . . . . .  | 89  |
| Laminate Gallery Panels – Mid Mount End . . . . .                    | 95  |
| Laminate Gallery Panels – Mid Mount End for Wing . . . . .           | 103 |
| Laminate Gallery Panels – Beam Mount Single Spine . . . . .          | 109 |
| Laminate Gallery Panels – Beam Mount Double Spine . . . . .          | 117 |
| Laminate Gallery Panels – Beam Mount Single Spine for Wing . . . . . | 123 |
| Laminate Gallery Panels – Mid Mount Spine . . . . .                  | 129 |
| Laminate Gallery Panels – Mid Mount Spine for Wing . . . . .         | 137 |
| Laminate Gallery Wing Panels . . . . .                               | 143 |
| Wall Mounted Gallery Panels . . . . .                                | 144 |
| Wall Mounted Gallery Panel for Wings . . . . .                       | 147 |

**UNDER SURFACE MOUNT LITE SCREENS FOR ENCOUNTER POWERBENCH**

|                                                                               |     |
|-------------------------------------------------------------------------------|-----|
| PET Encounter PowerBench U-Wrap Under Surface Mount Lite Screens . . . . .    | 148 |
| PET Encounter PowerBench L-Wrap Under Surface Mount Lite Screens . . . . .    | 150 |
| PET Encounter PowerBench Territory Under Surface Mount Lite Screens . . . . . | 152 |

**WARRANTY & TERMS AND CONDITIONS**


For Warranty & Terms and Conditions please visit:

<https://www.ais-inc.com>


**Note:** Please see Screens Price Lists for PowerBeam specific screens.

## Spine Beam Kits, Supports, Encounter PowerBench Components


### SPINE BEAM KITS




Non-Powered Spine Beam Kits  
36" - 96 Wide



Single Sided Powered Spine Beam Kits  
36" - 96 Wide




Powered Spine Beam Kits  
36" - 96 Wide




Chicago Powered Spine Beam Kits  
36" - 96 Wide


### LEGS FOR SPINE BEAMS



T-Legs  
For 21", 25" or 29" High Spine Beams




Disc Legs  
For 21", 25" or 29" High Spine Beams




Post Legs  
For 21", 25" or 29" High Spine Beams


### ENCOUNTER POWERBENCH




Encounter PowerBench Laminate Enclosed Bases  
Single End, Single Shared, Double End or Double Shared




Encounter PowerBench H-Legs  
120, Single, Double




Encounter PowerBench  
Connection Kit for H-Legs




Encounter PowerBench Height Adjustable Tables  
for Single Benches  
with Grommet options, with Scallop




Encounter PowerBench Height Adjustable Tables  
for Double Benches  
with Grommet options, with Scallop




Encounter PowerBench Height Adjustable Tables  
for 120 Benches  
with Grommet options, with Scallop



Encounter PowerBench Kits with H-Leg  
Single, Single with Scallop




Encounter PowerBench Kits with H-Leg  
Double, Double with Scallop





Encounter PowerBench Height Adjustable Table Kits  
for 120 Benches  
Single, Single with Scallop

## Encounter PowerBench 120 Kits, Spine Beam Connectors, Electrical and Data, Accessories


### ENCOUNTER POWERBENCH




Encounter PowerBench Height Adjustable Table Kits  
for 120 Benches  
Double, Double with Scallop




Encounter PowerBench Height Adjustable Table Kits  
for 120 Benches  
Triple, Triple with Scallop




### SPINE BEAM CONNECTORS




Endcap



Vertical Support for Storage




Flush Mount Connection Kit




Beam Wall Anchor Bracket


### ELECTRICAL AND DATA



Duplex Outlet




USB Outlet




Encounter PowerBeam  
Outlet Cover



Data Plate Kits



Data Plate Kit




Single Gang Plate Adapter



Electrical Jumper



Ceiling Infeed




Side-Mounted Base  
Infeed




Undermount Poles  
For 21", 25" or 29" High



End Mount Poles  
For 21", 25" or 29" High



Single Circuit Side Infeed  
with Plug



Power/Data Pole  
Extender




Cord Trays



Cable Management Strip

### ACCESSORIES



Knife Edge  
Wedge Bracket







Table Wire Manager




Wire Managers




Anti-Fatigue Mats



Encounter PowerBeam  
Mini Shelf




Encounter PowerBeam  
Bag Hook




HAT Table Trim Ring

Spine Insert Screens, Extended Gallery Panels


SPINE INSERT SCREENS



EXTENDED GALLERY PANELS



UNDER MOUNT LITE SCREENS FOR ENCOUNTER POWERBENCH



## Encounter Paint, Edgeband, Tempered Glass and PET Options

## PAINT OPTIONS

| Name                | Color Code | Grade |
|---------------------|------------|-------|
| Black               | BK         | A     |
| Chalk               | CK         | A     |
| Dark Tone           | DT         | A     |
| Grey Value 1        | GV1        | A     |
| Innertone           | HT         | A     |
| Light Tone          | LT         | A     |
| Medium Tone         | MT         | A     |
| Metallic Silver     | MS         | A     |
| Satin White         | SW         | A     |
| Warm Brown          | WB         | A     |
| Champagne Metallic  | CHM        | B     |
| Dark Grey Metallic  | DGM        | B     |
| Flint Grey Metallic | FGM        | B     |
| Light Grey          | LG         | B     |
| Tan Value 1         | TV1        | B     |
| Antique Gold        | AG         | C     |
| Graphite Sky        | GS         | C     |
| Burnt Orange        | BO         | C     |
| Brown               | BR         | C     |
| Steel Blue          | SB         | C     |
| Baltic Blue         | BB         | C     |
| Ruby Red            | RR         | C     |
| Kelly Green         | KG         | C     |

## Custom Paints

## Special Paint Match Process &amp; Ordering Instructions

To initiate a special paint match, please provide **three physical match samples** to your Customer Service Representative (CSR). These samples will be sent to our paint suppliers for evaluation and matching.

## Match Process &amp; Fees:

- A **non-refundable \$450 net match fee** is required to begin the process.
- Once viable matches are developed (pending vendor capability), we'll send the samples to the dealer for final approval.

## Pricing:

- Pricing begins at the **Grade C** paint tier.
- If the custom color incurs additional costs beyond Grade C pricing, we will advise of any upcharges before order placement.
- A **minimum order of \$100,000 List** is required for special paint orders.
- The **\$450 match fee will be waived** if the order is **\$150,000 List or more** (and placed using the approved color).

## Ordering Instructions (after color approval):

1. Dealer submits the **Purchase Order (PO)** and **Bill of Materials (BOM)** for the product requiring special paint.
2. The PO must clearly state:  
**"SPECIAL PAINT REQUIRED ON THIS ORDER"**
  - either in the header or special instructions section.
3. When selecting finishes:
  - Choose the **Grade C Paint option**.
  - **Do not select a final paint color**.
  - **Leave the paint code blank** and use the skip option.

## PET COLOR OPTIONS

| Name        |
|-------------|
| Light Grey  |
| Medium Grey |
| Navy        |
| Olive Green |
| Warm Grey   |

## EDGEBOARD OPTIONS

| Name                     | Color Code | Grade |
|--------------------------|------------|-------|
| Absolute Acajou          | AA         | A     |
| Aimtoo Savatre           | AS         | A     |
| Black                    | BK         | A     |
| Brazilwood               | BZ         | A     |
| Chalk                    | CK         | A     |
| Corporate Walnut         | CT         | A     |
| Dark Rum Cherry          | DR         | A     |
| Dark Tone                | DT         | A     |
| Field Elm                | FE         | A     |
| Grand Cherry             | GC         | A     |
| Grey Elm                 | GE         | A     |
| Grey Value 1             | GV1        | A     |
| Landmark                 | LM         | A     |
| Leave Likatre            | LV         | A     |
| Light Tone               | LT         | A     |
| Linen                    | LN         | A     |
| Looks Likatre            | LK         | A     |
| Maritime Dune            | MD         | A     |
| Medium Tone              | MT         | A     |
| Midwest Maple            | MM         | A     |
| Neo Walnut               | NW         | A     |
| Phantom Ecu              | PE         | A     |
| Phantom Pearl            | PP         | A     |
| Satin White / True White | SW / TW    | A     |
| Storm                    | ST         | A     |
| Summer Drops             | SD         | A     |
| Trytoo Savatre           | TS         | A     |
| White Chocolate          | WC         | A     |

## Custom Edgeband Options

- A \$450 net edge match fee will be assessed to custom match non-standard edgeband.
- Minimum order size for any custom color is \$75,000.00 list. Extended lead-time will apply.

## TEMPERED GLASS OPTIONS

| Name        | 3/8" Thick<br>Frameless Glass |
|-------------|-------------------------------|
| Bronze Tint | Y                             |
| Clear       | Y                             |
| Frosted     | Y                             |
| Grey Tint   | Y                             |

All glass is tempered. The etched side of Frosted is only on one side of a screen, the opposite side is smooth. Please see specific price list pages on each type of glass for list pricing and upcharges.

## Warranty:

All glass in AIS' product lines is tempered glass. By tempering the glass, the result is a stronger material that, if broken, fractures into smaller, less dangerous pieces. Tempered glass is commonly referred to as 'safety glass' due to this breakage feature. While the glass is stronger through tempering, it is critical to still handle with extreme care and caution and avoid impact that could result in damage. While uncommon, small impurities in the glass introduced during the tempering process, or damages to the edges resulting from handling or use, can cause unpredictable and spontaneous glass breakage, which is excluded from the AIS warranty.

## Encounter Worksurface and Laminate Base

### WORKSURFACE AND LAMINATE BASE OPTIONS

| Name              | Grade |
|-------------------|-------|
| Absolute Acajou*  | A     |
| Aimtoo Savatre*   | A     |
| Black*            | A     |
| Brazilwood*       | A     |
| Chalk*            | A     |
| Corporate Walnut* | A     |
| Dark Rum Cherry*  | A     |
| Field Elm         | A     |
| Grand Cherry*     | A     |
| Grey Elm          | A     |
| Landmark          | A     |
| Leave Likatre*    | A     |
| Linen             | A     |
| Looks Likatre*    | A     |
| Maritime Dune*    | A     |
| Midwest Maple*    | A     |
| Neo Walnut        | A     |
| Phantom Ecrú      | A     |
| Phantom Pearl     | A     |
| Storm*            | A     |
| Summer Drops*     | A     |
| True White*       | A     |
| Trytoo Savatre*   | A     |
| White Chocolate*  | A     |
| Asian Night       | B     |
| Asian Sand        | B     |
| Beige Granite     | B     |
| Colombian Walnut  | B     |


### WORKSURFACE AND LAMINATE BASE OPTIONS

| Name                            | Grade |
|---------------------------------|-------|
| Fonthill Pear                   | B     |
| Grey Mesh                       | B     |
| Gridlock in L.A.                | B     |
| Madagascar                      | B     |
| Mahogany Clove                  | B     |
| Monticello Maple                | B     |
| Nightfall                       | B     |
| Paris White Potteryware         | B     |
| Pewter Mesh                     | B     |
| Recon Oak                       | B     |
| Shadow                          | B     |
| Sunset                          | B     |
| Titanium EV                     | B     |
| Tungsten EV                     | B     |
| White Spektrum                  | B     |
| Windswept Potteryware           | B     |
| Yorkshire Cherry                | B     |
| Ebony                           | C     |
| Bright White (Writable Surface) | C     |
| Pecan Woodline                  | C     |
| Strand Burnt                    | C     |
| Strand Wedge                    | C     |
| Strand Wheat                    | C     |
| Twill Earthen                   | C     |
| Twill Graphite                  | C     |
| Twill Sarum                     | C     |
| Warm White                      | C     |

\*Indicates a Grade A finish that can be used on Casegood body/case/door/drawer.


## Encounter PowerBeam Typical

### Typical 1



| Description                                                       | Model Number | Quantity | Notes                                           |
|-------------------------------------------------------------------|--------------|----------|-------------------------------------------------|
| 1. T-Legs for 25" High Spine Beams                                | T-BTLEG2518  | 2x       | Used at end of beam.                            |
| 2. T-Legs for 25" High Spine Beams                                | T-BTLEG2518  | 1x       | Shared between two Beam sections.               |
| 3. 60" Wide Powered Spine Beam                                    | T-BP60       | 1x       | Outlets ordered separately.                     |
| 4. Beam Endcap                                                    | T-BREC       | 2x       | Order separately. Not needed with end panels.   |
| 5. 16" High x 60" Wide Tackable or Whiteboard Fixed Height Screen | O-SSH1660    | 2x       | 16" high screen on 25" high Beam = 42" horizon. |
| 6. 60" Wide Power Cord Tray                                       | T-BPCT60     | 2x       | Order separately.                               |
| 7. Side Mount Base Infeed                                         | E-UN8W4BIFS  | 1x       | Order undermount pole separately if desired.    |
| 8. 48" Wide x 29" High Laminate Gallery Panel for 25" High Mounts | T-BLGP294825 | 1x       | Shared between two Beam sections.               |


### Typical 2



| Description                                                     | Model Number | Quantity | Notes                                                                                                            |
|-----------------------------------------------------------------|--------------|----------|------------------------------------------------------------------------------------------------------------------|
| 1. T-Legs for 29" High Spine Beams                              | T-BTLEG2918  | 2x       | Shared between two Beam sections.                                                                                |
| 2. 60" Wide Powered Spine Beam                                  | T-BP60       | 3x       | Outlets ordered separately.                                                                                      |
| 3. 60" Wide x 29" High Double End Panel for 29" High Beam Mount | T-BLEP2960   | 2x       | Endcaps not required when using end panels.                                                                      |
| 4. 12" High x 60" Wide Fixed Height Glass Spine Screen          | O-SGH1260    | 3x       | Glass can only be used on Beams that are attached to end panels, storage elements or 2, 3, or 4-way connections. |


## Encounter PowerBeam Typicals

### Typical 3



| Description                                                        | Model Number | Quantity | Notes                                                                                                            |
|--------------------------------------------------------------------|--------------|----------|------------------------------------------------------------------------------------------------------------------|
| 1. T-Legs for 29" High Spine Beams                                 | T-BTLEG2918  | 2x       | Used at end of beam.                                                                                             |
| 2. 72" Wide Powered Spine Beam                                     | T-BP72       | 2x       | Outlets ordered separately.                                                                                      |
| 3. Beam Endcap                                                     | T-BREC       | 2x       | Order separately. Not needed with end panels.                                                                    |
| 4. 18" Deep x 30" Wide x 21" High Calibrate HAT Base with Bookcase | X-HBBC3018   | 4x       | From Calibrate line. Must support end of beam.                                                                   |
| 5. 30" Wide x 18" Deep x 21" High Calibrate BF Lateral             | X-PLAT2D3018 | 4x       | From Calibrate line.                                                                                             |
| 6. Vertical Support for Storage Mounted Beam                       | T-BVS        | 1x       | Specified when a leg support is replaced by storage element.                                                     |
| 7. 16" High x 36" Wide Tackable or Whiteboard Fixed Height Screen  | O-SSH1636    | 2x       | 16" high screen on 29" high Beam = 46" horizon.                                                                  |
| 8. 16" High x 72" Wide Fixed Height Glass                          | O-SGH1672    | 1x       | Glass can only be used on Beams that are attached to end panels, storage elements or 2, 3, or 4-way connections. |


### Typical 4



| Description                                          | Model Number | Quantity | Notes                                                        |
|------------------------------------------------------|--------------|----------|--------------------------------------------------------------|
| 1. Disc Leg for 29" High Spine Beams                 | T-BDLEG2918  | 1x       | Shared between two Beam sections.                            |
| 2. 60" Wide Powered Spine Beam                       | T-BP60       | 2x       | Outlets ordered separately.                                  |
| 3. Beam Endcap                                       | T-BREC       | 2x       | Order separately. Not needed with end panels.                |
| 4. 14" Deep x 48" Wide x 21" High Calibrate Bookcase | X-BC204814   | 2x       | From Calibrate line.                                         |
| 5. Vertical Support for Storage Mounted Beam         | T-BVS        | 2x       | Specified when a leg support is replaced by storage element. |


## Encounter PowerBeam Typicals

## Typical 5



| Description                                                    | Model Number  | Quantity | Notes                                       |
|----------------------------------------------------------------|---------------|----------|---------------------------------------------|
| 1. T-Legs for 25" High Spine Beams                             | T-BTLEG2518   | 1x       | Shared between two Beam sections.           |
| 2. 60" Wide Powered Spine Beam                                 | T-BP60        | 2x       | Outlets ordered separately.                 |
| 3. 30" Deep x 29" High Right End Panel for 25" High Beam Mount | T-BLEP292425R | 1x       | Endcaps not required when using end panels. |
| 4. 30" Deep x 29" High Left End Panel for 25" High Beam Mount  | T-BLEP292425L | 1x       | Endcaps not required when using end panels. |


## Typical 6



| Description                                 | Model Number | Quantity | Note                                                                                         |
|---------------------------------------------|--------------|----------|----------------------------------------------------------------------------------------------|
| 1. T-Legs for 25" High Spine Beams          | T-BTLEG25    | 5x       | Used at end of beam.                                                                         |
| 2. Post Legs for 25" High Spine Beams       | T-BPLEG25    | 3x       | Used only when connected to a 2, 3 or 4-way 90 or 120 degree connector.                      |
| 3. 48" Wide Powered Spine Beam              | T-BP48       | 2x       | Outlets ordered separately.                                                                  |
| 4. 48" Wide Non-Powered Spine Beam          | T-BNP48      | 5x       | Used for running data or electrical pass-through cables, attaching accessories or screens.   |
| 5. 2-Way 90° Connection Kit                 | T-B2W90C     | 1x       | Specify when attaching 2-beams together at 90 degree angles. Specify leg support separately. |
| 6. 4-Way 90° Connection Kit                 | T-B4W90C     | 1x       | Specify when attaching 4-beams together at 90 degree angles. Specify leg support separately. |
| 7. 3-Way 90° Connection Kit                 | T-B3W90C     | 1x       | Specify when attaching 3-beams together at 90 degree angles. Specify leg support separately. |
| 8. Undermount Pole for 25" High Spine Beams | T-BUMP25     | 1x       | Pole can be mounted at either end of any beam section.                                       |
| 9. Beam Endcap                              | T-BREC       | 5x       | Order separately. Not needed with end panels.                                                |

Encounter PowerBeam Typicals


Typical 7




| Description                           | Model Number | Quantity | Notes                                                                                         |
|---------------------------------------|--------------|----------|-----------------------------------------------------------------------------------------------|
| 1. T-Legs for 21" High Spine Beams    | T-BTLEG2112  | 4x       | Used at end of beam.                                                                          |
| 2. Post Legs for 21" High Spine Beams | T-BPLEG21    | 2x       | Used only when connected to a 2, 3 or 4-way 90 or 120 degree connector.                       |
| 3. 60" Wide Powered Spine Beam        | T-BP60       | 5x       | Outlets ordered separately.                                                                   |
| 4. Beam Endcap                        | T-BREC       | 3x       | Ordered separately. Not needed with end panels.                                               |
| 5. 3-Way 120° Connection Kit          | T-B3W120C    | 1x       | Specify when attaching 3-beams together at 120 degree angles. Specify leg support separately. |
| 6. 2-Way 120° Connection Kit          | T-B2W120C    | 1x       | Specify when attaching 2-beams together at 120 degree angles. Specify leg support separately. |

## Encounter PowerBeam Product Details

### Beam Cable Capacity




### Beam Infeed Opening Details



Infeed opening at bottom of beam.



### Power Cord Tray Details

Note: optional power tray ordered separately.




Encounter PowerBench Product Details

Encounter PowerBench Heights




Beam Heights




## Encounter PowerBeam Product Details

### Beam Details



### Beam Infeed to Outlet Calculation



Encounter PowerBench A La Carte Product Components

Encounter PowerBench A La Carte Components


This typical shows the a la carte components that Encounter PowerBench Kits are comprised of – these have been created for the convenience of the designer. There are times when the designer will find it more desirable to create Encounter PowerBench from its base components instead.

Kits can be combined with a la carte components.

Common instances to use a la carte components instead of kits:

- Mixing different depth work surfaces on the same bench.
- Mixing H Leg with laminate bases.



This typical outlines how PB-HDSPS6072 would be built from its base components.



| Description                                                         | Model Number | Quantity | Notes                                                                 |
|---------------------------------------------------------------------|--------------|----------|-----------------------------------------------------------------------|
| 1. Encounter PowerBench HAT 2 Leg, Double Sided, Sq Edge, 30D x 72W | PB-2HS3072   | 2x       | A la carte components used to make an Encounter PowerBench H Leg Kit. |
| 2. Encounter PowerBench H Leg Double Sided                          | T-MBHUNDBL   | 2x       |                                                                       |
| 3. Encounter PowerBeam Beam Spine Connection Kit, H Leg only        | DD-BBSCP     | 1x       |                                                                       |
| 4. Encounter PowerBeam Spine Kit 72W                                | T-BP72       | 1x       |                                                                       |



## Encounter PowerBench Typicals

## Encounter PowerBench Typical 1



| Description                                                         | Model Number | Quantity | Notes                                                                           |
|---------------------------------------------------------------------|--------------|----------|---------------------------------------------------------------------------------|
| 1. Encounter PowerBench HAT for Double Sided w/Scalloped, 30D x 60W | PB-2HS2472   | 4x       | Double sided HAT required for Double Sided H-Leg or Double Sided Laminate Base. |
| 2. Encounter PowerBench HAT Enclosed Base 60D for Double End        | T-PBHB42DE   | 2x       | End bases can be used at end of run or in middle of run.                        |
| 3. Encounter PowerBench HAT Enclosed Base 60D for Double Shared     | T-PBHB42DS   | 1x       | Shared bases are used only in between two benches.                              |
| 4. Encounter PowerBeam Spine Beam Kit 72"                           | T-BP72       | 2x       |                                                                                 |
| 5. Encounter PowerBeam Raceway Endcap                               | T-BREC       | 2x       | Use at end of run.                                                              |
| 6. Desking Vertical Wire Manager                                    | T-TVWM40     | 4x       | Optional                                                                        |


## Encounter PowerBench Typical 2



| Description                                              | Model Number | Quantity | Notes                                                                              |
|----------------------------------------------------------|--------------|----------|------------------------------------------------------------------------------------|
| 1. Encounter PowerBench HAT Enclosed Base 48D Double End | T-PBHB48DE   | 2x       | End bases should be used when transitioning from double benches to single benches. |
| 2. Encounter PowerBench HAT Enclosed Base 24D Single End | T-PBHB24SE   | 1x       | End bases should be used when transitioning from double benches to single benches. |


## Encounter PowerBench Typicals

### Encounter PowerBench Typical 3



| Description                                                    | Model Number | Quantity | Notes                                                                                                                                                          |
|----------------------------------------------------------------|--------------|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1. Slimline Scrn, Uni Spine, FVWL, Dim A, SpnMntUni, 12H x 72W | O-SSH1272    | 2        | For Fixed height screens for Encounter PowerBench, choose:<br>Where Used = "Universal Spine"<br>Sized For = "Nominal/Actual"<br>Mount Type = "Universal Spine" |


### Encounter PowerBench Typical 4



| Description                                                  | Model Number | Quantity | Notes                                                                                                                                                                                                                               |
|--------------------------------------------------------------|--------------|----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1. Slimline Scrn, Frnt-Rr, FVWL, Dim G, UMnt, Uni, 12H x 72W | T-SWMR1272   | 4        | For Height Adjustable Screens on Encounter PowerBench back edge, choose:<br>Where Used = "Front/Rear on Worksurface"<br>Sized For = "Day to Day and Calibrate Widths"<br>Mount Type = "Undersurface Mount"                          |
| 2. Slimline Scrn, Terri, FVWL, Dim D, UMnt, RH, 12H x 24W    | T-TSHR1224   | 4        | For Height Adjustable Screens used at side of worksurface choose:<br>Where Used = "Territory on Worksurface"<br>Sized For = "Day to Day and Calibrate Hat Depths"<br>Mount Type = "Undersurface Mount"<br>Handedness = "Right Hand" |
| 3. Slimline Scrn, Terri, FVWL, Dim D, UMnt, LH, 12H x 24W    | T-TSHL1224   | 4        | For Height Adjustable Screens used at side of worksurface choose:<br>Where Used = "Territory on Worksurface"<br>Sized For = "Day to Day and Calibrate Hat Depths"<br>Mount Type = "Undersurface Mount"<br>Handedness = "Left Hand"  |


## Encounter PowerBench Typicals

## Encounter PowerBench Typical 5



| Description                                                                         | Model Number  | Quantity | Notes                                                                   |
|-------------------------------------------------------------------------------------|---------------|----------|-------------------------------------------------------------------------|
| 1. Encounter PowerBench Kit Double Sided, 48D x 60W                                 | PB-HDSPS4860  | 2x       | Benches, Spine Beam and H-Legs kitted together.                         |
| 2. Universal Spine Screen, Glass, 12H x 60W x 3/8                                   | O-SGH1260     | 3x       | Universal Spine Screens are compatible with PowerBench in any material. |
| 3. Encounter PowerBeam Under Mount pole for 29H                                     | T-PBUMP29     | 1x       | Always use 29H for PowerBench applications.                             |
| 4. Encounter PowerBeam Raceway Endcap                                               | T-BREC        | 1x       | Use at end of run.                                                      |
| 5. Encounter PowerBeam Gallery Panel, Double, 48W x 42H x 29H<br>Mnt Vertical Grain | T-SLEP424829V | 1x       |                                                                         |


## Encounter PowerBench Typical 6



| Description                                         | Model Number | Quantity | Notes                                                                   |
|-----------------------------------------------------|--------------|----------|-------------------------------------------------------------------------|
| 1. Encounter PowerBench Kit Double Sided, 48D x 60W | PB-HDSPS4860 | 2x       | Benches, Spine Beam and H-Legs kitted together.                         |
| 2. Encounter PowerBench Kit Single Sided, 24D x 60W | PB-HSSPS2460 | 3x       | Bench, Spine Beam and H-Legs kitted together.                           |
| 3. Universal Spine Screen, Glass, 12H x 60W x 3/8   | O-SGH1260    | 3x       | Universal Spine Screens are compatible with PowerBench in any material. |
| 4. Encounter PowerBeam End Mount Pole for 29H Spine | T-BEMP29     | 1x       | Always use 29H for PowerBench applications.                             |
| 5. Encounter PowerBeam Raceway Endcap               | T-BREC       | 1x       | Use at end of run.                                                      |



## Encounter PowerBench Typicals

### Encounter PowerBench Typical 7



| Description                                              | Model Number    | Quantity | Notes                                                                   |
|----------------------------------------------------------|-----------------|----------|-------------------------------------------------------------------------|
| 1. Encounter PowerBench Kit, Double Sided, 60D x 60W     | PB-HDSPS6060S   | 1x       |                                                                         |
| 2. Encounter PowerBench Kit, 120 Triple Sided, 30D x 60W | PB-H120TPS3060S | 1x       |                                                                         |
| 3. Universal Spine Screen, Glass, 12H x 60W x 3/8        | O-SGH1260       | 4x       | Universal Spine Screens are compatible with PowerBench in any material. |
| 4. Encounter PowerBeam Under Mount pole for 29H          | T-PBUMP29       | 1x       | Always use 29H for PowerBench applications.                             |
| 5. Encounter PowerBeam Raceway Endcap                    | T-BREC          | 3x       | Use at end of run.                                                      |


### Encounter PowerBench Typical 8



| Description                                                        | Model Number  | Quantity | Notes                                                                           |
|--------------------------------------------------------------------|---------------|----------|---------------------------------------------------------------------------------|
| 1. Encounter PowerBench Kit, Double Sided, 60D x 60W               | PB-HDSPS6060S | 1x       | Benches, Spine Beam and H-Legs kitted together.                                 |
| 2. Encounter PowerBench HAT for Double Sided w/Scallops, 30D x 60W | PB-2HS3060S   | 2x       | Double Sided HAT required for Double Sided H-Leg or Double Sided Laminate Base. |
| 3. Universal Spine Screen, Glass, 12H x 60W x 3/8                  | O-SGH1260     | 2x       | Universal Spine Screens are compatible with PowerBench in any material.         |
| 4. Encounter PowerBench H-Leg, Double Sided                        | T-MBHUNDBL    | 1x       |                                                                                 |
| 5. Encounter PowerBeam Spine Beam Kit                              | T-BP60        | 1x       |                                                                                 |
| 6. Encounter PowerBench HAT Enclosed Base, 60D for Double End      | T-PBHB60DE    | 1x       |                                                                                 |
| 7. Encounter PowerBeam Raceway Endcap                              | T-BREC        | 1x       | Use at end of run.                                                              |

## Encounter PowerBench Typical


## Encounter PowerBench Typical 9




| Description                                                                      | Model Number | Quantity | Notes                                                |
|----------------------------------------------------------------------------------|--------------|----------|------------------------------------------------------|
| 1. PowerBench H-Leg Double-Sided                                                 | T-MBHUNDBL   | 2x       | Use a la carte components to mix worksurface depths. |
| 2. PowerBench HAT 2 Leg, Double Sided, Square Edge 30D x 72W                     | PB-2HS3072   | 1x       |                                                      |
| 3. PowerBench HAT 2 Leg, Double Sided, Square Edge 24D x 60W                     | PB-2HS2472   | 1x       |                                                      |
| 4. Encounter PwrBeam Powered Spine Kit Encounter PowerBeam Powered Spine Kit 72W | T-BP72       | 1x       |                                                      |
| 5. PET Sling for 24D Surface 14H x 8W x 18D                                      | A-PETS140818 | 1x       |                                                      |
| 6. PET Sling for 30D Surface 14H x 8W x 24D                                      | A-PETS140824 | 1x       |                                                      |

**Encounter PowerBench Product Details**



**Encounter PowerBench HAT Enclosed Single Sided Bases with HAT Surface Dimensions**



Encounter PowerBench  
24D Single Sided Enclosed Base  
with 24D Encounter PowerBench HAT




Encounter PowerBench  
30D Single Sided Enclosed Base  
with 30D Encounter PowerBench HAT




Do not mix single benches. 24D Table with 30D Leg and 30D Leg with 24D Tables shown.

## Encounter PowerBench Product Details


### Encounter PowerBench HAT Enclosed Double Sided Bases with HAT Surface Dimensions




Encounter PowerBench  
42D Laminate Base  
(2) 24D Encounter PowerBench HATs  
for Double Bench




Encounter PowerBench  
48D Laminate Base  
(2) 24D Encounter PowerBench HATs  
for Double Bench




Encounter PowerBench  
60D Laminate Base  
(2) 24D Encounter PowerBench HATs  
for Double Bench




Encounter PowerBench  
42D Laminate Base  
(1) 30D Encounter PowerBench HATs  
for Double Bench  
(1) 24D Encounter PowerBench HATs  
for Double Bench




Encounter PowerBench  
48D Laminate Base  
(1) 30D Encounter PowerBench HATs  
for Double Bench  
(1) 24D Encounter PowerBench HATs  
for Double Bench




Encounter PowerBench  
60D Laminate Base  
(1) 30D Encounter PowerBench HATs  
for Double Bench  
(1) 24D Encounter PowerBench HATs  
for Double Bench



Encounter PowerBench  
42D Laminate Base  
(2) 30D Encounter PowerBench HATs  
for Double Bench




Encounter PowerBench  
48D Laminate Base  
(2) 30D Encounter PowerBench HATs  
for Double Bench




Encounter PowerBench  
60D Laminate Base  
(2) 30D Encounter PowerBench HATs  
for Double Bench

**Encounter PowerBench Product Details**


**Encounter PowerBench Height Adjustable Tables – Depths of Tables vs Depths of Tables with Spines**




Encounter PowerBench HATs  
23D and 29D Laminate Base, Single




Encounter PowerBench HATs with Spines  
23D and 29D Laminate Base, Single




Encounter PowerBench HATs  
23D and 29D Laminate Base, Double



Encounter PowerBench HATs with Spines  
23D and 29D Laminate Base, Double



Encounter PowerBench HATs  
23D and 29D Laminate Base, 120



Encounter PowerBench HATs with Spines  
23D and 29D Laminate Base, 120


## Encounter PowerBench Product Details

### Encounter PowerBench Grommet Details


#### RECTANGULAR GROMMET OPTIONS

| Option | Location             | List |
|--------|----------------------|------|
| A      | No Grommets          | -    |
| B      | Location 1           | +38  |
| C      | Location 2           | +38  |
| D      | Location 3           | +38  |
| E      | Locations 2 and 3    | +76  |
| F      | Locations 1, 2 and 3 | +114 |
| G      | Locations 1 and 2    | +76  |
| H      | Locations 1 and 3    | +76  |

Single and Double Benches




Single and Double Benches with Scallops




#### 120 GROMMET OPTIONS

| Option | Location             | List |
|--------|----------------------|------|
| A      | No Grommets          | -    |
| B      | Location 1           | -    |
| C      | Location 1 and 2     | +38  |
| D      | Location 1 and 3     | +38  |
| E      | Locations 1, 2 and 3 | +76  |

120 Benches




120 Benches with Scallops




**Encounter PowerBench Product Details**

**Grommet and Scallop Locations for Encounter PowerBench Single Tables**


*Grommet Location for 24" Deep Single Tables*




*Scallop Location for 24" Deep Single Tables*



*Grommet Location for 30" Deep Single Tables*




*Scallop Location for 30" Deep Single Tables*




**Grommet and Scallop Locations for PowerBench Double Tables**


*Grommet Location for 24" Deep Double Tables*




*Scallop Location for 24" Deep Double Tables*



*Grommet Location for 30" Deep Double Tables*




*Scallop Location for 30" Deep Double Tables*




## Encounter PowerBench Product Details

### Grommet and Scallop Locations for PowerBench 120 Tables


*Grommet Location for 24" Deep 120 Tables*




*Scallop Location for 24" Deep 120 Tables*



*Grommet Location for 30" Deep 120 Tables*




*Scallop Location for 30" Deep 120 Tables*




Encounter PowerBench Product Details

Encounter PowerBench Enclosed Base Power and Data Access Holes



## Encounter PowerBench Product Details


## Encounter PowerBench Enclosed Base Power and Data Access Holes




## Encounter PowerBench Product Details

### Encounter PowerBench Infeed Details


Base feed entry using Encounter PowerBeam Undermount Pole




Base Infeed without using Undermount Pole



Ceiling Infeed




Shared Cabinet Feed Details





## Encounter PowerBench Product Details

### Encounter PowerBench Front Elevation Details



## Encounter PowerBench Product Details

### Height Adjustable Table Spec Comparision

|                                 | Encounter PowerBench<br>mounted on H Legs  | Encounter PowerBench<br>mounted on Enclosed HAT Bases  |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|
| Weight Capacity                 | 250lbs                                                                                                                      | 250lbs                                                                                                                                    |
| Width Range (Inches)            | 48-84"                                                                                                                      | 48-84"                                                                                                                                    |
| Top Height <sup>1</sup>         | 46.07"                                                                                                                      | 45.97"                                                                                                                                    |
| Lowest Height <sup>1</sup>      | 26.39"                                                                                                                      | 26.29"                                                                                                                                    |
| Height Range <sup>1</sup>       | 19.68"                                                                                                                      | 19.68"                                                                                                                                    |
| Speed                           | 1.38" per second                                                                                                            | 1.38" per second                                                                                                                          |
| Noise Rating                    | <50db                                                                                                                       | <50db                                                                                                                                     |
| Power Cord Length               | 104"                                                                                                                        | 104"                                                                                                                                      |
| Max Amp Draw                    | 4.2                                                                                                                         | 4.2                                                                                                                                       |
| UL 962                          | Yes                                                                                                                         | Yes                                                                                                                                       |
| BIFMA 5.5 Tested <sup>2</sup>   | Yes                                                                                                                         | Yes                                                                                                                                       |
| BIFMA G1 Compliant <sup>3</sup> | No                                                                                                                          | No                                                                                                                                        |
| Anti-Collusion Sensitivity      | Accelerometer                                                                                                               | Accelerometer                                                                                                                             |
| Standard Colors for HA Legs     | Black, Metallic Silver, White                                                                                               | Black, Metallic Silver, White                                                                                                             |
| Programmable Control Pad        | Yes                                                                                                                         | Yes                                                                                                                                       |
| Warranty                        | 10 Years (5 Years Mechanism)                                                                                                | 10 Years (5 Years Mechanism)                                                                                                              |


#### Notes:

1. Worksurface thickness of 1 1/8".
2. Based on third party testing.
3. BIFMA G1: An ergonomic guideline for accommodating the 5th to 95th percentile of the population, which would be a height adjustment range from 22.6" to 48.7".


## Encounter PowerBench Product Details

## Encounter PowerBench Height Adjustable Tables with Different Cantilevers Details

Single and Double Encounter PowerBench Height Adjustable  
Tables use different cantilevers and are not interchangeable.




## Encounter PowerBench Surface Clearance and User Power Cord Tray Details




## Encounter PowerBench Product Details



### Encounter PowerBench Monitor Arm and Clamp Power Mounting Details



Note: When mounting monitor arms or clamp on power units in center of worksurface, specify grommet option B with a center rear grommet and mount in grommet hole to sit forward of electrical outlets and eliminate interference with plugs and cords.





Note: When clamping monitor arms onto the rear edge of the worksurface, install the monitor arm base to left or right side of the outlets to avoid interference with plugs when lowering the unit.




## Encounter PowerBench Product Details

### Encounter PowerBench Gallery Panel Details






Mid mount gallery panels are not compatible with Encounter PowerBench




## Encounter PowerBench Product Details

### Encounter PowerBench Storage Location Details

Applicable to both H Leg and Laminate Base applications




Accessorize Encounter PowerBench by pairing with PET Slings of matching depths.



Suspended Storage is not compatible with Encounter PowerBench.

## Encounter PowerBench Product Details


### Encounter PowerBench Compatible Screen Combinations



Spine screens of any material are compatible with PowerBench.




O-1-xxxX  
O-3-xxxx  
O-5-xxxx  
O-SGHxxxx



Undermounted Slimline Screens for HAT sizes are compatible with PowerBench. Note that the territory screens are designed with space for a rear screen.





T-TSHxxxx  
T-SWMRxxxx



Undermounted Channel Screens for HAT sizes are compatible with PowerBench. Note that the territory screens are designed with space for a rear screen.





Y-xT2D2LxxxxB  
Y-xT2D2RxxxxB  
Y-xR2G2UxxxxB



All Surface Mounted Screens for HAT sizes are compatible with PowerBench. Note that the territory screens are designed with space for a rear screen.




Y-xR3G1UxxxxB  
Y-xT2D1UxxxxB  
Y-xR2G1UxxxxB




Symbols for standard HAT screens may show brackets over the rear scallop. Bracket positions may be adjusted along the rear edge to suit.

## Encounter PowerBench Product Details


### Encounter PowerBench Incompatible Screen Combinations



Do not use partial modesty screens with PowerBench.  
Collision with legs and plugs will occur.




PET screens with wire managers are not compatible  
with PowerBench or PowerBeam.  
Screens interfere with the PowerBench legs, and block  
the outlets for both PowerBench and PowerBeam



Standard PET U-Wraps and L-Wraps for height adjustable tables are not compatible  
with Powerbench at this time. Brackets will interfere with the cantilever.

Do not use:  
Y-5C4J2RxxxxxB  
Y-5N4N2UxxxxxB




PET Lite Clip Territory Screens are not compatible with PowerBench.  
There will be an interference with the cantilever.  
Do not use: Y-5T4D2UxxxxB

Exception: PET Lite Clip Rear Screens are compatible.  
Y-5R4H2UxxxxB

Territory screens with undermount glass clamps are not  
compatible with PowerBench. There will be an interference  
with the cantilever.  
Do not use:  
Y-2D3D2LxxxxB  
Y-2D3D2RxxxxB


## Encounter PowerBench Product Details

## Encounter PowerBench with PET Wire Managers Details




**Note:** PET Under Mount Wire Managers can be used on Encounter PowerBench provided wire manager width is 12 inches less than bench nominal dimension (i.e. use 48w on 60w bench). All other PET wire managers or Enclosures CANNOT be used.

## Encounter PowerBench with PET Wire Managers Details



## Powered Spine Beam Kits

| SINGLE SIDED POWERED SPINE BEAM KITS |              |       |               | DOUBLE SIDED POWERED SPINE BEAM KITS |              |       |               |
|--------------------------------------|--------------|-------|---------------|--------------------------------------|--------------|-------|---------------|
| W                                    | Model Number | List  | Grade C Paint | W                                    | Model Number | List  | Grade C Paint |
| 36                                   | T-BPSS36     | 1,361 | +10           | 36                                   | T-BP36       | 1,361 | +10           |
| 42                                   | T-BPSS42     | 1,424 | +10           | 42                                   | T-BP42       | 1,424 | +10           |
| 48                                   | T-BPSS48     | 1,481 | +10           | 48                                   | T-BP48       | 1,481 | +10           |
| 54                                   | T-BPSS54     | 1,643 | +10           | 54                                   | T-BP54       | 1,643 | +10           |
| 60                                   | T-BPSS60     | 1,683 | +10           | 60                                   | T-BP60       | 1,683 | +10           |
| 66                                   | T-BPSS66     | 1,790 | +10           | 66                                   | T-BP66       | 1,790 | +10           |
| 72                                   | T-BPSS72     | 1,879 | +10           | 72                                   | T-BP72       | 1,879 | +10           |
| 78                                   | T-BPSS78     | 2,010 | +10           | 78                                   | T-BP78       | 2,010 | +10           |
| 84                                   | T-BPSS84     | 2,124 | +10           | 84                                   | T-BP84       | 2,124 | +10           |
| 90                                   | T-BPSS90     | 2,239 | +10           | 90                                   | T-BP90       | 2,239 | +10           |
| 96                                   | T-BPSS96     | 2,339 | +10           | 96                                   | T-BP96       | 2,339 | +10           |



### Specify

- Paint Selection

### Notes

- Spine beam kits are structural raceways with front removable covers and internal cable management trough, and can be supported by legs, end panels or 21h Calibrate storage elements.
- Spine beams can be ordered with or without multi-circuit powerways, or with junction box for hardwiring.
- Beams with powerways can accommodate up to 8 duplex outlets, 4 locations per each side of beam.
- Beams have electrical and data access holes in bottom at each end of beam for feeding electrical and data cables into the trough. See electrical section for wiring schematics.
- PowerBench & PowerBeam products include Single Gang Adapter Plate(s). One for Single Sided applications and two for Double Sided applications. Reference E-DJA.
- Spine beams can accommodate tackable or whiteboard screens as well as glass screens.
- Standard NEMA outlets.
- Outlets sold separately.
- Single Sided Power Beams come with one outlet cover per beam.  
Double Sided Power Beams come with two outlet covers per beam.



## Chicago Powered Spine Beam Kits

## CHICAGO SINGLE SIDED POWERED SPINE BEAM KITS

| W  | Model Number | List  | Grade C Paint |
|----|--------------|-------|---------------|
| 36 | T-BPCS36     | 1,361 | +10           |
| 42 | T-BPCS42     | 1,424 | +10           |
| 48 | T-BPCS48     | 1,481 | +10           |
| 54 | T-BPCS54     | 1,643 | +10           |
| 60 | T-BPCS60     | 1,683 | +10           |
| 66 | T-BPCS66     | 1,790 | +10           |
| 72 | T-BPCS72     | 1,879 | +10           |
| 78 | T-BPCS78     | 2,010 | +10           |
| 84 | T-BPCS84     | 2,124 | +10           |
| 90 | T-BPCS90     | 2,239 | +10           |
| 96 | T-BPCS96     | 2,339 | +10           |

## CHICAGO DOUBLE SIDED POWERED SPINE BEAM KITS

| W  | Model Number | List  | Grade C Paint |
|----|--------------|-------|---------------|
| 36 | T-BPC36      | 1,361 | +10           |
| 42 | T-BPC42      | 1,424 | +10           |
| 48 | T-BPC48      | 1,481 | +10           |
| 54 | T-BPC54      | 1,643 | +10           |
| 60 | T-BPC60      | 1,683 | +10           |
| 66 | T-BPC66      | 1,790 | +10           |
| 72 | T-BPC72      | 1,879 | +10           |
| 78 | T-BPC78      | 2,010 | +10           |
| 84 | T-BPC84      | 2,124 | +10           |
| 90 | T-BPC90      | 2,239 | +10           |
| 96 | T-BPC96      | 2,339 | +10           |



Junction Box

## Specify


- Paint Selection

## Notes

- Spine beam kits are structural raceways with front removable covers and internal cable management trough, and can be supported by legs, end panels or 21h Calibrate storage elements.
- Spine beams can be ordered with or without multi-circuit powerways, or with junction box for hardwiring.
- Beams with powerways can accommodate up to 8 duplex outlets, 4 locations per each side of beam.
- Beams have electrical and data access holes in bottom at each end of beam for feeding electrical and data cables into the trough. See electrical section for wiring schematics.
- PowerBench & PowerBeam products include Single Gang Adapter Plate(s). One for Single Sided applications and two for Double Sided applications. Reference E-DJA.
- Spine beams can accommodate tackable or whiteboard screens as well as glass screens.
- Junction box allows for two single gang outlets per side.
- Junction boxes do not include electrical connectors.
- Boxes are UL listed.
- Boxes have standard 0.875" knockouts for electrical connectors.
- Junction boxes can be used with either 15 amp or 20 amp single gang outlets.
- For use with NEMA outlets only.
- Decorative (DECORA) outlets cannot be used.
- Outlets not included.
- Outlet covers not included with Chicago Powered Spine Beam Kits.

Non-Powered Spine Beam Kits

| NON-POWERED SPINE BEAM KITS |              |       |               |
|-----------------------------|--------------|-------|---------------|
| W                           | Model Number | List  | Grade C Paint |
| 36                          | T-BNP36      | 788   | +10           |
| 42                          | T-BNP42      | 849   | +10           |
| 48                          | T-BNP48      | 910   | +10           |
| 54                          | T-BNP54      | 1,068 | +10           |
| 60                          | T-BNP60      | 1,109 | +10           |
| 66                          | T-BNP66      | 1,217 | +10           |
| 72                          | T-BNP72      | 1,306 | +10           |
| 78                          | T-BNP78      | 1,438 | +10           |
| 84                          | T-BNP84      | 1,552 | +10           |
| 90                          | T-BNP90      | 1,638 | +10           |
| 96                          | T-BNP96      | 1,765 | +10           |




| Specify                                                           | Notes                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|-------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"><li>• Paint Selection</li></ul> | <ul style="list-style-type: none"><li>• Spine beam kits are structural raceways with front removable covers and internal cable management trough, and can be supported by legs, end panels or 21h Calibrate storage elements.</li><li>• Beams have electrical and data access holes in bottom at each end of beam for feeding electrical and data cables into the trough. See electrical section for wiring schematics.</li><li>• Spine beams can accommodate tackable or whiteboard screens as well as glass screens.</li></ul> |


## Legs for 21" High Spine Beams

## T-LEGS FOR 21 HIGH SPINE BEAMS

| D  | Model Number | List | Grade C Paint |
|----|--------------|------|---------------|
| 12 | T-BTLEG2112  | 371  | +25           |
| 18 | T-BTLEG2118  | 385  | +25           |




12" Deep




18" Deep

## DISC LEGS FOR 21 HIGH SPINE BEAMS

| Diameter | Model Number | List | Grade C Paint |
|----------|--------------|------|---------------|
| 12       | T-BDLEG2112  | 480  | +25           |
| 18       | T-BDLEG2118  | 587  | +25           |



12" Diameter



18" Diameter

## POST LEGS FOR 21 HIGH SPINE BEAMS

| Model Number | List | Grade C Paint |
|--------------|------|---------------|
| T-BPLEG21    | 344  | +25           |



## Specify

- Paint Selection


## Notes

- Legs are used to support Spine Beam at end of beam length or shared at seam between two beam sections.
- Legs cannot be placed in "middle" of beam.
- Legs "telescope" 2-inches for leveling spine beam from end to end, and can be adjusted for front to back leveling as well.
- Heights indicate nominal height to top of beam.
- Base of leg is 1/4 high and can sit under table feet or any storage elements.

Legs for 25” High Spine Beams


T-LEGS FOR 25 HIGH SPINE BEAMS

| D  | Model Number | List | Grade C Paint |
|----|--------------|------|---------------|
| 18 | T-BTLEG2518  | 429  | +25           |



DISC LEGS FOR 25 HIGH SPINE BEAMS

| Diameter | Model Number | List | Grade C Paint |
|----------|--------------|------|---------------|
| 18       | T-BDLEG2518  | 632  | +25           |



POST LEGS FOR 25 HIGH SPINE BEAMS

| Model Number | List | Grade C Paint |
|--------------|------|---------------|
| T-BPLEG25    | 387  | +25           |




| Specify                                                           | Notes                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|-------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"><li>• Paint Selection</li></ul> | <ul style="list-style-type: none"><li>• Legs are used to support Spine Beam at end of beam length or shared at seam between two beam sections.</li><li>• Legs cannot be placed in “middle” of beam.</li><li>• Legs “telescope” 2-inches for leveling spine beam from end to end, and can be adjusted for front to back leveling as well.</li><li>• Heights indicate nominal height to top of beam.</li><li>• Base of leg is 1/4 high and can sit under table feet or any storage elements.</li></ul> |

## Legs for 29" High Spine Beams


## T-LEGS FOR 29 HIGH SPINE BEAMS

| H  | Model Number | List | Grade C Paint |
|----|--------------|------|---------------|
| 18 | T-BTLEG2918  | 429  | +25           |



## DISC LEGS FOR 29 HIGH SPINE BEAMS

| H  | Model Number | List | Grade C Paint |
|----|--------------|------|---------------|
| 18 | T-BDLEG2918  | 632  | +25           |



## POST LEGS FOR 29 HIGH SPINE BEAMS

| Model Number | List | Grade C Paint |
|--------------|------|---------------|
| T-BPLEG29    | 387  | +25           |



## Specify

- Paint Selection


## Notes

- Legs are used to support Spine Beam at end of beam length or shared at seam between two beam sections.
- Legs cannot be placed in "middle" of beam.
- Legs "telescope" 2-inches for leveling spine beam from end to end, and can be adjusted for front to back leveling as well.
- Heights indicate nominal height to top of beam.
- Base of leg is 1/4 high and can sit under table feet or any storage elements.


Encounter PowerBench H Leg

POWERBENCH H LEGS


| D     | Application | Handedness | Model Number | List  |
|-------|-------------|------------|--------------|-------|
| 24    | Single      | Left       | T-MBHSS24L   | 1,182 |
| 24    | Single      | Right      | T-MBHSS24R   | 1,182 |
| 30    | Single      | Left       | T-MBHSS30L   | 1,232 |
| 30    | Single      | Right      | T-MBHSS30R   | 1,232 |
| 48/60 | Double      | —          | T-MBHUNDBL   | 1,232 |




24"D Single Leg  
(Left shown)




24"D Single Leg  
(Right shown)



30"D Single Leg  
(Left shown)




30"D Single Leg  
(Right shown)




Double Leg

SINGLE SIDED 120 POWERBENCH H LEGS

| D     | Application | Handedness | Model Number | List  |
|-------|-------------|------------|--------------|-------|
| 24/30 | 120         | Left       | T-MBHS120L   | 1,182 |
| 24/30 | 120         | Right      | T-MBHS120R   | 1,182 |



120 Leg  
(Left shown)




120 Leg  
(Right shown)

| Specify           | Notes                                                                                                                                                                                                                                                                                                                                                                                 |
|-------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| • Paint Selection | <ul style="list-style-type: none"><li>• Base only. PowerBeam Spine Beam Kits and PowerBench Tables must be specified separately.</li><li>• To design a double-sided 120 Encounter PowerBench assembly, use the Double Leg T-MBHUNDBL.</li><li>• For use with 29"H mounting heights only.</li><li>• Metal H Legs include 1-1/4" leveling glides.</li><li>• Grade C Paint +25</li></ul> |


## Encounter PowerBench HAT Enclosed Bases

## POWERBENCH HAT ENCLOSED BASES


| D  | W  | H  | Type              | Model Number | List  |
|----|----|----|-------------------|--------------|-------|
| 24 | 6  | 21 | Single End        | T-PBHB24SE   | 1,681 |
| 30 | 6  | 21 | Single End        | T-PBHB30SE   | 1,842 |
| 24 | 12 | 21 | Single Shared     | T-PBHB24SS   | 1,848 |
| 30 | 12 | 21 | Single Shared     | T-PBHB30SS   | 2,027 |
| 42 | 6  | 21 | Double End        | T-PBHB42DE   | 2,172 |
| 48 | 6  | 21 | Double End        | T-PBHB48DE   | 2,402 |
| 60 | 6  | 21 | Double End        | T-PBHB60DE   | 2,632 |
| 42 | 12 | 21 | Double Shared     | T-PBHB42DS   | 2,391 |
| 48 | 12 | 21 | Double Shared     | T-PBHB48DS   | 2,644 |
| 60 | 12 | 21 | Double Shared     | T-PBHB60DS   | 2,897 |
| 26 | 12 | 21 | 120 Single End    | T-PBHB12024E | 1,681 |
| 33 | 12 | 21 | 120 Single End    | T-PBHB12030E | 1,842 |
| 26 | 12 | 21 | 120 Single Shared | T-PBHB12024S | 1,848 |
| 33 | 12 | 21 | 120 Single Shared | T-PBHB12030S | 2,027 |




Single End




Single Shared




Double End



Double Shared



120 Single End



120 Single Shared

## Specify

## Notes


- Laminate Selection for Base
- Color Selection for Trim Ring

- Base only, PowerBench HAT worksurface/legs must be ordered separately.
- For use with PowerBench HAT's only.
- For use with 29" high mounting heights only.
- Enclosed bases are laminate.
- Trim rings are available in black, white, and silver.


## Encounter PowerBench HAT 2 Leg, Single Sided

## POWERBENCH 2 LEG, SINGLE SIDED


| Nominal Depth | Nominal Width | with Grommet Options | with Scallop | List  | Grade C Laminate |
|---------------|---------------|----------------------|--------------|-------|------------------|
|               |               | Model Number         | Model Number |       |                  |
| 24            | 48            | PB-2HSS2448          | PB-2HSS2448S | 3,413 | +33              |
| 24            | 54            | PB-2HSS2454          | PB-2HSS2454S | 3,477 | +41              |
| 24            | 60            | PB-2HSS2460          | PB-2HSS2460S | 3,500 | +41              |
| 24            | 66            | PB-2HSS2466          | PB-2HSS2466S | 3,525 | +46              |
| 24            | 72            | PB-2HSS2472          | PB-2HSS2472S | 3,547 | +51              |
| 24            | 78            | PB-2HSS2478          | PB-2HSS2478S | 3,572 | +54              |
| 24            | 84            | PB-2HSS2484          | PB-2HSS2484S | 3,596 | +63              |
| 30            | 48            | PB-2HSS3048          | PB-2HSS3048S | 3,500 | +42              |
| 30            | 54            | PB-2HSS3054          | PB-2HSS3054S | 3,530 | +50              |
| 30            | 60            | PB-2HSS3060          | PB-2HSS3060S | 3,558 | +50              |
| 30            | 66            | PB-2HSS3066          | PB-2HSS3066S | 3,589 | +56              |
| 30            | 72            | PB-2HSS3072          | PB-2HSS3072S | 3,617 | +61              |
| 30            | 78            | PB-2HSS3078          | PB-2HSS3078S | 3,642 | +69              |
| 30            | 84            | PB-2HSS3084          | PB-2HSS3084S | 3,667 | +87              |




24" Deep (Grommet option)



24" Deep (Scallop)



30" Deep (Grommet option)



30" Deep (Scallop)

## Specify


## Notes

- Laminate Selection for Worksurface
- Color Selection for Edge
- Paint Selection for Leg (Black, Metallic Silver or White)
- Grommet Locations (+38)
- Grommet Cover Color (if applicable)
- Worksurface and legs only, PowerBench base must be ordered separately.
- PowerBench HATs are designed to have 1 inch gap behind and 2 inch gap between HATs in a PowerBench run.
- Grommet holes with covers are specified as options.
- Height adjustment range of 26.26" - 45.94".
- Only for use with Single-Sided H-Leg and Enclosed HAT Base configurations.
- Single and double side tables are not interchangeable due to leg placement and cantilevers.


## Encounter PowerBench HAT Worksurfaces for Double H Leg

## POWERBENCH HAT FOR DOUBLE H LEG


| Nominal Depth | Nominal Width | Worksurface | with Grommet Options | with Scallop | List  | Grade C Laminate |
|---------------|---------------|-------------|----------------------|--------------|-------|------------------|
|               |               |             | Model Number         | Model Number |       |                  |
| 24            | 48            | 23 x 46     | PB-2HS2448           | PB-2HS2448S  | 3,414 | +33              |
| 24            | 54            | 23 x 52     | PB-2HS2454           | PB-2HS2454S  | 3,477 | +41              |
| 24            | 60            | 23 x 58     | PB-2HS2460           | PB-2HS2460S  | 3,500 | +41              |
| 24            | 66            | 23 x 64     | PB-2HS2466           | PB-2HS2466S  | 3,525 | +46              |
| 24            | 72            | 23 x 70     | PB-2HS2472           | PB-2HS2472S  | 3,548 | +51              |
| 24            | 78            | 23 x 76     | PB-2HS2478           | PB-2HS2478S  | 3,572 | +54              |
| 24            | 84            | 23 x 82     | PB-2HS2484           | PB-2HS2484S  | 3,597 | +63              |
| 30            | 48            | 29 x 46     | PB-2HS3048           | PB-2HS3048S  | 3,500 | +42              |
| 30            | 54            | 29 x 52     | PB-2HS3054           | PB-2HS3054S  | 3,530 | +50              |
| 30            | 60            | 29 x 58     | PB-2HS3060           | PB-2HS3060S  | 3,558 | +50              |
| 30            | 66            | 29 x 64     | PB-2HS3066           | PB-2HS3066S  | 3,589 | +56              |
| 30            | 72            | 29 x 70     | PB-2HS3072           | PB-2HS3072S  | 3,617 | +61              |
| 30            | 78            | 29 x 76     | PB-2HS3078           | PB-2HS3078S  | 3,643 | +69              |
| 30            | 84            | 29 x 84     | PB-2HS3084           | PB-2HS3084S  | 3,667 | +87              |




24" Deep (Grommet option)



24" Deep (Scallop)



30" Deep (Grommet option)



30" Deep (Scallop)

## Specify


## Notes

- Laminate Selection for Worksurface
- Color Selection for Edge
- Paint Selection for Leg (Black, Metallic Silver or White)
- Grommet Locations (+38)
- Grommet Cover Color (if applicable)
- Worksurface and legs only, PowerBench base must be ordered separately.
- PowerBench HATs are designed to have 1 inch gap behind and 2 inch gap between HATs in a PowerBench run.
- Grommet holes with covers are specified as options.
- Height adjustment range of 26.26" - 45.94".
- Only for use with Double-Sided H-Leg and Enclosed HAT Base configurations.
- Single and double side tables are not interchangeable due to leg placement and cantilevers.


## Encounter PowerBench HAT 120, 3 Leg

## POWERBENCH 120, 3 LEG


| Nominal Depth | Nominal Width | with Grommet Options | with Scallop   | List  | Grade C Laminate |
|---------------|---------------|----------------------|----------------|-------|------------------|
|               |               | Model Number         | Model Number   |       |                  |
| 24            | 48x48         | PB-YB120H2448        | PB-YB120H2448S | 4,909 | +64              |
| 24            | 54x54         | PB-YB120H2454        | PB-YB120H2454S | 5,042 | +70              |
| 24            | 60x60         | PB-YB120H2460        | PB-YB120H2460S | 5,195 | +76              |
| 30            | 48x48         | PB-YB120H3048        | PB-YB120H3048S | 5,068 | +72              |
| 30            | 54x54         | PB-YB120H3054        | PB-YB120H3054S | 5,219 | +81              |
| 30            | 60x60         | PB-YB120H3060        | PB-YB120H3060S | 5,376 | +90              |




24" Deep (Grommet option)



24" Deep (Scallop)



30" Deep (Grommet option)



30" Deep (Scallop)

## Specify


## Notes

- Laminate Selection for Worksurface
- Color Selection for Edge
- Paint Selection for Leg (Black, Metallic Silver or White)
- Grommet Locations (+38)
- Grommet Cover Color (if applicable)
- Worksurface and legs only, PowerBench base must be ordered separately.
- PowerBench HATs are designed to have 1 inch gap behind and 2 inch gap between HATs in a PowerBench run.
- Grommet holes with covers are specified as options.
- Only for use with 120 H-Leg and Enclosed HAT Base configurations.


## Encounter PowerBench H Leg Single-Sided Kit

## POWERBENCH H LEG SINGLE-SIDED KIT


| Actual Full Depth | Nominal Worksurface Depth | Nominal Width | with Grommet Options | with Scallop  | List  | Grade C Laminate |
|-------------------|---------------------------|---------------|----------------------|---------------|-------|------------------|
|                   |                           |               | Model Number         | Model Number  |       |                  |
| 26.5              | 24                        | 48            | PB-HSSPS2448         | PB-HSSPS2448S | 7,297 | +33              |
| 26.5              | 24                        | 54            | PB-HSSPS2454         | PB-HSSPS2454S | 7,523 | +41              |
| 26.5              | 24                        | 60            | PB-HSSPS2460         | PB-HSSPS2460S | 7,584 | +41              |
| 26.5              | 24                        | 66            | PB-HSSPS2466         | PB-HSSPS2466S | 7,717 | +46              |
| 26.5              | 24                        | 72            | PB-HSSPS2472         | PB-HSSPS2472S | 7,829 | +51              |
| 26.5              | 24                        | 78            | PB-HSSPS2478         | PB-HSSPS2478S | 7,986 | +54              |
| 26.5              | 24                        | 84            | PB-HSSPS2484         | PB-HSSPS2484S | 8,124 | +63              |
| 32.5              | 30                        | 48            | PB-HSSPS3048         | PB-HSSPS3048S | 7,482 | +42              |
| 32.5              | 30                        | 54            | PB-HSSPS3054         | PB-HSSPS3054S | 7,672 | +50              |
| 32.5              | 30                        | 60            | PB-HSSPS3060         | PB-HSSPS3060S | 7,741 | +50              |
| 32.5              | 30                        | 66            | PB-HSSPS3066         | PB-HSSPS3066S | 7,879 | +56              |
| 32.5              | 30                        | 72            | PB-HSSPS3072         | PB-HSSPS3072S | 7,996 | +61              |
| 32.5              | 30                        | 78            | PB-HSSPS3078         | PB-HSSPS3078S | 8,152 | +69              |
| 32.5              | 30                        | 84            | PB-HSSPS3084         | PB-HSSPS3084S | 8,292 | +87              |




24" Deep (Grommet option)



24" Deep (Scallop)



30" Deep (Grommet option)



30" Deep (Scallop)

## Specify


## Notes

- Laminate Selection for Worksurface
  - Color Selection for Edge
  - Paint Selection for Leg (Black, Metallic Silver or White)
  - Paint Selection for H-Leg (+25)
  - Paint Selection for Beam Spine (+10)
  - Grommet Locations (+38)
  - Grommet Cover Color (if applicable)
- Kit includes PowerBeam spine with single-sided power. Includes Connection Kit.
  - Height adjustment range of 26.26" - 45.94".
  - PowerBench HATs are designed to have 1 inch gap behind and 2 inch gap between HATs in a PowerBench run.
  - Compatible with 29H Beam Components.
  - Grommet holes with covers are specified as options.
  - PowerBench & PowerBeam products include Single Gang Adapter Plate(s). One for Single Sided applications and two for Double Sided applications. Reference E-DJA.
  - Single sided Power Beams come with one outlet cover per beam. Double Sided Power Beams come with two outlet covers per beam.


## Encounter PowerBench H Leg Double-Sided Kit

## POWERBENCH H LEG DOUBLE-SIDED KIT


| Actual Full Depth | Nominal Worksurface Depth | Nominal Width | with Grommet Options | with Scallop  | List   | Grade C Laminate |
|-------------------|---------------------------|---------------|----------------------|---------------|--------|------------------|
|                   |                           |               | Model Number         | Model Number  |        |                  |
| 50.5              | 24                        | 48            | PB-HDSPS4848         | PB-HDSPS4848S | 10,809 | +33              |
| 50.5              | 24                        | 54            | PB-HDSPS4854         | PB-HDSPS4854S | 11,097 | +41              |
| 50.5              | 24                        | 60            | PB-HDSPS4860         | PB-HDSPS4860S | 11,181 | +41              |
| 50.5              | 24                        | 66            | PB-HDSPS4866         | PB-HDSPS4866S | 11,336 | +46              |
| 50.5              | 24                        | 72            | PB-HDSPS4872         | PB-HDSPS4872S | 11,474 | +51              |
| 50.5              | 24                        | 78            | PB-HDSPS4878         | PB-HDSPS4878S | 11,655 | +54              |
| 50.5              | 24                        | 84            | PB-HDSPS4884         | PB-HDSPS4884S | 11,819 | +63              |
| 62.5              | 30                        | 48            | PB-HDSPS6048         | PB-HDSPS6048S | 10,981 | +42              |
| 62.5              | 30                        | 54            | PB-HDSPS6054         | PB-HDSPS6054S | 11,201 | +50              |
| 62.5              | 30                        | 60            | PB-HDSPS6060         | PB-HDSPS6060S | 11,298 | +50              |
| 62.5              | 30                        | 66            | PB-HDSPS6066         | PB-HDSPS6066S | 11,468 | +56              |
| 62.5              | 30                        | 72            | PB-HDSPS6072         | PB-HDSPS6072S | 11,613 | +61              |
| 62.5              | 30                        | 78            | PB-HDSPS6078         | PB-HDSPS6078S | 11,796 | +69              |
| 62.5              | 30                        | 84            | PB-HDSPS6084         | PB-HDSPS6084S | 11,957 | +87              |




24" Deep (Grommet option)



24" Deep (Scallop)



30" Deep (Grommet option)



30" Deep (Scallop)

## Specify


## Notes

- Laminate Selection for Worksurface
- Color Selection for Edge
- Paint Selection for Leg (Black, Metallic Silver or White)
- Paint Selection for H-Leg (+25)
- Paint Selection for Beam Spine (+10)
- Grommet Locations (+38)
- Grommet Cover Color (if applicable)
- Kit includes PowerBeam spine with double-sided power. Includes Connection Kit.
- Height adjustment range of 26.26" - 45.94".
- PowerBench HATs are designed to have 1 inch gap behind and 2 inch gap between HATs in a PowerBench run.
- Compatible with 29H Beam Components.
- Grommet holes with covers are specified as options.
- PowerBench & PowerBeam products include Single Gang Adapter Plate(s). One for Single Sided applications and two for Double Sided applications. Reference E-DJA.
- Single sided Power Beams come with one outlet cover per beam. Double Sided Power Beams come with two outlet covers per beam.


## Encounter PowerBench H Leg 120 Single-Sided Kit

## ENCOUNTER POWERBENCH H LEG 120 SINGLE-SIDED KIT


| Actual Full Depth | Nominal Worksurface Depth | Nominal Width | with Grommet Options | with Scallop    | List   | Grade C Laminate |
|-------------------|---------------------------|---------------|----------------------|-----------------|--------|------------------|
|                   |                           |               | Model Number         | Model Number    |        |                  |
| 26.5              | 24                        | 48            | PB-H120SPS2448       | PB-H120SPS2448S | 10,894 | +64              |
| 26.5              | 24                        | 54            | PB-H120SPS2454       | PB-H120SPS2454S | 11,350 | +70              |
| 26.5              | 24                        | 60            | PB-H120SPS2460       | PB-H120SPS2460S | 11,580 | +70              |
| 32.5              | 30                        | 48            | PB-H120SPS3048       | PB-H120SPS3048S | 11,054 | +72              |
| 32.5              | 30                        | 54            | PB-H120SPS3054       | PB-H120SPS3054S | 11,527 | +80              |
| 32.5              | 30                        | 60            | PB-H120SPS3060       | PB-H120SPS3060S | 11,763 | +90              |




24" Deep (Grommet option)



24" Deep (Scallop)



30" Deep (Grommet option)




30" Deep (Scallop)

| Specify                                                                                                                                                                                                                                                                                                                                                        | Notes                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> <li>Laminate Selection for Worksurface</li> <li>Color Selection for Edge</li> <li>Paint Selection for Leg (Black, Metallic Silver or White)</li> <li>Paint Selection for H-Leg (+25)</li> <li>Paint Selection for Beam Spine (+10)</li> <li>Grommet Locations (+38)</li> <li>Grommet Cover Color (if applicable)</li> </ul> | <ul style="list-style-type: none"> <li>Kit includes PowerBeam spine with double-sided power. Includes Connection Kit.</li> <li>Height adjustment range of 26.26" - 45.94".</li> <li>PowerBench HATs are designed to have 1 inch gap behind and 2 inch gap between HATs in a PowerBench run.</li> <li>Compatible with 29H Beam Components.</li> <li>Grommet holes with covers are specified as options.</li> <li>PowerBench &amp; PowerBeam products include Single Gang Adapter Plate(s). One for Single Sided applications and two for Double Sided applications. Reference E-DJA.</li> <li>Single sided Power Beams come with one outlet cover per beam. Double Sided Power Beams come with two outlet covers per beam.</li> </ul> |


## Encounter PowerBench H Leg 120 Double-Sided Kit

## ENCOUNTER POWERBENCH H LEG 120 DOUBLE-SIDED KIT


| Actual Full Depth | Nominal Worksurface Depth | Nominal Width | with Grommet Options | with Scallop    | List   | Grade C Laminate |
|-------------------|---------------------------|---------------|----------------------|-----------------|--------|------------------|
|                   |                           |               | Model Number         | Model Number    |        |                  |
| 50.5              | 24                        | 48            | PB-H120DPS2448       | PB-H120DPS2448S | 18,463 | +64              |
| 50.5              | 24                        | 54            | PB-H120DPS2454       | PB-H120DPS2454S | 19,215 | +70              |
| 50.5              | 24                        | 60            | PB-H120DPS2460       | PB-H120DPS2460S | 19,636 | +70              |
| 62.5              | 30                        | 48            | PB-H120DPS3048       | PB-H120DPS3048S | 18,783 | +72              |
| 62.5              | 30                        | 54            | PB-H120DPS3054       | PB-H120DPS3054S | 19,569 | +81              |
| 62.5              | 30                        | 60            | PB-H120DPS3060       | PB-H120DPS3060S | 19,999 | +90              |




24" Deep (Grommet option)



24" Deep (Scallop)



30" Deep (Grommet option)




30" Deep (Scallop)

| Specify                                                                                                                                                                                                                                                                                                                                                        | Notes                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> <li>Laminate Selection for Worksurface</li> <li>Color Selection for Edge</li> <li>Paint Selection for Leg (Black, Metallic Silver or White)</li> <li>Paint Selection for H-Leg (+25)</li> <li>Paint Selection for Beam Spine (+10)</li> <li>Grommet Locations (+38)</li> <li>Grommet Cover Color (if applicable)</li> </ul> | <ul style="list-style-type: none"> <li>Kit includes PowerBeam spine with double-sided power. Includes Connection Kit.</li> <li>Height adjustment range of 26.26" - 45.94".</li> <li>PowerBench HATs are designed to have 1 inch gap behind and 2 inch gap between HATs in a PowerBench run.</li> <li>Compatible with 29H Beam Components.</li> <li>Grommet holes with covers are specified as options.</li> <li>PowerBench &amp; PowerBeam products include Single Gang Adapter Plate(s). One for Single Sided applications and two for Double Sided applications. Reference E-DJA.</li> <li>Single sided Power Beams come with one outlet cover per beam.</li> <li>Double Sided Power Beams come with two outlet covers per beam.</li> </ul> |


## Encounter PowerBench H Leg 120 Triple-Sided Kit

## ENCOUNTER POWERBENCH H LEG 120 TRIPLE-SIDED KIT


| Actual Full Depth | Nominal Worksurface Depth | Nominal Width | with Grommet Options | with Scallop    | List   | Grade C Laminate |
|-------------------|---------------------------|---------------|----------------------|-----------------|--------|------------------|
|                   |                           |               | Model Number         | Model Number    |        |                  |
| 50.5              | 24                        | 48            | PB-H120TPS2448       | PB-H120TPS2448S | 23,372 | +64              |
| 50.5              | 24                        | 54            | PB-H120TPS2454       | PB-H120TPS2454S | 24,257 | +70              |
| 50.5              | 24                        | 60            | PB-H120TPS2460       | PB-H120TPS2460S | 24,829 | +70              |
| 62.5              | 30                        | 48            | PB-H120TPS3048       | PB-H120TPS3048S | 23,851 | +72              |
| 62.5              | 30                        | 54            | PB-H120TPS3054       | PB-H120TPS3054S | 24,788 | +81              |
| 62.5              | 30                        | 60            | PB-H120TPS3060       | PB-H120TPS3060S | 25,374 | +90              |




24" Deep (Grommet option)



24" Deep (Grommet option)



30" Deep (Scallop)




30" Deep (Scallop)

| Specify                                                                                                                                                                                                                                                                                                                                                        | Notes                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> <li>Laminate Selection for Worksurface</li> <li>Color Selection for Edge</li> <li>Paint Selection for Leg (Black, Metallic Silver or White)</li> <li>Paint Selection for H-Leg (+25)</li> <li>Paint Selection for Beam Spine (+10)</li> <li>Grommet Locations (+38)</li> <li>Grommet Cover Color (if applicable)</li> </ul> | <ul style="list-style-type: none"> <li>Kit includes PowerBeam spine with double-sided power. Includes Connection Kit.</li> <li>Height adjustment range of 26.26" - 45.94".</li> <li>PowerBench HATs are designed to have 1 inch gap behind and 2 inch gap between HATs in a PowerBench run.</li> <li>Compatible with 29H Beam Components.</li> <li>Grommet holes with covers are specified as options.</li> <li>PowerBench &amp; PowerBeam products include Single Gang Adapter Plate(s). One for Single Sided applications and two for Double Sided applications. Reference E-DJA.</li> <li>Single sided Power Beams come with one outlet cover per beam. Double Sided Power Beams come with two outlet covers per beam.</li> </ul> |

Encounter PowerBench Connection Kit

POWERBENCH CONNECTION KIT

| Connection Type | Model Number | List |
|-----------------|--------------|------|
| H Leg           | T-BBSCK      | 46   |



| Specify                                                              | Notes                                                                                                                                                                                                                                                                                                                          |
|----------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"><li>• No color selection</li></ul> | <ul style="list-style-type: none"><li>• This part is required to mechanically join two lengths of Spine Beam Kit in a straight line, for a la carte building of PowerBench with H Leg or Laminate Bases.</li><li>• This part is included in the PowerBench kits, and is not required when designing with these kits.</li></ul> |


## Endcaps, Supports, Flush Mount Connection Kits and Wall Anchor Brackets

## ENDCAP

| Model Number | List | Grade C Paint |
|--------------|------|---------------|
| T-BREC       | 62   | +10           |



Front Side



Back Side

## Specify


- Paint Selection

## Notes

- Endcaps are required to cap the end of a spine beam section at the end of a cluster.
- Endcaps are not needed when end panels are used.

## VERTICAL SUPPORT FOR STORAGE MOUNTING

| Model Number | List |
|--------------|------|
| T-BVS        | 167  |




## Specify

## Notes

- Order this support when mounting the end of a spine beam on top of 21h Calibrate storage elements.
- This connector can be used shared between two beam sections as long as both sections are sitting on top of a storage element.

## FLUSH MOUNT CONNECTION KIT

| Model Number | List |
|--------------|------|
| T-BVSFLUSH   | 289  |





## Specify

## Notes

- Order this connector when mounting a beam section flush against the side of a storage element.

## BEAM WALL ANCHOR BRACKET

| Model Number | List |
|--------------|------|
| T-BWAB       | 125  |



## Specify


## Notes

- Paint Selection (Grade C +10)
- Wall Anchors are sold in pairs. Install 2 anchors for each Beam section.
- The Wall Anchor is used to provide additional stability where the Beam is stationed directly against a wall.
- The Wall Anchor is to be used in addition to post legs, and does not replace them.
- The Wall Anchor must be installed to a wall stud or other structural component of the wall. It is the responsibility of the installer to determine a suitable screw for the substrate that it will attach to.


90° and 120° Connection Kits

90° CONNECTION KITS


| Connection Type | Model Number | List | Grade C Paint |
|-----------------|--------------|------|---------------|
| 2-Way           | T-B2W90C     | 277  | +10           |
| 3-Way           | T-B3W90C     | 277  | +10           |
| 4-Way           | T-B4W90C     | 277  | +10           |



2-Way Connection Kit



3-Way Connection Kit




4-Way Connection Kit


| Specify           | Notes                                                                                                                                                                                                                                 |
|-------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| • Paint Selection | <ul style="list-style-type: none"><li>• 90 degree connection kits join beam sections at 90 degree angles for 2, 3 or 4 beam sections.</li><li>• Note: All spine beams must be supported by at least one leg per connection.</li></ul> |

120° CONNECTION KITS

| Connection Type | Model Number | List | Grade C Paint |
|-----------------|--------------|------|---------------|
| 2-Way           | T-B2W120C    | 277  | +10           |
| 3-Way           | T-B3W120C    | 277  | +10           |



2-Way Connection Kit




3-Way Connection Kit


| Specify           | Notes                                                                                                                                                                                                                                |
|-------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| • Paint Selection | <ul style="list-style-type: none"><li>• 120 degree connection kits join beam sections at 120 degree angles for 2 or 3 beam sections.</li><li>• Note: All spine beams must be supported by at least one leg per connection.</li></ul> |

### 8 WIRE 4 CIRCUIT

AIS 8 Wire 4 Circuit electrical system contains four circuits. Each circuit is rated at 20 amps/120 volts maximum. Circuit 1, Circuit 2 and Circuit 3 are served by a system neutral and an equipment ground. Circuit 4 is dedicated and is served by its own neutral and ground. Circuit and ground conductors are #12 A.G.W. (gauge). All neutrals are #10 A.G.W. (gauge).




Shown below is a cross section of metal cable used for 8 Wire 4 Circuit jumpers and infeeds. Circuit and ground conductors are #12 A.G.W. (gauge). All neutrals are #10 A.G.W. (gauge).



### DUPLEX OUTLETS


Duplex Outlets are designated as circuits 1 through 4. Each duplex outlet contains two single receptacles (places to plug into) of the same circuit and are specified separately from powerways. All duplex outlets have black faces. The lettering on outlets for Circuit 1, 2 and 3 is white. The lettering on outlets for Circuit 4 is orange. Outlets are screw mounted to powerway. Duplex outlets are standard 15 amp outlets. For 20 amp outlets, call AIS Customer Service.



#### Common Equipment Amperages


|                   |              |
|-------------------|--------------|
| Personal Computer | 2.00 - 4.00  |
| Laser Printer     | 5.00 - 8.00  |
| Desktop Plotter   | 1.50         |
| Fan               | 1.00         |
| Heater            | 8.50 - 12.50 |
| Tasklight         | 1.00         |
| Slide Projector   | 2.00 - 6.00  |
| Coffee Pot        | 15.00        |
| Paper Shredder    | 4.40 - 13.00 |
| Radio             | 0.05         |
| Pencil Sharpener  | 1.00         |
| Calculator        | 0.25         |
| Answering Machine | 0.08         |

### BASE FEED WIRING SCHEMATIC - 8 WIRE 4 CIRCUIT SYSTEM




Electrical Product Details


POWER POLE DIMENSIONS AND CAPACITIES




Power pole with no feed = 97 CAT 6 cables



Power pole with feed with no center barriers = 88 CAT 6 cables



Power pole with feed with center barriers = 64 CAT 6 cables




Power pole with feed with one center barrier = 66 CAT 6 cables

## Duplex Outlets

## DUPLEX OUTLETS

| Line | Color | Model Number | List |
|------|-------|--------------|------|
| 1    | Black | E-MW8W4DO1   | 91   |
| 2    | Black | E-MW8W4DO2   | 91   |
| 3    | Black | E-MW8W4DO3   | 91   |
| 4    | Black | E-MW8W4DO4   | 91   |
| 1    | White | E-MW8W4DO1-W | 91   |
| 2    | White | E-MW8W4DO2-W | 91   |
| 3    | White | E-MW8W4DO3-W | 91   |
| 4    | White | E-MW8W4DO4-W | 91   |




## Notes

- Duplex Outlets are available at designated circuits 1 through 4.
- Each duplex outlet contains two single receptacles (places to plug into) of the same circuit and are specified separately from powerways.
- Available in black or white. The lettering on outlets for Circuit 1, 2 and 3 is white. The lettering on outlets for Circuit 4 is orange.
- Outlets are screw mounted to powerway.
- Duplex outlets are standard 15 amp outlets.
- Can be used with multi-circuit electrical units.

## CALIFORNIA TITLE 24 CONTROLLED DUPLEX OUTLETS

| Line | Color | Model Number    | List |
|------|-------|-----------------|------|
| 1    | Black | E-MW8W4T24DO1   | 105  |
| 2    | Black | E-MW8W4T24DO2   | 105  |
| 3    | Black | E-MW8W4T24DO3   | 105  |
| 4    | Black | E-MW8W4T24DO4   | 105  |
| 1    | White | E-MW8W4T24DO1-W | 105  |
| 2    | White | E-MW8W4T24DO2-W | 105  |
| 3    | White | E-MW8W4T24DO3-W | 105  |
| 4    | White | E-MW8W4T24DO4-W | 105  |




## Notes


- In California, 50 percent of all outlets in a systems panel cluster or benching cluster, for new construction, MUST be controlled outlets, even if there is no task lighting.
- Customers should plan on using circuits 2 and 3 for controlled circuits, and plan general load for all other items on circuits 1 and 4.
- If using 2 + 2 configuration, controlled circuits should be 1 and 2, and general load circuits on 4 and 5.
- Outlets must have the "controlled" symbol for identification purposes.
- Can be used with multi-circuit electrical units.

Duplex Outlets

| USB OUTLETS |       |                |      |
|-------------|-------|----------------|------|
| Line        | Color | Model Number   | List |
| 1           | Black | E-UN8W4USB01   | 368  |
| 2           | Black | E-UN8W4USB02   | 368  |
| 3           | Black | E-UN8W4USB03   | 368  |
| 4           | Black | E-UN8W4USB04   | 368  |
| 1           | White | E-UN8W4USB01-W | 328  |
| 2           | White | E-UN8W4USB02-W | 328  |
| 3           | White | E-UN8W4USB03-W | 328  |
| 4           | White | E-UN8W4USB04-W | 328  |



| DUPLEX OUTLET HOLE COVER |      |
|--------------------------|------|
| Model Number             | List |
| T-BOC                    | 52   |




**Notes**

- USB Outlets bring charging options to panel power distribution systems.
- The USB Outlets provide convenient charging power access through dual ports on the face of the receptacle.
- The USB Outlets offer a total of 2 Amps between two USB charging ports.
- The USB Outlets are UL and FCC Part 15A approved.
- Can be used with multi-circuit electrical units.

| Specify           | Notes                                                                                                  |
|-------------------|--------------------------------------------------------------------------------------------------------|
| • Paint Selection | • Duplex covers are supplied with each powered spine beam.<br>• Order extra covers only when required. |

Data Plate Kits and Single Gang Plate Adapter


| DATA PLATE KITS        |              |      |
|------------------------|--------------|------|
| Item                   | Model Number | List |
| 6 Port Data Gang Plate | E-HDP6B-SM   | 40   |
| CAT 5e Jack            | E-HRJ45-SM   | 143  |
| CAT 6 Data Jack        | E-HXJ6BK-SM  | 156  |
| Hole Blank (10 Pack)   | E-SFBB10-SM  | 97   |



Notes

- Single Data Plate Kit has six ports for modular jacks.
- Bezel screws directly to the access box in pre-drilled and tapped hole pattern.
- RJ-45 jacks can be used in place of RJ-11 jacks.
- Single Gang Plate Adapter required for use with Data Plate Kit and must be ordered separately.

| SINGLE GANG PLATE ADAPTER |      |
|---------------------------|------|
| Model Number              | List |
| E-DJA                     | 56   |




Notes

- Single gang plate adapter required for use with data plate kit.
- PowerBench & PowerBeam beam kits include single gang adapter plate(s): one for single sided applications and two for double sided applications.
- Additional plates must be ordered separately.
- Available only in black.
- Knockout opening size is 3.012"W x 1.860"H.

## Electrical Jumpers

## ELECTRICAL JUMPERS

| Actual L | Model Number  | List |
|----------|---------------|------|
| 18       | E-MX8W4PTPC18 | 246  |
| 21       | E-MX8W4PTPC21 | 258  |
| 24       | E-UN8W4VT16   | 302  |
| 30       | E-UN8W4J30    | 320  |
| 33       | E-HM8W4PJ24   | 321  |
| 37       | E-MW8W4PJ18   | 316  |
| 39       | E-HM8W4PJ30   | 321  |
| 43       | E-MW8W4PJ24   | 351  |
| 45       | E-MW8W4PJ24E  | 366  |
| 48       | E-UN8W4J48    | 320  |
| 49       | E-MW8W4PJ30   | 376  |
| 51       | E-MW8W4PJ30E  | 384  |
| 55       | E-MW8W4PJ36   | 387  |
| 57       | E-MW8W4PJ36E  | 397  |
| 61       | E-MW8W4PJ42   | 400  |
| 63       | E-MW8W4PJ42E  | 407  |
| 67       | E-MW8W4PJ48   | 431  |
| 69       | E-MW8W4PJ48E  | 442  |
| 79       | E-MW8W4PJ60   | 464  |
| 81       | E-MW8W4PJ60E  | 489  |
| 86       | E-MW8W4PJ86   | 531  |



## Notes


- Electrical jumpers are used for connecting powered bench top kits to each other in a plan.
- Electrical jumpers are listed in actual lengths to assist with specification.
- Jumper use is explained in the *Jumper Specification Grid* chart.
- **Important:** Certain areas of Chicago prohibit the use of modular electrical systems and require all electrical components to be hard wired. All electrical components need to be supplied by the electrician.

## Encounter PowerBeam Jumper Specification Grid:


Jumper length when joining powered spine beams together.

| Bench Width | To 36" | To 42" | To 48" | To 54" | To 60" | To 66" | To 72" | To 78" | To 84" | To 90" | To 96" |
|-------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| From 36"    | 18     | 18     | 21     | 24     | 30     | 30     | 33     | 37     | 39     | 43     | 45     |
| From 42"    | 18     | 21     | 24     | 30     | 30     | 33     | 37     | 39     | 43     | 45     | 48     |
| From 48"    | 21     | 24     | 30     | 30     | 33     | 37     | 39     | 43     | 45     | 48     | 51     |
| From 54"    | 24     | 30     | 30     | 33     | 37     | 39     | 43     | 45     | 48     | 51     | 55     |
| From 60"    | 30     | 30     | 33     | 37     | 39     | 43     | 45     | 48     | 51     | 55     | 57     |
| From 66"    | 30     | 33     | 37     | 39     | 43     | 45     | 48     | 51     | 55     | 57     | 61     |
| From 72"    | 33     | 37     | 39     | 43     | 45     | 48     | 51     | 55     | 57     | 61     | 63     |
| From 78"    | 37     | 39     | 43     | 45     | 48     | 51     | 55     | 57     | 61     | 63     | 67     |
| From 84"    | 39     | 43     | 45     | 48     | 51     | 55     | 57     | 61     | 63     | 67     | 69     |
| From 90"    | 43     | 45     | 48     | 51     | 55     | 57     | 61     | 63     | 67     | 69     | 79     |
| From 96"    | 45     | 48     | 51     | 55     | 57     | 61     | 63     | 67     | 69     | 79     | 79     |

**Note:** Specify the next longest jumper when jumping across 3-way, 4-way, or gallery panel.



**3-Way Condition or Gallery Panel - use next longest jumper**



**4-Way Condition or Gallery Panel - use next longest jumper**

## Example:


60 wide to 60 wide straight connection = 39" jumper.

60 wide to 60 wide 3-way, 4-way, or Gallery Panel specification would require next size up = 43" jumper

## Base Infeeds, Ceiling Infeeds, Undermount and End Mount Poles

## SIDE-MOUNTED BASE INFEEDS

| Actual L | Use           | Model Number  | List  |
|----------|---------------|---------------|-------|
| 72"      | Standard      | E-UN8W4BIFS   | 572   |
| 72"      | New York City | E-HM8W4BIFSNY | 1,134 |




## Notes

- Side-mounted base infeeds provide interface with building power at the end of the power units and mounts to the powerway at jumper location.
- Each base infeed is 6' in length, encased in "liquid tight".
- New York City code requires the use of a special base feed with an in-line junction box.

## CEILING INFEEED

| Actual L | Model Number | List |
|----------|--------------|------|
| 144"     | E-UN8W4CIF   | 668  |




## Notes

- Ceiling infeeds provide interface with building power from a suspended ceiling through a power pole shell.
- Each ceiling feed is 12' long.
- Power pole shells are ordered separately.

## UNDERMOUNT POLES

| Type        | Model Number | List | Grade C Paint |
|-------------|--------------|------|---------------|
| For 21 High | T-BUMP21     | 492  | +25           |
| For 25 High | T-BUMP25     | 522  | +25           |
| For 29 High | T-BUMP29     | 547  | +25           |



For 21 High



For 25 High



For 29 High

## Specify

- Paint Selection

## Notes

- Undermount poles can be used to conceal data and electrical cables running from floor to beam trough.
- Poles "telescope" 2 inches to adjust with legs and have a side access mouse hole.
- Poles are mounted at either end of a beam section but cannot be mounted in middle without cutting an access hole in field.
- Order base feed separately.

## END MOUNT POLE

| Type        | Model Number | List  | Grade C Paint |
|-------------|--------------|-------|---------------|
| For 21 High | T-BEMP21     | 1,633 | +25           |
| For 25 High | T-BEMP25     | 1,633 | +25           |
| For 29 High | T-BEMP29     | 1,633 | +25           |



## Specify


- Paint Selection

## Notes

- End mount poles are used for concealing ceiling infeeds or data cables from a max 11'6" standard suspended ceiling.
- Choose pole that corresponds to the beam height.
- Order ceiling feed separately.
- Poles must be attached to ceiling grids at time of installation. Beam will not support pole alone.
- Poles are not UL listed for splicing cables in pole and are for aesthetic purposes only.

Single Circuit Infeeds with Plug

| SINGLE CIRCUIT SIDE INFEEDS WITH PLUG |               |       |
|---------------------------------------|---------------|-------|
| Actual Length                         | Model Number  | List  |
| 72"                                   | E-UN8W4SIF72  | 1,257 |
| 120"                                  | E-UN8W4SIF120 | 1,598 |




- Notes**
- Single Circuit infeeds will only provide power to line 1 outlets.
  - Single Circuit Infeeds are terminated with a 20 Amp NEMA plug, a 20 Amp to 15 Amp plug adapter is included.
  - Capacity for the circuit is 20 Amps, or 15 Amps if using the adapter.
  - Never install more than one infeed to a circuit.

## Pole Extenders and Power Cord Trays

## POWER / DATA POLE EXTENDERS

| Actual H | Model Number | List | Grade C Paint |
|----------|--------------|------|---------------|
| 28"      | A-PPEX28     | 347  | +10           |
| 48"      | A-PPEX48     | 501  | +10           |



## Specify

- Paint Selection

## Notes

- Power/data pole extender includes one pole section, one cover, one pole coupler and one divider.
- Order ceiling feeds separately.

## POWER CORD TRAYS

| W  | Model Number | List | Grade C Paint |
|----|--------------|------|---------------|
| 36 | T-BPCT36     | 167  | +10           |
| 42 | T-BPCT42     | 185  | +10           |
| 48 | T-BPCT48     | 208  | +10           |
| 54 | T-BPCT54     | 227  | +10           |
| 60 | T-BPCT60     | 248  | +10           |
| 66 | T-BPCT66     | 270  | +10           |
| 72 | T-BPCT72     | 289  | +10           |
| 78 | T-BPCT78     | 295  | +10           |
| 84 | T-BPCT84     | 317  | +10           |
| 90 | T-BPCT90     | 336  | +10           |
| 96 | T-BPCT96     | 351  | +10           |



## Specify

- Paint Selection


## Notes

- Power Cord Trays are ordered separately to mount to the spine beam to accommodate users power cords when plugged into beam.
- Trays can span more than one beam section and smaller trays can be mounted on longer beams.

Wire Managers and Anti-Fatigue Mats

TABLE WIRE MANAGER

| Model Number | List |
|--------------|------|
| A-WMJC98     | 168  |




Specify

Notes

ANTI-FATIGUE MAT

| W  | D  | Thickness | Model Number | List |
|----|----|-----------|--------------|------|
| 34 | 20 | 3/4       | A-HF342075   | 251  |




Notes

- Custom blended medium density polyurethane foam.
- High tear strength polyurethane outer membrane.
- Available in black only.

VERTICAL WIRE MANAGERS

| Length | Model Number | List |
|--------|--------------|------|
| 29     | A-VWM29      | 343  |
| 50     | A-VWM50      | 693  |




Specify

Notes

- Flexible chain allows for “lay in” of data and power cords.
- 29” long with weighted base perfect for managing cables from floor to underside of fixed height tables.
- 50” long with weighted base perfect for managing cables from floor to underside of height adjustable tables.

DESKING VERTICAL WIRE MANAGER

| L  | Model Number | List |
|----|--------------|------|
| 40 | T-TVWM40     | 498  |



Specify


Notes

- Flexible chain allows for “lay in” of data and power cords.
- Spans from underside of height adjustable table to beam or power cord tray.

## Encounter PowerBeam Mini Shelf and Bag Hook

## ENCOUNTER POWERBEAM MINI SHELF

| D | W  | Model Number | List | Grade C Paint |
|---|----|--------------|------|---------------|
| 6 | 18 | T-BMS18      | 121  | +10           |



## Specify


## Notes

- Paint Selection

- Hangs on beam.
- 5 lbs max weight capacity.

## ENCOUNTER POWERBEAM BAG HOOK

| Model Number | List | Grade C Paint |
|--------------|------|---------------|
| T-BBH        | 74   | +10           |



## Specify


## Notes

- Paint Selection

- Measures 1" x 2".
- Hangs on beam.
- 10 lbs max weight capacity.

## CALIBRATE TRIM RINGS FOR HEIGHT ADJUSTABLE TABLES AND DESKS

| Model Number | List |
|--------------|------|
| X-PLG2       | 9    |



## Specify

## Notes


- Color selection (Black, White, or Silver)

- HAT trim rings are included with all height adjustable Calibrate products.
- Order separately for replacements only.

**Glass 1/4" Universal Spine Insert Screens**

| GLASS 1/4" UNIVERSAL SPINE INSERT SCREENS |    |                  |              |             |                   |               |
|-------------------------------------------|----|------------------|--------------|-------------|-------------------|---------------|
| H                                         | W  | Horizon Planning | Model Number | Clear Glass | Bronze/Gray Glass | Frosted Glass |
| 12                                        | 36 | 42"H             | O-3-1236     | 423         | + 50              | + 182         |
| 12                                        | 42 | 42"H             | O-3-1242     | 457         | + 58              | + 212         |
| 12                                        | 48 | 42"H             | O-3-1248     | 490         | + 66              | + 242         |
| 12                                        | 54 | 42"H             | O-3-1254     | 628         | + 75              | + 273         |
| 12                                        | 60 | 42"H             | O-3-1260     | 556         | + 83              | + 303         |
| 12                                        | 66 | 42"H             | O-3-1266     | 588         | + 91              | + 333         |
| 12                                        | 72 | 42"H             | O-3-1272     | 621         | + 99              | + 363         |
| 12                                        | 78 | 42"H             | O-3-1278     | 656         | + 108             | + 394         |
| 12                                        | 84 | 42"H             | O-3-1284     | 688         | + 116             | + 424         |
|                                           |    |                  |              |             |                   |               |
| 16                                        | 36 | 46"H             | O-3-1636     | 628         | + 65              | + 236         |
| 16                                        | 42 | 46"H             | O-3-1642     | 661         | + 76              | + 276         |
| 16                                        | 48 | 46"H             | O-3-1648     | 698         | + 86              | + 316         |
| 16                                        | 54 | 46"H             | O-3-1654     | 759         | + 97              | + 355         |
| 16                                        | 60 | 46"H             | O-3-1660     | 810         | + 108             | + 394         |
| 16                                        | 66 | 46"H             | O-3-1666     | 827         | + 119             | + 434         |
| 16                                        | 72 | 46"H             | O-3-1672     | 849         | + 129             | + 473         |
| 16                                        | 78 | 46"H             | O-3-1678     | 869         | + 140             | + 513         |
| 16                                        | 84 | 46"H             | O-3-1684     | 888         | + 151             | + 552         |

| GLASS 1/4" UNIVERSAL SPINE INSERT SCREENS |    |                  |              |             |                   |               |
|-------------------------------------------|----|------------------|--------------|-------------|-------------------|---------------|
| H                                         | W  | Horizon Planning | Model Number | Clear Glass | Bronze/Gray Glass | Frosted Glass |
| 20                                        | 36 | 50"H             | O-3-2036     | 588         | + 80              | + 291         |
| 20                                        | 42 | 50"H             | O-3-2042     | 670         | + 93              | + 340         |
| 20                                        | 48 | 50"H             | O-3-2048     | 731         | + 106             | + 389         |
| 20                                        | 54 | 50"H             | O-3-2054     | 791         | + 120             | + 437         |
| 20                                        | 60 | 50"H             | O-3-2060     | 852         | + 133             | + 486         |
| 20                                        | 66 | 50"H             | O-3-2066     | 914         | + 146             | + 535         |
| 20                                        | 72 | 50"H             | O-3-2072     | 975         | + 159             | + 583         |
| 20                                        | 78 | 50"H             | O-3-2078     | 1,037       | + 173             | + 632         |
| 20                                        | 84 | 50"H             | O-3-2084     | 1,099       | + 186             | + 680         |
|                                           |    |                  |              |             |                   |               |
| 24                                        | 36 | 54"H             | O-3-2436     | 628         | + 95              | + 346         |
| 24                                        | 42 | 54"H             | O-3-2442     | 661         | + 111             | + 404         |
| 24                                        | 48 | 54"H             | O-3-2448     | 698         | + 126             | + 462         |
| 24                                        | 54 | 54"H             | O-3-2454     | 759         | + 142             | + 520         |
| 24                                        | 60 | 54"H             | O-3-2460     | 810         | + 158             | + 577         |
| 24                                        | 66 | 54"H             | O-3-2466     | 827         | + 174             | + 635         |
| 24                                        | 72 | 54"H             | O-3-2472     | 849         | + 189             | + 693         |
| 24                                        | 78 | 54"H             | O-3-2478     | 869         | + 205             | + 751         |
| 24                                        | 84 | 54"H             | O-3-2484     | 888         | + 221             | + 808         |


**Specify**

- Glass Type


**Notes**

- Universal Spine Insert Screens are designed to up-mount in the spine beam.
- Frosted glass is etched on one side. Patterned glass is patterned vertically as standard. Specials for horizontally patterned glass cannot be manufactured larger than 72" in width.
- Universal Spine Insert Screens can only be used on spine beam sections that are mounted to Calibrate storage elements, supported by end panels or attached to other beams sections at 90 degree or 120 degree angles.
- Glass Universal Spine Insert Screens cannot be used on straight runs with T-feet only.

## Glass 3/8" Universal Spine Insert Screens

| GLASS 3/8" UNIVERSAL SPINE INSERT SCREENS |    |                  |              |             |                   |               |
|-------------------------------------------|----|------------------|--------------|-------------|-------------------|---------------|
| H                                         | W  | Horizon Planning | Model Number | Clear Glass | Bronze/Gray Glass | Frosted Glass |
| 12                                        | 36 | 42"H             | O-SGH1236    | 694         | + 50              | + 99          |
| 12                                        | 42 | 42"H             | O-SGH1242    | 769         | + 58              | + 116         |
| 12                                        | 48 | 42"H             | O-SGH1248    | 843         | + 66              | + 132         |
| 12                                        | 54 | 42"H             | O-SGH1254    | 920         | + 75              | + 149         |
| 12                                        | 60 | 42"H             | O-SGH1260    | 994         | + 83              | + 165         |
| 12                                        | 66 | 42"H             | O-SGH1266    | 1,070       | + 91              | + 182         |
| 12                                        | 72 | 42"H             | O-SGH1272    | 1,145       | + 99              | + 198         |
| 12                                        | 78 | 42"H             | O-SGH1278    | 1,221       | + 108             | + 215         |
| 12                                        | 84 | 42"H             | O-SGH1284    | 1,295       | + 116             | + 231         |
|                                           |    |                  |              |             |                   |               |
| 16                                        | 36 | 46"H             | O-SGH1636    | 713         | + 65              | + 129         |
| 16                                        | 42 | 46"H             | O-SGH1642    | 818         | + 76              | + 151         |
| 16                                        | 48 | 46"H             | O-SGH1648    | 927         | + 86              | + 172         |
| 16                                        | 54 | 46"H             | O-SGH1654    | 1,007       | + 97              | + 194         |
| 16                                        | 60 | 46"H             | O-SGH1660    | 1,043       | + 108             | + 215         |
| 16                                        | 66 | 46"H             | O-SGH1666    | 1,156       | + 119             | + 237         |
| 16                                        | 72 | 46"H             | O-SGH1672    | 1,240       | + 129             | + 258         |
| 16                                        | 78 | 46"H             | O-SGH1678    | 1,266       | + 140             | + 280         |
| 16                                        | 84 | 46"H             | O-SGH1684    | 1,341       | + 151             | + 301         |

| GLASS 3/8" UNIVERSAL SPINE INSERT SCREENS |    |                  |              |             |                   |               |
|-------------------------------------------|----|------------------|--------------|-------------|-------------------|---------------|
| H                                         | W  | Horizon Planning | Model Number | Clear Glass | Bronze/Gray Glass | Frosted Glass |
| 20                                        | 36 | 50"H             | O-SGH2036    | 924         | + 80              | + 159         |
| 20                                        | 42 | 50"H             | O-SGH2042    | 1,042       | + 93              | + 186         |
| 20                                        | 48 | 50"H             | O-SGH2048    | 1,156       | + 106             | + 212         |
| 20                                        | 54 | 50"H             | O-SGH2054    | 1,274       | + 120             | + 239         |
| 20                                        | 60 | 50"H             | O-SGH2060    | 1,389       | + 133             | + 265         |
| 20                                        | 66 | 50"H             | O-SGH2066    | 1,506       | + 146             | + 292         |
| 20                                        | 72 | 50"H             | O-SGH2072    | 1,622       | + 159             | + 318         |
| 20                                        | 78 | 50"H             | O-SGH2078    | 1,739       | + 173             | + 345         |
| 20                                        | 84 | 50"H             | O-SGH2084    | 1,856       | + 186             | + 371         |
|                                           |    |                  |              |             |                   |               |
| 24                                        | 36 | 54"H             | O-SGH2436    | 1,051       | + 95              | + 189         |
| 24                                        | 42 | 54"H             | O-SGH2442    | 1,188       | + 111             | + 221         |
| 24                                        | 48 | 54"H             | O-SGH2448    | 1,327       | + 126             | + 252         |
| 24                                        | 54 | 54"H             | O-SGH2454    | 1,463       | + 142             | + 284         |
| 24                                        | 60 | 54"H             | O-SGH2460    | 1,602       | + 158             | + 315         |
| 24                                        | 66 | 54"H             | O-SGH2466    | 1,740       | + 174             | + 347         |
| 24                                        | 72 | 54"H             | O-SGH2472    | 1,878       | + 189             | + 378         |
| 24                                        | 78 | 54"H             | O-SGH2478    | 2,015       | + 205             | + 410         |
| 24                                        | 84 | 54"H             | O-SGH2484    | 2,149       | + 221             | + 441         |



## Specify


- Glass Type

## Notes

- Universal Spine Insert Screens are designed to up-mount in the spine beam.
- Frosted glass is etched on one side. Patterned glass is patterned vertically as standard. Specials for horizontally patterned glass cannot be manufactured larger than 72" in width.
- Universal Spine Insert Screens can only be used on spine beam sections that are mounted to Calibrate storage elements, supported by end panels or attached to other beams sections at 90 degree or 120 degree angles.
- Glass Universal Spine Insert Screens cannot be used on straight runs with T-feet only.

## PET Universal Spine Insert Screens

| PET UNIVERSAL SPINE INSERT SCREENS |    |          |              |      | PET UNIVERSAL SPINE INSERT SCREENS |    |          |              |      |
|------------------------------------|----|----------|--------------|------|------------------------------------|----|----------|--------------|------|
| H                                  | W  | Planning | Model Number | List | H                                  | W  | Planning | Model Number | List |
| 12                                 | 36 | 42"H     | O-5-1236     | 378  | 24                                 | 36 | 54"H     | O-5-2436     | 444  |
| 12                                 | 42 | 42"H     | O-5-1242     | 388  | 24                                 | 42 | 54"H     | O-5-2442     | 467  |
| 12                                 | 48 | 42"H     | O-5-1248     | 401  | 24                                 | 48 | 54"H     | O-5-2448     | 490  |
| 12                                 | 54 | 42"H     | O-5-1254     | 412  | 24                                 | 54 | 54"H     | O-5-2454     | 511  |
| 12                                 | 60 | 42"H     | O-5-1260     | 423  | 24                                 | 60 | 54"H     | O-5-2460     | 535  |
| 12                                 | 66 | 42"H     | O-5-1266     | 435  | 24                                 | 66 | 54"H     | O-5-2466     | 556  |
| 12                                 | 72 | 42"H     | O-5-1272     | 444  | 24                                 | 72 | 54"H     | O-5-2472     | 577  |
| 12                                 | 78 | 42"H     | O-5-1278     | 457  | 24                                 | 78 | 54"H     | O-5-2478     | 600  |
| 12                                 | 84 | 42"H     | O-5-1284     | 467  | 24                                 | 84 | 54"H     | O-5-2484     | 621  |
|                                    |    |          |              |      |                                    |    |          |              |      |
| 16                                 | 36 | 46"H     | O-5-1636     | 401  | 28                                 | 36 | 58"H     | O-5-2836     | 467  |
| 16                                 | 42 | 46"H     | O-5-1642     | 414  | 28                                 | 42 | 58"H     | O-5-2842     | 494  |
| 16                                 | 48 | 46"H     | O-5-1648     | 430  | 28                                 | 48 | 58"H     | O-5-2848     | 519  |
| 16                                 | 54 | 46"H     | O-5-1654     | 444  | 28                                 | 54 | 58"H     | O-5-2854     | 545  |
| 16                                 | 60 | 46"H     | O-5-1660     | 461  | 28                                 | 60 | 58"H     | O-5-2860     | 572  |
| 16                                 | 66 | 46"H     | O-5-1666     | 475  | 28                                 | 66 | 58"H     | O-5-2866     | 598  |
| 16                                 | 72 | 46"H     | O-5-1672     | 490  | 28                                 | 72 | 58"H     | O-5-2872     | 621  |
| 16                                 | 78 | 46"H     | O-5-1678     | 504  | 28                                 | 78 | 58"H     | O-5-2878     | 650  |
| 16                                 | 84 | 46"H     | O-5-1684     | 519  | 28                                 | 84 | 58"H     | O-5-2884     | 674  |
|                                    |    |          |              |      |                                    |    |          |              |      |
| 20                                 | 36 | 50"H     | O-5-2036     | 423  | 32                                 | 36 | 62"H     | O-5-3236     | 490  |
| 20                                 | 42 | 50"H     | O-5-2042     | 442  | 32                                 | 42 | 62"H     | O-5-3242     | 519  |
| 20                                 | 48 | 50"H     | O-5-2048     | 461  | 32                                 | 48 | 62"H     | O-5-3248     | 549  |
| 20                                 | 54 | 50"H     | O-5-2054     | 479  | 32                                 | 54 | 62"H     | O-5-3254     | 577  |
| 20                                 | 60 | 50"H     | O-5-2060     | 496  | 32                                 | 60 | 62"H     | O-5-3260     | 609  |
| 20                                 | 66 | 50"H     | O-5-2066     | 515  | 32                                 | 66 | 62"H     | O-5-3266     | 637  |
| 20                                 | 72 | 50"H     | O-5-2072     | 535  | 32                                 | 72 | 62"H     | O-5-3272     | 666  |
| 20                                 | 78 | 50"H     | O-5-2078     | 551  | 32                                 | 78 | 62"H     | O-5-3278     | 697  |
| 20                                 | 84 | 50"H     | O-5-2084     | 572  | 32                                 | 84 | 62"H     | O-5-3284     | 725  |



| Specify                   | Notes                                                                                                                                                                                                                                                                                                                                                           |
|---------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| • Color Selection for PET | <ul style="list-style-type: none"> <li>• Universal Spine Insert Screens are designed to up-mount in the spine beam.</li> <li>• Universal Spine Insert Screens can only be used on spine beam sections that are mounted to Calibrate storage elements, supported by end panels or attached to other beams sections at 90 degree or 120 degree angles.</li> </ul> |

## Product Details

## SINGLE END MOUNTING HEIGHT 21", 25" &amp; 29" GRAIN DIRECTIONS

| HEIGHT | WIDTH       |             |             |             |             |             |            |            |            |            |            |            |
|--------|-------------|-------------|-------------|-------------|-------------|-------------|------------|------------|------------|------------|------------|------------|
|        | 24          | 30          | 36          | 42          | 48          | 54          | 60         | 66         | 72         | 78         | 84         | 90         |
| 29     | Vert./Horz. | Vert./Horz. | Vert./Horz. | Vert./Horz. | Vert./Horz. | Vert./Horz. | Horizontal | Horizontal | Horizontal | Horizontal | Horizontal | Horizontal |
| 42     | Vert./Horz. | Vert./Horz. | Vert./Horz. | Vert./Horz. | Vert./Horz. | Vert./Horz. | Horizontal | Horizontal | Horizontal | Horizontal | Horizontal | Horizontal |
| 46     | Vert./Horz. | Vert./Horz. | Vert./Horz. | Vert./Horz. | Vert./Horz. | Vert./Horz. | Horizontal | Horizontal | Horizontal | Horizontal | Horizontal | Horizontal |
| 50     | Vert./Horz. | Vert./Horz. | Vert./Horz. | Vert./Horz. | Vert./Horz. | Vert./Horz. | Horizontal | Horizontal | Horizontal | Horizontal | Horizontal | Horizontal |
| 58     | Vert./Horz. | Vert./Horz. | Vert./Horz. | Vert./Horz. | Vert./Horz. | Vert./Horz. | Horizontal | Horizontal | Horizontal | Horizontal | Horizontal | Horizontal |

## DOUBLE END MOUNTING HEIGHT 21", 25" &amp; 29" GRAIN DIRECTIONS

| HEIGHT | WIDTH       |             |            |            |            |            |            |            |
|--------|-------------|-------------|------------|------------|------------|------------|------------|------------|
|        | 48          | 54          | 60         | 66         | 72         | 78         | 84         | 90         |
| 29     | Vert./Horz. | Vert./Horz. | Horizontal | Horizontal | Horizontal | Horizontal | Horizontal | Horizontal |
| 42     | Vert./Horz. | Vert./Horz. | Horizontal | Horizontal | Horizontal | Horizontal | Horizontal | Horizontal |
| 46     | Vert./Horz. | Vert./Horz. | Horizontal | Horizontal | Horizontal | Horizontal | Horizontal | Horizontal |
| 50     | Vert./Horz. | Vert./Horz. | Horizontal | Horizontal | Horizontal | Horizontal | Horizontal | Horizontal |
| 58     | Vert./Horz. | Vert./Horz. | Horizontal | Horizontal | Horizontal | Horizontal | Horizontal | Horizontal |

## MID MOUNT MOUNTING HEIGHT 21", 25" &amp; 29" GRAIN DIRECTIONS

| HEIGHT | WIDTH       |             |             |             |             |             |            |            |            |            |            |            |
|--------|-------------|-------------|-------------|-------------|-------------|-------------|------------|------------|------------|------------|------------|------------|
|        | 24          | 30          | 36          | 42          | 48          | 54          | 60         | 66         | 72         | 78         | 84         | 90         |
| 29     | Vert./Horz. | Vert./Horz. | Vert./Horz. | Vert./Horz. | Vert./Horz. | Vert./Horz. | Horizontal | Horizontal | Horizontal | Horizontal | Horizontal | Horizontal |
| 42     | Vert./Horz. | Vert./Horz. | Vert./Horz. | Vert./Horz. | Vert./Horz. | Vert./Horz. | Horizontal | Horizontal | Horizontal | Horizontal | Horizontal | Horizontal |
| 46     | Vert./Horz. | Vert./Horz. | Vert./Horz. | Vert./Horz. | Vert./Horz. | Vert./Horz. | Horizontal | Horizontal | Horizontal | Horizontal | Horizontal | Horizontal |
| 50     | Vert./Horz. | Vert./Horz. | Vert./Horz. | Vert./Horz. | Vert./Horz. | Vert./Horz. | Horizontal | Horizontal | Horizontal | Horizontal | Horizontal | Horizontal |
| 58     | Vert./Horz. | Vert./Horz. | Vert./Horz. | Vert./Horz. | Vert./Horz. | Vert./Horz. | Horizontal | Horizontal | Horizontal | Horizontal | Horizontal | Horizontal |

## WING PANEL LEFT AND RIGHT GRAIN DIRECTIONS

| HEIGHT | WIDTH       |             |
|--------|-------------|-------------|
|        | 24          | 30          |
| 29     | Vert./Horz. | Vert./Horz. |
| 42     | Vert./Horz. | Vert./Horz. |
| 46     | Vert./Horz. | Vert./Horz. |
| 50     | Vertical    | Vertical    |
| 58     | Vertical    | Vertical    |

Note: 58" high panels with 21" Beam mounting height are not available.

Product Details


Gallery Panel Examples

Single End

24" - 90" Wide\*

Left or Right


\*Over 66" Wide needs support



Right Shown

Double End


48" - 90" Wide



Single End for Wing

48" - 90" Wide

Left or Right



All Wings 18", 24" and 30"


Mid Mount End

24" - 90" Wide\*

Left or Right

\*Over 66" Wide needs support

Not compatible with PowerBench




Left Right

Mid Mount End for Wing

48" - 90" Wide

Left or Right

Not compatible with PowerBench



Left Right


Wing Left Wing Right

Single Spine

24" - 90" Wide\*

Non-Handed


\*Over 66" Wide needs support



Double Spine

48" - 90" Wide


Non-Handed



Single Spine for Wing

48" - 90" Wide

Left or Right




Mid Mount Spine

24" - 90" Wide\*

Non-Handed

\*Over 66" Wide needs support

Not compatible with PowerBench




Mid Mount Spine for Wing

60" - 90" Wide

Left or Right

Not compatible with PowerBench



Wing Left Wing Right


## Laminate Gallery Panels – Beam Mount, Single End

## 21" BEAM MOUNT, HORIZONTAL GRAIN PATTERN – SINGLE END


|    |    | Left          | Right         | List  |
|----|----|---------------|---------------|-------|
| H  | W  | Model Number  | Model Number  |       |
| 29 | 24 | T-SLEP292421L | T-SLEP292421R | 678   |
| 29 | 30 | T-SLEP293021L | T-SLEP293021R | 712   |
| 29 | 36 | T-SLEP293621L | T-SLEP293621R | 731   |
| 29 | 42 | T-SLEP294221L | T-SLEP294221R | 747   |
| 29 | 48 | T-SLEP294821L | T-SLEP294821R | 758   |
| 29 | 54 | T-SLEP295421L | T-SLEP295421R | 769   |
| 29 | 60 | T-SLEP296021L | T-SLEP296021R | 909   |
| 29 | 66 | T-SLEP296621L | T-SLEP296621R | 955   |
| 29 | 72 | T-SLEP297221L | T-SLEP297221R | 1,018 |
| 29 | 78 | T-SLEP297821L | T-SLEP297821R | 1,078 |
| 29 | 84 | T-SLEP298421L | T-SLEP298421R | 1,139 |
| 29 | 90 | T-SLEP299021L | T-SLEP299021R | 1,200 |
|    |    |               |               |       |
| 42 | 24 | T-SLEP422421L | T-SLEP422421R | 728   |
| 42 | 30 | T-SLEP423021L | T-SLEP423021R | 786   |
| 42 | 36 | T-SLEP423621L | T-SLEP423621R | 835   |
| 42 | 42 | T-SLEP424221L | T-SLEP424221R | 882   |
| 42 | 48 | T-SLEP424821L | T-SLEP424821R | 934   |
| 42 | 54 | T-SLEP425421L | T-SLEP425421R | 981   |
| 42 | 60 | T-SLEP426021L | T-SLEP426021R | 1,107 |
| 42 | 66 | T-SLEP426621L | T-SLEP426621R | 1,192 |
| 42 | 72 | T-SLEP427221L | T-SLEP427221R | 1,224 |
| 42 | 78 | T-SLEP427821L | T-SLEP427821R | 1,285 |
| 42 | 84 | T-SLEP428421L | T-SLEP428421R | 1,332 |
| 42 | 90 | T-SLEP429021L | T-SLEP429021R | 1,381 |

## 21" BEAM MOUNT, HORIZONTAL GRAIN PATTERN – SINGLE END

|    |    | Left          | Right         | List  |
|----|----|---------------|---------------|-------|
| H  | W  | Model Number  | Model Number  |       |
| 46 | 24 | T-SLEP462421L | T-SLEP462421R | 754   |
| 46 | 30 | T-SLEP463021L | T-SLEP463021R | 822   |
| 46 | 36 | T-SLEP463621L | T-SLEP463621R | 886   |
| 46 | 42 | T-SLEP464221L | T-SLEP464221R | 951   |
| 46 | 48 | T-SLEP464821L | T-SLEP464821R | 1,020 |
| 46 | 54 | T-SLEP465421L | T-SLEP465421R | 1,089 |
| 46 | 60 | T-SLEP466021L | T-SLEP466021R | 1,209 |
| 46 | 66 | T-SLEP466621L | T-SLEP466621R | 1,306 |
| 46 | 72 | T-SLEP467221L | T-SLEP467221R | 1,341 |
| 46 | 78 | T-SLEP467821L | T-SLEP467821R | 1,388 |
| 46 | 84 | T-SLEP468421L | T-SLEP468421R | 1,428 |
| 46 | 90 | T-SLEP469021L | T-SLEP469021R | 1,468 |
|    |    |               |               |       |
| 50 | 24 | T-SLEP502421L | T-SLEP502421R | 778   |
| 50 | 30 | T-SLEP503021L | T-SLEP503021R | 859   |
| 50 | 36 | T-SLEP503621L | T-SLEP503621R | 937   |
| 50 | 42 | T-SLEP504221L | T-SLEP504221R | 1,020 |
| 50 | 48 | T-SLEP504821L | T-SLEP504821R | 1,105 |
| 50 | 54 | T-SLEP505421L | T-SLEP505421R | 1,195 |
| 50 | 60 | T-SLEP506021L | T-SLEP506021R | 1,309 |
| 50 | 66 | T-SLEP506621L | T-SLEP506621R | 1,422 |
| 50 | 72 | T-SLEP507221L | T-SLEP507221R | 1,457 |
| 50 | 78 | T-SLEP507821L | T-SLEP507821R | 1,492 |
| 50 | 84 | T-SLEP508421L | T-SLEP508421R | 1,525 |
| 50 | 90 | T-SLEP509021L | T-SLEP509021R | 1,557 |



Left Hand Shown



Left Hand Shown

## Specify

- Laminate with matching edge

## Notes

- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8" between or at the end of Beam sections.
- Any gallery panel that extends more than 60" from the Beam must be tied to storage or similar support.
- Encounter PowerBench only compatible with 29"H.


## Laminate Gallery Panels – Beam Mount, Single End

## 25" BEAM MOUNT, HORIZONTAL GRAIN PATTERN – SINGLE END


| H  | W  | Left          | Right         | List  |
|----|----|---------------|---------------|-------|
|    |    | Model Number  | Model Number  |       |
| 29 | 24 | T-SLEP292425L | T-SLEP292425R | 678   |
| 29 | 30 | T-SLEP293025L | T-SLEP293025R | 712   |
| 29 | 36 | T-SLEP293625L | T-SLEP293625R | 731   |
| 29 | 42 | T-SLEP294225L | T-SLEP294225R | 747   |
| 29 | 48 | T-SLEP294825L | T-SLEP294825R | 758   |
| 29 | 54 | T-SLEP295425L | T-SLEP295425R | 769   |
| 29 | 60 | T-SLEP296025L | T-SLEP296025R | 909   |
| 29 | 66 | T-SLEP296625L | T-SLEP296625R | 955   |
| 29 | 72 | T-SLEP297225L | T-SLEP297225R | 1,018 |
| 29 | 78 | T-SLEP297825L | T-SLEP297825R | 1,078 |
| 29 | 84 | T-SLEP298425L | T-SLEP298425R | 1,139 |
| 29 | 90 | T-SLEP299025L | T-SLEP299025R | 1,200 |
|    |    |               |               |       |
| 42 | 24 | T-SLEP422425L | T-SLEP422425R | 728   |
| 42 | 30 | T-SLEP423025L | T-SLEP423025R | 786   |
| 42 | 36 | T-SLEP423625L | T-SLEP423625R | 835   |
| 42 | 42 | T-SLEP424225L | T-SLEP424225R | 882   |
| 42 | 48 | T-SLEP424825L | T-SLEP424825R | 934   |
| 42 | 54 | T-SLEP425425L | T-SLEP425425R | 981   |
| 42 | 60 | T-SLEP426025L | T-SLEP426025R | 1,107 |
| 42 | 66 | T-SLEP426625L | T-SLEP426625R | 1,192 |
| 42 | 72 | T-SLEP427225L | T-SLEP427225R | 1,224 |
| 42 | 78 | T-SLEP427825L | T-SLEP427825R | 1,285 |
| 42 | 84 | T-SLEP428425L | T-SLEP428425R | 1,332 |
| 42 | 90 | T-SLEP429025L | T-SLEP429025R | 1,381 |

## 25" BEAM MOUNT, HORIZONTAL GRAIN PATTERN – SINGLE END

| H  | W  | Left          | Right         | List  |
|----|----|---------------|---------------|-------|
|    |    | Model Number  | Model Number  |       |
| 46 | 24 | T-SLEP462425L | T-SLEP462425R | 754   |
| 46 | 30 | T-SLEP463025L | T-SLEP463025R | 822   |
| 46 | 36 | T-SLEP463625L | T-SLEP463625R | 886   |
| 46 | 42 | T-SLEP464225L | T-SLEP464225R | 951   |
| 46 | 48 | T-SLEP464825L | T-SLEP464825R | 1,020 |
| 46 | 54 | T-SLEP465425L | T-SLEP465425R | 1,089 |
| 46 | 60 | T-SLEP466025L | T-SLEP466025R | 1,209 |
| 46 | 66 | T-SLEP466625L | T-SLEP466625R | 1,306 |
| 46 | 72 | T-SLEP467225L | T-SLEP467225R | 1,341 |
| 46 | 78 | T-SLEP467825L | T-SLEP467825R | 1,388 |
| 46 | 84 | T-SLEP468425L | T-SLEP468425R | 1,428 |
| 46 | 90 | T-SLEP469025L | T-SLEP469025R | 1,468 |
|    |    |               |               |       |
| 50 | 24 | T-SLEP502425L | T-SLEP502425R | 778   |
| 50 | 30 | T-SLEP503025L | T-SLEP503025R | 859   |
| 50 | 36 | T-SLEP503625L | T-SLEP503625R | 937   |
| 50 | 42 | T-SLEP504225L | T-SLEP504225R | 1,020 |
| 50 | 48 | T-SLEP504825L | T-SLEP504825R | 1,105 |
| 50 | 54 | T-SLEP505425L | T-SLEP505425R | 1,195 |
| 50 | 60 | T-SLEP506025L | T-SLEP506025R | 1,309 |
| 50 | 66 | T-SLEP506625L | T-SLEP506625R | 1,422 |
| 50 | 72 | T-SLEP507225L | T-SLEP507225R | 1,457 |
| 50 | 78 | T-SLEP507825L | T-SLEP507825R | 1,492 |
| 50 | 84 | T-SLEP508425L | T-SLEP508425R | 1,525 |
| 50 | 90 | T-SLEP509025L | T-SLEP509025R | 1,557 |



Left Hand Shown



Left Hand Shown

## Specify

- Laminate with matching edge


## Notes

- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8" between or at the end of Beam sections.
- Any gallery panel that extends more than 60" from the Beam must be tied to storage or similar support.
- Encounter PowerBench only compatible with 29"H.


## Laminate Gallery Panels – Beam Mount, Single End

## 25" BEAM MOUNT, HORIZONTAL GRAIN PATTERN – SINGLE END

| H  | W  | Left          | Right         | List  |
|----|----|---------------|---------------|-------|
|    |    | Model Number  | Model Number  |       |
| 58 | 24 | T-SLEP582425L | T-SLEP582425R | 868   |
| 58 | 30 | T-SLEP583025L | T-SLEP583025R | 951   |
| 58 | 36 | T-SLEP583625L | T-SLEP583625R | 1,025 |
| 58 | 42 | T-SLEP584225L | T-SLEP584225R | 1,104 |
| 58 | 48 | T-SLEP584825L | T-SLEP584825R | 1,166 |
| 58 | 54 | T-SLEP585425L | T-SLEP585425R | 1,227 |
| 58 | 60 | T-SLEP586025L | T-SLEP586025R | 1,338 |
| 58 | 66 | T-SLEP586625L | T-SLEP586625R | 1,447 |
| 58 | 72 | T-SLEP587225L | T-SLEP587225R | 1,556 |
| 58 | 78 | T-SLEP587825L | T-SLEP587825R | 1,665 |
| 58 | 84 | T-SLEP588425L | T-SLEP588425R | 1,774 |
| 58 | 90 | T-SLEP589025L | T-SLEP589025R | 1,884 |



Left Hand Shown



Left Hand Shown

## Specify

- Laminate with matching edge

## Notes

- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8" between or at the end of Beam sections.
- Any gallery panel that extends more than 60" from the Beam must be tied to storage or similar support.
- Encounter PowerBench only compatible with 29"H.


## Laminate Gallery Panels – Beam Mount, Single End

## 29" BEAM MOUNT, HORIZONTAL GRAIN PATTERN – SINGLE END


| H  | W  | Left          | Right         | List  |
|----|----|---------------|---------------|-------|
|    |    | Model Number  | Model Number  |       |
| 29 | 24 | T-SLEP292429L | T-SLEP292429R | 678   |
| 29 | 30 | T-SLEP293029L | T-SLEP293029R | 712   |
| 29 | 36 | T-SLEP293629L | T-SLEP293629R | 731   |
| 29 | 42 | T-SLEP294229L | T-SLEP294229R | 747   |
| 29 | 48 | T-SLEP294829L | T-SLEP294829R | 758   |
| 29 | 54 | T-SLEP295429L | T-SLEP295429R | 769   |
| 29 | 60 | T-SLEP296029L | T-SLEP296029R | 909   |
| 29 | 66 | T-SLEP296629L | T-SLEP296629R | 955   |
| 29 | 72 | T-SLEP297229L | T-SLEP297229R | 1,018 |
| 29 | 78 | T-SLEP297829L | T-SLEP297829R | 1,078 |
| 29 | 84 | T-SLEP298429L | T-SLEP298429R | 1,139 |
| 29 | 90 | T-SLEP299029L | T-SLEP299029R | 1,200 |
|    |    |               |               |       |
| 42 | 24 | T-SLEP422429L | T-SLEP422429R | 728   |
| 42 | 30 | T-SLEP423029L | T-SLEP423029R | 786   |
| 42 | 36 | T-SLEP423629L | T-SLEP423629R | 835   |
| 42 | 42 | T-SLEP424229L | T-SLEP424229R | 882   |
| 42 | 48 | T-SLEP424829L | T-SLEP424829R | 934   |
| 42 | 54 | T-SLEP425429L | T-SLEP425429R | 981   |
| 42 | 60 | T-SLEP426029L | T-SLEP426029R | 1,107 |
| 42 | 66 | T-SLEP426629L | T-SLEP426629R | 1,192 |
| 42 | 72 | T-SLEP427229L | T-SLEP427229R | 1,224 |
| 42 | 78 | T-SLEP427829L | T-SLEP427829R | 1,285 |
| 42 | 84 | T-SLEP428429L | T-SLEP428429R | 1,332 |
| 42 | 90 | T-SLEP429029L | T-SLEP429029R | 1,381 |

## 29" BEAM MOUNT, HORIZONTAL GRAIN PATTERN

| H  | W  | Left          | Right         | List  |
|----|----|---------------|---------------|-------|
|    |    | Model Number  | Model Number  |       |
| 46 | 24 | T-SLEP462429L | T-SLEP462429R | 754   |
| 46 | 30 | T-SLEP463029L | T-SLEP463029R | 822   |
| 46 | 36 | T-SLEP463629L | T-SLEP463629R | 886   |
| 46 | 42 | T-SLEP464229L | T-SLEP464229R | 951   |
| 46 | 48 | T-SLEP464829L | T-SLEP464829R | 1,020 |
| 46 | 54 | T-SLEP465429L | T-SLEP465429R | 1,089 |
| 46 | 60 | T-SLEP466029L | T-SLEP466029R | 1,209 |
| 46 | 66 | T-SLEP466629L | T-SLEP466629R | 1,306 |
| 46 | 72 | T-SLEP467229L | T-SLEP467229R | 1,341 |
| 46 | 78 | T-SLEP467829L | T-SLEP467829R | 1,388 |
| 46 | 84 | T-SLEP468429L | T-SLEP468429R | 1,428 |
| 46 | 90 | T-SLEP469029L | T-SLEP469029R | 1,468 |
|    |    |               |               |       |
| 50 | 24 | T-SLEP502429L | T-SLEP502429R | 778   |
| 50 | 30 | T-SLEP503029L | T-SLEP503029R | 859   |
| 50 | 36 | T-SLEP503629L | T-SLEP503629R | 937   |
| 50 | 42 | T-SLEP504229L | T-SLEP504229R | 1,020 |
| 50 | 48 | T-SLEP504829L | T-SLEP504829R | 1,105 |
| 50 | 54 | T-SLEP505429L | T-SLEP505429R | 1,195 |
| 50 | 60 | T-SLEP506029L | T-SLEP506029R | 1,309 |
| 50 | 66 | T-SLEP506629L | T-SLEP506629R | 1,422 |
| 50 | 72 | T-SLEP507229L | T-SLEP507229R | 1,457 |
| 50 | 78 | T-SLEP507829L | T-SLEP507829R | 1,492 |
| 50 | 84 | T-SLEP508429L | T-SLEP508429R | 1,525 |
| 50 | 90 | T-SLEP509029L | T-SLEP509029R | 1,557 |



Left Hand Shown



Left Hand Shown

## Specify

- Laminate with matching edge


## Notes

- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8" between or at the end of Beam sections.
- Any gallery panel that extends more than 60" from the Beam must be tied to storage or similar support.
- Encounter PowerBench only compatible with 29"H.


## Laminate Gallery Panels – Beam Mount, Single End

## 29" BEAM MOUNT, HORIZONTAL GRAIN PATTERN – SINGLE END

| H  | W  | Left          | Right         | List  |
|----|----|---------------|---------------|-------|
|    |    | Model Number  | Model Number  |       |
| 58 | 24 | T-SLEP582429L | T-SLEP582429R | 868   |
| 58 | 30 | T-SLEP583029L | T-SLEP583029R | 951   |
| 58 | 36 | T-SLEP583629L | T-SLEP583629R | 1,025 |
| 58 | 42 | T-SLEP584229L | T-SLEP584229R | 1,104 |
| 58 | 48 | T-SLEP584829L | T-SLEP584829R | 1,166 |
| 58 | 54 | T-SLEP585429L | T-SLEP585429R | 1,227 |
| 58 | 60 | T-SLEP586029L | T-SLEP586029R | 1,338 |
| 58 | 66 | T-SLEP586629L | T-SLEP586629R | 1,447 |
| 58 | 72 | T-SLEP587229L | T-SLEP587229R | 1,556 |
| 58 | 78 | T-SLEP587829L | T-SLEP587829R | 1,665 |
| 58 | 84 | T-SLEP588429L | T-SLEP588429R | 1,774 |
| 58 | 90 | T-SLEP589029L | T-SLEP589029R | 1,884 |



Left Hand Shown



Left Hand Shown

## Specify

- Laminate with matching edge

## Notes

- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8" between or at the end of Beam sections.
- Any gallery panel that extends more than 60" from the Beam must be tied to storage or similar support.
- Encounter PowerBench only compatible with 29"H.


## Laminate Gallery Panels – Beam Mount, Single End

## 21" BEAM MOUNT, VERTICAL GRAIN PATTERN – SINGLE END


|    |    | Left           | Right          | List |
|----|----|----------------|----------------|------|
| H  | W  | Model Number   | Model Number   |      |
| 29 | 24 | T-SLEP292421LV | T-SLEP292421RV | 678  |
| 29 | 30 | T-SLEP293021LV | T-SLEP293021RV | 712  |
| 29 | 36 | T-SLEP293621LV | T-SLEP293621RV | 731  |
| 29 | 42 | T-SLEP294221LV | T-SLEP294221RV | 747  |
| 29 | 48 | T-SLEP294821LV | T-SLEP294821RV | 758  |
| 29 | 54 | T-SLEP295421LV | T-SLEP295421RV | 769  |
|    |    |                |                |      |
| 42 | 24 | T-SLEP422421LV | T-SLEP422421RV | 728  |
| 42 | 30 | T-SLEP423021LV | T-SLEP423021RV | 786  |
| 42 | 36 | T-SLEP423621LV | T-SLEP423621RV | 835  |
| 42 | 42 | T-SLEP424221LV | T-SLEP424221RV | 882  |
| 42 | 48 | T-SLEP424821LV | T-SLEP424821RV | 934  |
| 42 | 54 | T-SLEP425421LV | T-SLEP425421RV | 981  |

## 21" BEAM MOUNT, VERTICAL GRAIN PATTERN – SINGLE END

|    |    | Left           | Right          | List  |
|----|----|----------------|----------------|-------|
| H  | W  | Model Number   | Model Number   |       |
| 46 | 24 | T-SLEP462421LV | T-SLEP462421RV | 754   |
| 46 | 30 | T-SLEP463021LV | T-SLEP463021RV | 822   |
| 46 | 36 | T-SLEP463621LV | T-SLEP463621RV | 886   |
| 46 | 42 | T-SLEP464221LV | T-SLEP464221RV | 951   |
| 46 | 48 | T-SLEP464821LV | T-SLEP464821RV | 1,020 |
| 46 | 54 | T-SLEP465421LV | T-SLEP465421RV | 1,089 |
|    |    |                |                |       |
| 50 | 24 | T-SLEP502421LV | T-SLEP502421RV | 778   |
| 50 | 30 | T-SLEP503021LV | T-SLEP503021RV | 859   |
| 50 | 36 | T-SLEP503621LV | T-SLEP503621RV | 937   |
| 50 | 42 | T-SLEP504221LV | T-SLEP504221RV | 1,020 |
| 50 | 48 | T-SLEP504821LV | T-SLEP504821RV | 1,105 |
| 50 | 54 | T-SLEP505421LV | T-SLEP505421RV | 1,195 |



Left Hand Shown



Left Hand Shown

## Specify

- Laminate with matching edge

## Notes

- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8" between or at the end of Beam sections.
- Encounter PowerBench only compatible with 29"H.


## Laminate Gallery Panels – Beam Mount, Single End

## 25" BEAM MOUNT, VERTICAL GRAIN PATTERN – SINGLE END


|    |    | Left           | Right          | List  |
|----|----|----------------|----------------|-------|
| H  | W  | Model Number   | Model Number   |       |
| 29 | 24 | T-SLEP292425LV | T-SLEP292425RV | 678   |
| 29 | 30 | T-SLEP293025LV | T-SLEP293025RV | 712   |
| 29 | 36 | T-SLEP293625LV | T-SLEP293625RV | 731   |
| 29 | 42 | T-SLEP294225LV | T-SLEP294225RV | 747   |
| 29 | 48 | T-SLEP294825LV | T-SLEP294825RV | 758   |
| 29 | 54 | T-SLEP295425LV | T-SLEP295425RV | 769   |
|    |    |                |                |       |
| 42 | 24 | T-SLEP422425LV | T-SLEP422425RV | 728   |
| 42 | 30 | T-SLEP423025LV | T-SLEP423025RV | 786   |
| 42 | 36 | T-SLEP423625LV | T-SLEP423625RV | 835   |
| 42 | 42 | T-SLEP424225LV | T-SLEP424225RV | 882   |
| 42 | 48 | T-SLEP424825LV | T-SLEP424825RV | 934   |
| 42 | 54 | T-SLEP425425LV | T-SLEP425425RV | 981   |
|    |    |                |                |       |
| 46 | 24 | T-SLEP462425LV | T-SLEP462425RV | 754   |
| 46 | 30 | T-SLEP463025LV | T-SLEP463025RV | 822   |
| 46 | 36 | T-SLEP463625LV | T-SLEP463625RV | 886   |
| 46 | 42 | T-SLEP464225LV | T-SLEP464225RV | 951   |
| 46 | 48 | T-SLEP464825LV | T-SLEP464825RV | 1,020 |
| 46 | 54 | T-SLEP465425LV | T-SLEP465425RV | 1,089 |

## 25" BEAM MOUNT, VERTICAL GRAIN PATTERN – SINGLE END

|    |    | Left           | Right          | List  |
|----|----|----------------|----------------|-------|
| H  | W  | Model Number   | Model Number   |       |
| 50 | 24 | T-SLEP502425LV | T-SLEP502425RV | 778   |
| 50 | 30 | T-SLEP503025LV | T-SLEP503025RV | 859   |
| 50 | 36 | T-SLEP503625LV | T-SLEP503625RV | 937   |
| 50 | 42 | T-SLEP504225LV | T-SLEP504225RV | 1,020 |
| 50 | 48 | T-SLEP504825LV | T-SLEP504825RV | 1,105 |
| 50 | 54 | T-SLEP505425LV | T-SLEP505425RV | 1,195 |
|    |    |                |                |       |
| 58 | 24 | T-SLEP582425LV | T-SLEP582425RV | 868   |
| 58 | 30 | T-SLEP583025LV | T-SLEP583025RV | 951   |
| 58 | 36 | T-SLEP583625LV | T-SLEP583625RV | 1,025 |
| 58 | 42 | T-SLEP584225LV | T-SLEP584225RV | 1,104 |
| 58 | 48 | T-SLEP584825LV | T-SLEP584825RV | 1,166 |
| 58 | 54 | T-SLEP585425LV | T-SLEP585425RV | 1,227 |



Left Hand Shown



Left Hand Shown

## Specify

- Laminate with matching edge

## Notes

- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8" between or at the end of Beam sections.
- Encounter PowerBench only compatible with 29"H.


## Laminate Gallery Panels – Beam Mount, Single End

## 29" BEAM MOUNT, VERTICAL GRAIN PATTERN – SINGLE END


|    |    | Left           | Right          | List  |
|----|----|----------------|----------------|-------|
| H  | W  | Model Number   | Model Number   |       |
| 29 | 24 | T-SLEP292429LV | T-SLEP292429RV | 678   |
| 29 | 30 | T-SLEP293029LV | T-SLEP293029RV | 712   |
| 29 | 36 | T-SLEP293629LV | T-SLEP293629RV | 731   |
| 29 | 42 | T-SLEP294229LV | T-SLEP294229RV | 747   |
| 29 | 48 | T-SLEP294829LV | T-SLEP294829RV | 758   |
| 29 | 54 | T-SLEP295429LV | T-SLEP295429RV | 769   |
|    |    |                |                |       |
| 42 | 24 | T-SLEP422429LV | T-SLEP422429RV | 728   |
| 42 | 30 | T-SLEP423029LV | T-SLEP423029RV | 786   |
| 42 | 36 | T-SLEP423629LV | T-SLEP423629RV | 835   |
| 42 | 42 | T-SLEP424229LV | T-SLEP424229RV | 882   |
| 42 | 48 | T-SLEP424829LV | T-SLEP424829RV | 934   |
| 42 | 54 | T-SLEP425429LV | T-SLEP425429RV | 981   |
|    |    |                |                |       |
| 46 | 24 | T-SLEP462429LV | T-SLEP462429RV | 754   |
| 46 | 30 | T-SLEP463029LV | T-SLEP463029RV | 822   |
| 46 | 36 | T-SLEP463629LV | T-SLEP463629RV | 886   |
| 46 | 42 | T-SLEP464229LV | T-SLEP464229RV | 951   |
| 46 | 48 | T-SLEP464829LV | T-SLEP464829RV | 1,020 |
| 46 | 54 | T-SLEP465429LV | T-SLEP465429RV | 1,089 |

## 29" BEAM MOUNT, VERTICAL GRAIN PATTERN – SINGLE END

|    |    | Left           | Right          | List  |
|----|----|----------------|----------------|-------|
| H  | W  | Model Number   | Model Number   |       |
| 50 | 24 | T-SLEP502429LV | T-SLEP502429RV | 778   |
| 50 | 30 | T-SLEP503029LV | T-SLEP503029RV | 859   |
| 50 | 36 | T-SLEP503629LV | T-SLEP503629RV | 937   |
| 50 | 42 | T-SLEP504229LV | T-SLEP504229RV | 1,020 |
| 50 | 48 | T-SLEP504829LV | T-SLEP504829RV | 1,105 |
| 50 | 54 | T-SLEP505429LV | T-SLEP505429RV | 1,195 |
|    |    |                |                |       |
| 58 | 24 | T-SLEP582429LV | T-SLEP582429RV | 868   |
| 58 | 30 | T-SLEP583029LV | T-SLEP583029RV | 951   |
| 58 | 36 | T-SLEP583629LV | T-SLEP583629RV | 1,025 |
| 58 | 42 | T-SLEP584229LV | T-SLEP584229RV | 1,104 |
| 58 | 48 | T-SLEP584829LV | T-SLEP584829RV | 1,166 |
| 58 | 54 | T-SLEP585429LV | T-SLEP585429RV | 1,227 |



Left Hand Shown



Left Hand Shown

## Specify

- Laminate with matching edge

## Notes

- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8" between or at the end of Beam sections.
- Encounter PowerBench only compatible with 29"H.



## Laminate Gallery Panels – Beam Mount, Double End

## 21" BEAM MOUNT, HORIZONTAL GRAIN PATTERN – DOUBLE END

| H  | W  | Model Number | List  |
|----|----|--------------|-------|
| 29 | 48 | T-SLEP294821 | 758   |
| 29 | 54 | T-SLEP295421 | 769   |
| 29 | 60 | T-SLEP296021 | 909   |
| 29 | 66 | T-SLEP296621 | 955   |
| 29 | 72 | T-SLEP297221 | 1,018 |
| 29 | 78 | T-SLEP297821 | 1,078 |
| 29 | 84 | T-SLEP298421 | 1,139 |
| 29 | 90 | T-SLEP299021 | 1,200 |
|    |    |              |       |
| 42 | 48 | T-SLEP424821 | 934   |
| 42 | 54 | T-SLEP425421 | 981   |
| 42 | 60 | T-SLEP426021 | 1,107 |
| 42 | 66 | T-SLEP426621 | 1,192 |
| 42 | 72 | T-SLEP427221 | 1,238 |
| 42 | 78 | T-SLEP427821 | 1,285 |
| 42 | 84 | T-SLEP428421 | 1,332 |
| 42 | 90 | T-SLEP429021 | 1,381 |

## 21" BEAM MOUNT, HORIZONTAL GRAIN PATTERN – DOUBLE END

| H  | W  | Model Number | List  |
|----|----|--------------|-------|
| 46 | 48 | T-SLEP464821 | 1,020 |
| 46 | 54 | T-SLEP465421 | 1,089 |
| 46 | 60 | T-SLEP466021 | 1,209 |
| 46 | 66 | T-SLEP466621 | 1,306 |
| 46 | 72 | T-SLEP467221 | 1,348 |
| 46 | 78 | T-SLEP467821 | 1,388 |
| 46 | 84 | T-SLEP468421 | 1,428 |
| 46 | 90 | T-SLEP469021 | 1,468 |
|    |    |              |       |
| 50 | 48 | T-SLEP504821 | 1,105 |
| 50 | 54 | T-SLEP505421 | 1,195 |
| 50 | 60 | T-SLEP506021 | 1,309 |
| 50 | 66 | T-SLEP506621 | 1,422 |
| 50 | 72 | T-SLEP507221 | 1,457 |
| 50 | 78 | T-SLEP507821 | 1,492 |
| 50 | 84 | T-SLEP508421 | 1,525 |
| 50 | 90 | T-SLEP509021 | 1,557 |



## Specify

## Notes

• Laminate with matching edge

- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8" between or at the end of Beam sections.
- Any gallery panel that extends more than 60" from the Beam must be tied to storage or similar support.
- Encounter PowerBench only compatible with 29"H.



## Laminate Gallery Panels – Beam Mount, Double End

## 25" BEAM MOUNT, HORIZONTAL GRAIN PATTERN – DOUBLE END

| H  | W  | Model Number | List  |
|----|----|--------------|-------|
| 29 | 48 | T-SLEP294825 | 758   |
| 29 | 54 | T-SLEP295425 | 769   |
| 29 | 60 | T-SLEP296025 | 909   |
| 29 | 66 | T-SLEP296625 | 955   |
| 29 | 72 | T-SLEP297225 | 1,018 |
| 29 | 78 | T-SLEP297825 | 1,078 |
| 29 | 84 | T-SLEP298425 | 1,139 |
| 29 | 90 | T-SLEP299025 | 1,200 |
|    |    |              |       |
| 42 | 48 | T-SLEP424825 | 934   |
| 42 | 54 | T-SLEP425425 | 981   |
| 42 | 60 | T-SLEP426025 | 1,107 |
| 42 | 66 | T-SLEP426625 | 1,192 |
| 42 | 72 | T-SLEP427225 | 1,238 |
| 42 | 78 | T-SLEP427825 | 1,285 |
| 42 | 84 | T-SLEP428425 | 1,332 |
| 42 | 90 | T-SLEP429025 | 1,381 |
|    |    |              |       |
| 46 | 48 | T-SLEP464825 | 1,020 |
| 46 | 54 | T-SLEP465425 | 1,089 |
| 46 | 60 | T-SLEP466025 | 1,209 |
| 46 | 66 | T-SLEP466625 | 1,306 |
| 46 | 72 | T-SLEP467225 | 1,348 |
| 46 | 78 | T-SLEP467825 | 1,388 |
| 46 | 84 | T-SLEP468425 | 1,428 |
| 46 | 90 | T-SLEP469025 | 1,468 |

## 25" BEAM MOUNT, HORIZONTAL GRAIN PATTERN – DOUBLE END

| H  | W  | Model Number | List  |
|----|----|--------------|-------|
| 50 | 48 | T-SLEP504825 | 1,105 |
| 50 | 54 | T-SLEP505425 | 1,195 |
| 50 | 60 | T-SLEP506025 | 1,309 |
| 50 | 66 | T-SLEP506625 | 1,422 |
| 50 | 72 | T-SLEP507225 | 1,457 |
| 50 | 78 | T-SLEP507825 | 1,492 |
| 50 | 84 | T-SLEP508425 | 1,525 |
| 50 | 90 | T-SLEP509025 | 1,557 |
|    |    |              |       |
| 58 | 48 | T-SLEP584825 | 1,166 |
| 58 | 54 | T-SLEP585425 | 1,227 |
| 58 | 60 | T-SLEP586025 | 1,338 |
| 58 | 66 | T-SLEP586625 | 1,447 |
| 58 | 72 | T-SLEP587225 | 1,556 |
| 58 | 78 | T-SLEP587825 | 1,665 |
| 58 | 84 | T-SLEP588425 | 1,774 |
| 58 | 90 | T-SLEP589025 | 1,884 |



## Specify

## Notes

- Laminate with matching edge
- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8" between or at the end of Beam sections.
- Any gallery panel that extends more than 60" from the Beam must be tied to storage or similar support.
- Encounter PowerBench only compatible with 29"H.



## Laminate Gallery Panels – Beam Mount, Double End

## 29" BEAM MOUNT, HORIZONTAL GRAIN PATTERN – DOUBLE END

| H  | W  | Model Number | List  |
|----|----|--------------|-------|
| 29 | 48 | T-SLEP294829 | 758   |
| 29 | 54 | T-SLEP295429 | 769   |
| 29 | 60 | T-SLEP296029 | 909   |
| 29 | 66 | T-SLEP296629 | 955   |
| 29 | 72 | T-SLEP297229 | 1,018 |
| 29 | 78 | T-SLEP297829 | 1,078 |
| 29 | 84 | T-SLEP298429 | 1,139 |
| 29 | 90 | T-SLEP299029 | 1,200 |
|    |    |              |       |
| 42 | 48 | T-SLEP424829 | 934   |
| 42 | 54 | T-SLEP425429 | 981   |
| 42 | 60 | T-SLEP426029 | 1,107 |
| 42 | 66 | T-SLEP426629 | 1,192 |
| 42 | 72 | T-SLEP427229 | 1,238 |
| 42 | 78 | T-SLEP427829 | 1,285 |
| 42 | 84 | T-SLEP428429 | 1,332 |
| 42 | 90 | T-SLEP429029 | 1,381 |
|    |    |              |       |
| 46 | 48 | T-SLEP464829 | 1,020 |
| 46 | 54 | T-SLEP465429 | 1,089 |
| 46 | 60 | T-SLEP466029 | 1,209 |
| 46 | 66 | T-SLEP466629 | 1,306 |
| 46 | 72 | T-SLEP467229 | 1,348 |
| 46 | 78 | T-SLEP467829 | 1,388 |
| 46 | 84 | T-SLEP468429 | 1,428 |
| 46 | 90 | T-SLEP469029 | 1,468 |

## 29" BEAM MOUNT, HORIZONTAL GRAIN PATTERN – DOUBLE END

| H  | W  | Model Number | List  |
|----|----|--------------|-------|
| 50 | 48 | T-SLEP504829 | 1,105 |
| 50 | 54 | T-SLEP505429 | 1,195 |
| 50 | 60 | T-SLEP506029 | 1,309 |
| 50 | 66 | T-SLEP506629 | 1,422 |
| 50 | 72 | T-SLEP507229 | 1,457 |
| 50 | 78 | T-SLEP507829 | 1,492 |
| 50 | 84 | T-SLEP508429 | 1,525 |
| 50 | 90 | T-SLEP509029 | 1,557 |
|    |    |              |       |
| 58 | 48 | T-SLEP584829 | 1,166 |
| 58 | 54 | T-SLEP585429 | 1,227 |
| 58 | 60 | T-SLEP586029 | 1,338 |
| 58 | 66 | T-SLEP586629 | 1,447 |
| 58 | 72 | T-SLEP587229 | 1,556 |
| 58 | 78 | T-SLEP587829 | 1,665 |
| 58 | 84 | T-SLEP588429 | 1,774 |
| 58 | 90 | T-SLEP589029 | 1,884 |



## Specify



## Notes

- Laminate with matching edge

- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8" between or at the end of Beam sections.
- Any gallery panel that extends more than 60" from the Beam must be tied to storage or similar support.
- Encounter PowerBench only compatible with 29"H.

Laminate Gallery Panels – Beam Mount, Double End

| 21" BEAM MOUNT, VERTICAL GRAIN PATTERN – DOUBLE END |    |               |       |
|-----------------------------------------------------|----|---------------|-------|
| H                                                   | W  | Model Number  | List  |
| 29                                                  | 48 | T-SLEP294821V | 758   |
| 29                                                  | 54 | T-SLEP295421V | 769   |
| 42                                                  | 48 | T-SLEP424821V | 934   |
| 42                                                  | 54 | T-SLEP425421V | 981   |
| 46                                                  | 48 | T-SLEP464821V | 1,020 |
| 46                                                  | 54 | T-SLEP465421V | 1,089 |
| 50                                                  | 48 | T-SLEP504821V | 1,105 |
| 50                                                  | 54 | T-SLEP505421V | 1,195 |





| Specify                                                                     | Notes                                                                                                                                                                                                                                                                                                                      |
|-----------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"><li>Laminate with matching edge</li></ul> | <ul style="list-style-type: none"><li>Cannot be used freestanding, must be attached to a Beam.</li><li>Encounter PowerBeam gallery panels are ordered specific to Beam height.</li><li>Gallery panels add 1 1/8" between or at the end of Beam sections.</li><li>Encounter PowerBench only compatible with 29"H.</li></ul> |

## Laminate Gallery Panels – Beam Mount, Double End

## 25" BEAM MOUNT, VERTICAL GRAIN PATTERN – DOUBLE END

| H  | W  | Model Number  | List  |
|----|----|---------------|-------|
| 29 | 48 | T-SLEP294825V | 758   |
| 29 | 54 | T-SLEP295425V | 769   |
| 42 | 48 | T-SLEP424825V | 934   |
| 42 | 54 | T-SLEP425425V | 981   |
| 46 | 48 | T-SLEP464825V | 1,020 |
| 46 | 54 | T-SLEP465425V | 1,089 |
| 50 | 48 | T-SLEP504825V | 1,105 |
| 50 | 54 | T-SLEP505425V | 1,195 |
| 58 | 48 | T-SLEP584825V | 1,166 |
| 58 | 54 | T-SLEP585425V | 1,227 |



## Specify


- Laminate with matching edge

## Notes

- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8" between or at the end of Beam sections.
- Encounter PowerBench only compatible with 29"H.

Laminate Gallery Panels – Beam Mount, Double End

| 29" BEAM MOUNT, VERTICAL GRAIN PATTERN – DOUBLE END |    |               |       |
|-----------------------------------------------------|----|---------------|-------|
| H                                                   | W  | Model Number  | List  |
| 29                                                  | 48 | T-SLEP294829V | 758   |
| 29                                                  | 54 | T-SLEP295429V | 769   |
| 42                                                  | 48 | T-SLEP424829V | 934   |
| 42                                                  | 54 | T-SLEP425429V | 981   |
| 46                                                  | 48 | T-SLEP464829V | 1,020 |
| 46                                                  | 54 | T-SLEP465429V | 1,089 |
| 50                                                  | 48 | T-SLEP504829V | 1,105 |
| 50                                                  | 54 | T-SLEP505429V | 1,195 |
| 58                                                  | 48 | T-SLEP584829V | 1,166 |
| 58                                                  | 54 | T-SLEP585429V | 1,227 |



| Specify                       | Notes                                                                                                                                                                                                                                                               |
|-------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| • Laminate with matching edge | • Cannot be used freestanding, must be attached to a Beam.<br>• Encounter PowerBeam gallery panels are ordered specific to Beam height.<br>• Gallery panels add 1 1/8" between or at the end of Beam sections.<br>• Encounter PowerBench only compatible with 29"H. |


## Laminate Gallery Panels – Beam Mount for Wing, Single End

## 21" BEAM MOUNT FOR WING, HORIZONTAL GRAIN PATTERN – SINGLE END


| H  | W  | Left          | Right         | List  |
|----|----|---------------|---------------|-------|
|    |    | Model Number  | Model Number  |       |
| 29 | 48 | T-SLPW294821L | T-SLPW294821R | 795   |
| 29 | 54 | T-SLPW295421L | T-SLPW295421R | 806   |
| 29 | 60 | T-SLPW296021L | T-SLPW296021R | 948   |
| 29 | 66 | T-SLPW296621L | T-SLPW296621R | 993   |
| 29 | 72 | T-SLPW297221L | T-SLPW297221R | 1,056 |
| 29 | 78 | T-SLPW297821L | T-SLPW297821R | 1,118 |
| 29 | 84 | T-SLPW298421L | T-SLPW298421R | 1,179 |
| 29 | 90 | T-SLPW299021L | T-SLPW299021R | 1,240 |
|    |    |               |               |       |
| 42 | 48 | T-SLPW424821L | T-SLPW424821R | 972   |
| 42 | 54 | T-SLPW425421L | T-SLPW425421R | 1,019 |
| 42 | 60 | T-SLPW426021L | T-SLPW426021R | 1,146 |
| 42 | 66 | T-SLPW426621L | T-SLPW426621R | 1,227 |
| 42 | 72 | T-SLPW427221L | T-SLPW427221R | 1,275 |
| 42 | 78 | T-SLPW427821L | T-SLPW427821R | 1,322 |
| 42 | 84 | T-SLPW428421L | T-SLPW428421R | 1,370 |
| 42 | 90 | T-SLPW429021L | T-SLPW429021R | 1,419 |

## 21" BEAM MOUNT FOR WING, HORIZONTAL GRAIN PATTERN – SINGLE END

| H  | W  | Left          | Right         | List  |
|----|----|---------------|---------------|-------|
|    |    | Model Number  | Model Number  |       |
| 46 | 48 | T-SLPW464821L | T-SLPW464821R | 1,058 |
| 46 | 54 | T-SLPW465421L | T-SLPW465421R | 1,126 |
| 46 | 60 | T-SLPW466021L | T-SLPW466021R | 1,247 |
| 46 | 66 | T-SLPW466621L | T-SLPW466621R | 1,344 |
| 46 | 72 | T-SLPW467221L | T-SLPW467221R | 1,385 |
| 46 | 78 | T-SLPW467821L | T-SLPW467821R | 1,426 |
| 46 | 84 | T-SLPW468421L | T-SLPW468421R | 1,466 |
| 46 | 90 | T-SLPW469021L | T-SLPW469021R | 1,507 |
|    |    |               |               |       |
| 50 | 48 | T-SLPW504821L | T-SLPW504821R | 1,145 |
| 50 | 54 | T-SLPW505421L | T-SLPW505421R | 1,234 |
| 50 | 60 | T-SLPW506021L | T-SLPW506021R | 1,348 |
| 50 | 66 | T-SLPW506621L | T-SLPW506621R | 1,461 |
| 50 | 72 | T-SLPW507221L | T-SLPW507221R | 1,496 |
| 50 | 78 | T-SLPW507821L | T-SLPW507821R | 1,529 |
| 50 | 84 | T-SLPW508421L | T-SLPW508421R | 1,562 |
| 50 | 90 | T-SLPW509021L | T-SLPW509021R | 1,593 |



Left Hand Shown



Left Hand Shown

## Specify

- Laminate with matching edge

## Notes

- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8" between or at the end of Beam sections.
- Any gallery panel that extends more than 60" from the Beam must be tied to storage or similar support.
- Encounter PowerBench only compatible with 29"H.


## Laminate Gallery Panels – Beam Mount for Wing, Single End

## 25" BEAM MOUNT FOR WING, HORIZONTAL GRAIN PATTERN – SINGLE END


| H  | W  | Left          | Right         | List  |
|----|----|---------------|---------------|-------|
|    |    | Model Number  | Model Number  |       |
| 29 | 48 | T-SLPW294825L | T-SLPW294825R | 795   |
| 29 | 54 | T-SLPW295425L | T-SLPW295425R | 806   |
| 29 | 60 | T-SLPW296025L | T-SLPW296025R | 948   |
| 29 | 66 | T-SLPW296625L | T-SLPW296625R | 993   |
| 29 | 72 | T-SLPW297225L | T-SLPW297225R | 1,056 |
| 29 | 78 | T-SLPW297825L | T-SLPW297825R | 1,118 |
| 29 | 84 | T-SLPW298425L | T-SLPW298425R | 1,179 |
| 29 | 90 | T-SLPW299025L | T-SLPW299025R | 1,240 |
|    |    |               |               |       |
| 42 | 48 | T-SLPW424825L | T-SLPW424825R | 972   |
| 42 | 54 | T-SLPW425425L | T-SLPW425425R | 1,019 |
| 42 | 60 | T-SLPW426025L | T-SLPW426025R | 1,146 |
| 42 | 66 | T-SLPW426625L | T-SLPW426625R | 1,227 |
| 42 | 72 | T-SLPW427225L | T-SLPW427225R | 1,275 |
| 42 | 78 | T-SLPW427825L | T-SLPW427825R | 1,322 |
| 42 | 84 | T-SLPW428425L | T-SLPW428425R | 1,370 |
| 42 | 90 | T-SLPW429025L | T-SLPW429025R | 1,419 |
|    |    |               |               |       |
| 46 | 48 | T-SLPW464825L | T-SLPW464825R | 1,058 |
| 46 | 54 | T-SLPW465425L | T-SLPW465425R | 1,126 |
| 46 | 60 | T-SLPW466025L | T-SLPW466025R | 1,247 |
| 46 | 66 | T-SLPW466625L | T-SLPW466625R | 1,344 |
| 46 | 72 | T-SLPW467225L | T-SLPW467225R | 1,385 |
| 46 | 78 | T-SLPW467825L | T-SLPW467825R | 1,426 |
| 46 | 84 | T-SLPW468425L | T-SLPW468425R | 1,466 |
| 46 | 90 | T-SLPW469025L | T-SLPW469025R | 1,507 |

## 25" BEAM MOUNT FOR WING, HORIZONTAL GRAIN PATTERN – SINGLE END

| H  | W  | Left          | Right         | List  |
|----|----|---------------|---------------|-------|
|    |    | Model Number  | Model Number  |       |
| 50 | 48 | T-SLPW504825L | T-SLPW504825R | 1,145 |
| 50 | 54 | T-SLPW505425L | T-SLPW505425R | 1,234 |
| 50 | 60 | T-SLPW506025L | T-SLPW506025R | 1,348 |
| 50 | 66 | T-SLPW506625L | T-SLPW506625R | 1,461 |
| 50 | 72 | T-SLPW507225L | T-SLPW507225R | 1,496 |
| 50 | 78 | T-SLPW507825L | T-SLPW507825R | 1,529 |
| 50 | 84 | T-SLPW508425L | T-SLPW508425R | 1,562 |
| 50 | 90 | T-SLPW509025L | T-SLPW509025R | 1,593 |
|    |    |               |               |       |
| 58 | 48 | T-SLPW584825L | T-SLPW584825R | 1,206 |
| 58 | 54 | T-SLPW585425L | T-SLPW585425R | 1,266 |
| 58 | 60 | T-SLPW586025L | T-SLPW586025R | 1,376 |
| 58 | 66 | T-SLPW586625L | T-SLPW586625R | 1,483 |
| 58 | 72 | T-SLPW587225L | T-SLPW587225R | 1,592 |
| 58 | 78 | T-SLPW587825L | T-SLPW587825R | 1,703 |
| 58 | 84 | T-SLPW588425L | T-SLPW588425R | 1,813 |
| 58 | 90 | T-SLPW589025L | T-SLPW589025R | 1,921 |



Left Hand Shown



Left Hand Shown

## Specify

- Laminate with matching edge

## Notes

- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8" between or at the end of Beam sections.
- Any gallery panel that extends more than 60" from the Beam must be tied to storage or similar support.
- Encounter PowerBench only compatible with 29"H.


## Laminate Gallery Panels – Beam Mount for Wing, Single End

## 29" BEAM MOUNT FOR WING, HORIZONTAL GRAIN PATTERN – SINGLE END


| H  | W  | Left          | Right         | List  |
|----|----|---------------|---------------|-------|
|    |    | Model Number  | Model Number  |       |
| 29 | 48 | T-SLPW294829L | T-SLPW294829R | 795   |
| 29 | 54 | T-SLPW295429L | T-SLPW295429R | 806   |
| 29 | 60 | T-SLPW296029L | T-SLPW296029R | 948   |
| 29 | 66 | T-SLPW296629L | T-SLPW296629R | 993   |
| 29 | 72 | T-SLPW297229L | T-SLPW297229R | 1,056 |
| 29 | 78 | T-SLPW297829L | T-SLPW297829R | 1,118 |
| 29 | 84 | T-SLPW298429L | T-SLPW298429R | 1,179 |
| 29 | 90 | T-SLPW299029L | T-SLPW299029R | 1,240 |
|    |    |               |               |       |
| 42 | 48 | T-SLPW424829L | T-SLPW424829R | 972   |
| 42 | 54 | T-SLPW425429L | T-SLPW425429R | 1,019 |
| 42 | 60 | T-SLPW426029L | T-SLPW426029R | 1,146 |
| 42 | 66 | T-SLPW426629L | T-SLPW426629R | 1,227 |
| 42 | 72 | T-SLPW427229L | T-SLPW427229R | 1,275 |
| 42 | 78 | T-SLPW427829L | T-SLPW427829R | 1,322 |
| 42 | 84 | T-SLPW428429L | T-SLPW428429R | 1,370 |
| 42 | 90 | T-SLPW429029L | T-SLPW429029R | 1,419 |
|    |    |               |               |       |
| 46 | 48 | T-SLPW464829L | T-SLPW464829R | 1,058 |
| 46 | 54 | T-SLPW465429L | T-SLPW465429R | 1,126 |
| 46 | 60 | T-SLPW466029L | T-SLPW466029R | 1,247 |
| 46 | 66 | T-SLPW466629L | T-SLPW466629R | 1,344 |
| 46 | 72 | T-SLPW467229L | T-SLPW467229R | 1,385 |
| 46 | 78 | T-SLPW467829L | T-SLPW467829R | 1,426 |
| 46 | 84 | T-SLPW468429L | T-SLPW468429R | 1,466 |
| 46 | 90 | T-SLPW469029L | T-SLPW469029R | 1,507 |

## 29" BEAM MOUNT FOR WING, HORIZONTAL GRAIN PATTERN – SINGLE END

| H  | W  | Left          | Right         | List  |
|----|----|---------------|---------------|-------|
|    |    | Model Number  | Model Number  |       |
| 50 | 48 | T-SLPW504829L | T-SLPW504829R | 1,145 |
| 50 | 54 | T-SLPW505429L | T-SLPW505429R | 1,234 |
| 50 | 60 | T-SLPW506029L | T-SLPW506029R | 1,348 |
| 50 | 66 | T-SLPW506629L | T-SLPW506629R | 1,461 |
| 50 | 72 | T-SLPW507229L | T-SLPW507229R | 1,496 |
| 50 | 78 | T-SLPW507829L | T-SLPW507829R | 1,529 |
| 50 | 84 | T-SLPW508429L | T-SLPW508429R | 1,562 |
| 50 | 90 | T-SLPW509029L | T-SLPW509029R | 1,593 |
|    |    |               |               |       |
| 58 | 48 | T-SLPW584829L | T-SLPW584829R | 1,206 |
| 58 | 54 | T-SLPW585429L | T-SLPW585429R | 1,266 |
| 58 | 60 | T-SLPW586029L | T-SLPW586029R | 1,376 |
| 58 | 66 | T-SLPW586629L | T-SLPW586629R | 1,483 |
| 58 | 72 | T-SLPW587229L | T-SLPW587229R | 1,592 |
| 58 | 78 | T-SLPW587829L | T-SLPW587829R | 1,703 |
| 58 | 84 | T-SLPW588429L | T-SLPW588429R | 1,813 |
| 58 | 90 | T-SLPW589029L | T-SLPW589029R | 1,921 |



Left Hand Shown



Left Hand Shown

## Specify


- Laminate with matching edge

## Notes


- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8" between or at the end of Beam sections.
- Any gallery panel that extends more than 60" from the Beam must be tied to storage or similar support.
- Encounter PowerBench only compatible with 29"H.

Laminate Gallery Panels – Beam Mount for Wing, Single End

| 21" BEAM MOUNT FOR WING, VERTICAL GRAIN PATTERN – SINGLE END |    |                |                |       |
|--------------------------------------------------------------|----|----------------|----------------|-------|
|                                                              |    | Left           | Right          |       |
| H                                                            | W  | Model Number   | Model Number   | List  |
| 29                                                           | 48 | T-SLPW294821LV | T-SLPW294821RV | 795   |
| 29                                                           | 54 | T-SLPW295421LV | T-SLPW295421RV | 806   |
| 42                                                           | 48 | T-SLPW424821LV | T-SLPW424821RV | 972   |
| 42                                                           | 54 | T-SLPW425421LV | T-SLPW425421RV | 1,019 |
| 46                                                           | 48 | T-SLPW464821LV | T-SLPW464821RV | 1,058 |
| 46                                                           | 54 | T-SLPW465421LV | T-SLPW465421RV | 1,126 |
| 50                                                           | 48 | T-SLPW504821LV | T-SLPW504821RV | 1,145 |
| 50                                                           | 54 | T-SLPW505421LV | T-SLPW505421RV | 1,234 |



Left Hand Shown




Left Hand Shown

| Specify                       | Notes                                                                                                                                                                                                                                                               |
|-------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| • Laminate with matching edge | • Cannot be used freestanding, must be attached to a Beam.<br>• Encounter PowerBeam gallery panels are ordered specific to Beam height.<br>• Gallery panels add 1 1/8" between or at the end of Beam sections.<br>• Encounter PowerBench only compatible with 29"H. |


## Laminate Gallery Panels – Beam Mount for Wing, Single End

## 25" BEAM MOUNT FOR WING, VERTICAL GRAIN PATTERN – SINGLE END

| H  | W  | Left           | Right          | List  |
|----|----|----------------|----------------|-------|
|    |    | Model Number   | Model Number   |       |
| 29 | 48 | T-SLPW294825LV | T-SLPW294825RV | 795   |
| 29 | 54 | T-SLPW295425LV | T-SLPW295425RV | 806   |
| 42 | 48 | T-SLPW424825LV | T-SLPW424825RV | 972   |
| 42 | 54 | T-SLPW425425LV | T-SLPW425425RV | 1,019 |
| 46 | 48 | T-SLPW464825LV | T-SLPW464825RV | 1,058 |
| 46 | 54 | T-SLPW465425LV | T-SLPW465425RV | 1,126 |
| 50 | 48 | T-SLPW504825LV | T-SLPW504825RV | 1,145 |
| 50 | 54 | T-SLPW505425LV | T-SLPW505425RV | 1,234 |
| 58 | 48 | T-SLPW584825LV | T-SLPW584825RV | 1,206 |
| 58 | 54 | T-SLPW585425LV | T-SLPW585425RV | 1,266 |



Left Hand Shown



Left Hand Shown

## Specify


- Laminate with matching edge

## Notes


- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8" between or at the end of Beam sections.
- Encounter PowerBench only compatible with 29"H.

Laminate Gallery Panels – Beam Mount for Wing, Single End

| 29" BEAM MOUNT FOR WING, VERTICAL GRAIN PATTERN – SINGLE END |    |                |                |       |
|--------------------------------------------------------------|----|----------------|----------------|-------|
|                                                              |    | Left           | Right          | List  |
| H                                                            | W  | Model Number   | Model Number   |       |
| 29                                                           | 48 | T-SLPW294829LV | T-SLPW294829RV | 795   |
| 29                                                           | 54 | T-SLPW295429LV | T-SLPW295429RV | 806   |
| 42                                                           | 48 | T-SLPW424829LV | T-SLPW424829RV | 972   |
| 42                                                           | 54 | T-SLPW425429LV | T-SLPW425429RV | 1,019 |
| 46                                                           | 48 | T-SLPW464829LV | T-SLPW464829RV | 1,058 |
| 46                                                           | 54 | T-SLPW465429LV | T-SLPW465429RV | 1,126 |
| 50                                                           | 48 | T-SLPW504829LV | T-SLPW504829RV | 1,145 |
| 50                                                           | 54 | T-SLPW505429LV | T-SLPW505429RV | 1,234 |
| 58                                                           | 48 | T-SLPW584829LV | T-SLPW584829RV | 1,206 |
| 58                                                           | 54 | T-SLPW585429LV | T-SLPW585429RV | 1,266 |



Left Hand Shown



Left Hand Shown

| Specify                       | Notes                                                                                                                                                                                                                                                               |
|-------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| • Laminate with matching edge | • Cannot be used freestanding, must be attached to a Beam.<br>• Encounter PowerBeam gallery panels are ordered specific to Beam height.<br>• Gallery panels add 1 1/8" between or at the end of Beam sections.<br>• Encounter PowerBench only compatible with 29"H. |


## Laminate Gallery Panels – Mid Mount End

## 21" MID MOUNT END, HORIZONTAL GRAIN PATTERN


| H  | W  | Left         | Right        | List  |
|----|----|--------------|--------------|-------|
|    |    | Model Number | Model Number |       |
| 29 | 24 | T-SLM292421L | T-SLM292421R | 678   |
| 29 | 30 | T-SLM293021L | T-SLM293021R | 712   |
| 29 | 36 | T-SLM293621L | T-SLM293621R | 731   |
| 29 | 42 | T-SLM294221L | T-SLM294221R | 747   |
| 29 | 48 | T-SLM294821L | T-SLM294821R | 758   |
| 29 | 54 | T-SLM295421L | T-SLM295421R | 769   |
| 29 | 60 | T-SLM296021L | T-SLM296021R | 909   |
| 29 | 66 | T-SLM296621L | T-SLM296621R | 955   |
| 29 | 72 | T-SLM297221L | T-SLM297221R | 1,018 |
| 29 | 78 | T-SLM297821L | T-SLM297821R | 1,078 |
| 29 | 84 | T-SLM298421L | T-SLM298421R | 1,139 |
| 29 | 90 | T-SLM299021L | T-SLM299021R | 1,200 |
|    |    |              |              |       |
| 42 | 24 | T-SLM422421L | T-SLM422421R | 728   |
| 42 | 30 | T-SLM423021L | T-SLM423021R | 786   |
| 42 | 36 | T-SLM423621L | T-SLM423621R | 835   |
| 42 | 42 | T-SLM424221L | T-SLM424221R | 882   |
| 42 | 48 | T-SLM424821L | T-SLM424821R | 934   |
| 42 | 54 | T-SLM425421L | T-SLM425421R | 981   |
| 42 | 60 | T-SLM426021L | T-SLM426021R | 1,107 |
| 42 | 66 | T-SLM426621L | T-SLM426621R | 1,192 |
| 42 | 72 | T-SLM427221L | T-SLM427221R | 1,238 |
| 42 | 78 | T-SLM427821L | T-SLM427821R | 1,285 |
| 42 | 84 | T-SLM428421L | T-SLM428421R | 1,332 |
| 42 | 90 | T-SLM429021L | T-SLM429021R | 1,381 |

## 21" MID MOUNT END, HORIZONTAL GRAIN PATTERN

| H  | W  | Left         | Right        | List  |
|----|----|--------------|--------------|-------|
|    |    | Model Number | Model Number |       |
| 46 | 24 | T-SLM462421L | T-SLM462421R | 727   |
| 46 | 30 | T-SLM463021L | T-SLM463021R | 786   |
| 46 | 36 | T-SLM463621L | T-SLM463621R | 835   |
| 46 | 42 | T-SLM464221L | T-SLM464221R | 884   |
| 46 | 48 | T-SLM464821L | T-SLM464821R | 933   |
| 46 | 54 | T-SLM465421L | T-SLM465421R | 981   |
| 46 | 60 | T-SLM466021L | T-SLM466021R | 1,109 |
| 46 | 66 | T-SLM466621L | T-SLM466621R | 1,188 |
| 46 | 72 | T-SLM467221L | T-SLM467221R | 1,276 |
| 46 | 78 | T-SLM467821L | T-SLM467821R | 1,363 |
| 46 | 84 | T-SLM468421L | T-SLM468421R | 1,450 |
| 46 | 90 | T-SLM469021L | T-SLM469021R | 1,537 |
|    |    |              |              |       |
| 50 | 24 | T-SLM502421L | T-SLM502421R | 778   |
| 50 | 30 | T-SLM503021L | T-SLM503021R | 859   |
| 50 | 36 | T-SLM503621L | T-SLM503621R | 937   |
| 50 | 42 | T-SLM504221L | T-SLM504221R | 1,020 |
| 50 | 48 | T-SLM504821L | T-SLM504821R | 1,105 |
| 50 | 54 | T-SLM505421L | T-SLM505421R | 1,195 |
| 50 | 60 | T-SLM506021L | T-SLM506021R | 1,309 |
| 50 | 66 | T-SLM506621L | T-SLM506621R | 1,422 |
| 50 | 72 | T-SLM507221L | T-SLM507221R | 1,536 |
| 50 | 78 | T-SLM507821L | T-SLM507821R | 1,649 |
| 50 | 84 | T-SLM508421L | T-SLM508421R | 1,761 |
| 50 | 90 | T-SLM509021L | T-SLM509021R | 1,873 |



Left Hand Shown



## Specify

- Select paint
- Laminate with matching edge


## Notes

- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8" between or at the end of Beam sections.
- Any gallery panel that extends more than 60" from the Beam must be tied to storage or similar support.
- Mid mounts are not compatible with PowerBench.


## Laminate Gallery Panels – Mid Mount End

| 25" MID MOUNT END, HORIZONTAL GRAIN PATTERN |    |              |              |       |
|---------------------------------------------|----|--------------|--------------|-------|
| H                                           | W  | Left         | Right        | List  |
|                                             |    | Model Number | Model Number |       |
| 29                                          | 24 | T-SLM292425L | T-SLM292425R | 678   |
| 29                                          | 30 | T-SLM293025L | T-SLM293025R | 712   |
| 29                                          | 36 | T-SLM293625L | T-SLM293625R | 731   |
| 29                                          | 42 | T-SLM294225L | T-SLM294225R | 747   |
| 29                                          | 48 | T-SLM294825L | T-SLM294825R | 758   |
| 29                                          | 54 | T-SLM295425L | T-SLM295425R | 769   |
| 29                                          | 60 | T-SLM296025L | T-SLM296025R | 909   |
| 29                                          | 66 | T-SLM296625L | T-SLM296625R | 955   |
| 29                                          | 72 | T-SLM297225L | T-SLM297225R | 1,018 |
| 29                                          | 78 | T-SLM297825L | T-SLM297825R | 1,078 |
| 29                                          | 84 | T-SLM298425L | T-SLM298425R | 1,139 |
| 29                                          | 90 | T-SLM299025L | T-SLM299025R | 1,200 |
|                                             |    |              |              |       |
| 42                                          | 24 | T-SLM422425L | T-SLM422425R | 728   |
| 42                                          | 30 | T-SLM423025L | T-SLM423025R | 786   |
| 42                                          | 36 | T-SLM423625L | T-SLM423625R | 835   |
| 42                                          | 42 | T-SLM424225L | T-SLM424225R | 882   |
| 42                                          | 48 | T-SLM424825L | T-SLM424825R | 934   |
| 42                                          | 54 | T-SLM425425L | T-SLM425425R | 981   |
| 42                                          | 60 | T-SLM426025L | T-SLM426025R | 1,107 |
| 42                                          | 66 | T-SLM426625L | T-SLM426625R | 1,192 |
| 42                                          | 72 | T-SLM427225L | T-SLM427225R | 1,238 |
| 42                                          | 78 | T-SLM427825L | T-SLM427825R | 1,285 |
| 42                                          | 84 | T-SLM428425L | T-SLM428425R | 1,332 |
| 42                                          | 90 | T-SLM429025L | T-SLM429025R | 1,381 |

| 25" MID MOUNT END, HORIZONTAL GRAIN PATTERN |    |              |              |       |
|---------------------------------------------|----|--------------|--------------|-------|
| H                                           | W  | Left         | Right        | List  |
|                                             |    | Model Number | Model Number |       |
| 46                                          | 24 | T-SLM462425L | T-SLM462425R | 727   |
| 46                                          | 30 | T-SLM463025L | T-SLM463025R | 786   |
| 46                                          | 36 | T-SLM463625L | T-SLM463625R | 835   |
| 46                                          | 42 | T-SLM464225L | T-SLM464225R | 884   |
| 46                                          | 48 | T-SLM464825L | T-SLM464825R | 933   |
| 46                                          | 54 | T-SLM465425L | T-SLM465425R | 981   |
| 46                                          | 60 | T-SLM466025L | T-SLM466025R | 1,109 |
| 46                                          | 66 | T-SLM466625L | T-SLM466625R | 1,188 |
| 46                                          | 72 | T-SLM467225L | T-SLM467225R | 1,276 |
| 46                                          | 78 | T-SLM467825L | T-SLM467825R | 1,363 |
| 46                                          | 84 | T-SLM468425L | T-SLM468425R | 1,450 |
| 46                                          | 90 | T-SLM469025L | T-SLM469025R | 1,537 |
|                                             |    |              |              |       |
| 50                                          | 24 | T-SLM502425L | T-SLM502425R | 778   |
| 50                                          | 30 | T-SLM503025L | T-SLM503025R | 859   |
| 50                                          | 36 | T-SLM503625L | T-SLM503625R | 937   |
| 50                                          | 42 | T-SLM504225L | T-SLM504225R | 1,020 |
| 50                                          | 48 | T-SLM504825L | T-SLM504825R | 1,105 |
| 50                                          | 54 | T-SLM505425L | T-SLM505425R | 1,195 |
| 50                                          | 60 | T-SLM506025L | T-SLM506025R | 1,309 |
| 50                                          | 66 | T-SLM506625L | T-SLM506625R | 1,422 |
| 50                                          | 72 | T-SLM507225L | T-SLM507225R | 1,536 |
| 50                                          | 78 | T-SLM507825L | T-SLM507825R | 1,649 |
| 50                                          | 84 | T-SLM508425L | T-SLM508425R | 1,761 |
| 50                                          | 90 | T-SLM509025L | T-SLM509025R | 1,873 |



Left Hand Shown



## Specify

- Select paint
- Laminate with matching edge


## Notes

- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8" between or at the end of Beam sections.
- Any gallery panel that extends more than 60" from the Beam must be tied to storage or similar support.
- Mid mounts are not compatible with PowerBench.


## Laminate Gallery Panels – Mid Mount End

## 25" MID MOUNT END, HORIZONTAL GRAIN PATTERN

| H  | W  | Left         | Right        | List  |
|----|----|--------------|--------------|-------|
|    |    | Model Number | Model Number |       |
| 58 | 24 | T-SLM582425L | T-SLM582425R | 868   |
| 58 | 30 | T-SLM583025L | T-SLM583025R | 951   |
| 58 | 36 | T-SLM583625L | T-SLM583625R | 1,025 |
| 58 | 42 | T-SLM584225L | T-SLM584225R | 1,104 |
| 58 | 48 | T-SLM584825L | T-SLM584825R | 1,166 |
| 58 | 54 | T-SLM585425L | T-SLM585425R | 1,227 |
| 58 | 60 | T-SLM586025L | T-SLM586025R | 1,338 |
| 58 | 66 | T-SLM586625L | T-SLM586625R | 1,447 |
| 58 | 72 | T-SLM587225L | T-SLM587225R | 1,557 |
| 58 | 78 | T-SLM587825L | T-SLM587825R | 1,667 |
| 58 | 84 | T-SLM588425L | T-SLM588425R | 1,776 |
| 58 | 90 | T-SLM589025L | T-SLM589025R | 1,886 |



Left Hand Shown



## Specify

- Select paint
- Laminate with matching edge


## Notes

- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8" between or at the end of Beam sections.
- Any gallery panel that extends more than 60" from the Beam must be tied to storage or similar support.
- Mid mounts are not compatible with PowerBench.


## Laminate Gallery Panels – Mid Mount End

| 29" MID MOUNT END, HORIZONTAL GRAIN PATTERN |    |              |              |       |
|---------------------------------------------|----|--------------|--------------|-------|
|                                             |    | Left         | Right        | List  |
| H                                           | W  | Model Number | Model Number |       |
| 29                                          | 24 | T-SLM292429L | T-SLM292429R | 678   |
| 29                                          | 30 | T-SLM293029L | T-SLM293029R | 712   |
| 29                                          | 36 | T-SLM293629L | T-SLM293629R | 731   |
| 29                                          | 42 | T-SLM294229L | T-SLM294229R | 747   |
| 29                                          | 48 | T-SLM294829L | T-SLM294829R | 758   |
| 29                                          | 54 | T-SLM295429L | T-SLM295429R | 769   |
| 29                                          | 60 | T-SLM296029L | T-SLM296029R | 909   |
| 29                                          | 66 | T-SLM296629L | T-SLM296629R | 955   |
| 29                                          | 72 | T-SLM297229L | T-SLM297229R | 1,018 |
| 29                                          | 78 | T-SLM297829L | T-SLM297829R | 1,078 |
| 29                                          | 84 | T-SLM298429L | T-SLM298429R | 1,139 |
| 29                                          | 90 | T-SLM299029L | T-SLM299029R | 1,200 |
|                                             |    |              |              |       |
| 42                                          | 24 | T-SLM422429L | T-SLM422429R | 728   |
| 42                                          | 30 | T-SLM423029L | T-SLM423029R | 786   |
| 42                                          | 36 | T-SLM423629L | T-SLM423629R | 835   |
| 42                                          | 42 | T-SLM424229L | T-SLM424229R | 882   |
| 42                                          | 48 | T-SLM424829L | T-SLM424829R | 934   |
| 42                                          | 54 | T-SLM425429L | T-SLM425429R | 981   |
| 42                                          | 60 | T-SLM426029L | T-SLM426029R | 1,107 |
| 42                                          | 66 | T-SLM426629L | T-SLM426629R | 1,192 |
| 42                                          | 72 | T-SLM427229L | T-SLM427229R | 1,238 |
| 42                                          | 78 | T-SLM427829L | T-SLM427829R | 1,285 |
| 42                                          | 84 | T-SLM428429L | T-SLM428429R | 1,332 |
| 42                                          | 90 | T-SLM429029L | T-SLM429029R | 1,381 |

| 29" MID MOUNT END, HORIZONTAL GRAIN PATTERN |    |              |              |       |
|---------------------------------------------|----|--------------|--------------|-------|
|                                             |    | Left         | Right        | List  |
| H                                           | W  | Model Number | Model Number |       |
| 46                                          | 24 | T-SLM462429L | T-SLM462429R | 727   |
| 46                                          | 30 | T-SLM463029L | T-SLM463029R | 786   |
| 46                                          | 36 | T-SLM463629L | T-SLM463629R | 835   |
| 46                                          | 42 | T-SLM464229L | T-SLM464229R | 884   |
| 46                                          | 48 | T-SLM464829L | T-SLM464829R | 933   |
| 46                                          | 54 | T-SLM465429L | T-SLM465429R | 981   |
| 46                                          | 60 | T-SLM466029L | T-SLM466029R | 1,109 |
| 46                                          | 66 | T-SLM466629L | T-SLM466629R | 1,188 |
| 46                                          | 72 | T-SLM467229L | T-SLM467229R | 1,276 |
| 46                                          | 78 | T-SLM467829L | T-SLM467829R | 1,363 |
| 46                                          | 84 | T-SLM468429L | T-SLM468429R | 1,450 |
| 46                                          | 90 | T-SLM469029L | T-SLM469029R | 1,537 |
|                                             |    |              |              |       |
| 50                                          | 24 | T-SLM502429L | T-SLM502429R | 778   |
| 50                                          | 30 | T-SLM503029L | T-SLM503029R | 859   |
| 50                                          | 36 | T-SLM503629L | T-SLM503629R | 937   |
| 50                                          | 42 | T-SLM504229L | T-SLM504229R | 1,020 |
| 50                                          | 48 | T-SLM504829L | T-SLM504829R | 1,105 |
| 50                                          | 54 | T-SLM505429L | T-SLM505429R | 1,195 |
| 50                                          | 60 | T-SLM506029L | T-SLM506029R | 1,309 |
| 50                                          | 66 | T-SLM506629L | T-SLM506629R | 1,422 |
| 50                                          | 72 | T-SLM507229L | T-SLM507229R | 1,536 |
| 50                                          | 78 | T-SLM507829L | T-SLM507829R | 1,649 |
| 50                                          | 84 | T-SLM508429L | T-SLM508429R | 1,761 |
| 50                                          | 90 | T-SLM509029L | T-SLM509029R | 1,873 |



Left Hand Shown



## Specify

- Select paint
- Laminate with matching edge


## Notes

- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8" between or at the end of Beam sections.
- Any gallery panel that extends more than 60" from the Beam must be tied to storage or similar support.
- Mid mounts are not compatible with PowerBench.


## Laminate Gallery Panels – Mid Mount End

## 29" MID MOUNT END, HORIZONTAL GRAIN PATTERN

| H  | W  | Left         | Right        | List  |
|----|----|--------------|--------------|-------|
|    |    | Model Number | Model Number |       |
| 58 | 24 | T-SLM582429L | T-SLM582429R | 868   |
| 58 | 30 | T-SLM583029L | T-SLM583029R | 951   |
| 58 | 36 | T-SLM583629L | T-SLM583629R | 1,025 |
| 58 | 42 | T-SLM584229L | T-SLM584229R | 1,104 |
| 58 | 48 | T-SLM584829L | T-SLM584829R | 1,166 |
| 58 | 54 | T-SLM585429L | T-SLM585429R | 1,227 |
| 58 | 60 | T-SLM586029L | T-SLM586029R | 1,338 |
| 58 | 66 | T-SLM586629L | T-SLM586629R | 1,447 |
| 58 | 72 | T-SLM587229L | T-SLM587229R | 1,557 |
| 58 | 78 | T-SLM587829L | T-SLM587829R | 1,667 |
| 58 | 84 | T-SLM588429L | T-SLM588429R | 1,776 |
| 58 | 90 | T-SLM589029L | T-SLM589029R | 1,886 |



Left Hand Shown



## Specify

- Select paint
- Laminate with matching edge


## Notes

- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8" between or at the end of Beam sections.
- Any gallery panel that extends more than 60" from the Beam must be tied to storage or similar support.
- Mid mounts are not compatible with PowerBench.


## Laminate Gallery Panels – Mid Mount End

| 21" MID MOUNT END, VERTICAL GRAIN PATTERN |    |               |               |      |
|-------------------------------------------|----|---------------|---------------|------|
|                                           |    | Left          | Right         | List |
| H                                         | W  | Model Number  | Model Number  |      |
| 29                                        | 24 | T-SLM292421LV | T-SLM292421RV | 678  |
| 29                                        | 30 | T-SLM293021LV | T-SLM293021RV | 712  |
| 29                                        | 36 | T-SLM293621LV | T-SLM293621RV | 731  |
| 29                                        | 42 | T-SLM294221LV | T-SLM294221RV | 747  |
| 29                                        | 48 | T-SLM294821LV | T-SLM294821RV | 758  |
| 29                                        | 54 | T-SLM295421LV | T-SLM295421RV | 769  |
| 42                                        | 24 | T-SLM422421LV | T-SLM422421RV | 728  |
| 42                                        | 30 | T-SLM423021LV | T-SLM423021RV | 786  |
| 42                                        | 36 | T-SLM423621LV | T-SLM423621RV | 835  |
| 42                                        | 42 | T-SLM424221LV | T-SLM424221RV | 882  |
| 42                                        | 48 | T-SLM424821LV | T-SLM424821RV | 934  |
| 42                                        | 54 | T-SLM425421LV | T-SLM425421RV | 981  |

| 21" MID MOUNT END, VERTICAL GRAIN PATTERN |    |               |               |       |
|-------------------------------------------|----|---------------|---------------|-------|
|                                           |    | Left          | Right         | List  |
| H                                         | W  | Model Number  | Model Number  |       |
| 46                                        | 24 | T-SLM462421LV | T-SLM462421RV | 754   |
| 46                                        | 30 | T-SLM463021LV | T-SLM463021RV | 822   |
| 46                                        | 36 | T-SLM463621LV | T-SLM463621RV | 886   |
| 46                                        | 42 | T-SLM464221LV | T-SLM464221RV | 951   |
| 46                                        | 48 | T-SLM464821LV | T-SLM464821RV | 1,020 |
| 46                                        | 54 | T-SLM465421LV | T-SLM465421RV | 1,089 |
| 50                                        | 24 | T-SLM502421LV | T-SLM502421RV | 778   |
| 50                                        | 30 | T-SLM503021LV | T-SLM503021RV | 859   |
| 50                                        | 36 | T-SLM503621LV | T-SLM503621RV | 937   |
| 50                                        | 42 | T-SLM504221LV | T-SLM504221RV | 1,020 |
| 50                                        | 48 | T-SLM504821LV | T-SLM504821RV | 1,105 |
| 50                                        | 54 | T-SLM505421LV | T-SLM505421RV | 1,195 |



Left Hand Shown



## Specify

- Select paint
- Laminate with matching edge


## Notes

- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8" between or at the end of Beam sections.
- Mid mounts are not compatible with PowerBench.


## Laminate Gallery Panels – Mid Mount End

| 25" MID MOUNT END, VERTICAL GRAIN PATTERN |    |               |               |       |
|-------------------------------------------|----|---------------|---------------|-------|
|                                           |    | Left          | Right         | List  |
| H                                         | W  | Model Number  | Model Number  |       |
| 29                                        | 24 | T-SLM292425LV | T-SLM292425RV | 678   |
| 29                                        | 30 | T-SLM293025LV | T-SLM293025RV | 712   |
| 29                                        | 36 | T-SLM293625LV | T-SLM293625RV | 731   |
| 29                                        | 42 | T-SLM294225LV | T-SLM294225RV | 747   |
| 29                                        | 48 | T-SLM294825LV | T-SLM294825RV | 758   |
| 29                                        | 54 | T-SLM295425LV | T-SLM295425RV | 769   |
|                                           |    |               |               |       |
| 42                                        | 24 | T-SLM422425LV | T-SLM422425RV | 728   |
| 42                                        | 30 | T-SLM423025LV | T-SLM423025RV | 786   |
| 42                                        | 36 | T-SLM423625LV | T-SLM423625RV | 835   |
| 42                                        | 42 | T-SLM424225LV | T-SLM424225RV | 882   |
| 42                                        | 48 | T-SLM424825LV | T-SLM424825RV | 934   |
| 42                                        | 54 | T-SLM425425LV | T-SLM425425RV | 981   |
|                                           |    |               |               |       |
| 46                                        | 24 | T-SLM462425LV | T-SLM462425RV | 754   |
| 46                                        | 30 | T-SLM463025LV | T-SLM463025RV | 822   |
| 46                                        | 36 | T-SLM463625LV | T-SLM463625RV | 886   |
| 46                                        | 42 | T-SLM464225LV | T-SLM464225RV | 951   |
| 46                                        | 48 | T-SLM464825LV | T-SLM464825RV | 1,020 |
| 46                                        | 54 | T-SLM465425LV | T-SLM465425RV | 1,089 |

| 25" MID MOUNT END, VERTICAL GRAIN PATTERN |    |               |               |       |
|-------------------------------------------|----|---------------|---------------|-------|
|                                           |    | Left          | Right         | List  |
| H                                         | W  | Model Number  | Model Number  |       |
| 50                                        | 24 | T-SLM502425LV | T-SLM502425RV | 778   |
| 50                                        | 30 | T-SLM503025LV | T-SLM503025RV | 859   |
| 50                                        | 36 | T-SLM503625LV | T-SLM503625RV | 937   |
| 50                                        | 42 | T-SLM504225LV | T-SLM504225RV | 1,020 |
| 50                                        | 48 | T-SLM504825LV | T-SLM504825RV | 1,105 |
| 50                                        | 54 | T-SLM505425LV | T-SLM505425RV | 1,195 |
|                                           |    |               |               |       |
| 58                                        | 24 | T-SLM582425LV | T-SLM582425RV | 868   |
| 58                                        | 30 | T-SLM583025LV | T-SLM583025RV | 951   |
| 58                                        | 36 | T-SLM583625LV | T-SLM583625RV | 1,025 |
| 58                                        | 42 | T-SLM584225LV | T-SLM584225RV | 1,104 |
| 58                                        | 48 | T-SLM584825LV | T-SLM584825RV | 1,166 |
| 58                                        | 54 | T-SLM585425LV | T-SLM585425RV | 1,227 |



Left Hand Shown



## Specify

- Select paint
- Laminate with matching edge


## Notes

- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8" between or at the end of Beam sections.
- Mid mounts are not compatible with PowerBench.


## Laminate Gallery Panels – Mid Mount End

| 29" MID MOUNT END, VERTICAL GRAIN PATTERN |    |               |               |       |
|-------------------------------------------|----|---------------|---------------|-------|
|                                           |    | Left          | Right         | List  |
| H                                         | W  | Model Number  | Model Number  |       |
| 29                                        | 24 | T-SLM292429LV | T-SLM292429RV | 678   |
| 29                                        | 30 | T-SLM293029LV | T-SLM293029RV | 712   |
| 29                                        | 36 | T-SLM293629LV | T-SLM293629RV | 731   |
| 29                                        | 42 | T-SLM294229LV | T-SLM294229RV | 747   |
| 29                                        | 48 | T-SLM294829LV | T-SLM294829RV | 758   |
| 29                                        | 54 | T-SLM295429LV | T-SLM295429RV | 769   |
|                                           |    |               |               |       |
| 42                                        | 24 | T-SLM422429LV | T-SLM422429RV | 728   |
| 42                                        | 30 | T-SLM423029LV | T-SLM423029RV | 786   |
| 42                                        | 36 | T-SLM423629LV | T-SLM423629RV | 835   |
| 42                                        | 42 | T-SLM424229LV | T-SLM424229RV | 882   |
| 42                                        | 48 | T-SLM424829LV | T-SLM424829RV | 934   |
| 42                                        | 54 | T-SLM425429LV | T-SLM425429RV | 981   |
|                                           |    |               |               |       |
| 46                                        | 24 | T-SLM462429LV | T-SLM462429RV | 754   |
| 46                                        | 30 | T-SLM463029LV | T-SLM463029RV | 822   |
| 46                                        | 36 | T-SLM463629LV | T-SLM463629RV | 886   |
| 46                                        | 42 | T-SLM464229LV | T-SLM464229RV | 951   |
| 46                                        | 48 | T-SLM464829LV | T-SLM464829RV | 1,020 |
| 46                                        | 54 | T-SLM465429LV | T-SLM465429RV | 1,089 |

| 29" MID MOUNT END, VERTICAL GRAIN PATTERN |    |               |               |       |
|-------------------------------------------|----|---------------|---------------|-------|
|                                           |    | Left          | Right         | List  |
| H                                         | W  | Model Number  | Model Number  |       |
| 50                                        | 24 | T-SLM502429LV | T-SLM502429RV | 778   |
| 50                                        | 30 | T-SLM503029LV | T-SLM503029RV | 859   |
| 50                                        | 36 | T-SLM503629LV | T-SLM503629RV | 937   |
| 50                                        | 42 | T-SLM504229LV | T-SLM504229RV | 1,020 |
| 50                                        | 48 | T-SLM504829LV | T-SLM504829RV | 1,105 |
| 50                                        | 54 | T-SLM505429LV | T-SLM505429RV | 1,195 |
|                                           |    |               |               |       |
| 58                                        | 24 | T-SLM582429LV | T-SLM582429RV | 868   |
| 58                                        | 30 | T-SLM583029LV | T-SLM583029RV | 951   |
| 58                                        | 36 | T-SLM583629LV | T-SLM583629RV | 1,025 |
| 58                                        | 42 | T-SLM584229LV | T-SLM584229RV | 1,104 |
| 58                                        | 48 | T-SLM584829LV | T-SLM584829RV | 1,166 |
| 58                                        | 54 | T-SLM585429LV | T-SLM585429RV | 1,227 |



Left Hand Shown



## Specify

- Select paint
- Laminate with matching edge

## Notes

- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8" between or at the end of Beam sections.
- Mid mounts are not compatible with PowerBench.


## Laminate Gallery Panels – Mid Mount End for Wing

## 21" MID MOUNT END FOR WING, HORIZONTAL GRAIN PATTERN


| H  | W  | Left          | Right         | List  |
|----|----|---------------|---------------|-------|
|    |    | Model Number  | Model Number  |       |
| 29 | 48 | T-SLMW294821L | T-SLMW294821R | 795   |
| 29 | 54 | T-SLMW295421L | T-SLMW295421R | 806   |
| 29 | 60 | T-SLMW296021L | T-SLMW296021R | 948   |
| 29 | 66 | T-SLMW296621L | T-SLMW296621R | 993   |
| 29 | 72 | T-SLMW297221L | T-SLMW297221R | 1,056 |
| 29 | 78 | T-SLMW297821L | T-SLMW297821R | 1,118 |
| 29 | 84 | T-SLMW298421L | T-SLMW298421R | 1,179 |
| 29 | 90 | T-SLMW299021L | T-SLMW299021R | 1,240 |
|    |    |               |               |       |
| 42 | 48 | T-SLMW424821L | T-SLMW424821R | 972   |
| 42 | 54 | T-SLMW425421L | T-SLMW425421R | 1,019 |
| 42 | 60 | T-SLMW426021L | T-SLMW426021R | 1,146 |
| 42 | 66 | T-SLMW426621L | T-SLMW426621R | 1,227 |
| 42 | 72 | T-SLMW427221L | T-SLMW427221R | 1,275 |
| 42 | 78 | T-SLMW427821L | T-SLMW427821R | 1,322 |
| 42 | 84 | T-SLMW428421L | T-SLMW428421R | 1,370 |
| 42 | 90 | T-SLMW429021L | T-SLMW429021R | 1,419 |

## 21" MID MOUNT END FOR WING, HORIZONTAL GRAIN PATTERN

| H  | W  | Left          | Right         | List  |
|----|----|---------------|---------------|-------|
|    |    | Model Number  | Model Number  |       |
| 46 | 48 | T-SLMW464821L | T-SLMW464821R | 1,058 |
| 46 | 54 | T-SLMW465421L | T-SLMW465421R | 1,125 |
| 46 | 60 | T-SLMW466021L | T-SLMW466021R | 1,247 |
| 46 | 66 | T-SLMW466621L | T-SLMW466621R | 1,344 |
| 46 | 72 | T-SLMW467221L | T-SLMW467221R | 1,385 |
| 46 | 78 | T-SLMW467821L | T-SLMW467821R | 1,426 |
| 46 | 84 | T-SLMW468421L | T-SLMW468421R | 1,466 |
| 46 | 90 | T-SLMW469021L | T-SLMW469021R | 1,507 |
|    |    |               |               |       |
| 50 | 48 | T-SLMW504821L | T-SLMW504821R | 1,145 |
| 50 | 54 | T-SLMW505421L | T-SLMW505421R | 1,233 |
| 50 | 60 | T-SLMW506021L | T-SLMW506021R | 1,348 |
| 50 | 66 | T-SLMW506621L | T-SLMW506621R | 1,461 |
| 50 | 72 | T-SLMW507221L | T-SLMW507221R | 1,496 |
| 50 | 78 | T-SLMW507821L | T-SLMW507821R | 1,529 |
| 50 | 84 | T-SLMW508421L | T-SLMW508421R | 1,562 |
| 50 | 90 | T-SLMW509021L | T-SLMW509021R | 1,593 |



Left Hand Shown



## Specify

- Select paint
- Laminate with matching edge

## Notes

- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8" between or at the end of Beam sections.
- Any gallery panel that extends more than 60" from the Beam must be tied to storage or similar support.
- Mid mounts are not compatible with PowerBench.


## Laminate Gallery Panels – Mid Mount End for Wing

## 25" MID MOUNT END FOR WING, HORIZONTAL GRAIN PATTERN


| H  | W  | Left          | Right         | List  |
|----|----|---------------|---------------|-------|
|    |    | Model Number  | Model Number  |       |
| 29 | 48 | T-SLMW294825L | T-SLMW294825R | 795   |
| 29 | 54 | T-SLMW295425L | T-SLMW295425R | 806   |
| 29 | 60 | T-SLMW296025L | T-SLMW296025R | 948   |
| 29 | 66 | T-SLMW296625L | T-SLMW296625R | 993   |
| 29 | 72 | T-SLMW297225L | T-SLMW297225R | 1,056 |
| 29 | 78 | T-SLMW297825L | T-SLMW297825R | 1,118 |
| 29 | 84 | T-SLMW298425L | T-SLMW298425R | 1,179 |
| 29 | 90 | T-SLMW299025L | T-SLMW299025R | 1,240 |
|    |    |               |               |       |
| 42 | 48 | T-SLMW424825L | T-SLMW424825R | 972   |
| 42 | 54 | T-SLMW425425L | T-SLMW425425R | 1,019 |
| 42 | 60 | T-SLMW426025L | T-SLMW426025R | 1,146 |
| 42 | 66 | T-SLMW426625L | T-SLMW426625R | 1,227 |
| 42 | 72 | T-SLMW427225L | T-SLMW427225R | 1,275 |
| 42 | 78 | T-SLMW427825L | T-SLMW427825R | 1,322 |
| 42 | 84 | T-SLMW428425L | T-SLMW428425R | 1,370 |
| 42 | 90 | T-SLMW429025L | T-SLMW429025R | 1,419 |
|    |    |               |               |       |
| 46 | 48 | T-SLMW464825L | T-SLMW464825R | 1,058 |
| 46 | 54 | T-SLMW465425L | T-SLMW465425R | 1,125 |
| 46 | 60 | T-SLMW466025L | T-SLMW466025R | 1,247 |
| 46 | 66 | T-SLMW466625L | T-SLMW466625R | 1,344 |
| 46 | 72 | T-SLMW467225L | T-SLMW467225R | 1,385 |
| 46 | 78 | T-SLMW467825L | T-SLMW467825R | 1,426 |
| 46 | 84 | T-SLMW468425L | T-SLMW468425R | 1,466 |
| 46 | 90 | T-SLMW469025L | T-SLMW469025R | 1,507 |

## 25" MID MOUNT END FOR WING, HORIZONTAL GRAIN PATTERN

| H  | W  | Left          | Right         | List  |
|----|----|---------------|---------------|-------|
|    |    | Model Number  | Model Number  |       |
| 50 | 48 | T-SLMW504825L | T-SLMW504825R | 1,145 |
| 50 | 54 | T-SLMW505425L | T-SLMW505425R | 1,233 |
| 50 | 60 | T-SLMW506025L | T-SLMW506025R | 1,348 |
| 50 | 66 | T-SLMW506625L | T-SLMW506625R | 1,461 |
| 50 | 72 | T-SLMW507225L | T-SLMW507225R | 1,496 |
| 50 | 78 | T-SLMW507825L | T-SLMW507825R | 1,529 |
| 50 | 84 | T-SLMW508425L | T-SLMW508425R | 1,562 |
| 50 | 90 | T-SLMW509025L | T-SLMW509025R | 1,593 |
|    |    |               |               |       |
| 58 | 48 | T-SLMW584825L | T-SLMW584825R | 1,206 |
| 58 | 54 | T-SLMW585425L | T-SLMW585425R | 1,266 |
| 58 | 60 | T-SLMW586025L | T-SLMW586025R | 1,376 |
| 58 | 66 | T-SLMW586625L | T-SLMW586625R | 1,483 |
| 58 | 72 | T-SLMW587225L | T-SLMW587225R | 1,592 |
| 58 | 78 | T-SLMW587825L | T-SLMW587825R | 1,703 |
| 58 | 84 | T-SLMW588425L | T-SLMW588425R | 1,813 |
| 58 | 90 | T-SLMW589025L | T-SLMW589025R | 1,921 |



Left Hand Shown



## Specify

- Select paint
- Laminate with matching edge

## Notes

- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8" between or at the end of Beam sections.
- Any gallery panel that extends more than 60" from the Beam must be tied to storage or similar support.
- Mid mounts are not compatible with PowerBench.


## Laminate Gallery Panels – Mid Mount End for Wing

## 29" MID MOUNT END FOR WING, HORIZONTAL GRAIN PATTERN


| H  | W  | Left          | Right         | List  |
|----|----|---------------|---------------|-------|
|    |    | Model Number  | Model Number  |       |
| 29 | 48 | T-SLMW294829L | T-SLMW294829R | 795   |
| 29 | 54 | T-SLMW295429L | T-SLMW295429R | 806   |
| 29 | 60 | T-SLMW296029L | T-SLMW296029R | 948   |
| 29 | 66 | T-SLMW296629L | T-SLMW296629R | 993   |
| 29 | 72 | T-SLMW297229L | T-SLMW297229R | 1,056 |
| 29 | 78 | T-SLMW297829L | T-SLMW297829R | 1,118 |
| 29 | 84 | T-SLMW298429L | T-SLMW298429R | 1,179 |
| 29 | 90 | T-SLMW299029L | T-SLMW299029R | 1,240 |
|    |    |               |               |       |
| 42 | 48 | T-SLMW424829L | T-SLMW424829R | 972   |
| 42 | 54 | T-SLMW425429L | T-SLMW425429R | 1,019 |
| 42 | 60 | T-SLMW426029L | T-SLMW426029R | 1,146 |
| 42 | 66 | T-SLMW426629L | T-SLMW426629R | 1,227 |
| 42 | 72 | T-SLMW427229L | T-SLMW427229R | 1,275 |
| 42 | 78 | T-SLMW427829L | T-SLMW427829R | 1,322 |
| 42 | 84 | T-SLMW428429L | T-SLMW428429R | 1,370 |
| 42 | 90 | T-SLMW429029L | T-SLMW429029R | 1,419 |
|    |    |               |               |       |
| 46 | 48 | T-SLMW464829L | T-SLMW464829R | 1,058 |
| 46 | 54 | T-SLMW465429L | T-SLMW465429R | 1,125 |
| 46 | 60 | T-SLMW466029L | T-SLMW466029R | 1,247 |
| 46 | 66 | T-SLMW466629L | T-SLMW466629R | 1,344 |
| 46 | 72 | T-SLMW467229L | T-SLMW467229R | 1,385 |
| 46 | 78 | T-SLMW467829L | T-SLMW467829R | 1,426 |
| 46 | 84 | T-SLMW468429L | T-SLMW468429R | 1,466 |
| 46 | 90 | T-SLMW469029L | T-SLMW469029R | 1,507 |

## 29" MID MOUNT END FOR WING, HORIZONTAL GRAIN PATTERN

| H  | W  | Left          | Right         | List  |
|----|----|---------------|---------------|-------|
|    |    | Model Number  | Model Number  |       |
| 50 | 48 | T-SLMW504829L | T-SLMW504829R | 1,145 |
| 50 | 54 | T-SLMW505429L | T-SLMW505429R | 1,233 |
| 50 | 60 | T-SLMW506029L | T-SLMW506029R | 1,348 |
| 50 | 66 | T-SLMW506629L | T-SLMW506629R | 1,461 |
| 50 | 72 | T-SLMW507229L | T-SLMW507229R | 1,496 |
| 50 | 78 | T-SLMW507829L | T-SLMW507829R | 1,529 |
| 50 | 84 | T-SLMW508429L | T-SLMW508429R | 1,562 |
| 50 | 90 | T-SLMW509029L | T-SLMW509029R | 1,593 |
|    |    |               |               |       |
| 58 | 48 | T-SLMW584829L | T-SLMW584829R | 1,206 |
| 58 | 54 | T-SLMW585429L | T-SLMW585429R | 1,266 |
| 58 | 60 | T-SLMW586029L | T-SLMW586029R | 1,376 |
| 58 | 66 | T-SLMW586629L | T-SLMW586629R | 1,483 |
| 58 | 72 | T-SLMW587229L | T-SLMW587229R | 1,592 |
| 58 | 78 | T-SLMW587829L | T-SLMW587829R | 1,703 |
| 58 | 84 | T-SLMW588429L | T-SLMW588429R | 1,813 |
| 58 | 90 | T-SLMW589029L | T-SLMW589029R | 1,921 |



Left Hand Shown



## Specify


- Select paint
- Laminate with matching edge

## Notes


- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8" between or at the end of Beam sections.
- Any gallery panel that extends more than 60" from the Beam must be tied to storage or similar support.
- Mid mounts are not compatible with PowerBench.

Laminate Gallery Panels – Mid Mount End for Wing

| 21" MID MOUNT END FOR WING, VERTICAL GRAIN PATTERN |    |                |                |       |
|----------------------------------------------------|----|----------------|----------------|-------|
|                                                    |    | Left           | Right          |       |
| H                                                  | W  | Model Number   | Model Number   | List  |
| 29                                                 | 48 | T-SLMW294821LV | T-SLMW294821RV | 795   |
| 29                                                 | 54 | T-SLMW295421LV | T-SLMW295421RV | 806   |
| 42                                                 | 48 | T-SLMW424821LV | T-SLMW424821RV | 972   |
| 42                                                 | 54 | T-SLMW425421LV | T-SLMW425421RV | 1,019 |
| 46                                                 | 48 | T-SLMW464821LV | T-SLMW464821RV | 1,058 |
| 46                                                 | 54 | T-SLMW465421LV | T-SLMW465421RV | 1,125 |
| 50                                                 | 48 | T-SLMW504821LV | T-SLMW504821RV | 1,145 |
| 50                                                 | 54 | T-SLMW505421LV | T-SLMW505421RV | 1,233 |



Left Hand Shown




| Specify                                                                                              | Notes                                                                                                                                                                                                                                                                                                                             |
|------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"><li>• Select paint</li><li>• Laminate with matching edge</li></ul> | <ul style="list-style-type: none"><li>• Cannot be used freestanding, must be attached to a Beam.</li><li>• Encounter PowerBeam gallery panels are ordered specific to Beam height.</li><li>• Gallery panels add 1 1/8" between or at the end of Beam sections.</li><li>• Mid mounts are not compatible with PowerBench.</li></ul> |


## Laminate Gallery Panels – Mid Mount End for Wing

## 25" MID MOUNT END FOR WING, VERTICAL GRAIN PATTERN

| H  | W  | Left           | Right          | List  |
|----|----|----------------|----------------|-------|
|    |    | Model Number   | Model Number   |       |
| 29 | 48 | T-SLMW294825LV | T-SLMW294825RV | 795   |
| 29 | 54 | T-SLMW295425LV | T-SLMW295425RV | 806   |
| 42 | 48 | T-SLMW424825LV | T-SLMW424825RV | 972   |
| 42 | 54 | T-SLMW425425LV | T-SLMW425425RV | 1,019 |
| 46 | 48 | T-SLMW464825LV | T-SLMW464825RV | 1,058 |
| 46 | 54 | T-SLMW465425LV | T-SLMW465425RV | 1,125 |
| 50 | 48 | T-SLMW504825LV | T-SLMW504825RV | 1,145 |
| 50 | 54 | T-SLMW505425LV | T-SLMW505425RV | 1,233 |
| 58 | 48 | T-SLMW584825LV | T-SLMW584825RV | 1,206 |
| 58 | 54 | T-SLMW585425LV | T-SLMW585425RV | 1,266 |



Left Hand Shown



## Specify


- Select paint
- Laminate with matching edge

## Notes


- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8" between or at the end of Beam sections.
- Mid mounts are not compatible with PowerBench.

Laminate Gallery Panels – Mid Mount End for Wing

| 29" MID MOUNT END FOR WING, VERTICAL GRAIN PATTERN |    |                |                |       |
|----------------------------------------------------|----|----------------|----------------|-------|
|                                                    |    | Left           | Right          |       |
| H                                                  | W  | Model Number   | Model Number   | List  |
| 29                                                 | 48 | T-SLMW294829LV | T-SLMW294829RV | 795   |
| 29                                                 | 54 | T-SLMW295429LV | T-SLMW295429RV | 806   |
| 42                                                 | 48 | T-SLMW424829LV | T-SLMW424829RV | 972   |
| 42                                                 | 54 | T-SLMW425429LV | T-SLMW425429RV | 1,019 |
| 46                                                 | 48 | T-SLMW464829LV | T-SLMW464829RV | 1,058 |
| 46                                                 | 54 | T-SLMW465429LV | T-SLMW465429RV | 1,125 |
| 50                                                 | 48 | T-SLMW504829LV | T-SLMW504829RV | 1,145 |
| 50                                                 | 54 | T-SLMW505429LV | T-SLMW505429RV | 1,233 |
| 58                                                 | 48 | T-SLMW584829LV | T-SLMW584829RV | 1,206 |
| 58                                                 | 54 | T-SLMW585429LV | T-SLMW585429RV | 1,266 |



Left Hand Shown



| Specify                                                                                              | Notes                                                                                                                                                                                                                                                                                                                             |
|------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"><li>• Select paint</li><li>• Laminate with matching edge</li></ul> | <ul style="list-style-type: none"><li>• Cannot be used freestanding, must be attached to a Beam.</li><li>• Encounter PowerBeam gallery panels are ordered specific to Beam height.</li><li>• Gallery panels add 1 1/8" between or at the end of Beam sections.</li><li>• Mid mounts are not compatible with PowerBench.</li></ul> |



## Laminate Gallery Panels – Beam Mount Single Spine

## 21" BEAM MOUNT SINGLE SPINE, HORIZONTAL GRAIN PATTERN

| H  | W  | Model Number | List  |
|----|----|--------------|-------|
| 29 | 24 | T-SLGP292421 | 678   |
| 29 | 30 | T-SLGP293021 | 712   |
| 29 | 36 | T-SLGP293621 | 731   |
| 29 | 42 | T-SLGP294221 | 747   |
| 29 | 48 | T-SLGP294821 | 758   |
| 29 | 54 | T-SLGP295421 | 769   |
| 29 | 60 | T-SLGP296021 | 909   |
| 29 | 66 | T-SLGP296621 | 955   |
| 29 | 72 | T-SLGP297221 | 1,018 |
| 29 | 78 | T-SLGP297821 | 1,078 |
| 29 | 84 | T-SLGP298421 | 1,139 |
| 29 | 90 | T-SLGP299021 | 1,200 |
|    |    |              |       |
| 42 | 24 | T-SLGP422421 | 728   |
| 42 | 30 | T-SLGP423021 | 786   |
| 42 | 36 | T-SLGP423621 | 835   |
| 42 | 42 | T-SLGP424221 | 882   |
| 42 | 48 | T-SLGP424821 | 934   |
| 42 | 54 | T-SLGP425421 | 981   |
| 42 | 60 | T-SLGP426021 | 1,107 |
| 42 | 66 | T-SLGP426621 | 1,192 |
| 42 | 72 | T-SLGP427221 | 1,238 |
| 42 | 78 | T-SLGP427821 | 1,285 |
| 42 | 84 | T-SLGP428421 | 1,332 |
| 42 | 90 | T-SLGP429021 | 1,381 |

## 21" BEAM MOUNT SINGLE SPINE, HORIZONTAL GRAIN PATTERN

| H  | W  | Model Number | List  |
|----|----|--------------|-------|
| 46 | 24 | T-SLGP462421 | 754   |
| 46 | 30 | T-SLGP463021 | 822   |
| 46 | 36 | T-SLGP463621 | 886   |
| 46 | 42 | T-SLGP464221 | 951   |
| 46 | 48 | T-SLGP464821 | 1,020 |
| 46 | 54 | T-SLGP465421 | 1,089 |
| 46 | 60 | T-SLGP466021 | 1,209 |
| 46 | 66 | T-SLGP466621 | 1,306 |
| 46 | 72 | T-SLGP467221 | 1,348 |
| 46 | 78 | T-SLGP467821 | 1,388 |
| 46 | 84 | T-SLGP468421 | 1,428 |
| 46 | 90 | T-SLGP469021 | 1,468 |
|    |    |              |       |
| 50 | 24 | T-SLGP502421 | 778   |
| 50 | 30 | T-SLGP503021 | 859   |
| 50 | 36 | T-SLGP503621 | 937   |
| 50 | 42 | T-SLGP504221 | 1,020 |
| 50 | 48 | T-SLGP504821 | 1,105 |
| 50 | 54 | T-SLGP505421 | 1,195 |
| 50 | 60 | T-SLGP506021 | 1,309 |
| 50 | 66 | T-SLGP506621 | 1,422 |
| 50 | 72 | T-SLGP507221 | 1,457 |
| 50 | 78 | T-SLGP507821 | 1,492 |
| 50 | 84 | T-SLGP508421 | 1,525 |
| 50 | 90 | T-SLGP509021 | 1,557 |



## Specify

- Laminate with matching edge

## Notes

- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8" between or at the end of Beam sections.
- Any gallery panel that extends more than 60" from the Beam must be tied to storage or similar support.
- Encounter PowerBench only compatible with 29"H.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.



## Laminate Gallery Panels – Beam Mount Single Spine

## 25" BEAM MOUNT SINGLE SPINE, HORIZONTAL GRAIN PATTERN

| H  | W  | Model Number | List  |
|----|----|--------------|-------|
| 29 | 24 | T-SLGP292425 | 678   |
| 29 | 30 | T-SLGP293025 | 712   |
| 29 | 36 | T-SLGP293625 | 731   |
| 29 | 42 | T-SLGP294225 | 747   |
| 29 | 48 | T-SLGP294825 | 758   |
| 29 | 54 | T-SLGP295425 | 769   |
| 29 | 60 | T-SLGP296025 | 909   |
| 29 | 66 | T-SLGP296625 | 955   |
| 29 | 72 | T-SLGP297225 | 1,018 |
| 29 | 78 | T-SLGP297825 | 1,078 |
| 29 | 84 | T-SLGP298425 | 1,139 |
| 29 | 90 | T-SLGP299025 | 1,200 |
|    |    |              |       |
| 42 | 24 | T-SLGP422425 | 728   |
| 42 | 30 | T-SLGP423025 | 786   |
| 42 | 36 | T-SLGP423625 | 835   |
| 42 | 42 | T-SLGP424225 | 882   |
| 42 | 48 | T-SLGP424825 | 934   |
| 42 | 54 | T-SLGP425425 | 981   |
| 42 | 60 | T-SLGP426025 | 1,107 |
| 42 | 66 | T-SLGP426625 | 1,192 |
| 42 | 72 | T-SLGP427225 | 1,238 |
| 42 | 78 | T-SLGP427825 | 1,285 |
| 42 | 84 | T-SLGP428425 | 1,332 |
| 42 | 90 | T-SLGP429025 | 1,381 |

## 25" BEAM MOUNT SINGLE SPINE, HORIZONTAL GRAIN PATTERN

| H  | W  | Model Number | List  |
|----|----|--------------|-------|
| 46 | 24 | T-SLGP462425 | 754   |
| 46 | 30 | T-SLGP463025 | 822   |
| 46 | 36 | T-SLGP463625 | 886   |
| 46 | 42 | T-SLGP464225 | 951   |
| 46 | 48 | T-SLGP464825 | 1,020 |
| 46 | 54 | T-SLGP465425 | 1,089 |
| 46 | 60 | T-SLGP466025 | 1,209 |
| 46 | 66 | T-SLGP466625 | 1,306 |
| 46 | 72 | T-SLGP467225 | 1,348 |
| 46 | 78 | T-SLGP467825 | 1,388 |
| 46 | 84 | T-SLGP468425 | 1,428 |
| 46 | 90 | T-SLGP469025 | 1,468 |
|    |    |              |       |
| 50 | 24 | T-SLGP502425 | 778   |
| 50 | 30 | T-SLGP503025 | 859   |
| 50 | 36 | T-SLGP503625 | 937   |
| 50 | 42 | T-SLGP504225 | 1,020 |
| 50 | 48 | T-SLGP504825 | 1,105 |
| 50 | 54 | T-SLGP505425 | 1,195 |
| 50 | 60 | T-SLGP506025 | 1,309 |
| 50 | 66 | T-SLGP506625 | 1,422 |
| 50 | 72 | T-SLGP507225 | 1,457 |
| 50 | 78 | T-SLGP507825 | 1,492 |
| 50 | 84 | T-SLGP508425 | 1,525 |
| 50 | 90 | T-SLGP509025 | 1,557 |



## Specify

- Laminate with matching edge



## Notes

- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8" between or at the end of Beam sections.
- Any gallery panel that extends more than 60" from the Beam must be tied to storage or similar support.
- Encounter PowerBench only compatible with 29"H.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.

## Laminate Gallery Panels – Beam Mount Single Spine

## 25" BEAM MOUNT SINGLE SPINE, HORIZONTAL GRAIN PATTERN

| H  | W  | Model Number | List  |
|----|----|--------------|-------|
| 58 | 24 | T-SLGP582425 | 868   |
| 58 | 30 | T-SLGP583025 | 951   |
| 58 | 36 | T-SLGP583625 | 1,025 |
| 58 | 42 | T-SLGP584225 | 1,104 |
| 58 | 48 | T-SLGP584825 | 1,166 |
| 58 | 54 | T-SLGP585425 | 1,227 |
| 58 | 60 | T-SLGP586025 | 1,338 |
| 58 | 66 | T-SLGP586625 | 1,447 |
| 58 | 72 | T-SLGP587225 | 1,556 |
| 58 | 78 | T-SLGP587825 | 1,665 |
| 58 | 84 | T-SLGP588425 | 1,774 |
| 58 | 90 | T-SLGP589025 | 1,884 |



## Specify

- Laminate with matching edge

## Notes

- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8" between or at the end of Beam sections.
- Any gallery panel that extends more than 60" from the Beam must be tied to storage or similar support.
- Encounter PowerBench only compatible with 29"H.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.



## Laminate Gallery Panels – Beam Mount Single Spine

## 29" BEAM MOUNT SINGLE SPINE, HORIZONTAL GRAIN PATTERN

| H  | W  | Model Number | List  |
|----|----|--------------|-------|
| 29 | 24 | T-SLGP292429 | 678   |
| 29 | 30 | T-SLGP293029 | 712   |
| 29 | 36 | T-SLGP293629 | 731   |
| 29 | 42 | T-SLGP294229 | 747   |
| 29 | 48 | T-SLGP294829 | 758   |
| 29 | 54 | T-SLGP295429 | 769   |
| 29 | 60 | T-SLGP296029 | 909   |
| 29 | 66 | T-SLGP296629 | 955   |
| 29 | 72 | T-SLGP297229 | 1,018 |
| 29 | 78 | T-SLGP297829 | 1,078 |
| 29 | 84 | T-SLGP298429 | 1,139 |
| 29 | 90 | T-SLGP299029 | 1,200 |
|    |    |              |       |
| 42 | 24 | T-SLGP422429 | 728   |
| 42 | 30 | T-SLGP423029 | 786   |
| 42 | 36 | T-SLGP423629 | 835   |
| 42 | 42 | T-SLGP424229 | 882   |
| 42 | 48 | T-SLGP424829 | 934   |
| 42 | 54 | T-SLGP425429 | 981   |
| 42 | 60 | T-SLGP426029 | 1,107 |
| 42 | 66 | T-SLGP426629 | 1,192 |
| 42 | 72 | T-SLGP427229 | 1,238 |
| 42 | 78 | T-SLGP427829 | 1,285 |
| 42 | 84 | T-SLGP428429 | 1,332 |
| 42 | 90 | T-SLGP429029 | 1,381 |

## 29" BEAM MOUNT SINGLE SPINE, HORIZONTAL GRAIN PATTERN

| H  | W  | Model Number | List  |
|----|----|--------------|-------|
| 46 | 24 | T-SLGP462429 | 754   |
| 46 | 30 | T-SLGP463029 | 822   |
| 46 | 36 | T-SLGP463629 | 886   |
| 46 | 42 | T-SLGP464229 | 951   |
| 46 | 48 | T-SLGP464829 | 1,020 |
| 46 | 54 | T-SLGP465429 | 1,089 |
| 46 | 60 | T-SLGP466029 | 1,209 |
| 46 | 66 | T-SLGP466629 | 1,306 |
| 46 | 72 | T-SLGP467229 | 1,348 |
| 46 | 78 | T-SLGP467829 | 1,388 |
| 46 | 84 | T-SLGP468429 | 1,428 |
| 46 | 90 | T-SLGP469029 | 1,468 |
|    |    |              |       |
| 50 | 24 | T-SLGP502429 | 778   |
| 50 | 30 | T-SLGP503029 | 859   |
| 50 | 36 | T-SLGP503629 | 937   |
| 50 | 42 | T-SLGP504229 | 1,020 |
| 50 | 48 | T-SLGP504829 | 1,105 |
| 50 | 54 | T-SLGP505429 | 1,195 |
| 50 | 60 | T-SLGP506029 | 1,309 |
| 50 | 66 | T-SLGP506629 | 1,422 |
| 50 | 72 | T-SLGP507229 | 1,457 |
| 50 | 78 | T-SLGP507829 | 1,492 |
| 50 | 84 | T-SLGP508429 | 1,525 |
| 50 | 90 | T-SLGP509029 | 1,557 |



## Specify

- Laminate with matching edge



## Notes

- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8" between or at the end of Beam sections.
- Any gallery panel that extends more than 60" from the Beam must be tied to storage or similar support.
- Encounter PowerBench only compatible with 29"H.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.

## Laminate Gallery Panels – Beam Mount Single Spine

## 29" BEAM MOUNT SINGLE SPINE, HORIZONTAL GRAIN PATTERN

| H  | W  | Model Number | List  |
|----|----|--------------|-------|
| 58 | 24 | T-SLGP582429 | 868   |
| 58 | 30 | T-SLGP583029 | 951   |
| 58 | 36 | T-SLGP583629 | 1,025 |
| 58 | 42 | T-SLGP584229 | 1,104 |
| 58 | 48 | T-SLGP584829 | 1,166 |
| 58 | 54 | T-SLGP585429 | 1,227 |
| 58 | 60 | T-SLGP586029 | 1,338 |
| 58 | 66 | T-SLGP586629 | 1,447 |
| 58 | 72 | T-SLGP587229 | 1,556 |
| 58 | 78 | T-SLGP587829 | 1,665 |
| 58 | 84 | T-SLGP588429 | 1,774 |
| 58 | 90 | T-SLGP589029 | 1,884 |



## Specify

- Laminate with matching edge


## Notes

- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8" between or at the end of Beam sections.
- Any gallery panel that extends more than 60" from the Beam must be tied to storage or similar support.
- Encounter PowerBench only compatible with 29"H.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.

## Laminate Gallery Panels – Beam Mount Single Spine

| 21" BEAM MOUNT SINGLE SPINE, VERTICAL GRAIN PATTERN |    |               |      |
|-----------------------------------------------------|----|---------------|------|
| H                                                   | W  | Model Number  | List |
| 29                                                  | 24 | T-SLGP292421V | 678  |
| 29                                                  | 30 | T-SLGP293021V | 712  |
| 29                                                  | 36 | T-SLGP293621V | 731  |
| 29                                                  | 42 | T-SLGP294221V | 747  |
| 29                                                  | 48 | T-SLGP294821V | 758  |
| 29                                                  | 54 | T-SLGP295421V | 769  |
| 42                                                  | 24 | T-SLGP422421V | 728  |
| 42                                                  | 30 | T-SLGP423021V | 786  |
| 42                                                  | 36 | T-SLGP423621V | 835  |
| 42                                                  | 42 | T-SLGP424221V | 882  |
| 42                                                  | 48 | T-SLGP424821V | 934  |
| 42                                                  | 54 | T-SLGP425421V | 981  |

| 21" BEAM MOUNT SINGLE SPINE, VERTICAL GRAIN PATTERN |    |               |       |
|-----------------------------------------------------|----|---------------|-------|
| H                                                   | W  | Model Number  | List  |
| 46                                                  | 24 | T-SLGP462421V | 754   |
| 46                                                  | 30 | T-SLGP463021V | 822   |
| 46                                                  | 36 | T-SLGP463621V | 886   |
| 46                                                  | 42 | T-SLGP464221V | 951   |
| 46                                                  | 48 | T-SLGP464821V | 1,020 |
| 46                                                  | 54 | T-SLGP465421V | 1,089 |
| 50                                                  | 24 | T-SLGP502421V | 778   |
| 50                                                  | 30 | T-SLGP503021V | 859   |
| 50                                                  | 36 | T-SLGP503621V | 937   |
| 50                                                  | 42 | T-SLGP504221V | 1,020 |
| 50                                                  | 48 | T-SLGP504821V | 1,105 |
| 50                                                  | 54 | T-SLGP505421V | 1,195 |



## Specify

## Notes

• Laminate with matching edge

- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8" between or at the end of Beam sections.
- Encounter PowerBench only compatible with 29"H.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.



## Laminate Gallery Panels – Beam Mount Single Spine

## 25" BEAM MOUNT SINGLE SPINE, VERTICAL GRAIN PATTERN

| H  | W  | Model Number  | List  |
|----|----|---------------|-------|
| 29 | 24 | T-SLGP292425V | 678   |
| 29 | 30 | T-SLGP293025V | 712   |
| 29 | 36 | T-SLGP293625V | 731   |
| 29 | 42 | T-SLGP294225V | 747   |
| 29 | 48 | T-SLGP294825V | 758   |
| 29 | 54 | T-SLGP295425V | 769   |
| 42 | 24 | T-SLGP422425V | 728   |
| 42 | 30 | T-SLGP423025V | 786   |
| 42 | 36 | T-SLGP423625V | 835   |
| 42 | 42 | T-SLGP424225V | 882   |
| 42 | 48 | T-SLGP424825V | 934   |
| 42 | 54 | T-SLGP425425V | 981   |
| 46 | 24 | T-SLGP462425V | 754   |
| 46 | 30 | T-SLGP463025V | 822   |
| 46 | 36 | T-SLGP463625V | 886   |
| 46 | 42 | T-SLGP464225V | 951   |
| 46 | 48 | T-SLGP464825V | 1,020 |
| 46 | 54 | T-SLGP465425V | 1,089 |

## 25" BEAM MOUNT SINGLE SPINE, VERTICAL GRAIN PATTERN

| H  | W  | Model Number  | List  |
|----|----|---------------|-------|
| 50 | 24 | T-SLGP502425V | 778   |
| 50 | 30 | T-SLGP503025V | 859   |
| 50 | 36 | T-SLGP503625V | 937   |
| 50 | 42 | T-SLGP504225V | 1,020 |
| 50 | 48 | T-SLGP504825V | 1,105 |
| 50 | 54 | T-SLGP505425V | 1,195 |
| 58 | 24 | T-SLGP582425V | 868   |
| 58 | 30 | T-SLGP583025V | 951   |
| 58 | 36 | T-SLGP583625V | 1,025 |
| 58 | 42 | T-SLGP584225V | 1,104 |
| 58 | 48 | T-SLGP584825V | 1,166 |
| 58 | 54 | T-SLGP585425V | 1,227 |



## Specify

## Notes

- Laminate with matching edge
- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8" between or at the end of Beam sections.
- Encounter PowerBench only compatible with 29"H.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.



## Laminate Gallery Panels – Beam Mount Single Spine

## 29" BEAM MOUNT SINGLE SPINE, VERTICAL GRAIN PATTERN

| H  | W  | Model Number  | List  |
|----|----|---------------|-------|
| 29 | 24 | T-SLGP292429V | 678   |
| 29 | 30 | T-SLGP293029V | 712   |
| 29 | 36 | T-SLGP293629V | 731   |
| 29 | 42 | T-SLGP294229V | 747   |
| 29 | 48 | T-SLGP294829V | 758   |
| 29 | 54 | T-SLGP295429V | 769   |
| 42 | 24 | T-SLGP422429V | 728   |
| 42 | 30 | T-SLGP423029V | 786   |
| 42 | 36 | T-SLGP423629V | 835   |
| 42 | 42 | T-SLGP424229V | 882   |
| 42 | 48 | T-SLGP424829V | 934   |
| 42 | 54 | T-SLGP425429V | 981   |
| 46 | 24 | T-SLGP462429V | 754   |
| 46 | 30 | T-SLGP463029V | 822   |
| 46 | 36 | T-SLGP463629V | 886   |
| 46 | 42 | T-SLGP464229V | 951   |
| 46 | 48 | T-SLGP464829V | 1,020 |
| 46 | 54 | T-SLGP465429V | 1,089 |

## 29" BEAM MOUNT SINGLE SPINE, VERTICAL GRAIN PATTERN

| H  | W  | Model Number  | List  |
|----|----|---------------|-------|
| 50 | 24 | T-SLGP502429V | 778   |
| 50 | 30 | T-SLGP503029V | 859   |
| 50 | 36 | T-SLGP503629V | 937   |
| 50 | 42 | T-SLGP504229V | 1,020 |
| 50 | 48 | T-SLGP504829V | 1,105 |
| 50 | 54 | T-SLGP505429V | 1,195 |
| 58 | 24 | T-SLGP582429V | 868   |
| 58 | 30 | T-SLGP583029V | 951   |
| 58 | 36 | T-SLGP583629V | 1,025 |
| 58 | 42 | T-SLGP584229V | 1,104 |
| 58 | 48 | T-SLGP584829V | 1,166 |
| 58 | 54 | T-SLGP585429V | 1,227 |



## Specify

## Notes

- Laminate with matching edge

- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8" between or at the end of Beam sections.
- Encounter PowerBench only compatible with 29"H.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.



## Laminate Gallery Panels – Beam Mount Double Spine

## 21" BEAM MOUNT DOUBLE SPINE, HORIZONTAL GRAIN PATTERN

| H  | W  | Model Number  | List  |
|----|----|---------------|-------|
| 29 | 48 | T-SLGPD294821 | 795   |
| 29 | 54 | T-SLGPD295421 | 806   |
| 29 | 60 | T-SLGPD296021 | 948   |
| 29 | 66 | T-SLGPD296621 | 993   |
| 29 | 72 | T-SLGPD297221 | 1,056 |
| 29 | 78 | T-SLGPD297821 | 1,118 |
| 29 | 84 | T-SLGPD298421 | 1,179 |
| 29 | 90 | T-SLGPD299021 | 1,240 |
|    |    |               |       |
| 42 | 48 | T-SLGPD424821 | 972   |
| 42 | 54 | T-SLGPD425421 | 1,019 |
| 42 | 60 | T-SLGPD426021 | 1,146 |
| 42 | 66 | T-SLGPD426621 | 1,227 |
| 42 | 72 | T-SLGPD427221 | 1,275 |
| 42 | 78 | T-SLGPD427821 | 1,322 |
| 42 | 84 | T-SLGPD428421 | 1,370 |
| 42 | 90 | T-SLGPD429021 | 1,419 |

## 21" BEAM MOUNT DOUBLE SPINE, HORIZONTAL GRAIN PATTERN

| H  | W  | Model Number  | List  |
|----|----|---------------|-------|
| 46 | 48 | T-SLGPD464821 | 1,058 |
| 46 | 54 | T-SLGPD465421 | 1,125 |
| 46 | 60 | T-SLGPD466021 | 1,247 |
| 46 | 66 | T-SLGPD466621 | 1,344 |
| 46 | 72 | T-SLGPD467221 | 1,385 |
| 46 | 78 | T-SLGPD467821 | 1,426 |
| 46 | 84 | T-SLGPD468421 | 1,466 |
| 46 | 90 | T-SLGPD469021 | 1,507 |
|    |    |               |       |
| 50 | 48 | T-SLGPD504821 | 1,145 |
| 50 | 54 | T-SLGPD505421 | 1,233 |
| 50 | 60 | T-SLGPD506021 | 1,348 |
| 50 | 66 | T-SLGPD506621 | 1,461 |
| 50 | 72 | T-SLGPD507221 | 1,496 |
| 50 | 78 | T-SLGPD507821 | 1,529 |
| 50 | 84 | T-SLGPD508421 | 1,562 |
| 50 | 90 | T-SLGPD509021 | 1,593 |



## Specify

## Notes

- Laminate with matching edge

- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8" between or at the end of Beam sections.
- Any gallery panel that extends more than 60" from the Beam must be tied to storage or similar support.
- Encounter PowerBench only compatible with 29"H.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.



## Laminate Gallery Panels – Beam Mount Double Spine

## 25" BEAM MOUNT DOUBLE SPINE, HORIZONTAL GRAIN PATTERN

| H  | W  | Model Number  | List  |
|----|----|---------------|-------|
| 29 | 48 | T-SLGPD294825 | 795   |
| 29 | 54 | T-SLGPD295425 | 806   |
| 29 | 60 | T-SLGPD296025 | 948   |
| 29 | 66 | T-SLGPD296625 | 993   |
| 29 | 72 | T-SLGPD297225 | 1,056 |
| 29 | 78 | T-SLGPD297825 | 1,118 |
| 29 | 84 | T-SLGPD298425 | 1,179 |
| 29 | 90 | T-SLGPD299025 | 1,240 |
|    |    |               |       |
| 42 | 48 | T-SLGPD424825 | 972   |
| 42 | 54 | T-SLGPD425425 | 1,019 |
| 42 | 60 | T-SLGPD426025 | 1,146 |
| 42 | 66 | T-SLGPD426625 | 1,227 |
| 42 | 72 | T-SLGPD427225 | 1,275 |
| 42 | 78 | T-SLGPD427825 | 1,322 |
| 42 | 84 | T-SLGPD428425 | 1,370 |
| 42 | 90 | T-SLGPD429025 | 1,419 |
|    |    |               |       |
| 46 | 48 | T-SLGPD464825 | 1,058 |
| 46 | 54 | T-SLGPD465425 | 1,125 |
| 46 | 60 | T-SLGPD466025 | 1,247 |
| 46 | 66 | T-SLGPD466625 | 1,344 |
| 46 | 72 | T-SLGPD467225 | 1,385 |
| 46 | 78 | T-SLGPD467825 | 1,426 |
| 46 | 84 | T-SLGPD468425 | 1,466 |
| 46 | 90 | T-SLGPD469025 | 1,507 |

## 25" BEAM MOUNT DOUBLE SPINE, HORIZONTAL GRAIN PATTERN

| H  | W  | Model Number  | List  |
|----|----|---------------|-------|
| 50 | 48 | T-SLGPD504825 | 1,145 |
| 50 | 54 | T-SLGPD505425 | 1,233 |
| 50 | 60 | T-SLGPD506025 | 1,348 |
| 50 | 66 | T-SLGPD506625 | 1,461 |
| 50 | 72 | T-SLGPD507225 | 1,496 |
| 50 | 78 | T-SLGPD507825 | 1,529 |
| 50 | 84 | T-SLGPD508425 | 1,562 |
| 50 | 90 | T-SLGPD509025 | 1,593 |
|    |    |               |       |
| 58 | 48 | T-SLGPD584825 | 1,206 |
| 58 | 54 | T-SLGPD585425 | 1,266 |
| 58 | 60 | T-SLGPD586025 | 1,376 |
| 58 | 66 | T-SLGPD586625 | 1,483 |
| 58 | 72 | T-SLGPD587225 | 1,592 |
| 58 | 78 | T-SLGPD587825 | 1,703 |
| 58 | 84 | T-SLGPD588425 | 1,813 |
| 58 | 90 | T-SLGPD589025 | 1,921 |



## Specify

- Laminate with matching edge

## Notes

- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8" between or at the end of Beam sections.
- Any gallery panel that extends more than 60" from the Beam must be tied to storage or similar support.
- Encounter PowerBench only compatible with 29"H.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.



## Laminate Gallery Panels – Beam Mount Double Spine

## 29" BEAM MOUNT DOUBLE SPINE, HORIZONTAL GRAIN PATTERN

| H  | W  | Model Number  | List  |
|----|----|---------------|-------|
| 29 | 48 | T-SLGPD294829 | 795   |
| 29 | 54 | T-SLGPD295429 | 806   |
| 29 | 60 | T-SLGPD296029 | 948   |
| 29 | 66 | T-SLGPD296629 | 993   |
| 29 | 72 | T-SLGPD297229 | 1,056 |
| 29 | 78 | T-SLGPD297829 | 1,118 |
| 29 | 84 | T-SLGPD298429 | 1,179 |
| 29 | 90 | T-SLGPD299029 | 1,240 |
|    |    |               |       |
| 42 | 48 | T-SLGPD424829 | 972   |
| 42 | 54 | T-SLGPD425429 | 1,019 |
| 42 | 60 | T-SLGPD426029 | 1,146 |
| 42 | 66 | T-SLGPD426629 | 1,227 |
| 42 | 72 | T-SLGPD427229 | 1,275 |
| 42 | 78 | T-SLGPD427829 | 1,322 |
| 42 | 84 | T-SLGPD428429 | 1,370 |
| 42 | 90 | T-SLGPD429029 | 1,419 |
|    |    |               |       |
| 46 | 48 | T-SLGPD464829 | 1,058 |
| 46 | 54 | T-SLGPD465429 | 1,125 |
| 46 | 60 | T-SLGPD466029 | 1,247 |
| 46 | 66 | T-SLGPD466629 | 1,344 |
| 46 | 72 | T-SLGPD467229 | 1,385 |
| 46 | 78 | T-SLGPD467829 | 1,426 |
| 46 | 84 | T-SLGPD468429 | 1,466 |
| 46 | 90 | T-SLGPD469029 | 1,507 |

## 29" BEAM MOUNT DOUBLE SPINE, HORIZONTAL GRAIN PATTERN

| H  | W  | Model Number  | List  |
|----|----|---------------|-------|
| 50 | 48 | T-SLGPD504829 | 1,145 |
| 50 | 54 | T-SLGPD505429 | 1,233 |
| 50 | 60 | T-SLGPD506029 | 1,348 |
| 50 | 66 | T-SLGPD506629 | 1,461 |
| 50 | 72 | T-SLGPD507229 | 1,496 |
| 50 | 78 | T-SLGPD507829 | 1,529 |
| 50 | 84 | T-SLGPD508429 | 1,562 |
| 50 | 90 | T-SLGPD509029 | 1,593 |
|    |    |               |       |
| 58 | 48 | T-SLGPD584829 | 1,206 |
| 58 | 54 | T-SLGPD585429 | 1,266 |
| 58 | 60 | T-SLGPD586029 | 1,376 |
| 58 | 66 | T-SLGPD586629 | 1,483 |
| 58 | 72 | T-SLGPD587229 | 1,592 |
| 58 | 78 | T-SLGPD587829 | 1,703 |
| 58 | 84 | T-SLGPD588429 | 1,813 |
| 58 | 90 | T-SLGPD589029 | 1,921 |



## Specify



- Laminate with matching edge

## Notes

- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8" between or at the end of Beam sections.
- Any gallery panel that extends more than 60" from the Beam must be tied to storage or similar support.
- Encounter PowerBench only compatible with 29"H.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.

Laminate Gallery Panels – Beam Mount Double Spine

| 21" BEAM MOUNT DOUBLE SPINE, VERTICAL GRAIN PATTERN |    |                |       |
|-----------------------------------------------------|----|----------------|-------|
| H                                                   | W  | Model Number   | List  |
| 29                                                  | 48 | T-SLGPD294821V | 795   |
| 29                                                  | 54 | T-SLGPD295421V | 806   |
| 42                                                  | 48 | T-SLGPD424821V | 972   |
| 42                                                  | 54 | T-SLGPD425421V | 1,019 |
| 46                                                  | 48 | T-SLGPD464821V | 1,058 |
| 46                                                  | 54 | T-SLGPD465421V | 1,125 |
| 50                                                  | 48 | T-SLGPD504821V | 1,145 |
| 50                                                  | 54 | T-SLGPD505421V | 1,233 |





| Specify                                                                     | Notes                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|-----------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"><li>Laminate with matching edge</li></ul> | <ul style="list-style-type: none"><li>Cannot be used freestanding, must be attached to a Beam.</li><li>Encounter PowerBeam gallery panels are ordered specific to Beam height.</li><li>Gallery panels add 1 1/8" between or at the end of Beam sections.</li><li>Encounter PowerBench only compatible with 29"H.</li><li>Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.</li></ul> |

Laminate Gallery Panels – Beam Mount Double Spine

25" BEAM MOUNT DOUBLE SPINE, VERTICAL GRAIN PATTERN

| H  | W  | Model Number   | List  |
|----|----|----------------|-------|
| 29 | 48 | T-SLGPD294825V | 795   |
| 29 | 54 | T-SLGPD295425V | 806   |
| 42 | 48 | T-SLGPD424825V | 972   |
| 42 | 54 | T-SLGPD425425V | 1,019 |
| 46 | 48 | T-SLGPD464825V | 1,058 |
| 46 | 54 | T-SLGPD465425V | 1,125 |
| 50 | 48 | T-SLGPD504825V | 1,145 |
| 50 | 54 | T-SLGPD505425V | 1,233 |
| 58 | 48 | T-SLGPD584825V | 1,206 |
| 58 | 54 | T-SLGPD585425V | 1,266 |



Specify



- Laminate with matching edge

Notes

- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8" between or at the end of Beam sections.
- Encounter PowerBench only compatible with 29"H.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.

Laminate Gallery Panels – Beam Mount Double Spine

| 29" BEAM MOUNT DOUBLE SPINE, VERTICAL GRAIN PATTERN |    |                |       |
|-----------------------------------------------------|----|----------------|-------|
| H                                                   | W  | Model Number   | List  |
| 29                                                  | 48 | T-SLGPD294829V | 795   |
| 29                                                  | 54 | T-SLGPD295429V | 806   |
| 42                                                  | 48 | T-SLGPD424829V | 972   |
| 42                                                  | 54 | T-SLGPD425429V | 1,019 |
| 46                                                  | 48 | T-SLGPD464829V | 1,058 |
| 46                                                  | 54 | T-SLGPD465429V | 1,125 |
| 50                                                  | 48 | T-SLGPD504829V | 1,145 |
| 50                                                  | 54 | T-SLGPD505429V | 1,233 |
| 58                                                  | 48 | T-SLGPD584829V | 1,206 |
| 58                                                  | 54 | T-SLGPD585429V | 1,266 |




| Specify                       | Notes                                                                                                                                                                                                                                                                                                                                                                                      |
|-------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| • Laminate with matching edge | • Cannot be used freestanding, must be attached to a Beam.<br>• Encounter PowerBeam gallery panels are ordered specific to Beam height.<br>• Gallery panels add 1 1/8" between or at the end of Beam sections.<br>• Encounter PowerBench only compatible with 29"H.<br>• Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel. |


## Laminate Gallery Panels – Beam Mount Single Spine for Wing

| 21" BEAM MOUNT SINGLE SPINE FOR WING,<br>HORIZONTAL GRAIN PATTERN |    |               |               |       |
|-------------------------------------------------------------------|----|---------------|---------------|-------|
| H                                                                 | W  | Left          | Right         | List  |
|                                                                   |    | Model Number  | Model Number  |       |
| 29                                                                | 48 | T-SGPW294821L | T-SGPW294821R | 834   |
| 29                                                                | 54 | T-SGPW295421L | T-SGPW295421R | 843   |
| 29                                                                | 60 | T-SGPW296021L | T-SGPW296021R | 984   |
| 29                                                                | 66 | T-SGPW296621L | T-SGPW296621R | 1,031 |
| 29                                                                | 72 | T-SGPW297221L | T-SGPW297221R | 1,092 |
| 29                                                                | 78 | T-SGPW297821L | T-SGPW297821R | 1,155 |
| 29                                                                | 84 | T-SGPW298421L | T-SGPW298421R | 1,214 |
| 29                                                                | 90 | T-SGPW299021L | T-SGPW299021R | 1,277 |
|                                                                   |    |               |               |       |
| 42                                                                | 48 | T-SGPW424821L | T-SGPW424821R | 1,009 |
| 42                                                                | 54 | T-SGPW425421L | T-SGPW425421R | 1,058 |
| 42                                                                | 60 | T-SGPW426021L | T-SGPW426021R | 1,183 |
| 42                                                                | 66 | T-SGPW426621L | T-SGPW426621R | 1,266 |
| 42                                                                | 72 | T-SGPW427221L | T-SGPW427221R | 1,312 |
| 42                                                                | 78 | T-SGPW427821L | T-SGPW427821R | 1,361 |
| 42                                                                | 84 | T-SGPW428421L | T-SGPW428421R | 1,407 |
| 42                                                                | 90 | T-SGPW429021L | T-SGPW429021R | 1,456 |

| 21" BEAM MOUNT SINGLE SPINE FOR WING,<br>HORIZONTAL GRAIN PATTERN |    |               |               |       |
|-------------------------------------------------------------------|----|---------------|---------------|-------|
| H                                                                 | W  | Left          | Right         | List  |
|                                                                   |    | Model Number  | Model Number  |       |
| 46                                                                | 48 | T-SGPW464821L | T-SGPW464821R | 1,097 |
| 46                                                                | 54 | T-SGPW465421L | T-SGPW465421R | 1,164 |
| 46                                                                | 60 | T-SGPW466021L | T-SGPW466021R | 1,285 |
| 46                                                                | 66 | T-SGPW466621L | T-SGPW466621R | 1,383 |
| 46                                                                | 72 | T-SGPW467221L | T-SGPW467221R | 1,422 |
| 46                                                                | 78 | T-SGPW467821L | T-SGPW467821R | 1,464 |
| 46                                                                | 84 | T-SGPW468421L | T-SGPW468421R | 1,504 |
| 46                                                                | 90 | T-SGPW469021L | T-SGPW469021R | 1,544 |
|                                                                   |    |               |               |       |
| 50                                                                | 48 | T-SGPW504821L | T-SGPW504821R | 1,182 |
| 50                                                                | 54 | T-SGPW505421L | T-SGPW505421R | 1,271 |
| 50                                                                | 60 | T-SGPW506021L | T-SGPW506021R | 1,386 |
| 50                                                                | 66 | T-SGPW506621L | T-SGPW506621R | 1,498 |
| 50                                                                | 72 | T-SGPW507221L | T-SGPW507221R | 1,532 |
| 50                                                                | 78 | T-SGPW507821L | T-SGPW507821R | 1,568 |
| 50                                                                | 84 | T-SGPW508421L | T-SGPW508421R | 1,600 |
| 50                                                                | 90 | T-SGPW509021L | T-SGPW509021R | 1,633 |



Left Hand Shown



## Specify


- Laminate with matching edge

## Notes


- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8" between or at the end of Beam sections.
- Any gallery panel that extends more than 60" from the Beam must be tied to storage or similar support.
- Encounter PowerBench only compatible with 29"H.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.

## Laminate Gallery Panels – Beam Mount Single Spine for Wing

| 25" BEAM MOUNT SINGLE SPINE FOR WING,<br>HORIZONTAL GRAIN PATTERN |    |               |               |       | 25" BEAM MOUNT SINGLE SPINE FOR WING,<br>HORIZONTAL GRAIN PATTERN |    |               |               |       |
|-------------------------------------------------------------------|----|---------------|---------------|-------|-------------------------------------------------------------------|----|---------------|---------------|-------|
|                                                                   |    | Left          | Right         | List  |                                                                   |    | Left          | Right         | List  |
| H                                                                 | W  | Model Number  | Model Number  |       | H                                                                 | W  | Model Number  | Model Number  |       |
| 29                                                                | 48 | T-SGPW294825L | T-SGPW294825R | 834   | 50                                                                | 48 | T-SGPW504825L | T-SGPW504825R | 1,182 |
| 29                                                                | 54 | T-SGPW295425L | T-SGPW295425R | 843   | 50                                                                | 54 | T-SGPW505425L | T-SGPW505425R | 1,271 |
| 29                                                                | 60 | T-SGPW296025L | T-SGPW296025R | 984   | 50                                                                | 60 | T-SGPW506025L | T-SGPW506025R | 1,386 |
| 29                                                                | 66 | T-SGPW296625L | T-SGPW296625R | 1,031 | 50                                                                | 66 | T-SGPW506625L | T-SGPW506625R | 1,498 |
| 29                                                                | 72 | T-SGPW297225L | T-SGPW297225R | 1,092 | 50                                                                | 72 | T-SGPW507225L | T-SGPW507225R | 1,532 |
| 29                                                                | 78 | T-SGPW297825L | T-SGPW297825R | 1,155 | 50                                                                | 78 | T-SGPW507825L | T-SGPW507825R | 1,568 |
| 29                                                                | 84 | T-SGPW298425L | T-SGPW298425R | 1,214 | 50                                                                | 84 | T-SGPW508425L | T-SGPW508425R | 1,600 |
| 29                                                                | 90 | T-SGPW299025L | T-SGPW299025R | 1,277 | 50                                                                | 90 | T-SGPW509025L | T-SGPW509025R | 1,633 |
|                                                                   |    |               |               |       |                                                                   |    |               |               |       |
| 42                                                                | 48 | T-SGPW424825L | T-SGPW424825R | 1,009 | 58                                                                | 48 | T-SGPW584825L | T-SGPW584825R | 1,241 |
| 42                                                                | 54 | T-SGPW425425L | T-SGPW425425R | 1,058 | 58                                                                | 54 | T-SGPW585425L | T-SGPW585425R | 1,304 |
| 42                                                                | 60 | T-SGPW426025L | T-SGPW426025R | 1,183 | 58                                                                | 60 | T-SGPW586025L | T-SGPW586025R | 1,414 |
| 42                                                                | 66 | T-SGPW426625L | T-SGPW426625R | 1,266 | 58                                                                | 66 | T-SGPW586625L | T-SGPW586625R | 1,524 |
| 42                                                                | 72 | T-SGPW427225L | T-SGPW427225R | 1,312 | 58                                                                | 72 | T-SGPW587225L | T-SGPW587225R | 1,631 |
| 42                                                                | 78 | T-SGPW427825L | T-SGPW427825R | 1,361 | 58                                                                | 78 | T-SGPW587825L | T-SGPW587825R | 1,740 |
| 42                                                                | 84 | T-SGPW428425L | T-SGPW428425R | 1,407 | 58                                                                | 84 | T-SGPW588425L | T-SGPW588425R | 1,851 |
| 42                                                                | 90 | T-SGPW429025L | T-SGPW429025R | 1,456 | 58                                                                | 90 | T-SGPW589025L | T-SGPW589025R | 1,961 |
|                                                                   |    |               |               |       |                                                                   |    |               |               |       |
| 46                                                                | 48 | T-SGPW464825L | T-SGPW464825R | 1,097 |                                                                   |    |               |               |       |
| 46                                                                | 54 | T-SGPW465425L | T-SGPW465425R | 1,164 |                                                                   |    |               |               |       |
| 46                                                                | 60 | T-SGPW466025L | T-SGPW466025R | 1,285 |                                                                   |    |               |               |       |
| 46                                                                | 66 | T-SGPW466625L | T-SGPW466625R | 1,383 |                                                                   |    |               |               |       |
| 46                                                                | 72 | T-SGPW467225L | T-SGPW467225R | 1,422 |                                                                   |    |               |               |       |
| 46                                                                | 78 | T-SGPW467825L | T-SGPW467825R | 1,464 |                                                                   |    |               |               |       |
| 46                                                                | 84 | T-SGPW468425L | T-SGPW468425R | 1,504 |                                                                   |    |               |               |       |
| 46                                                                | 90 | T-SGPW469025L | T-SGPW469025R | 1,544 |                                                                   |    |               |               |       |



Left Hand Shown



## Specify

- Laminate with matching edge


## Notes

- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8" between or at the end of Beam sections.
- Any gallery panel that extends more than 60" from the Beam must be tied to storage or similar support.
- Encounter PowerBench only compatible with 29"H.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.


## Laminate Gallery Panels – Beam Mount Single Spine for Wing

| 29" BEAM MOUNT SINGLE SPINE FOR WING,<br>HORIZONTAL GRAIN PATTERN |    |               |               |       |
|-------------------------------------------------------------------|----|---------------|---------------|-------|
|                                                                   |    | Left          | Right         | List  |
| H                                                                 | W  | Model Number  | Model Number  |       |
| 29                                                                | 48 | T-SGPW294829L | T-SGPW294829R | 834   |
| 29                                                                | 54 | T-SGPW295429L | T-SGPW295429R | 843   |
| 29                                                                | 60 | T-SGPW296029L | T-SGPW296029R | 984   |
| 29                                                                | 66 | T-SGPW296629L | T-SGPW296629R | 1,031 |
| 29                                                                | 72 | T-SGPW297229L | T-SGPW297229R | 1,092 |
| 29                                                                | 78 | T-SGPW297829L | T-SGPW297829R | 1,155 |
| 29                                                                | 84 | T-SGPW298429L | T-SGPW298429R | 1,214 |
| 29                                                                | 90 | T-SGPW299029L | T-SGPW299029R | 1,277 |
|                                                                   |    |               |               |       |
| 42                                                                | 48 | T-SGPW424829L | T-SGPW424829R | 1,009 |
| 42                                                                | 54 | T-SGPW425429L | T-SGPW425429R | 1,058 |
| 42                                                                | 60 | T-SGPW426029L | T-SGPW426029R | 1,183 |
| 42                                                                | 66 | T-SGPW426629L | T-SGPW426629R | 1,266 |
| 42                                                                | 72 | T-SGPW427229L | T-SGPW427229R | 1,312 |
| 42                                                                | 78 | T-SGPW427829L | T-SGPW427829R | 1,361 |
| 42                                                                | 84 | T-SGPW428429L | T-SGPW428429R | 1,407 |
| 42                                                                | 90 | T-SGPW429029L | T-SGPW429029R | 1,456 |
|                                                                   |    |               |               |       |
| 46                                                                | 48 | T-SGPW464829L | T-SGPW464829R | 1,097 |
| 46                                                                | 54 | T-SGPW465429L | T-SGPW465429R | 1,164 |
| 46                                                                | 60 | T-SGPW466029L | T-SGPW466029R | 1,285 |
| 46                                                                | 66 | T-SGPW466629L | T-SGPW466629R | 1,383 |
| 46                                                                | 72 | T-SGPW467229L | T-SGPW467229R | 1,422 |
| 46                                                                | 78 | T-SGPW467829L | T-SGPW467829R | 1,464 |
| 46                                                                | 84 | T-SGPW468429L | T-SGPW468429R | 1,504 |
| 46                                                                | 90 | T-SGPW469029L | T-SGPW469029R | 1,544 |

| 29" BEAM MOUNT SINGLE SPINE FOR WING,<br>HORIZONTAL GRAIN PATTERN |    |               |               |       |
|-------------------------------------------------------------------|----|---------------|---------------|-------|
|                                                                   |    | Left          | Right         | List  |
| H                                                                 | W  | Model Number  | Model Number  |       |
| 50                                                                | 48 | T-SGPW504829L | T-SGPW504829R | 1,182 |
| 50                                                                | 54 | T-SGPW505429L | T-SGPW505429R | 1,271 |
| 50                                                                | 60 | T-SGPW506029L | T-SGPW506029R | 1,386 |
| 50                                                                | 66 | T-SGPW506629L | T-SGPW506629R | 1,498 |
| 50                                                                | 72 | T-SGPW507229L | T-SGPW507229R | 1,532 |
| 50                                                                | 78 | T-SGPW507829L | T-SGPW507829R | 1,568 |
| 50                                                                | 84 | T-SGPW508429L | T-SGPW508429R | 1,600 |
| 50                                                                | 90 | T-SGPW509029L | T-SGPW509029R | 1,633 |
|                                                                   |    |               |               |       |
| 58                                                                | 48 | T-SGPW584829L | T-SGPW584829R | 1,241 |
| 58                                                                | 54 | T-SGPW585429L | T-SGPW585429R | 1,304 |
| 58                                                                | 60 | T-SGPW586029L | T-SGPW586029R | 1,414 |
| 58                                                                | 66 | T-SGPW586629L | T-SGPW586629R | 1,524 |
| 58                                                                | 72 | T-SGPW587229L | T-SGPW587229R | 1,631 |
| 58                                                                | 78 | T-SGPW587829L | T-SGPW587829R | 1,740 |
| 58                                                                | 84 | T-SGPW588429L | T-SGPW588429R | 1,851 |
| 58                                                                | 90 | T-SGPW589029L | T-SGPW589029R | 1,961 |



Left Hand Shown



## Specify


- Laminate with matching edge

## Notes


- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8" between or at the end of Beam sections.
- Any gallery panel that extends more than 60" from the Beam must be tied to storage or similar support.
- Encounter PowerBench only compatible with 29"H.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.

Laminate Gallery Panels – Beam Mount Single Spine for Wing

| 21" BEAM MOUNT SINGLE SPINE FOR WING,<br>VERTICAL GRAIN PATTERN |    |                |                |       |
|-----------------------------------------------------------------|----|----------------|----------------|-------|
|                                                                 |    | Left           | Right          | List  |
| H                                                               | W  | Model Number   | Model Number   |       |
| 29                                                              | 48 | T-SGPW294821LV | T-SGPW294821RV | 834   |
| 29                                                              | 54 | T-SGPW295421LV | T-SGPW295421RV | 843   |
| 42                                                              | 48 | T-SGPW424821LV | T-SGPW424821RV | 1,009 |
| 42                                                              | 54 | T-SGPW425421LV | T-SGPW425421RV | 1,058 |
| 46                                                              | 48 | T-SGPW464821LV | T-SGPW464821RV | 1,097 |
| 46                                                              | 54 | T-SGPW465421LV | T-SGPW465421RV | 1,164 |
| 50                                                              | 48 | T-SGPW504821LV | T-SGPW504821RV | 1,182 |
| 50                                                              | 54 | T-SGPW505421LV | T-SGPW505421RV | 1,271 |



Left Hand Shown




| Specify                                                                     | Notes                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|-----------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"><li>Laminate with matching edge</li></ul> | <ul style="list-style-type: none"><li>Cannot be used freestanding, must be attached to a Beam.</li><li>Encounter PowerBeam gallery panels are ordered specific to Beam height.</li><li>Gallery panels add 1 1/8" between or at the end of Beam sections.</li><li>Encounter PowerBench only compatible with 29"H.</li><li>Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.</li></ul> |


## Laminate Gallery Panels – Beam Mount Single Spine for Wing

25" BEAM MOUNT SINGLE SPINE FOR WING,  
VERTICAL GRAIN PATTERN

| H  | W  | Left           | Right          | List  |
|----|----|----------------|----------------|-------|
|    |    | Model Number   | Model Number   |       |
| 29 | 48 | T-SGPW294825LV | T-SGPW294825RV | 834   |
| 29 | 54 | T-SGPW295425LV | T-SGPW295425RV | 843   |
| 42 | 48 | T-SGPW424825LV | T-SGPW424825RV | 1,009 |
| 42 | 54 | T-SGPW425425LV | T-SGPW425425RV | 1,058 |
| 46 | 48 | T-SGPW464825LV | T-SGPW464825RV | 1,097 |
| 46 | 54 | T-SGPW465425LV | T-SGPW465425RV | 1,164 |
| 50 | 48 | T-SGPW504825LV | T-SGPW504825RV | 1,182 |
| 50 | 54 | T-SGPW505425LV | T-SGPW505425RV | 1,271 |
| 58 | 48 | T-SGPW584825LV | T-SGPW584825RV | 1,241 |
| 58 | 54 | T-SGPW585425LV | T-SGPW585425RV | 1,304 |



Left Hand Shown



## Specify


- Laminate with matching edge

## Notes


- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8" between or at the end of Beam sections.
- Encounter PowerBench only compatible with 29"H.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.

Laminate Gallery Panels – Beam Mount Single Spine for Wing

| 29" BEAM MOUNT SINGLE SPINE FOR WING,<br>VERTICAL GRAIN PATTERN |    |                |                |       |
|-----------------------------------------------------------------|----|----------------|----------------|-------|
|                                                                 |    | Left           | Right          |       |
| H                                                               | W  | Model Number   | Model Number   | List  |
| 29                                                              | 48 | T-SGPW294829LV | T-SGPW294829RV | 834   |
| 29                                                              | 54 | T-SGPW295429LV | T-SGPW295429RV | 843   |
| 42                                                              | 48 | T-SGPW424829LV | T-SGPW424829RV | 1,009 |
| 42                                                              | 54 | T-SGPW425429LV | T-SGPW425429RV | 1,058 |
| 46                                                              | 48 | T-SGPW464829LV | T-SGPW464829RV | 1,097 |
| 46                                                              | 54 | T-SGPW465429LV | T-SGPW465429RV | 1,164 |
| 50                                                              | 48 | T-SGPW504829LV | T-SGPW504829RV | 1,182 |
| 50                                                              | 54 | T-SGPW505429LV | T-SGPW505429RV | 1,271 |
| 58                                                              | 48 | T-SGPW584829LV | T-SGPW584829RV | 1,241 |
| 58                                                              | 54 | T-SGPW585429LV | T-SGPW585429RV | 1,304 |



Left Hand Shown



| Specify                       | Notes                                                                                                                                                                                                                                                                                                                                 |
|-------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| • Laminate with matching edge | • Cannot be used freestanding, must be attached to a Beam.<br>• Encounter PowerBeam gallery panels are ordered specific to Beam height.<br>• Gallery panels add 1 1/8" between or at the end of Beam sections.<br>• Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel. |



## Laminate Gallery Panels – Mid Mount Spine

## 21" MID MOUNT SPINE, HORIZONTAL GRAIN PATTERN

|    |    | Left          | Right         | List  |
|----|----|---------------|---------------|-------|
| H  | W  | Model Number  | Model Number  |       |
| 29 | 24 | T-SLMS292421L | T-SLMS292421R | 715   |
| 29 | 30 | T-SLMS293021L | T-SLMS293021R | 748   |
| 29 | 36 | T-SLMS293621L | T-SLMS293621R | 771   |
| 29 | 42 | T-SLMS294221L | T-SLMS294221R | 786   |
| 29 | 48 | T-SLMS294821L | T-SLMS294821R | 795   |
| 29 | 54 | T-SLMS295421L | T-SLMS295421R | 806   |
| 29 | 60 | T-SLMS296021L | T-SLMS296021R | 948   |
| 29 | 66 | T-SLMS296621L | T-SLMS296621R | 993   |
| 29 | 72 | T-SLMS297221L | T-SLMS297221R | 1,056 |
| 29 | 78 | T-SLMS297821L | T-SLMS297821R | 1,118 |
| 29 | 84 | T-SLMS298421L | T-SLMS298421R | 1,179 |
| 29 | 90 | T-SLMS299021L | T-SLMS299021R | 1,240 |
|    |    |               |               |       |
| 42 | 24 | T-SLMS422421L | T-SLMS422421R | 768   |
| 42 | 30 | T-SLMS423021L | T-SLMS423021R | 822   |
| 42 | 36 | T-SLMS423621L | T-SLMS423621R | 872   |
| 42 | 42 | T-SLMS424221L | T-SLMS424221R | 921   |
| 42 | 48 | T-SLMS424821L | T-SLMS424821R | 972   |
| 42 | 54 | T-SLMS425421L | T-SLMS425421R | 1,019 |
| 42 | 60 | T-SLMS426021L | T-SLMS426021R | 1,146 |
| 42 | 66 | T-SLMS426621L | T-SLMS426621R | 1,227 |
| 42 | 72 | T-SLMS427221L | T-SLMS427221R | 1,275 |
| 42 | 78 | T-SLMS427821L | T-SLMS427821R | 1,322 |
| 42 | 84 | T-SLMS428421L | T-SLMS428421R | 1,370 |
| 42 | 90 | T-SLMS429021L | T-SLMS429021R | 1,419 |

## 21" MID MOUNT SPINE, HORIZONTAL GRAIN PATTERN

|    |    | Left          | Right         | List  |
|----|----|---------------|---------------|-------|
| H  | W  | Model Number  | Model Number  |       |
| 46 | 24 | T-SLMS462421L | T-SLMS462421R | 792   |
| 46 | 30 | T-SLMS463021L | T-SLMS463021R | 859   |
| 46 | 36 | T-SLMS463621L | T-SLMS463621R | 924   |
| 46 | 42 | T-SLMS464221L | T-SLMS464221R | 990   |
| 46 | 48 | T-SLMS464821L | T-SLMS464821R | 1,058 |
| 46 | 54 | T-SLMS465421L | T-SLMS465421R | 1,125 |
| 46 | 60 | T-SLMS466021L | T-SLMS466021R | 1,247 |
| 46 | 66 | T-SLMS466621L | T-SLMS466621R | 1,344 |
| 46 | 72 | T-SLMS467221L | T-SLMS467221R | 1,385 |
| 46 | 78 | T-SLMS467821L | T-SLMS467821R | 1,426 |
| 46 | 84 | T-SLMS468421L | T-SLMS468421R | 1,466 |
| 46 | 90 | T-SLMS469021L | T-SLMS469021R | 1,507 |
|    |    |               |               |       |
| 50 | 24 | T-SLMS502421L | T-SLMS502421R | 816   |
| 50 | 30 | T-SLMS503021L | T-SLMS503021R | 897   |
| 50 | 36 | T-SLMS503621L | T-SLMS503621R | 976   |
| 50 | 42 | T-SLMS504221L | T-SLMS504221R | 1,059 |
| 50 | 48 | T-SLMS504821L | T-SLMS504821R | 1,145 |
| 50 | 54 | T-SLMS505421L | T-SLMS505421R | 1,233 |
| 50 | 60 | T-SLMS506021L | T-SLMS506021R | 1,348 |
| 50 | 66 | T-SLMS506621L | T-SLMS506621R | 1,461 |
| 50 | 72 | T-SLMS507221L | T-SLMS507221R | 1,496 |
| 50 | 78 | T-SLMS507821L | T-SLMS507821R | 1,529 |
| 50 | 84 | T-SLMS508421L | T-SLMS508421R | 1,562 |
| 50 | 90 | T-SLMS509021L | T-SLMS509021R | 1,593 |



## Specify

- Select paint
- Laminate with matching edge

## Notes

- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8" between or at the end of Beam sections.
- Any gallery panel that extends more than 60" from the Beam must be tied to storage or similar support.
- Mid mounts are not compatible with PowerBench.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.



## Laminate Gallery Panels – Mid Mount Spine

## 25" MID MOUNT SPINE, HORIZONTAL GRAIN PATTERN

| H  | W  | Left          | Right         | List  |
|----|----|---------------|---------------|-------|
|    |    | Model Number  | Model Number  |       |
| 29 | 24 | T-SLMS292425L | T-SLMS292425R | 715   |
| 29 | 30 | T-SLMS293025L | T-SLMS293025R | 748   |
| 29 | 36 | T-SLMS293625L | T-SLMS293625R | 771   |
| 29 | 42 | T-SLMS294225L | T-SLMS294225R | 786   |
| 29 | 48 | T-SLMS294825L | T-SLMS294825R | 795   |
| 29 | 54 | T-SLMS295425L | T-SLMS295425R | 806   |
| 29 | 60 | T-SLMS296025L | T-SLMS296025R | 948   |
| 29 | 66 | T-SLMS296625L | T-SLMS296625R | 993   |
| 29 | 72 | T-SLMS297225L | T-SLMS297225R | 1,056 |
| 29 | 78 | T-SLMS297825L | T-SLMS297825R | 1,118 |
| 29 | 84 | T-SLMS298425L | T-SLMS298425R | 1,179 |
| 29 | 90 | T-SLMS299025L | T-SLMS299025R | 1,240 |
|    |    |               |               |       |
| 42 | 24 | T-SLMS422425L | T-SLMS422425R | 768   |
| 42 | 30 | T-SLMS423025L | T-SLMS423025R | 822   |
| 42 | 36 | T-SLMS423625L | T-SLMS423625R | 872   |
| 42 | 42 | T-SLMS424225L | T-SLMS424225R | 921   |
| 42 | 48 | T-SLMS424825L | T-SLMS424825R | 972   |
| 42 | 54 | T-SLMS425425L | T-SLMS425425R | 1,019 |
| 42 | 60 | T-SLMS426025L | T-SLMS426025R | 1,146 |
| 42 | 66 | T-SLMS426625L | T-SLMS426625R | 1,227 |
| 42 | 72 | T-SLMS427225L | T-SLMS427225R | 1,275 |
| 42 | 78 | T-SLMS427825L | T-SLMS427825R | 1,322 |
| 42 | 84 | T-SLMS428425L | T-SLMS428425R | 1,370 |
| 42 | 90 | T-SLMS429025L | T-SLMS429025R | 1,419 |

## 25" MID MOUNT SPINE, HORIZONTAL GRAIN PATTERN

| H  | W  | Left          | Right         | List  |
|----|----|---------------|---------------|-------|
|    |    | Model Number  | Model Number  |       |
| 46 | 24 | T-SLMS462425L | T-SLMS462425R | 792   |
| 46 | 30 | T-SLMS463025L | T-SLMS463025R | 859   |
| 46 | 36 | T-SLMS463625L | T-SLMS463625R | 924   |
| 46 | 42 | T-SLMS464225L | T-SLMS464225R | 990   |
| 46 | 48 | T-SLMS464825L | T-SLMS464825R | 1,058 |
| 46 | 54 | T-SLMS465425L | T-SLMS465425R | 1,125 |
| 46 | 60 | T-SLMS466025L | T-SLMS466025R | 1,247 |
| 46 | 66 | T-SLMS466625L | T-SLMS466625R | 1,344 |
| 46 | 72 | T-SLMS467225L | T-SLMS467225R | 1,385 |
| 46 | 78 | T-SLMS467825L | T-SLMS467825R | 1,426 |
| 46 | 84 | T-SLMS468425L | T-SLMS468425R | 1,466 |
| 46 | 90 | T-SLMS469025L | T-SLMS469025R | 1,507 |
|    |    |               |               |       |
| 50 | 24 | T-SLMS502425L | T-SLMS502425R | 816   |
| 50 | 30 | T-SLMS503025L | T-SLMS503025R | 897   |
| 50 | 36 | T-SLMS503625L | T-SLMS503625R | 976   |
| 50 | 42 | T-SLMS504225L | T-SLMS504225R | 1,059 |
| 50 | 48 | T-SLMS504825L | T-SLMS504825R | 1,145 |
| 50 | 54 | T-SLMS505425L | T-SLMS505425R | 1,233 |
| 50 | 60 | T-SLMS506025L | T-SLMS506025R | 1,348 |
| 50 | 66 | T-SLMS506625L | T-SLMS506625R | 1,461 |
| 50 | 72 | T-SLMS507225L | T-SLMS507225R | 1,496 |
| 50 | 78 | T-SLMS507825L | T-SLMS507825R | 1,529 |
| 50 | 84 | T-SLMS508425L | T-SLMS508425R | 1,562 |
| 50 | 90 | T-SLMS509025L | T-SLMS509025R | 1,593 |



## Specify

- Select paint
- Laminate with matching edge



## Notes

- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8" between or at the end of Beam sections.
- Any gallery panel that extends more than 60" from the Beam must be tied to storage or similar support.
- Mid mounts are not compatible with PowerBench.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.

## Laminate Gallery Panels – Mid Mount Spine

## 25" MID MOUNT SPINE, HORIZONTAL GRAIN PATTERN

| H  | W  | Left          | Right         | List  |
|----|----|---------------|---------------|-------|
|    |    | Model Number  | Model Number  |       |
| 58 | 24 | T-SLMS582425L | T-SLMS582425R | 906   |
| 58 | 30 | T-SLMS583025L | T-SLMS583025R | 989   |
| 58 | 36 | T-SLMS583625L | T-SLMS583625R | 1,062 |
| 58 | 42 | T-SLMS584225L | T-SLMS584225R | 1,144 |
| 58 | 48 | T-SLMS584825L | T-SLMS584825R | 1,206 |
| 58 | 54 | T-SLMS585425L | T-SLMS585425R | 1,266 |
| 58 | 60 | T-SLMS586025L | T-SLMS586025R | 1,376 |
| 58 | 66 | T-SLMS586625L | T-SLMS586625R | 1,483 |
| 58 | 72 | T-SLMS587225L | T-SLMS587225R | 1,592 |
| 58 | 78 | T-SLMS587825L | T-SLMS587825R | 1,703 |
| 58 | 84 | T-SLMS588425L | T-SLMS588425R | 1,813 |
| 58 | 90 | T-SLMS589025L | T-SLMS589025R | 1,921 |



## Specify



- Select paint
- Laminate with matching edge

## Notes

- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8" between or at the end of Beam sections.
- Any gallery panel that extends more than 60" from the Beam must be tied to storage or similar support.
- Mid mounts are not compatible with PowerBench.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.

## Laminate Gallery Panels – Mid Mount Spine

| 29" MID MOUNT SPINE, HORIZONTAL GRAIN PATTERN |    |               |               |       | 29" MID MOUNT SPINE, HORIZONTAL GRAIN PATTERN |    |               |               |       |
|-----------------------------------------------|----|---------------|---------------|-------|-----------------------------------------------|----|---------------|---------------|-------|
|                                               |    | Left          | Right         | List  |                                               |    | Left          | Right         | List  |
| H                                             | W  | Model Number  | Model Number  |       | H                                             | W  | Model Number  | Model Number  |       |
| 29                                            | 24 | T-SLMS292429L | T-SLMS292429R | 715   | 46                                            | 24 | T-SLMS462429L | T-SLMS462429R | 792   |
| 29                                            | 30 | T-SLMS293029L | T-SLMS293029R | 748   | 46                                            | 30 | T-SLMS463029L | T-SLMS463029R | 859   |
| 29                                            | 36 | T-SLMS293629L | T-SLMS293629R | 771   | 46                                            | 36 | T-SLMS463629L | T-SLMS463629R | 924   |
| 29                                            | 42 | T-SLMS294229L | T-SLMS294229R | 786   | 46                                            | 42 | T-SLMS464229L | T-SLMS464229R | 990   |
| 29                                            | 48 | T-SLMS294829L | T-SLMS294829R | 795   | 46                                            | 48 | T-SLMS464829L | T-SLMS464829R | 1,058 |
| 29                                            | 54 | T-SLMS295429L | T-SLMS295429R | 806   | 46                                            | 54 | T-SLMS465429L | T-SLMS465429R | 1,125 |
| 29                                            | 60 | T-SLMS296029L | T-SLMS296029R | 948   | 46                                            | 60 | T-SLMS466029L | T-SLMS466029R | 1,247 |
| 29                                            | 66 | T-SLMS296629L | T-SLMS296629R | 993   | 46                                            | 66 | T-SLMS466629L | T-SLMS466629R | 1,344 |
| 29                                            | 72 | T-SLMS297229L | T-SLMS297229R | 1,056 | 46                                            | 72 | T-SLMS467229L | T-SLMS467229R | 1,385 |
| 29                                            | 78 | T-SLMS297829L | T-SLMS297829R | 1,118 | 46                                            | 78 | T-SLMS467829L | T-SLMS467829R | 1,426 |
| 29                                            | 84 | T-SLMS298429L | T-SLMS298429R | 1,179 | 46                                            | 84 | T-SLMS468429L | T-SLMS468429R | 1,466 |
| 29                                            | 90 | T-SLMS299029L | T-SLMS299029R | 1,240 | 46                                            | 90 | T-SLMS469029L | T-SLMS469029R | 1,507 |
|                                               |    |               |               |       |                                               |    |               |               |       |
| 42                                            | 24 | T-SLMS422429L | T-SLMS422429R | 768   | 50                                            | 24 | T-SLMS502429L | T-SLMS502429R | 816   |
| 42                                            | 30 | T-SLMS423029L | T-SLMS423029R | 822   | 50                                            | 30 | T-SLMS503029L | T-SLMS503029R | 897   |
| 42                                            | 36 | T-SLMS423629L | T-SLMS423629R | 872   | 50                                            | 36 | T-SLMS503629L | T-SLMS503629R | 976   |
| 42                                            | 42 | T-SLMS424229L | T-SLMS424229R | 921   | 50                                            | 42 | T-SLMS504229L | T-SLMS504229R | 1,059 |
| 42                                            | 48 | T-SLMS424829L | T-SLMS424829R | 972   | 50                                            | 48 | T-SLMS504829L | T-SLMS504829R | 1,145 |
| 42                                            | 54 | T-SLMS425429L | T-SLMS425429R | 1,019 | 50                                            | 54 | T-SLMS505429L | T-SLMS505429R | 1,233 |
| 42                                            | 60 | T-SLMS426029L | T-SLMS426029R | 1,146 | 50                                            | 60 | T-SLMS506029L | T-SLMS506029R | 1,348 |
| 42                                            | 66 | T-SLMS426629L | T-SLMS426629R | 1,227 | 50                                            | 66 | T-SLMS506629L | T-SLMS506629R | 1,461 |
| 42                                            | 72 | T-SLMS427229L | T-SLMS427229R | 1,275 | 50                                            | 72 | T-SLMS507229L | T-SLMS507229R | 1,496 |
| 42                                            | 78 | T-SLMS427829L | T-SLMS427829R | 1,322 | 50                                            | 78 | T-SLMS507829L | T-SLMS507829R | 1,529 |
| 42                                            | 84 | T-SLMS428429L | T-SLMS428429R | 1,370 | 50                                            | 84 | T-SLMS508429L | T-SLMS508429R | 1,562 |
| 42                                            | 90 | T-SLMS429029L | T-SLMS429029R | 1,419 | 50                                            | 90 | T-SLMS509029L | T-SLMS509029R | 1,593 |



## Specify

- Select paint
- Laminate with matching edge



## Notes

- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8" between or at the end of Beam sections.
- Any gallery panel that extends more than 60" from the Beam must be tied to storage or similar support.
- Mid mounts are not compatible with PowerBench.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.

## Laminate Gallery Panels – Mid Mount Spine

## 29" MID MOUNT SPINE, HORIZONTAL GRAIN PATTERN

| H  | W  | Left          | Right         | List  |
|----|----|---------------|---------------|-------|
|    |    | Model Number  | Model Number  |       |
| 58 | 24 | T-SLMS582429L | T-SLMS582429R | 906   |
| 58 | 30 | T-SLMS583029L | T-SLMS583029R | 989   |
| 58 | 36 | T-SLMS583629L | T-SLMS583629R | 1,062 |
| 58 | 42 | T-SLMS584229L | T-SLMS584229R | 1,144 |
| 58 | 48 | T-SLMS584829L | T-SLMS584829R | 1,206 |
| 58 | 54 | T-SLMS585429L | T-SLMS585429R | 1,266 |
| 58 | 60 | T-SLMS586029L | T-SLMS586029R | 1,376 |
| 58 | 66 | T-SLMS586629L | T-SLMS586629R | 1,483 |
| 58 | 72 | T-SLMS587229L | T-SLMS587229R | 1,592 |
| 58 | 78 | T-SLMS587829L | T-SLMS587829R | 1,703 |
| 58 | 84 | T-SLMS588429L | T-SLMS588429R | 1,813 |
| 58 | 90 | T-SLMS589029L | T-SLMS589029R | 1,921 |



## Specify

- Select paint
- Laminate with matching edge



## Notes

- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8" between or at the end of Beam sections.
- Any gallery panel that extends more than 60" from the Beam must be tied to storage or similar support.
- Mid mounts are not compatible with PowerBench.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.

## Laminate Gallery Panels – Mid Mount Spine

| 21" MID MOUNT SPINE, VERTICAL GRAIN PATTERN |    |                |                |       |
|---------------------------------------------|----|----------------|----------------|-------|
|                                             |    | Left           | Right          | List  |
| H                                           | W  | Model Number   | Model Number   |       |
| 29                                          | 24 | T-SLMS292421LV | T-SLMS292421RV | 715   |
| 29                                          | 30 | T-SLMS293021LV | T-SLMS293021RV | 748   |
| 29                                          | 36 | T-SLMS293621LV | T-SLMS293621RV | 771   |
| 29                                          | 42 | T-SLMS294221LV | T-SLMS294221RV | 786   |
| 29                                          | 48 | T-SLMS294821LV | T-SLMS294821RV | 795   |
| 29                                          | 54 | T-SLMS295421LV | T-SLMS295421RV | 806   |
| 42                                          | 24 | T-SLMS422421LV | T-SLMS422421RV | 768   |
| 42                                          | 30 | T-SLMS423021LV | T-SLMS423021RV | 822   |
| 42                                          | 36 | T-SLMS423621LV | T-SLMS423621RV | 872   |
| 42                                          | 42 | T-SLMS424221LV | T-SLMS424221RV | 921   |
| 42                                          | 48 | T-SLMS424821LV | T-SLMS424821RV | 972   |
| 42                                          | 54 | T-SLMS425421LV | T-SLMS425421RV | 1,019 |

| 21" MID MOUNT SPINE, VERTICAL GRAIN PATTERN |    |                |                |       |
|---------------------------------------------|----|----------------|----------------|-------|
|                                             |    | Left           | Right          | List  |
| H                                           | W  | Model Number   | Model Number   |       |
| 46                                          | 24 | T-SLMS462421LV | T-SLMS462421RV | 792   |
| 46                                          | 30 | T-SLMS463021LV | T-SLMS463021RV | 859   |
| 46                                          | 36 | T-SLMS463621LV | T-SLMS463621RV | 924   |
| 46                                          | 42 | T-SLMS464221LV | T-SLMS464221RV | 990   |
| 46                                          | 48 | T-SLMS464821LV | T-SLMS464821RV | 1,058 |
| 46                                          | 54 | T-SLMS465421LV | T-SLMS465421RV | 1,125 |
| 50                                          | 24 | T-SLMS502421LV | T-SLMS502421RV | 816   |
| 50                                          | 30 | T-SLMS503021LV | T-SLMS503021RV | 897   |
| 50                                          | 36 | T-SLMS503621LV | T-SLMS503621RV | 976   |
| 50                                          | 42 | T-SLMS504221LV | T-SLMS504221RV | 1,059 |
| 50                                          | 48 | T-SLMS504821LV | T-SLMS504821RV | 1,145 |
| 50                                          | 54 | T-SLMS505421LV | T-SLMS505421RV | 1,233 |



## Specify

- Select paint
- Laminate with matching edge



## Notes

- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8" between or at the end of Beam sections.
- Mid mounts are not compatible with PowerBench.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.

## Laminate Gallery Panels – Mid Mount Spine

| 25" MID MOUNT SPINE, VERTICAL GRAIN PATTERN |    |                |                |       |
|---------------------------------------------|----|----------------|----------------|-------|
|                                             |    | Left           | Right          | List  |
| H                                           | W  | Model Number   | Model Number   |       |
| 29                                          | 24 | T-SLMS292425LV | T-SLMS292425RV | 715   |
| 29                                          | 30 | T-SLMS293025LV | T-SLMS293025RV | 748   |
| 29                                          | 36 | T-SLMS293625LV | T-SLMS293625RV | 771   |
| 29                                          | 42 | T-SLMS294225LV | T-SLMS294225RV | 786   |
| 29                                          | 48 | T-SLMS294825LV | T-SLMS294825RV | 795   |
| 29                                          | 54 | T-SLMS295425LV | T-SLMS295425RV | 806   |
|                                             |    |                |                |       |
| 42                                          | 24 | T-SLMS422425LV | T-SLMS422425RV | 768   |
| 42                                          | 30 | T-SLMS423025LV | T-SLMS423025RV | 822   |
| 42                                          | 36 | T-SLMS423625LV | T-SLMS423625RV | 872   |
| 42                                          | 42 | T-SLMS424225LV | T-SLMS424225RV | 921   |
| 42                                          | 48 | T-SLMS424825LV | T-SLMS424825RV | 972   |
| 42                                          | 54 | T-SLMS425425LV | T-SLMS425425RV | 1,019 |
|                                             |    |                |                |       |
| 46                                          | 24 | T-SLMS462425LV | T-SLMS462425RV | 792   |
| 46                                          | 30 | T-SLMS463025LV | T-SLMS463025RV | 859   |
| 46                                          | 36 | T-SLMS463625LV | T-SLMS463625RV | 924   |
| 46                                          | 42 | T-SLMS464225LV | T-SLMS464225RV | 990   |
| 46                                          | 48 | T-SLMS464825LV | T-SLMS464825RV | 1,058 |
| 46                                          | 54 | T-SLMS465425LV | T-SLMS465425RV | 1,125 |

| 25" MID MOUNT SPINE, VERTICAL GRAIN PATTERN |    |                |                |       |
|---------------------------------------------|----|----------------|----------------|-------|
|                                             |    | Left           | Right          | List  |
| H                                           | W  | Model Number   | Model Number   |       |
| 50                                          | 24 | T-SLMS502425LV | T-SLMS502425RV | 816   |
| 50                                          | 30 | T-SLMS503025LV | T-SLMS503025RV | 897   |
| 50                                          | 36 | T-SLMS503625LV | T-SLMS503625RV | 976   |
| 50                                          | 42 | T-SLMS504225LV | T-SLMS504225RV | 1,059 |
| 50                                          | 48 | T-SLMS504825LV | T-SLMS504825RV | 1,145 |
| 50                                          | 54 | T-SLMS505425LV | T-SLMS505425RV | 1,233 |
|                                             |    |                |                |       |
| 58                                          | 24 | T-SLMS582425LV | T-SLMS582425RV | 906   |
| 58                                          | 30 | T-SLMS583025LV | T-SLMS583025RV | 989   |
| 58                                          | 36 | T-SLMS583625LV | T-SLMS583625RV | 1,062 |
| 58                                          | 42 | T-SLMS584225LV | T-SLMS584225RV | 1,144 |
| 58                                          | 48 | T-SLMS584825LV | T-SLMS584825RV | 1,206 |
| 58                                          | 54 | T-SLMS585425LV | T-SLMS585425RV | 1,266 |



## Specify

- Select paint
- Laminate with matching edge



## Notes

- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8" between or at the end of Beam sections.
- Mid mounts are not compatible with PowerBench.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.

## Laminate Gallery Panels – Mid Mount Spine

| 29" MID MOUNT SPINE, VERTICAL GRAIN PATTERN |    |                |                |       |
|---------------------------------------------|----|----------------|----------------|-------|
|                                             |    | Left           | Right          | List  |
| H                                           | W  | Model Number   | Model Number   |       |
| 29                                          | 24 | T-SLMS292429LV | T-SLMS292429RV | 715   |
| 29                                          | 30 | T-SLMS293029LV | T-SLMS293029RV | 748   |
| 29                                          | 36 | T-SLMS293629LV | T-SLMS293629RV | 771   |
| 29                                          | 42 | T-SLMS294229LV | T-SLMS294229RV | 786   |
| 29                                          | 48 | T-SLMS294829LV | T-SLMS294829RV | 795   |
| 29                                          | 54 | T-SLMS295429LV | T-SLMS295429RV | 806   |
|                                             |    |                |                |       |
| 42                                          | 24 | T-SLMS422429LV | T-SLMS422429RV | 768   |
| 42                                          | 30 | T-SLMS423029LV | T-SLMS423029RV | 822   |
| 42                                          | 36 | T-SLMS423629LV | T-SLMS423629RV | 872   |
| 42                                          | 42 | T-SLMS424229LV | T-SLMS424229RV | 921   |
| 42                                          | 48 | T-SLMS424829LV | T-SLMS424829RV | 972   |
| 42                                          | 54 | T-SLMS425429LV | T-SLMS425429RV | 1,019 |
|                                             |    |                |                |       |
| 46                                          | 24 | T-SLMS462429LV | T-SLMS462429RV | 792   |
| 46                                          | 30 | T-SLMS463029LV | T-SLMS463029RV | 859   |
| 46                                          | 36 | T-SLMS463629LV | T-SLMS463629RV | 924   |
| 46                                          | 42 | T-SLMS464229LV | T-SLMS464229RV | 990   |
| 46                                          | 48 | T-SLMS464829LV | T-SLMS464829RV | 1,058 |
| 46                                          | 54 | T-SLMS465429LV | T-SLMS465429RV | 1,125 |

| 29" MID MOUNT SPINE, VERTICAL GRAIN PATTERN |    |                |                |       |
|---------------------------------------------|----|----------------|----------------|-------|
|                                             |    | Left           | Right          | List  |
| H                                           | W  | Model Number   | Model Number   |       |
| 50                                          | 24 | T-SLMS502429LV | T-SLMS502429RV | 816   |
| 50                                          | 30 | T-SLMS503029LV | T-SLMS503029RV | 897   |
| 50                                          | 36 | T-SLMS503629LV | T-SLMS503629RV | 976   |
| 50                                          | 42 | T-SLMS504229LV | T-SLMS504229RV | 1,059 |
| 50                                          | 48 | T-SLMS504829LV | T-SLMS504829RV | 1,145 |
| 50                                          | 54 | T-SLMS505429LV | T-SLMS505429RV | 1,233 |
|                                             |    |                |                |       |
| 58                                          | 24 | T-SLMS582429LV | T-SLMS582429RV | 906   |
| 58                                          | 30 | T-SLMS583029LV | T-SLMS583029RV | 989   |
| 58                                          | 36 | T-SLMS583629LV | T-SLMS583629RV | 1,062 |
| 58                                          | 42 | T-SLMS584229LV | T-SLMS584229RV | 1,144 |
| 58                                          | 48 | T-SLMS584829LV | T-SLMS584829RV | 1,206 |
| 58                                          | 54 | T-SLMS585429LV | T-SLMS585429RV | 1,266 |



## Specify

- Select paint
- Laminate with matching edge

## Notes

- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8" between or at the end of Beam sections.
- Mid mounts are not compatible with PowerBench.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.


## Laminate Gallery Panels – Mid Mount Spine for Wing

## 21" MID MOUNT SPINE FOR WING, HORIZONTAL GRAIN PATTERN


| H  | W  | Left          | Right         | List  |
|----|----|---------------|---------------|-------|
|    |    | Model Number  | Model Number  |       |
| 29 | 48 | T-SMWS294821L | T-SMWS294821R | 795   |
| 29 | 54 | T-SMWS295421L | T-SMWS295421R | 806   |
| 29 | 60 | T-SMWS296021L | T-SMWS296021R | 948   |
| 29 | 66 | T-SMWS296621L | T-SMWS296621R | 993   |
| 29 | 72 | T-SMWS297221L | T-SMWS297221R | 1,056 |
| 29 | 78 | T-SMWS297821L | T-SMWS297821R | 1,118 |
| 29 | 84 | T-SMWS298421L | T-SMWS298421R | 1,179 |
| 29 | 90 | T-SMWS299021L | T-SMWS299021R | 1,240 |
|    |    |               |               |       |
| 42 | 48 | T-SMWS424821L | T-SMWS424821R | 972   |
| 42 | 54 | T-SMWS425421L | T-SMWS425421R | 1,019 |
| 42 | 60 | T-SMWS426021L | T-SMWS426021R | 1,146 |
| 42 | 66 | T-SMWS426621L | T-SMWS426621R | 1,227 |
| 42 | 72 | T-SMWS427221L | T-SMWS427221R | 1,275 |
| 42 | 78 | T-SMWS427821L | T-SMWS427821R | 1,322 |
| 42 | 84 | T-SMWS428421L | T-SMWS428421R | 1,370 |
| 42 | 90 | T-SMWS429021L | T-SMWS429021R | 1,419 |

## 21" MID MOUNT SPINE FOR WING, HORIZONTAL GRAIN PATTERN

| H  | W  | Left          | Right         | List  |
|----|----|---------------|---------------|-------|
|    |    | Model Number  | Model Number  |       |
| 46 | 48 | T-SMWS464821L | T-SMWS464821R | 1,075 |
| 46 | 54 | T-SMWS465421L | T-SMWS465421R | 1,145 |
| 46 | 60 | T-SMWS466021L | T-SMWS466021R | 1,266 |
| 46 | 66 | T-SMWS466621L | T-SMWS466621R | 1,363 |
| 46 | 72 | T-SMWS467221L | T-SMWS467221R | 1,402 |
| 46 | 78 | T-SMWS467821L | T-SMWS467821R | 1,444 |
| 46 | 84 | T-SMWS468421L | T-SMWS468421R | 1,483 |
| 46 | 90 | T-SMWS469021L | T-SMWS469021R | 1,527 |
|    |    |               |               |       |
| 50 | 48 | T-SMWS504821L | T-SMWS504821R | 1,182 |
| 50 | 54 | T-SMWS505421L | T-SMWS505421R | 1,271 |
| 50 | 60 | T-SMWS506021L | T-SMWS506021R | 1,386 |
| 50 | 66 | T-SMWS506621L | T-SMWS506621R | 1,498 |
| 50 | 72 | T-SMWS507221L | T-SMWS507221R | 1,532 |
| 50 | 78 | T-SMWS507821L | T-SMWS507821R | 1,568 |
| 50 | 84 | T-SMWS508421L | T-SMWS508421R | 1,600 |
| 50 | 90 | T-SMWS509021L | T-SMWS509021R | 1,633 |



Left Hand Shown



## Specify

- Select paint
- Laminate with matching edge

## Notes

- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8" between or at the end of Beam sections.
- Any gallery panel that extends more than 60" from the Beam must be tied to storage or similar support.
- Mid mounts are not compatible with PowerBench.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.


## Laminate Gallery Panels – Mid Mount Spine for Wing

## 25" MID MOUNT SPINE FOR WING, HORIZONTAL GRAIN PATTERN


|    |    | Left          | Right         | List  |
|----|----|---------------|---------------|-------|
| H  | W  | Model Number  | Model Number  |       |
| 29 | 48 | T-SMWS294825L | T-SMWS294825R | 795   |
| 29 | 54 | T-SMWS295425L | T-SMWS295425R | 806   |
| 29 | 60 | T-SMWS296025L | T-SMWS296025R | 948   |
| 29 | 66 | T-SMWS296625L | T-SMWS296625R | 993   |
| 29 | 72 | T-SMWS297225L | T-SMWS297225R | 1,056 |
| 29 | 78 | T-SMWS297825L | T-SMWS297825R | 1,118 |
| 29 | 84 | T-SMWS298425L | T-SMWS298425R | 1,179 |
| 29 | 90 | T-SMWS299025L | T-SMWS299025R | 1,240 |
|    |    |               |               |       |
| 42 | 48 | T-SMWS424825L | T-SMWS424825R | 972   |
| 42 | 54 | T-SMWS425425L | T-SMWS425425R | 1,019 |
| 42 | 60 | T-SMWS426025L | T-SMWS426025R | 1,146 |
| 42 | 66 | T-SMWS426625L | T-SMWS426625R | 1,227 |
| 42 | 72 | T-SMWS427225L | T-SMWS427225R | 1,275 |
| 42 | 78 | T-SMWS427825L | T-SMWS427825R | 1,322 |
| 42 | 84 | T-SMWS428425L | T-SMWS428425R | 1,370 |
| 42 | 90 | T-SMWS429025L | T-SMWS429025R | 1,419 |
|    |    |               |               |       |
| 46 | 48 | T-SMWS464825L | T-SMWS464825R | 1,075 |
| 46 | 54 | T-SMWS465425L | T-SMWS465425R | 1,145 |
| 46 | 60 | T-SMWS466025L | T-SMWS466025R | 1,266 |
| 46 | 66 | T-SMWS466625L | T-SMWS466625R | 1,363 |
| 46 | 72 | T-SMWS467225L | T-SMWS467225R | 1,402 |
| 46 | 78 | T-SMWS467825L | T-SMWS467825R | 1,444 |
| 46 | 84 | T-SMWS468425L | T-SMWS468425R | 1,483 |
| 46 | 90 | T-SMWS469025L | T-SMWS469025R | 1,527 |

## 25" MID MOUNT SPINE FOR WING, HORIZONTAL GRAIN PATTERN

|    |    | Left          | Right         | List  |
|----|----|---------------|---------------|-------|
| H  | W  | Model Number  | Model Number  |       |
| 50 | 48 | T-SMWS504825L | T-SMWS504825R | 1,182 |
| 50 | 54 | T-SMWS505425L | T-SMWS505425R | 1,271 |
| 50 | 60 | T-SMWS506025L | T-SMWS506025R | 1,386 |
| 50 | 66 | T-SMWS506625L | T-SMWS506625R | 1,498 |
| 50 | 72 | T-SMWS507225L | T-SMWS507225R | 1,532 |
| 50 | 78 | T-SMWS507825L | T-SMWS507825R | 1,568 |
| 50 | 84 | T-SMWS508425L | T-SMWS508425R | 1,600 |
| 50 | 90 | T-SMWS509025L | T-SMWS509025R | 1,633 |
|    |    |               |               |       |
| 58 | 48 | T-SMWS584825L | T-SMWS584825R | 1,241 |
| 58 | 54 | T-SMWS585425L | T-SMWS585425R | 1,304 |
| 58 | 60 | T-SMWS586025L | T-SMWS586025R | 1,414 |
| 58 | 66 | T-SMWS586625L | T-SMWS586625R | 1,524 |
| 58 | 72 | T-SMWS587225L | T-SMWS587225R | 1,631 |
| 58 | 78 | T-SMWS587825L | T-SMWS587825R | 1,740 |
| 58 | 84 | T-SMWS588425L | T-SMWS588425R | 1,851 |
| 58 | 90 | T-SMWS589025L | T-SMWS589025R | 1,961 |



Left Hand Shown



## Specify

- Select paint
- Laminate with matching edge

## Notes

- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8" between or at the end of Beam sections.
- Any gallery panel that extends more than 60" from the Beam must be tied to storage or similar support.
- Mid mounts are not compatible with PowerBench.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.


## Laminate Gallery Panels – Mid Mount Spine for Wing

## 29" MID MOUNT SPINE FOR WING, HORIZONTAL GRAIN PATTERN


| H  | W  | Left          | Right         | List  |
|----|----|---------------|---------------|-------|
|    |    | Model Number  | Model Number  |       |
| 29 | 48 | T-SMWS294829L | T-SMWS294829R | 795   |
| 29 | 54 | T-SMWS295429L | T-SMWS295429R | 806   |
| 29 | 60 | T-SMWS296029L | T-SMWS296029R | 948   |
| 29 | 66 | T-SMWS296629L | T-SMWS296629R | 993   |
| 29 | 72 | T-SMWS297229L | T-SMWS297229R | 1,056 |
| 29 | 78 | T-SMWS297829L | T-SMWS297829R | 1,118 |
| 29 | 84 | T-SMWS298429L | T-SMWS298429R | 1,179 |
| 29 | 90 | T-SMWS299029L | T-SMWS299029R | 1,240 |
|    |    |               |               |       |
| 42 | 48 | T-SMWS424829L | T-SMWS424829R | 972   |
| 42 | 54 | T-SMWS425429L | T-SMWS425429R | 1,019 |
| 42 | 60 | T-SMWS426029L | T-SMWS426029R | 1,146 |
| 42 | 66 | T-SMWS426629L | T-SMWS426629R | 1,227 |
| 42 | 72 | T-SMWS427229L | T-SMWS427229R | 1,275 |
| 42 | 78 | T-SMWS427829L | T-SMWS427829R | 1,322 |
| 42 | 84 | T-SMWS428429L | T-SMWS428429R | 1,370 |
| 42 | 90 | T-SMWS429029L | T-SMWS429029R | 1,419 |
|    |    |               |               |       |
| 46 | 48 | T-SMWS464829L | T-SMWS464829R | 1,075 |
| 46 | 54 | T-SMWS465429L | T-SMWS465429R | 1,145 |
| 46 | 60 | T-SMWS466029L | T-SMWS466029R | 1,266 |
| 46 | 66 | T-SMWS466629L | T-SMWS466629R | 1,363 |
| 46 | 72 | T-SMWS467229L | T-SMWS467229R | 1,402 |
| 46 | 78 | T-SMWS467829L | T-SMWS467829R | 1,444 |
| 46 | 84 | T-SMWS468429L | T-SMWS468429R | 1,483 |
| 46 | 90 | T-SMWS469029L | T-SMWS469029R | 1,527 |

## 29" MID MOUNT SPINE FOR WING, HORIZONTAL GRAIN PATTERN

| H  | W  | Left          | Right         | List  |
|----|----|---------------|---------------|-------|
|    |    | Model Number  | Model Number  |       |
| 50 | 48 | T-SMWS504829L | T-SMWS504829R | 1,182 |
| 50 | 54 | T-SMWS505429L | T-SMWS505429R | 1,271 |
| 50 | 60 | T-SMWS506029L | T-SMWS506029R | 1,386 |
| 50 | 66 | T-SMWS506629L | T-SMWS506629R | 1,498 |
| 50 | 72 | T-SMWS507229L | T-SMWS507229R | 1,532 |
| 50 | 78 | T-SMWS507829L | T-SMWS507829R | 1,568 |
| 50 | 84 | T-SMWS508429L | T-SMWS508429R | 1,600 |
| 50 | 90 | T-SMWS509029L | T-SMWS509029R | 1,633 |
|    |    |               |               |       |
| 58 | 48 | T-SMWS584829L | T-SMWS584829R | 1,241 |
| 58 | 54 | T-SMWS585429L | T-SMWS585429R | 1,304 |
| 58 | 60 | T-SMWS586029L | T-SMWS586029R | 1,414 |
| 58 | 66 | T-SMWS586629L | T-SMWS586629R | 1,524 |
| 58 | 72 | T-SMWS587229L | T-SMWS587229R | 1,631 |
| 58 | 78 | T-SMWS587829L | T-SMWS587829R | 1,740 |
| 58 | 84 | T-SMWS588429L | T-SMWS588429R | 1,851 |
| 58 | 90 | T-SMWS589029L | T-SMWS589029R | 1,961 |



Left Hand Shown



## Specify


- Select paint
- Laminate with matching edge

## Notes


- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8" between or at the end of Beam sections.
- Any gallery panel that extends more than 60" from the Beam must be tied to storage or similar support.
- Mid mounts are not compatible with PowerBench.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.

Laminate Gallery Panels – Mid Mount Spine for Wing

| 21" MID MOUNT SPINE FOR WING, VERTICAL GRAIN PATTERN |    |                |                |       |
|------------------------------------------------------|----|----------------|----------------|-------|
|                                                      |    | Left           | Right          |       |
| H                                                    | W  | Model Number   | Model Number   | List  |
| 29                                                   | 48 | T-SMWS294821LV | T-SMWS294821RV | 834   |
| 29                                                   | 54 | T-SMWS295421LV | T-SMWS295421RV | 843   |
| 42                                                   | 48 | T-SMWS424821LV | T-SMWS424821RV | 1,009 |
| 42                                                   | 54 | T-SMWS425421LV | T-SMWS425421RV | 1,058 |
| 46                                                   | 48 | T-SMWS464821LV | T-SMWS464821RV | 1,097 |
| 46                                                   | 54 | T-SMWS465421LV | T-SMWS465421RV | 1,164 |
| 50                                                   | 48 | T-SMWS504821LV | T-SMWS504821RV | 1,182 |
| 50                                                   | 54 | T-SMWS505421LV | T-SMWS505421RV | 1,271 |



Left Hand Shown




| Specify                                                                                              | Notes                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"><li>• Select paint</li><li>• Laminate with matching edge</li></ul> | <ul style="list-style-type: none"><li>• Cannot be used freestanding, must be attached to a Beam.</li><li>• Encounter PowerBeam gallery panels are ordered specific to Beam height.</li><li>• Gallery panels add 1 1/8" between or at the end of Beam sections.</li><li>• Mid mounts are not compatible with PowerBench.</li><li>• Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.</li></ul> |


## Laminate Gallery Panels – Mid Mount Spine for Wing

## 25" MID MOUNT SPINE FOR WING, VERTICAL GRAIN PATTERN

| H  | W  | Left           | Right          | List  |
|----|----|----------------|----------------|-------|
|    |    | Model Number   | Model Number   |       |
| 29 | 48 | T-SMWS294825LV | T-SMWS294825RV | 834   |
| 29 | 54 | T-SMWS295425LV | T-SMWS295425RV | 843   |
| 42 | 48 | T-SMWS424825LV | T-SMWS424825RV | 1,009 |
| 42 | 54 | T-SMWS425425LV | T-SMWS425425RV | 1,058 |
| 46 | 48 | T-SMWS464825LV | T-SMWS464825RV | 1,097 |
| 46 | 54 | T-SMWS465425LV | T-SMWS465425RV | 1,164 |
| 50 | 48 | T-SMWS504825LV | T-SMWS504825RV | 1,182 |
| 50 | 54 | T-SMWS505425LV | T-SMWS505425RV | 1,271 |
| 58 | 48 | T-SMWS584825LV | T-SMWS584825RV | 1,241 |
| 58 | 54 | T-SMWS585425LV | T-SMWS585425RV | 1,304 |



Left Hand Shown



## Specify


- Select paint
- Laminate with matching edge

## Notes


- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8" between or at the end of Beam sections.
- Mid mounts are not compatible with PowerBench.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.

Laminate Gallery Panels – Mid Mount Spine for Wing

| 29" MID MOUNT SPINE FOR WING, VERTICAL GRAIN PATTERN |    |                |                |       |
|------------------------------------------------------|----|----------------|----------------|-------|
|                                                      |    | Left           | Right          |       |
| H                                                    | W  | Model Number   | Model Number   | List  |
| 29                                                   | 48 | T-SMWS294829LV | T-SMWS294829RV | 834   |
| 29                                                   | 54 | T-SMWS295429LV | T-SMWS295429RV | 843   |
| 42                                                   | 48 | T-SMWS424829LV | T-SMWS424829RV | 1,009 |
| 42                                                   | 54 | T-SMWS425429LV | T-SMWS425429RV | 1,058 |
| 46                                                   | 48 | T-SMWS464829LV | T-SMWS464829RV | 1,097 |
| 46                                                   | 54 | T-SMWS465429LV | T-SMWS465429RV | 1,164 |
| 50                                                   | 48 | T-SMWS504829LV | T-SMWS504829RV | 1,182 |
| 50                                                   | 54 | T-SMWS505429LV | T-SMWS505429RV | 1,271 |
| 58                                                   | 48 | T-SMWS584829LV | T-SMWS584829RV | 1,241 |
| 58                                                   | 54 | T-SMWS585429LV | T-SMWS585429RV | 1,304 |



Left Hand Shown




| Specify                                                                                              | Notes                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"><li>• Select paint</li><li>• Laminate with matching edge</li></ul> | <ul style="list-style-type: none"><li>• Cannot be used freestanding, must be attached to a Beam.</li><li>• Encounter PowerBeam gallery panels are ordered specific to Beam height.</li><li>• Gallery panels add 1 1/8" between or at the end of Beam sections.</li><li>• Mid mounts are not compatible with PowerBench.</li><li>• Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.</li></ul> |


## Laminate Gallery Wing Panels

| WING PANEL, VERTICAL GRAIN PATTERN |    |              |              |      |
|------------------------------------|----|--------------|--------------|------|
|                                    |    | Left         | Right        | List |
| H                                  | W  | Model Number | Model Number |      |
| 29                                 | 24 | T-SLWL2924   | T-SLWR2924   | 639  |
| 29                                 | 30 | T-SLWL2930   | T-SLWR2930   | 672  |
| 42                                 | 24 | T-SLWL4224   | T-SLWR4224   | 692  |
| 42                                 | 30 | T-SLWL4230   | T-SLWR4230   | 747  |
| 46                                 | 24 | T-SLWL4624   | T-SLWR4624   | 711  |
| 46                                 | 30 | T-SLWL4630   | T-SLWR4630   | 769  |
| 50                                 | 24 | T-SLWL5024   | T-SLWR5024   | 741  |
| 50                                 | 30 | T-SLWL5030   | T-SLWR5030   | 821  |
| 58                                 | 24 | T-SLWL5824   | T-SLWR5824   | 831  |
| 58                                 | 30 | T-SLWL5830   | T-SLWR5830   | 913  |

| WING PANEL, HORIZONTAL GRAIN PATTERN |    |              |              |      |
|--------------------------------------|----|--------------|--------------|------|
|                                      |    | Left         | Right        | List |
| H                                    | W  | Model Number | Model Number |      |
| 29                                   | 24 | T-SLWL2924H  | T-SLWR2924H  | 639  |
| 29                                   | 30 | T-SLWL2930H  | T-SLWR2930H  | 672  |
| 42                                   | 24 | T-SLWL4224H  | T-SLWR4224H  | 692  |
| 42                                   | 30 | T-SLWL4230H  | T-SLWR4230H  | 747  |
| 46                                   | 24 | T-SLWL4624H  | T-SLWR4624H  | 711  |
| 46                                   | 30 | T-SLWL4630H  | T-SLWR4630H  | 769  |
| 50                                   | 24 | T-SLWL5024H  | T-SLWR5024H  | 741  |
| 50                                   | 30 | T-SLWL5030H  | T-SLWR5030H  | 821  |
| 58                                   | 24 | T-SLWL5824H  | T-SLWR5824H  | 831  |
| 58                                   | 30 | T-SLWL5830H  | T-SLWR5830H  | 913  |



Left Hand Shown



Left Hand Shown

## Specify

- Select paint
- Laminate with matching edge

## Notes

- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8" between or at the end of Beam sections.
- Encounter PowerBench only compatible with 29"H.



## Wall Mounted Gallery Panels

## WALL MOUNTED GALLERY PANELS – HORIZONTAL

| H  | W  | Model Number | List  |
|----|----|--------------|-------|
| 29 | 24 | T-WMGP2924   | 616   |
| 29 | 30 | T-WMGP2930   | 646   |
| 29 | 36 | T-WMGP2936   | 665   |
| 29 | 42 | T-WMGP2942   | 679   |
| 29 | 48 | T-WMGP2948   | 688   |
| 29 | 54 | T-WMGP2954   | 698   |
| 29 | 60 | T-WMGP2960   | 827   |
| 29 | 66 | T-WMGP2966   | 869   |
| 29 | 72 | T-WMGP2972   | 925   |
| 29 | 78 | T-WMGP2978   | 981   |
| 29 | 84 | T-WMGP2984   | 1,036 |
| 29 | 90 | T-WMGP2990   | 1,092 |
| 29 | 96 | T-WMGP2996   | 1,128 |
|    |    |              |       |
| 41 | 24 | T-WMGP4124   | 663   |
| 41 | 30 | T-WMGP4130   | 714   |
| 41 | 36 | T-WMGP4136   | 759   |
| 41 | 42 | T-WMGP4142   | 803   |
| 41 | 48 | T-WMGP4148   | 848   |
| 41 | 54 | T-WMGP4154   | 894   |
| 41 | 60 | T-WMGP4160   | 1,008 |
| 41 | 66 | T-WMGP4166   | 1,083 |
| 41 | 72 | T-WMGP4172   | 1,125 |
| 41 | 78 | T-WMGP4178   | 1,168 |
| 41 | 84 | T-WMGP4184   | 1,211 |
| 41 | 90 | T-WMGP4190   | 1,254 |
| 41 | 96 | T-WMGP4196   | 1,353 |

## WALL MOUNTED GALLERY PANELS – HORIZONTAL

| H  | W  | Model Number | List  |
|----|----|--------------|-------|
| 46 | 24 | T-WMGP4624   | 685   |
| 46 | 30 | T-WMGP4630   | 748   |
| 46 | 36 | T-WMGP4636   | 806   |
| 46 | 42 | T-WMGP4642   | 866   |
| 46 | 48 | T-WMGP4648   | 927   |
| 46 | 54 | T-WMGP4654   | 990   |
| 46 | 60 | T-WMGP4660   | 1,100 |
| 46 | 66 | T-WMGP4666   | 1,188 |
| 46 | 72 | T-WMGP4672   | 1,224 |
| 46 | 78 | T-WMGP4678   | 1,263 |
| 46 | 84 | T-WMGP4684   | 1,300 |
| 46 | 90 | T-WMGP4690   | 1,335 |
| 46 | 96 | T-WMGP4696   | 1,434 |
|    |    |              |       |
| 50 | 24 | T-WMGP5024   | 708   |
| 50 | 30 | T-WMGP5030   | 781   |
| 50 | 36 | T-WMGP5036   | 852   |
| 50 | 42 | T-WMGP5042   | 927   |
| 50 | 48 | T-WMGP5048   | 1,007 |
| 50 | 54 | T-WMGP5054   | 1,087 |
| 50 | 60 | T-WMGP5060   | 1,192 |
| 50 | 66 | T-WMGP5066   | 1,293 |
| 50 | 72 | T-WMGP5072   | 1,325 |
| 50 | 78 | T-WMGP5078   | 1,356 |
| 50 | 84 | T-WMGP5084   | 1,386 |
| 50 | 90 | T-WMGP5090   | 1,416 |
| 50 | 96 | T-WMGP5096   | 1,512 |



## Specify

- Laminate selection
- Paint selection for Mounting Brackets



## Notes

- Gallery panels are 1 1/8" with 2mm edge.
- Cannot be used freestanding, must be attached to a wall.
- Wall mounted gallery panels over 66" wide must be attached to storage units for support.
- Laminate gallery panel has matching edge.
- Encounter PowerBench only compatible with 29"H.

## Wall Mounted Gallery Panels

## WALL MOUNTED GALLERY PANELS – HORIZONTAL

| H  | W  | Model Number | List  |
|----|----|--------------|-------|
| 58 | 24 | T-WMGP5824   | 789   |
| 58 | 30 | T-WMGP5830   | 866   |
| 58 | 36 | T-WMGP5836   | 933   |
| 58 | 42 | T-WMGP5842   | 1,006 |
| 58 | 48 | T-WMGP5848   | 1,060 |
| 58 | 54 | T-WMGP5854   | 1,117 |
| 58 | 60 | T-WMGP5860   | 1,215 |
| 58 | 66 | T-WMGP5866   | 1,316 |
| 58 | 72 | T-WMGP5872   | 1,415 |
| 58 | 78 | T-WMGP5878   | 1,512 |
| 58 | 84 | T-WMGP5884   | 1,614 |
| 58 | 90 | T-WMGP5890   | 1,713 |
| 58 | 96 | T-WMGP5896   | 1,800 |



## Specify

- Laminate selection
- Paint selection for Mounting Brackets

## Notes

- Gallery panels are 1 1/8" with 2mm edge.
- Cannot be used freestanding, must be attached to a wall.
- Wall mounted gallery panels over 66" wide must be attached to storage units for support.
- Laminate gallery panel has matching edge.
- Encounter PowerBench only compatible with 29"H.



## Wall Mounted Gallery Panels

## WALL MOUNTED GALLERY PANELS – VERTICAL

| H  | W  | Model Number | List |
|----|----|--------------|------|
| 29 | 24 | T-WMGP2924V  | 616  |
| 29 | 30 | T-WMGP2930V  | 646  |
| 29 | 36 | T-WMGP2936V  | 665  |
| 29 | 42 | T-WMGP2942V  | 679  |
| 29 | 48 | T-WMGP2948V  | 688  |
| 29 | 54 | T-WMGP2954V  | 698  |
|    |    |              |      |
| 41 | 24 | T-WMGP4124V  | 663  |
| 41 | 30 | T-WMGP4130V  | 714  |
| 41 | 36 | T-WMGP4136V  | 759  |
| 41 | 42 | T-WMGP4142V  | 803  |
| 41 | 48 | T-WMGP4148V  | 848  |
| 41 | 54 | T-WMGP4154V  | 894  |
|    |    |              |      |
| 46 | 24 | T-WMGP4624V  | 685  |
| 46 | 30 | T-WMGP4630V  | 748  |
| 46 | 36 | T-WMGP4636V  | 806  |
| 46 | 42 | T-WMGP4642V  | 866  |
| 46 | 48 | T-WMGP4648V  | 927  |
| 46 | 54 | T-WMGP4654V  | 990  |

## WALL MOUNTED GALLERY PANELS – VERTICAL

| H  | W  | Model Number | List  |
|----|----|--------------|-------|
| 50 | 24 | T-WMGP5024V  | 708   |
| 50 | 30 | T-WMGP5030V  | 781   |
| 50 | 36 | T-WMGP5036V  | 852   |
| 50 | 42 | T-WMGP5042V  | 927   |
| 50 | 48 | T-WMGP5048V  | 1,007 |
| 50 | 54 | T-WMGP5054V  | 1,087 |
|    |    |              |       |
| 58 | 24 | T-WMGP5824V  | 789   |
| 58 | 30 | T-WMGP5830V  | 866   |
| 58 | 36 | T-WMGP5836V  | 933   |
| 58 | 42 | T-WMGP5842V  | 1,006 |
| 58 | 48 | T-WMGP5848V  | 1,060 |
| 58 | 54 | T-WMGP5854V  | 1,117 |



## Specify

- Laminate selection
- Paint selection for Mounting Brackets

## Notes

- Gallery panels are 1 1/8" with 2mm edge.
- Cannot be used freestanding, must be attached to a wall.
- Wall mounted gallery panels over 66" wide must be attached to storage units for support.
- Laminate gallery panel has matching edge.
- Encounter PowerBench only compatible with 29"H.


## Wall Mounted Gallery Panel for Wings

## WALL MOUNTED GALLERY PANEL FOR WINGS – HORIZONTAL


| H  | W  | Left         | Right        | List  |
|----|----|--------------|--------------|-------|
|    |    | Model Number | Model Number |       |
| 29 | 66 | T-WMGPWL2966 | T-WMGPWR2966 | 903   |
| 29 | 72 | T-WMGPWL2972 | T-WMGPWR2972 | 960   |
| 29 | 78 | T-WMGPWL2978 | T-WMGPWR2978 | 1,016 |
| 29 | 84 | T-WMGPWL2984 | T-WMGPWR2984 | 1,071 |
| 29 | 90 | T-WMGPWL2990 | T-WMGPWR2990 | 1,128 |
|    |    |              |              |       |
| 41 | 66 | T-WMGPWL4166 | T-WMGPWR4166 | 1,117 |
| 41 | 72 | T-WMGPWL4172 | T-WMGPWR4172 | 1,159 |
| 41 | 78 | T-WMGPWL4178 | T-WMGPWR4178 | 1,203 |
| 41 | 84 | T-WMGPWL4184 | T-WMGPWR4184 | 1,246 |
| 41 | 90 | T-WMGPWL4190 | T-WMGPWR4190 | 1,290 |
|    |    |              |              |       |
| 46 | 66 | T-WMGPWL4666 | T-WMGPWR4666 | 1,222 |
| 46 | 72 | T-WMGPWL4672 | T-WMGPWR4672 | 1,260 |
| 46 | 78 | T-WMGPWL4678 | T-WMGPWR4678 | 1,295 |
| 46 | 84 | T-WMGPWL4684 | T-WMGPWR4684 | 1,333 |
| 46 | 90 | T-WMGPWL4690 | T-WMGPWR4690 | 1,369 |

## WALL MOUNTED GALLERY PANEL FOR WINGS – HORIZONTAL

| H  | W  | Left         | Right        | List  |
|----|----|--------------|--------------|-------|
|    |    | Model Number | Model Number |       |
| 50 | 66 | T-WMGPWL5066 | T-WMGPWR5066 | 1,328 |
| 50 | 72 | T-WMGPWL5072 | T-WMGPWR5072 | 1,359 |
| 50 | 78 | T-WMGPWL5078 | T-WMGPWR5078 | 1,389 |
| 50 | 84 | T-WMGPWL5084 | T-WMGPWR5084 | 1,420 |
| 50 | 90 | T-WMGPWL5090 | T-WMGPWR5090 | 1,450 |
|    |    |              |              |       |
| 58 | 66 | T-WMGPWL5866 | T-WMGPWR5866 | 1,350 |
| 58 | 72 | T-WMGPWL5872 | T-WMGPWR5872 | 1,449 |
| 58 | 78 | T-WMGPWL5878 | T-WMGPWR5878 | 1,549 |
| 58 | 84 | T-WMGPWL5884 | T-WMGPWR5884 | 1,649 |
| 58 | 90 | T-WMGPWL5890 | T-WMGPWR5890 | 1,747 |



Left Hand Shown



Left Hand Shown

## Specify

- Laminate selection
- Paint selection for Mounting Brackets

## Notes

- Gallery panels are 1 1/8" with 2mm edge.
- Cannot be used freestanding, must be attached to a wall.
- Laminate gallery panel has matching edge.
- Encounter PowerBench only compatible with 29"H.

# UNDER SURFACE MOUNT LITE SCREENS FOR ENCOUNTER POWERBENCH ENCOUNTER POWERBEAM


## PET Encounter PowerBench U-Wrap Under Surface Mount Lite Screens

### ENCOUNTER POWERBENCH LITE CLIP SCREEN, U-WRAP, PET, DIM N, U MOUNT, UNIVERSAL


| H  | W  | D  | Model Number    | List  |
|----|----|----|-----------------|-------|
| 12 | 24 | 48 | Y-5K4N2U122448B | 792   |
| 12 | 24 | 54 | Y-5K4N2U122454B | 805   |
| 12 | 24 | 60 | Y-5K4N2U122460B | 815   |
| 12 | 24 | 66 | Y-5K4N2U122466B | 827   |
| 12 | 24 | 72 | Y-5K4N2U122472B | 881   |
| 12 | 24 | 78 | Y-5K4N2U122478B | 890   |
| 12 | 24 | 84 | Y-5K4N2U122484B | 902   |
| 12 | 30 | 48 | Y-5K4N2U123048B | 805   |
| 12 | 30 | 54 | Y-5K4N2U123054B | 815   |
| 12 | 30 | 60 | Y-5K4N2U123060B | 827   |
| 12 | 30 | 66 | Y-5K4N2U123066B | 890   |
| 12 | 30 | 72 | Y-5K4N2U123072B | 902   |
| 12 | 30 | 78 | Y-5K4N2U123078B | 915   |
| 12 | 30 | 84 | Y-5K4N2U123084B | 926   |
| 16 | 24 | 48 | Y-5K4N2U162448B | 839   |
| 16 | 24 | 54 | Y-5K4N2U162454B | 852   |
| 16 | 24 | 60 | Y-5K4N2U162460B | 867   |
| 16 | 24 | 66 | Y-5K4N2U162466B | 881   |
| 16 | 24 | 72 | Y-5K4N2U162472B | 956   |
| 16 | 24 | 78 | Y-5K4N2U162478B | 969   |
| 16 | 24 | 84 | Y-5K4N2U162484B | 984   |
| 16 | 30 | 48 | Y-5K4N2U163048B | 852   |
| 16 | 30 | 54 | Y-5K4N2U163054B | 867   |
| 16 | 30 | 60 | Y-5K4N2U163060B | 881   |
| 16 | 30 | 66 | Y-5K4N2U163066B | 969   |
| 16 | 30 | 72 | Y-5K4N2U163072B | 984   |
| 16 | 30 | 78 | Y-5K4N2U163078B | 1,001 |
| 16 | 30 | 84 | Y-5K4N2U163084B | 1,014 |

### ENCOUNTER POWERBENCH LITE CLIP SCREEN, U-WRAP, PET, DIM N, U MOUNT, UNIVERSAL

| H  | W  | D  | Model Number    | List  |
|----|----|----|-----------------|-------|
| 20 | 24 | 48 | Y-5K4N2U202448B | 881   |
| 20 | 24 | 54 | Y-5K4N2U202454B | 899   |
| 20 | 24 | 60 | Y-5K4N2U202460B | 920   |
| 20 | 24 | 66 | Y-5K4N2U202466B | 936   |
| 20 | 24 | 72 | Y-5K4N2U202472B | 1,029 |
| 20 | 24 | 78 | Y-5K4N2U202478B | 1,047 |
| 20 | 24 | 84 | Y-5K4N2U202484B | 1,066 |
| 20 | 30 | 48 | Y-5K4N2U203048B | 899   |
| 20 | 30 | 54 | Y-5K4N2U203054B | 920   |
| 20 | 30 | 60 | Y-5K4N2U203060B | 936   |
| 20 | 30 | 66 | Y-5K4N2U203066B | 1,047 |
| 20 | 30 | 72 | Y-5K4N2U203072B | 1,066 |
| 20 | 30 | 78 | Y-5K4N2U203078B | 1,085 |
| 20 | 30 | 84 | Y-5K4N2U203084B | 1,102 |
| 24 | 24 | 48 | Y-5K4N2U242448B | 926   |
| 24 | 24 | 54 | Y-5K4N2U242454B | 948   |
| 24 | 24 | 60 | Y-5K4N2U242460B | 969   |
| 24 | 24 | 66 | Y-5K4N2U242466B | 993   |
| 24 | 24 | 72 | Y-5K4N2U242472B | 1,102 |
| 24 | 24 | 78 | Y-5K4N2U242478B | 1,125 |
| 24 | 24 | 84 | Y-5K4N2U242484B | 1,147 |
| 24 | 30 | 48 | Y-5K4N2U243048B | 948   |
| 24 | 30 | 54 | Y-5K4N2U243054B | 969   |
| 24 | 30 | 60 | Y-5K4N2U243060B | 993   |
| 24 | 30 | 66 | Y-5K4N2U243066B | 1,125 |
| 24 | 30 | 72 | Y-5K4N2U243072B | 1,147 |
| 24 | 30 | 78 | Y-5K4N2U243078B | 1,168 |
| 24 | 30 | 84 | Y-5K4N2U243084B | 1,192 |



2 PET Pieces



Under Surface Mount Lite

#### Specify

- Paint Selection for Lite Clip
- Color Selection for PET

#### Notes

- PET U-Wrap Screens are designed to mount to AIS Encounter worksurfaces.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens are constructed from 2 pieces of PET.
- Screens must be specified to the full depth of the matching Encounter worksurface.

# ENCOUNTER POWERBEAM UNDER SURFACE MOUNT LITE SCREENS FOR ENCOUNTER POWERBENCH


## PET Encounter PowerBench U-Wrap Under Surface Mount Lite Screens

### ENCOUNTER POWERBENCH LITE CLIP SCREEN, U-WRAP, PET, DIM N, U MOUNT, UNIVERSAL


| H  | W  | D  | Model Number    | List  |
|----|----|----|-----------------|-------|
| 28 | 24 | 48 | Y-5K4N2U282448B | 969   |
| 28 | 24 | 54 | Y-5K4N2U282454B | 995   |
| 28 | 24 | 60 | Y-5K4N2U282460B | 1,020 |
| 28 | 24 | 66 | Y-5K4N2U282466B | 1,047 |
| 28 | 24 | 72 | Y-5K4N2U282472B | 1,178 |
| 28 | 24 | 78 | Y-5K4N2U282478B | 1,200 |
| 28 | 24 | 84 | Y-5K4N2U282484B | 1,228 |
| 28 | 30 | 48 | Y-5K4N2U283048B | 995   |
| 28 | 30 | 54 | Y-5K4N2U283054B | 1,020 |
| 28 | 30 | 60 | Y-5K4N2U283060B | 1,047 |
| 28 | 30 | 66 | Y-5K4N2U283066B | 1,200 |
| 28 | 30 | 72 | Y-5K4N2U283072B | 1,228 |
| 28 | 30 | 78 | Y-5K4N2U283078B | 1,255 |
| 28 | 30 | 84 | Y-5K4N2U283084B | 1,279 |

### ENCOUNTER POWERBENCH LITE CLIP SCREEN, U-WRAP, PET, DIM N, U MOUNT, UNIVERSAL

| H  | W  | D  | Model Number    | List  |
|----|----|----|-----------------|-------|
| 32 | 24 | 48 | Y-5K4N2U322448B | 1,155 |
| 32 | 24 | 54 | Y-5K4N2U322454B | 1,196 |
| 32 | 24 | 60 | Y-5K4N2U322460B | 1,238 |
| 32 | 24 | 66 | Y-5K4N2U322466B | 1,279 |
| 32 | 24 | 72 | Y-5K4N2U322472B | 1,487 |
| 32 | 24 | 78 | Y-5K4N2U322478B | 1,529 |
| 32 | 24 | 84 | Y-5K4N2U322484B | 1,569 |
| 32 | 30 | 48 | Y-5K4N2U323048B | 1,196 |
| 32 | 30 | 54 | Y-5K4N2U323054B | 1,238 |
| 32 | 30 | 60 | Y-5K4N2U323060B | 1,279 |
| 32 | 30 | 66 | Y-5K4N2U323066B | 1,529 |
| 32 | 30 | 72 | Y-5K4N2U323072B | 1,569 |
| 32 | 30 | 78 | Y-5K4N2U323078B | 1,610 |
| 32 | 30 | 84 | Y-5K4N2U323084B | 1,651 |



2 PET Pieces



Under Surface Mount Lite

#### Specify

- Paint Selection for Lite Clip
- Color Selection for PET

#### Notes


- PET U-Wrap Screens are designed to mount to AIS Encounter worksurfaces.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens are constructed from 2 pieces of PET.
- Screens must be specified to the full depth of the matching Encounter worksurface.

# UNDER SURFACE MOUNT LITE SCREENS FOR ENCOUNTER POWERBENCH ENCOUNTER POWERBEAM


## PET Encounter PowerBench L-Wrap Under Surface Mount Lite Screens

### PET ENCOUNTER POWERBENCH L-WRAP UNDER SURFACE MOUNT LITE SCREENS


| H  | W  | D  | Left Hand       | Right Hand      | List |
|----|----|----|-----------------|-----------------|------|
|    |    |    | Model Number    | Model Number    |      |
| 12 | 24 | 48 | Y-5J4J2L122448B | Y-5J4J2R122448B | 792  |
| 12 | 24 | 54 | Y-5J4J2L122454B | Y-5J4J2R122454B | 805  |
| 12 | 24 | 60 | Y-5J4J2L122460B | Y-5J4J2R122460B | 815  |
| 12 | 24 | 66 | Y-5J4J2L122466B | Y-5J4J2R122466B | 827  |
| 12 | 30 | 48 | Y-5J4J2L123048B | Y-5J4J2R123048B | 805  |
| 12 | 30 | 54 | Y-5J4J2L123054B | Y-5J4J2R123054B | 815  |
| 12 | 30 | 60 | Y-5J4J2L123060B | Y-5J4J2R123060B | 827  |
| 16 | 24 | 48 | Y-5J4J2L162448B | Y-5J4J2R162448B | 839  |
| 16 | 24 | 54 | Y-5J4J2L162454B | Y-5J4J2R162454B | 852  |
| 16 | 24 | 60 | Y-5J4J2L162460B | Y-5J4J2R162460B | 867  |
| 16 | 24 | 66 | Y-5J4J2L162466B | Y-5J4J2R162466B | 881  |
| 16 | 30 | 48 | Y-5J4J2L163048B | Y-5J4J2R163048B | 852  |
| 16 | 30 | 54 | Y-5J4J2L163054B | Y-5J4J2R163054B | 867  |
| 16 | 30 | 60 | Y-5J4J2L163060B | Y-5J4J2R163060B | 881  |
| 20 | 24 | 48 | Y-5J4J2L202448B | Y-5J4J2R202448B | 881  |
| 20 | 24 | 54 | Y-5J4J2L202454B | Y-5J4J2R202454B | 899  |
| 20 | 24 | 60 | Y-5J4J2L202460B | Y-5J4J2R202460B | 920  |
| 20 | 24 | 66 | Y-5J4J2L202466B | Y-5J4J2R202466B | 936  |
| 20 | 30 | 48 | Y-5J4J2L203048B | Y-5J4J2R203048B | 899  |
| 20 | 30 | 54 | Y-5J4J2L203054B | Y-5J4J2R203054B | 920  |
| 20 | 30 | 60 | Y-5J4J2L203060B | Y-5J4J2R203060B | 936  |



Left Hand



Right Hand



Under Surface Mount Lite

#### Specify

- Paint Selection for Lite Clip
- Color Selection for PET

#### Notes


- PET L-Wrap Screens are designed to mount to AIS Encounter worksurfaces.
- PET screen inserts are 1/2" (12mm) thick.
- Screens must be specified to the full depth of the matching Encounter worksurface.

# ENCOUNTER POWERBEAM UNDER SURFACE MOUNT LITE SCREENS FOR ENCOUNTER POWERBENCH


## PET Encounter PowerBench L-Wrap Under Surface Mount Lite Screens

### PET ENCOUNTER POWERBENCH L-WRAP UNDER SURFACE MOUNT LITE SCREENS


| H  | W  | D  | Left Hand       | Right Hand      | List  |
|----|----|----|-----------------|-----------------|-------|
|    |    |    | Model Number    | Model Number    |       |
| 24 | 24 | 48 | Y-5J4J2L242448B | Y-5J4J2R242448B | 926   |
| 24 | 24 | 54 | Y-5J4J2L242454B | Y-5J4J2R242454B | 948   |
| 24 | 24 | 60 | Y-5J4J2L242460B | Y-5J4J2R242460B | 969   |
| 24 | 24 | 66 | Y-5J4J2L242466B | Y-5J4J2R242466B | 993   |
| 24 | 30 | 48 | Y-5J4J2L243048B | Y-5J4J2R243048B | 948   |
| 24 | 30 | 54 | Y-5J4J2L243054B | Y-5J4J2R243054B | 969   |
| 24 | 30 | 60 | Y-5J4J2L243060B | Y-5J4J2R243060B | 993   |
| 28 | 24 | 48 | Y-5J4J2L282448B | Y-5J4J2R282448B | 969   |
| 28 | 24 | 54 | Y-5J4J2L282454B | Y-5J4J2R282454B | 995   |
| 28 | 24 | 60 | Y-5J4J2L282460B | Y-5J4J2R282460B | 1,020 |
| 28 | 24 | 66 | Y-5J4J2L282466B | Y-5J4J2R282466B | 1,047 |
| 28 | 30 | 48 | Y-5J4J2L283048B | Y-5J4J2R283048B | 995   |
| 28 | 30 | 54 | Y-5J4J2L283054B | Y-5J4J2R283054B | 1,020 |
| 28 | 30 | 60 | Y-5J4J2L283060B | Y-5J4J2R283060B | 1,047 |
| 32 | 24 | 48 | Y-5J4J2L322448B | Y-5J4J2R322448B | 1,155 |
| 32 | 24 | 54 | Y-5J4J2L322454B | Y-5J4J2R322454B | 1,196 |
| 32 | 24 | 60 | Y-5J4J2L322460B | Y-5J4J2R322460B | 1,238 |
| 32 | 24 | 66 | Y-5J4J2L322466B | Y-5J4J2R322466B | 1,279 |
| 32 | 30 | 48 | Y-5J4J2L323048B | Y-5J4J2R323048B | 1,196 |
| 32 | 30 | 54 | Y-5J4J2L323054B | Y-5J4J2R323054B | 1,238 |
| 32 | 30 | 60 | Y-5J4J2L323060B | Y-5J4J2R323060B | 1,279 |



Left Hand



Right Hand



Under Surface Mount Lite

#### Specify

- Paint Selection for Lite Clip
- Color Selection for PET

#### Notes


- PET U-Wrap Screens are designed to mount to AIS Encounter worksurfaces.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap Screens typically constructed with two pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET pieces for specific details.
- Screens must be specified to the full depth of the matching Encounter worksurface.

# UNDER SURFACE MOUNT LITE SCREENS FOR ENCOUNTER POWERBENCH ENCOUNTER POWERBEAM


## PET Encounter PowerBench Territory Under Surface Mount Lite Screens

### PET TERRITORY UNDER SURFACE MOUNT LITE SCREENS (ENCOUNTER POWERBENCH SPECIFIC)


| H  | W  | Left Hand     | Right Hand    | List |
|----|----|---------------|---------------|------|
|    |    | Model Number  | Model Number  |      |
| 12 | 24 | Y-5H4D2L1224B | Y-5H4D2R1224B | 573  |
| 16 | 24 | Y-5H4D2L1624B | Y-5H4D2R1624B | 586  |
| 20 | 24 | Y-5H4D2L2024B | Y-5H4D2R2024B | 601  |
| 24 | 24 | Y-5H4D2L2424B | Y-5H4D2R2424B | 617  |
| 28 | 24 | Y-5H4D2L2824B | Y-5H4D2R2824B | 630  |
| 32 | 24 | Y-5H4D2L3224B | Y-5H4D2R3224B | 645  |
| 12 | 30 | Y-5H4D2L1230B | Y-5H4D2R1230B | 584  |
| 16 | 30 | Y-5H4D2L1630B | Y-5H4D2R1630B | 601  |
| 20 | 30 | Y-5H4D2L2030B | Y-5H4D2R2030B | 619  |
| 24 | 30 | Y-5H4D2L2430B | Y-5H4D2R2430B | 637  |
| 28 | 30 | Y-5H4D2L2830B | Y-5H4D2R2830B | 657  |
| 32 | 30 | Y-5H4D2L3230B | Y-5H4D2R3230B | 675  |



Left Hand



Right Hand



Under Surface Mount Lite

#### Specify

- Paint Selection for Lite Clip
- Color Selection for PET

#### Notes

- PET L-Wrap Screens are designed to mount to AIS Encounter worksurfaces.
- PET screen inserts are 1/2" (12mm) thick.
- Screens must be specified to the full depth of the matching Encounter worksurface.



**National Showrooms:**

**Leominster**

AIS Headquarters  
25 Tucker Drive  
Leominster, MA 01453

---

**Chicago**

The Merchandise Mart  
Suite 391  
Chicago, Illinois 60654

**New York**

AIS New York  
257 Park Avenue South  
New York, New York 10010

**Washington, D.C.**

AIS Washington, D.C.  
1501 M St, NW, STE 230  
Washington, D.C. 20005

**GSA Sales**

GSA Contract 47QSM20D08Q4  
Multiple Award Schedule (MAS)  
Large Category: Furniture & Furnishings  
Subcategories: Office Furniture, Packaged  
Office Furniture and Furniture Services

**For additional information on AIS:**

Dealer Showrooms, Representative  
Directory, Project Case Studies, Online  
Catalog & Product Showcase  
Visit: **[www.ais-inc.com](http://www.ais-inc.com)**