UPHOLSTERY OPTIONS

Seating & Cushions Grade B Performance Alta™

Prospect is no longer available due to manufacturer discontinuation.

Sway and Mirage colorways are on alert and to be discontinued 12/31/24.

Mirage colorways discontinued 12/31/24 include: Buff, Chocolate, Miami, Nickle, Roan, Rust, Sunset, Sprout, Tomato





Grade B Performance Alta Upholstery

AIS

Grade B Performance Alta Upholstery






Sprout*

Rust*

Pumpkin

























Spring













Aegean







* PLEASE NOTE:

Black

Prospect is no longer available due to manufacturer discontinuation.

Sway and Mirage colorways are on alert and to be discontinued 12/31/24.

Mirage colorways discontinued 12/31/24 include: Buff, Chocolate, Miami, Nickle, Roan, Rust, Sunset, Sprout, Tomato

Sway DNA is not featured on this card, yet offered in the program.

Sway*


























And Shout*

Feather

Swag

Curl*














Grass





















Firewheel Manta

Cloak

Grade B Performance Alta Upholstery

Alta enables virtually any textile to withstand the rigors of real life without leaving a mark. Alta improves repellency to oil and water based stains, is easy to clean and can enhance physical properties of the fibers. The technology is permanent and imperceptible to the eye and hand.

Technical Information

Pattern	Width	Content	Lightfastness	Flammability (CAL 117 Section E)	Repeat	Backing	Directional	Abrasion	Wet & Dry Crocking	Physical Properties	Repellency
Mirage	54"	100% Polyester	Grade 4 min. at 40hrs	Pass	None	Acrylic	Directional	100,000 Double Rubs	AATCC 8, Pass (Wet Class 4, Dry Class 4)	Pass, Brush Pill ASTM D3511, Breaking Strength ASTM D5034-95, Seam Slippage ASTM D3597- 02/D434-95	High AATCC 22 and 118
Sway	54"	80% Post-Consumer Recycled Polyester, 20% Rayon from Bamboo	Grade 4 min at 40hrs	Pass	H: .125" V: .5"	Acrylic	Directional	87,000 Double Rubs	AATCC 8, Pass (Wet Class 4.5, Dry Class 5)	Pass, Brush Pill ASTM D3511, Breaking Strength ASTM D5034-95, Seam Slippage ASTM D3597- 02/D434-95	High AATCC 22 and 118
Frock	54"	50% Post-Consumer Recycled Polyester, 50% Virgin Polyester	Grade 4.5 min at 40hrs	Pass	H: .12" V: 12"	Acrylic	Non- Directional	100,000 Rubs	AATCC 8, Pass (Wet Class 5, Dry Class 5)	Pass, Brush Pill ASTM D3511, Breaking Strength ASTM D5034-95, Seam Slippage ASTM D3597- 02/D434-95	High AATCC 22 and 118

Cleaning Instructions

Blot with a dry towel. If residue remains, flush with warm water. Learn more at applied-textiles.com.

Miscellaneous

Swatches on this card have not had Alta application applied. However, all AIS Alta upholstery orders will have alta application as a standard feature. Alta will not change the appearance of the material.

All colorways are subject to dye lot variation.

For additional information or product availability go to www.ais-inc.com. Technical information subject to change.

Alta™ is a trademark of Applied Textiles.

